

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR188

5 Band edge for NR FR1..... 117

6 Out-of-band emissions for NR FR1125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	25.98	-1.23	24.75	30.00	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	25.18	-1.23	23.95	30.00	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	26.3	-1.23	25.07	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	26.34	-1.23	25.11	30.00	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	26.31	-1.23	25.08	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	25.3	-1.23	24.07	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	23.95	-1.23	22.72	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	21.74	-1.23	20.51	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	24.61	-1.23	23.38	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	26.37	-1.23	25.14	30.00	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	25.39	-1.23	24.16	30.00	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	26.3	-1.23	25.07	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	26.39	-1.23	25.16	30.00	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	26.43	-1.23	25.20	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	25.74	-1.23	24.51	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	23.47	-1.23	22.24	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	22.15	-1.23	20.92	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	25.02	-1.23	23.79	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	26.46	-1.23	25.23	30.00	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	25.47	-1.23	24.24	30.00	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	26.41	-1.23	25.18	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	26.33	-1.23	25.10	30.00	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	26.41	-1.23	25.18	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	25.43	-1.23	24.20	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	23.82	-1.23	22.59	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	21.82	-1.23	20.59	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	25.04	-1.23	23.81	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	26.04	-1.23	24.81	30.00	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	25.39	-1.23	24.16	30.00	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	26.33	-1.23	25.10	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	26.01	-1.23	24.78	30.00	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	26.32	-1.23	25.09	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	25.04	-1.23	23.81	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	23.63	-1.23	22.40	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	21.69	-1.23	20.46	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	24.73	-1.23	23.50	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	26.31	-1.23	25.08	30.00	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	25.43	-1.23	24.20	30.00	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	26.42	-1.23	25.19	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	26.27	-1.23	25.04	30.00	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	26.28	-1.23	25.05	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	25.25	-1.23	24.02	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	23.87	-1.23	22.64	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	21.8	-1.23	20.57	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	24.73	-1.23	23.50	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	26.26	-1.23	25.03	30.00	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	25.46	-1.23	24.23	30.00	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	26.37	-1.23	25.14	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	26.25	-1.23	25.02	30.00	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	26.31	-1.23	25.08	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	25.41	-1.23	24.18	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	23.68	-1.23	22.45	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	21.93	-1.23	20.70	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	24.68	-1.23	23.45	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	26.01	-1.23	24.78	30.00	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	25.49	-1.23	24.26	30.00	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	26.48	-1.23	25.25	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	26.04	-1.23	24.81	30.00	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	26.4	-1.23	25.17	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	24.75	-1.23	23.52	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	23.4	-1.23	22.17	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	21.44	-1.23	20.21	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	24.57	-1.23	23.34	30.00	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-1.05	-0.00028	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-5.02	-0.00135	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-8.00	-0.00216	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-11.00	-0.00297	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-9.03	-0.00244	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-14.11	-0.00381	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	3.33	0.00089	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-1.16	-0.00031	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-4.95	-0.00132	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-6.92	-0.00185	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-8.17	-0.00218	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-11.51	-0.00307	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-8.72	-0.00230	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-8.81	-0.00232	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-12.74	-0.00336	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-7.32	-0.00193	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-8.58	-0.00226	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-8.58	-0.00226	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-3.37	-0.00090	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-6.00	-0.00161	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	4.31	0.00116	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-1.07	-0.00029	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-5.92	-0.00159	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-8.52	-0.00229	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-0.41	-0.00011	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-4.72	-0.00126	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-10.53	-0.00281	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-10.64	-0.00284	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-16.07	-0.00429	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-8.10	-0.00216	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-6.22	-0.00165	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-7.91	-0.00210	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-18.71	-0.00496	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-7.44	-0.00197	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-10.63	-0.00282	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-11.26	-0.00298	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-4.84	-0.00129	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	0.78	0.00021	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-10.76	-0.00287	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-19.04	-0.00508	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-45.07	-0.01202	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-46.23	-0.01233	-2.5	2.5	PASS

Note: (Voltage:3.91V, Temperature:25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.30	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.74	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.39	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.68	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.47	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.81	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.61	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.63	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	5.07	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.82	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.65	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.45	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.78	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.71	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.51	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.31	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.80	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	6.28	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.67	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.30	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.57	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	6.61	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.75	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.33	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.79	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.33	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.82	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.78	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.89	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.53	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.85	13	PASS

n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	5.38	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.81	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.33	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.72	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.44	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.78	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.40	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.63	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.86	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.87	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.56	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.48	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.56	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.57	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.62	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	6.44	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.74	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	7.04	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.89	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.60	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.39	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.41	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.37	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.70	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.76	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	5.59	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	6.14	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.42	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.61	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.67	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.98	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	6.46	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.88	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	5.08	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.91	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.38	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.86	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.97	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.43	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.60	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.39	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.53	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.67	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	6.09	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.28	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	5.64	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	6.73	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.83	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.73	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.33	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.76	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	6.53	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.76	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	5.84	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	6.06	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.61	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.49	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.59	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.76	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.76	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.38	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.77	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	4.78	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.82	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.95	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.60	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.84	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.67	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.76	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.46	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.66	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	5.01	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.80	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.36	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.47	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	5.34	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.71	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.50	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.93	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.96	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	4.75	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.72	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.70	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.74	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	7.26	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.49	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.72	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.53	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.59	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	6.14	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	6.31	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.82	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.86	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.74	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.67	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.83	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0