

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2985
30	1000	0.1	RMS	914.491	-54.7	-13	Pass	9700
1000	1830	1	RMS	1800.965	-43.88	-13	Pass	830
1830	1920	1	RMS	1850.25	23.89	60	Pass	601
1920	3000	1	RMS	2661.687	-39.05	-13	Pass	1080
3000	12000	1	RMS	3700.078	-32.87	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.11	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.64	-13	Pass	2985
30	1000	0.1	RMS	936.693	-54.65	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.88	-13	Pass	830
1830	1920	1	RMS	1851.15	23.86	60	Pass	601
1920	3000	1	RMS	2659.685	-38.99	-13	Pass	1080
3000	12000	1	RMS	3702.078	-31.93	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.17	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2985
30	1000	0.1	RMS	982.698	-54.16	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.93	-13	Pass	830
1830	1920	1	RMS	1850.25	22.88	60	Pass	601
1920	3000	1	RMS	2660.686	-39.01	-13	Pass	1080
3000	12000	1	RMS	3700.078	-34	-13	Pass	9000
12000	20000	1	RMS	16591.574	-35.19	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2985
30	1000	0.1	RMS	959.896	-54.43	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.88	-13	Pass	830
1830	1920	1	RMS	1851.15	22.9	60	Pass	601
1920	3000	1	RMS	2659.685	-39.04	-13	Pass	1080
3000	12000	1	RMS	3702.078	-32.9	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.1	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2985
30	1000	0.1	RMS	986.499	-54.52	-13	Pass	9700
1000	1830	1	RMS	1788.951	-43.9	-13	Pass	830
1830	1920	1	RMS	1879.5	23.85	60	Pass	601
1920	3000	1	RMS	2659.685	-39.04	-13	Pass	1080
3000	12000	1	RMS	3759.084	-32.8	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.2	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.79	-13	Pass	2985
30	1000	0.1	RMS	873.587	-54.7	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.89	-13	Pass	830
1830	1920	1	RMS	1880.4	23.82	60	Pass	601
1920	3000	1	RMS	2659.685	-39.04	-13	Pass	1080
3000	12000	1	RMS	3761.085	-33.2	-13	Pass	9000
12000	20000	1	RMS	16592.574	-35.25	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.91	-13	Pass	2985
30	1000	0.1	RMS	892.789	-54.4	-13	Pass	9700
1000	1830	1	RMS	1817.986	-43.89	-13	Pass	830
1830	1920	1	RMS	1879.5	22.86	60	Pass	601
1920	3000	1	RMS	2658.684	-39.01	-13	Pass	1080
3000	12000	1	RMS	3759.084	-33.76	-13	Pass	9000
12000	20000	1	RMS	16608.576	-35.1	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.95	-13	Pass	2985
30	1000	0.1	RMS	912.491	-54.49	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.89	-13	Pass	830
1830	1920	1	RMS	1880.4	22.85	60	Pass	601
1920	3000	1	RMS	2661.687	-39.02	-13	Pass	1080
3000	12000	1	RMS	3761.085	-34.56	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.25	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.64	-13	Pass	2985
30	1000	0.1	RMS	954.995	-54.73	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.87	-13	Pass	830
1830	1920	1	RMS	1908.9	23.99	60	Pass	601
1920	3000	1	RMS	2659.685	-38.99	-13	Pass	1080
3000	12000	1	RMS	3818.091	-33.99	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.2	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.42	-13	Pass	2985
30	1000	0.1	RMS	922.792	-54.72	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.89	-13	Pass	830
1830	1920	1	RMS	1909.8	23.98	60	Pass	601
1920	3000	1	RMS	2634.662	-39.05	-13	Pass	1080
3000	12000	1	RMS	3819.091	-33.79	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.24	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.49	-13	Pass	2985
30	1000	0.1	RMS	973.497	-54.43	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.89	-13	Pass	830
1830	1920	1	RMS	1908.9	23.05	60	Pass	601
1920	3000	1	RMS	2659.685	-39.04	-13	Pass	1080
3000	12000	1	RMS	3818.091	-34.57	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.2	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.23	-13	Pass	2985
30	1000	0.1	RMS	982.798	-54.66	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.85	-13	Pass	830
1830	1920	1	RMS	1909.8	23.04	60	Pass	601
1920	3000	1	RMS	2662.688	-39.05	-13	Pass	1080
3000	12000	1	RMS	3819.091	-34.32	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.18	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2985
30	1000	0.1	RMS	914.991	-54.77	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.86	-13	Pass	830
1830	1920	1	RMS	1850.25	24.02	60	Pass	601
1920	3000	1	RMS	2659.685	-39.02	-13	Pass	1080
3000	12000	1	RMS	3700.078	-32.83	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.28	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.52	-13	Pass	2985
30	1000	0.1	RMS	925.392	-54.18	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.89	-13	Pass	830
1830	1920	1	RMS	1852.8	23.92	60	Pass	601
1920	3000	1	RMS	2660.686	-39.04	-13	Pass	1080
3000	12000	1	RMS	3705.078	-33.16	-13	Pass	9000
12000	20000	1	RMS	16586.573	-35.14	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2985
30	1000	0.1	RMS	914.191	-54.54	-13	Pass	9700
1000	1830	1	RMS	1789.952	-43.89	-13	Pass	830
1830	1920	1	RMS	1850.25	23.14	60	Pass	601
1920	3000	1	RMS	2660.686	-39.03	-13	Pass	1080
3000	12000	1	RMS	3700.078	-33.42	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.32	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.6	-13	Pass	2985
30	1000	0.1	RMS	909.091	-54.72	-13	Pass	9700
1000	1830	1	RMS	1790.953	-43.88	-13	Pass	830
1830	1920	1	RMS	1852.8	23.04	60	Pass	601
1920	3000	1	RMS	2657.683	-39.01	-13	Pass	1080
3000	12000	1	RMS	3705.078	-33.84	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.24	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.26	-13	Pass	2985
30	1000	0.1	RMS	994.099	-54.38	-13	Pass	9700
1000	1830	1	RMS	1801.966	-43.89	-13	Pass	830
1830	1920	1	RMS	1878.75	23.98	60	Pass	601
1920	3000	1	RMS	2660.686	-39.03	-13	Pass	1080
3000	12000	1	RMS	3757.084	-33.88	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.23	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2985
30	1000	0.1	RMS	886.488	-54.37	-13	Pass	9700
1000	1830	1	RMS	1789.952	-43.91	-13	Pass	830
1830	1920	1	RMS	1881.3	23.93	60	Pass	601
1920	3000	1	RMS	2659.685	-39	-13	Pass	1080
3000	12000	1	RMS	3762.085	-34.38	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.12	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.6	-13	Pass	2985
30	1000	0.1	RMS	924.892	-54.8	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.86	-13	Pass	830
1830	1920	1	RMS	1878.75	22.97	60	Pass	601
1920	3000	1	RMS	2658.684	-39.02	-13	Pass	1080
3000	12000	1	RMS	3757.084	-35.15	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.12	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2985
30	1000	0.1	RMS	987.599	-54.55	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.89	-13	Pass	830
1830	1920	1	RMS	1881.3	22.94	60	Pass	601
1920	3000	1	RMS	2661.687	-38.96	-13	Pass	1080
3000	12000	1	RMS	3762.085	-35.23	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.09	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2985
30	1000	0.1	RMS	900.29	-54.21	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.81	-13	Pass	830
1830	1920	1	RMS	1907.25	24.02	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3814.09	-34.37	-13	Pass	9000
12000	20000	1	RMS	16589.574	-35.19	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.48	-13	Pass	2985
30	1000	0.1	RMS	969.097	-54.03	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.87	-13	Pass	830
1830	1920	1	RMS	1909.8	24.05	60	Pass	601
1920	3000	1	RMS	2657.683	-39.03	-13	Pass	1080
3000	12000	1	RMS	3819.091	-33.75	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.18	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.39	-13	Pass	2985
30	1000	0.1	RMS	980.598	-54.66	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.88	-13	Pass	830
1830	1920	1	RMS	1907.25	23.15	60	Pass	601
1920	3000	1	RMS	2656.682	-39.01	-13	Pass	1080
3000	12000	1	RMS	3814.09	-35.45	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.19	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.82	-13	Pass	2985
30	1000	0.1	RMS	878.788	-54.52	-13	Pass	9700
1000	1830	1	RMS	1819.988	-43.9	-13	Pass	830
1830	1920	1	RMS	1909.8	23.13	60	Pass	601
1920	3000	1	RMS	2658.684	-38.96	-13	Pass	1080
3000	12000	1	RMS	3819.091	-34.47	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.07	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2985
30	1000	0.1	RMS	900.49	-54.6	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.83	-13	Pass	830
1830	1920	1	RMS	1850.4	23.84	60	Pass	601
1920	3000	1	RMS	2629.657	-39.04	-13	Pass	1080
3000	12000	1	RMS	3701.078	-32.85	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.19	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.91	-13	Pass	2985
30	1000	0.1	RMS	903.39	-54.57	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.86	-13	Pass	830
1830	1920	1	RMS	1854.6	23.77	60	Pass	601
1920	3000	1	RMS	2658.684	-39.03	-13	Pass	1080
3000	12000	1	RMS	3709.079	-32.5	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.18	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2985
30	1000	0.1	RMS	974.797	-54.76	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.91	-13	Pass	830
1830	1920	1	RMS	1850.4	22.93	60	Pass	601
1920	3000	1	RMS	2658.684	-39.04	-13	Pass	1080
3000	12000	1	RMS	3701.078	-33.09	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.05	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2985
30	1000	0.1	RMS	899.79	-54.7	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.86	-13	Pass	830
1830	1920	1	RMS	1854.6	22.81	60	Pass	601
1920	3000	1	RMS	2657.683	-39.03	-13	Pass	1080
3000	12000	1	RMS	3709.079	-33.15	-13	Pass	9000
12000	20000	1	RMS	16594.574	-34.98	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2985
30	1000	0.1	RMS	968.897	-54.36	-13	Pass	9700
1000	1830	1	RMS	1790.953	-43.88	-13	Pass	830
1830	1920	1	RMS	1877.85	23.91	60	Pass	601
1920	3000	1	RMS	2659.685	-39.02	-13	Pass	1080
3000	12000	1	RMS	3756.084	-33.84	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.19	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2985
30	1000	0.1	RMS	887.588	-54.34	-13	Pass	9700
1000	1830	1	RMS	1794.958	-43.89	-13	Pass	830
1830	1920	1	RMS	1882.2	23.87	60	Pass	601
1920	3000	1	RMS	2659.685	-39.01	-13	Pass	1080
3000	12000	1	RMS	3764.085	-33.75	-13	Pass	9000
12000	20000	1	RMS	16597.575	-34.96	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.82	-13	Pass	2985
30	1000	0.1	RMS	947.595	-54.55	-13	Pass	9700
1000	1830	1	RMS	1796.96	-43.88	-13	Pass	830
1830	1920	1	RMS	1877.85	23.06	60	Pass	601
1920	3000	1	RMS	2659.685	-38.98	-13	Pass	1080
3000	12000	1	RMS	3756.084	-34.56	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.16	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.56	-13	Pass	2985
30	1000	0.1	RMS	994.999	-54.8	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.87	-13	Pass	830
1830	1920	1	RMS	1882.2	23.05	60	Pass	601
1920	3000	1	RMS	2661.687	-39.01	-13	Pass	1080
3000	12000	1	RMS	3764.085	-34.57	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.14	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.39	-13	Pass	2985
30	1000	0.1	RMS	976.798	-54.33	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.88	-13	Pass	830
1830	1920	1	RMS	1905.3	23.94	60	Pass	601
1920	3000	1	RMS	2658.684	-38.95	-13	Pass	1080
3000	12000	1	RMS	3811.09	-34.75	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.25	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.4	-13	Pass	2985
30	1000	0.1	RMS	892.989	-54.57	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.89	-13	Pass	830
1830	1920	1	RMS	1909.65	23.98	60	Pass	601
1920	3000	1	RMS	2659.685	-38.96	-13	Pass	1080
3000	12000	1	RMS	3819.091	-32.9	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.14	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.02	-13	Pass	2985
30	1000	0.1	RMS	907.79	-54.56	-13	Pass	9700
1000	1830	1	RMS	1818.987	-43.85	-13	Pass	830
1830	1920	1	RMS	1905.3	23.13	60	Pass	601
1920	3000	1	RMS	2659.685	-38.99	-13	Pass	1080
3000	12000	1	RMS	3811.09	-35.45	-13	Pass	9000
12000	20000	1	RMS	16591.574	-35.19	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.23	-13	Pass	2985
30	1000	0.1	RMS	927.593	-54.17	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.87	-13	Pass	830
1830	1920	1	RMS	1909.65	23.19	60	Pass	601
1920	3000	1	RMS	2659.685	-38.91	-13	Pass	1080
3000	12000	1	RMS	3819.091	-33.65	-13	Pass	9000
12000	20000	1	RMS	16592.574	-35.25	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2985
30	1000	0.1	RMS	898.29	-54.57	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.81	-13	Pass	830
1830	1920	1	RMS	1850.55	23.93	60	Pass	601
1920	3000	1	RMS	2658.684	-39.07	-13	Pass	1080
3000	12000	1	RMS	3701.078	-31.59	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.23	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.47	-13	Pass	2985
30	1000	0.1	RMS	891.789	-54.44	-13	Pass	9700
1000	1830	1	RMS	1789.952	-43.84	-13	Pass	830
1830	1920	1	RMS	1859.4	23.84	60	Pass	601
1920	3000	1	RMS	2657.683	-38.99	-13	Pass	1080
3000	12000	1	RMS	3719.08	-32.98	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.25	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2985
30	1000	0.1	RMS	902.79	-54.66	-13	Pass	9700
1000	1830	1	RMS	1826.996	-43.85	-13	Pass	830
1830	1920	1	RMS	1850.55	23.12	60	Pass	601
1920	3000	1	RMS	2659.685	-38.96	-13	Pass	1080
3000	12000	1	RMS	3701.078	-32.7	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.24	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.56	-13	Pass	2985
30	1000	0.1	RMS	902.99	-54.57	-13	Pass	9700
1000	1830	1	RMS	1789.952	-43.87	-13	Pass	830
1830	1920	1	RMS	1859.4	22.92	60	Pass	601
1920	3000	1	RMS	2662.688	-39.02	-13	Pass	1080
3000	12000	1	RMS	3719.08	-34.16	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.13	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2985
30	1000	0.1	RMS	947.695	-54.36	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.86	-13	Pass	830
1830	1920	1	RMS	1875.6	24	60	Pass	601
1920	3000	1	RMS	2839.852	-38.96	-13	Pass	1080
3000	12000	1	RMS	3751.083	-32.63	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.18	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.38	-13	Pass	2985
30	1000	0.1	RMS	914.191	-54.51	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.86	-13	Pass	830
1830	1920	1	RMS	1884.45	23.96	60	Pass	601
1920	3000	1	RMS	2659.685	-39.07	-13	Pass	1080
3000	12000	1	RMS	3769.085	-34.32	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.22	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2985
30	1000	0.1	RMS	907.09	-54.58	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.85	-13	Pass	830
1830	1920	1	RMS	1875.6	22.98	60	Pass	601
1920	3000	1	RMS	2659.685	-39.04	-13	Pass	1080
3000	12000	1	RMS	3751.083	-33.71	-13	Pass	9000
12000	20000	1	RMS	19964.996	-35.29	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2985
30	1000	0.1	RMS	892.689	-54.43	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.89	-13	Pass	830
1830	1920	1	RMS	1884.45	22.95	60	Pass	601
1920	3000	1	RMS	2660.686	-38.98	-13	Pass	1080
3000	12000	1	RMS	3769.085	-35.33	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.17	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2985
30	1000	0.1	RMS	918.792	-54.6	-13	Pass	9700
1000	1830	1	RMS	1791.954	-43.86	-13	Pass	830
1830	1920	1	RMS	1900.65	24	60	Pass	601
1920	3000	1	RMS	2657.683	-39.05	-13	Pass	1080
3000	12000	1	RMS	3801.089	-33.13	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.19	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2985
30	1000	0.1	RMS	984.998	-54.64	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.89	-13	Pass	830
1830	1920	1	RMS	1909.35	24.02	60	Pass	601
1920	3000	1	RMS	2659.685	-38.95	-13	Pass	1080
3000	12000	1	RMS	3819.091	-32.96	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.13	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.35	-13	Pass	2985
30	1000	0.1	RMS	901.29	-54.54	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.88	-13	Pass	830
1830	1920	1	RMS	1900.65	23.06	60	Pass	601
1920	3000	1	RMS	2659.685	-39.02	-13	Pass	1080
3000	12000	1	RMS	3801.089	-34.28	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.13	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.43	-13	Pass	2985
30	1000	0.1	RMS	931.893	-54.51	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.89	-13	Pass	830
1830	1920	1	RMS	1909.35	23.09	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3819.091	-33.64	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.17	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.34	-13	Pass	2985
30	1000	0.1	RMS	943.094	-54.6	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.82	-13	Pass	830
1830	1920	1	RMS	1850.85	23.88	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3702.078	-32.82	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.18	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2985
30	1000	0.1	RMS	938.394	-54.45	-13	Pass	9700
1000	1830	1	RMS	1824.994	-43.88	-13	Pass	830
1830	1920	1	RMS	1864.2	23.84	60	Pass	601
1920	3000	1	RMS	2659.685	-39.03	-13	Pass	1080
3000	12000	1	RMS	3728.081	-32.83	-13	Pass	9000
12000	20000	1	RMS	19977.997	-35.25	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2985
30	1000	0.1	RMS	905.49	-54.44	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.82	-13	Pass	830
1830	1920	1	RMS	1850.85	23.01	60	Pass	601
1920	3000	1	RMS	2658.684	-39.04	-13	Pass	1080
3000	12000	1	RMS	3702.078	-33.09	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.15	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.84	-13	Pass	2985
30	1000	0.1	RMS	944.094	-54.68	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.87	-13	Pass	830
1830	1920	1	RMS	1864.2	22.96	60	Pass	601
1920	3000	1	RMS	2660.686	-39.01	-13	Pass	1080
3000	12000	1	RMS	3728.081	-33.6	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.13	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2985
30	1000	0.1	RMS	924.892	-54.55	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.83	-13	Pass	830
1830	1920	1	RMS	1873.35	23.92	60	Pass	601
1920	3000	1	RMS	2661.687	-39.02	-13	Pass	1080
3000	12000	1	RMS	3747.083	-33.79	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.32	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.53	-13	Pass	2985
30	1000	0.1	RMS	914.691	-54.67	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.89	-13	Pass	830
1830	1920	1	RMS	1886.7	23.87	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3773.086	-34.14	-13	Pass	9000
12000	20000	1	RMS	16586.573	-35.17	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.61	-13	Pass	601
0.15	30	0.01	RMS	0.17	-51.43	-13	Pass	2985
30	1000	0.1	RMS	898.19	-54.62	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.86	-13	Pass	830
1830	1920	1	RMS	1873.35	22.91	60	Pass	601
1920	3000	1	RMS	2658.684	-39.01	-13	Pass	1080
3000	12000	1	RMS	3747.083	-34.6	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.19	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2985
30	1000	0.1	RMS	908.191	-54.48	-13	Pass	9700
1000	1830	1	RMS	1802.967	-43.88	-13	Pass	830
1830	1920	1	RMS	1886.7	22.89	60	Pass	601
1920	3000	1	RMS	2659.685	-38.94	-13	Pass	1080
3000	12000	1	RMS	3773.086	-35.13	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.27	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2985
30	1000	0.1	RMS	869.187	-54.62	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.86	-13	Pass	830
1830	1920	1	RMS	1895.85	23.95	60	Pass	601
1920	3000	1	RMS	2658.684	-38.94	-13	Pass	1080
3000	12000	1	RMS	3792.088	-34.32	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.25	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.31	-13	Pass	2985
30	1000	0.1	RMS	927.893	-54.33	-13	Pass	9700
1000	1830	1	RMS	1824.994	-43.9	-13	Pass	830
1830	1920	1	RMS	1909.05	23.69	60	Pass	601
1920	3000	1	RMS	2657.683	-38.95	-13	Pass	1080
3000	12000	1	RMS	3818.091	-33.44	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.16	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2985
30	1000	0.1	RMS	956.696	-54.54	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.89	-13	Pass	830
1830	1920	1	RMS	1895.85	23.08	60	Pass	601
1920	3000	1	RMS	2660.686	-39	-13	Pass	1080
3000	12000	1	RMS	3792.088	-35.65	-13	Pass	9000
12000	20000	1	RMS	16579.572	-35.28	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.17	-13	Pass	2985
30	1000	0.1	RMS	889.289	-54.38	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.87	-13	Pass	830
1830	1920	1	RMS	1909.2	23.03	60	Pass	601
1920	3000	1	RMS	2659.685	-39.02	-13	Pass	1080
3000	12000	1	RMS	3818.091	-33.94	-13	Pass	9000
12000	20000	1	RMS	16590.574	-35.12	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2985
30	1000	0.1	RMS	996.8	-54.3	-13	Pass	9700
1000	1830	1	RMS	1830	-43.85	-13	Pass	830
1830	1920	1	RMS	1851.15	23.68	60	Pass	601
1920	3000	1	RMS	2659.685	-38.97	-13	Pass	1080
3000	12000	1	RMS	3702.078	-32.09	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.07	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.72	-13	Pass	2985
30	1000	0.1	RMS	981.598	-54.26	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.83	-13	Pass	830
1830	1920	1	RMS	1868.85	23.64	60	Pass	601
1920	3000	1	RMS	2660.686	-39.03	-13	Pass	1080
3000	12000	1	RMS	3738.082	-32.94	-13	Pass	9000
12000	20000	1	RMS	16585.573	-35.22	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.13	-13	Pass	601
0.15	30	0.01	RMS	0.17	-51.27	-13	Pass	2985
30	1000	0.1	RMS	900.29	-54.4	-13	Pass	9700
1000	1830	1	RMS	1788.951	-43.89	-13	Pass	830
1830	1920	1	RMS	1851.15	22.87	60	Pass	601
1920	3000	1	RMS	2656.682	-39.06	-13	Pass	1080
3000	12000	1	RMS	3702.078	-32.59	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.2	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2985
30	1000	0.1	RMS	884.888	-54.45	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.84	-13	Pass	830
1830	1920	1	RMS	1868.85	22.8	60	Pass	601
1920	3000	1	RMS	2660.686	-39.04	-13	Pass	1080
3000	12000	1	RMS	3738.082	-33.78	-13	Pass	9000
12000	20000	1	RMS	16592.574	-35.18	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2985
30	1000	0.1	RMS	899.69	-54.49	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.85	-13	Pass	830
1830	1920	1	RMS	1871.1	23.72	60	Pass	601
1920	3000	1	RMS	2630.658	-39.02	-13	Pass	1080
3000	12000	1	RMS	3742.082	-32.75	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.27	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.88	-13	Pass	2985
30	1000	0.1	RMS	899.89	-54.32	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.88	-13	Pass	830
1830	1920	1	RMS	1888.95	23.69	60	Pass	601
1920	3000	1	RMS	2660.686	-39.05	-13	Pass	1080
3000	12000	1	RMS	3778.086	-34.62	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.23	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2985
30	1000	0.1	RMS	906.79	-54.58	-13	Pass	9700
1000	1830	1	RMS	1801.966	-43.92	-13	Pass	830
1830	1920	1	RMS	1871.1	22.75	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3742.082	-33.61	-13	Pass	9000
12000	20000	1	RMS	16606.576	-35.2	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.51	-13	Pass	2985
30	1000	0.1	RMS	890.989	-54.58	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.88	-13	Pass	830
1830	1920	1	RMS	1888.95	22.68	60	Pass	601
1920	3000	1	RMS	2657.683	-38.99	-13	Pass	1080
3000	12000	1	RMS	3778.086	-36.12	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.23	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.31	-13	Pass	2985
30	1000	0.1	RMS	868.386	-54.48	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.88	-13	Pass	830
1830	1920	1	RMS	1891.05	23.7	60	Pass	601
1920	3000	1	RMS	2657.683	-39.02	-13	Pass	1080
3000	12000	1	RMS	3782.087	-34.19	-13	Pass	9000
12000	20000	1	RMS	16609.576	-35.14	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.2	-13	Pass	2985
30	1000	0.1	RMS	885.888	-54.61	-13	Pass	9700
1000	1830	1	RMS	1825.995	-43.87	-13	Pass	830
1830	1920	1	RMS	1908.9	23.77	60	Pass	601
1920	3000	1	RMS	2660.686	-38.89	-13	Pass	1080
3000	12000	1	RMS	3818.091	-33.32	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.14	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.69	-13	Pass	2985
30	1000	0.1	RMS	876.287	-54.34	-13	Pass	9700
1000	1830	1	RMS	1802.967	-43.88	-13	Pass	830
1830	1920	1	RMS	1891.05	22.7	60	Pass	601
1920	3000	1	RMS	2661.687	-38.99	-13	Pass	1080
3000	12000	1	RMS	3782.087	-35.07	-13	Pass	9000
12000	20000	1	RMS	16591.574	-35.14	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2985
30	1000	0.1	RMS	898.089	-54.26	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.84	-13	Pass	830
1830	1920	1	RMS	1908.9	22.79	60	Pass	601
1920	3000	1	RMS	2659.685	-38.97	-13	Pass	1080
3000	12000	1	RMS	3818.091	-34.73	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.2	-13	Pass	8000



END