







Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



**-6dB&99% Bandwidth**





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&amp;E241200075A-Wi-Fi2

## 7.6 MAXIMUM CONDUCTED OUTPUT POWER

|              |                                  |             |                   |
|--------------|----------------------------------|-------------|-------------------|
| Product      | : EUT-Sample                     | Test Mode   | : See section 3.4 |
| Test Item    | : Maximum Conducted Output Power | Temperature | : 25 °C           |
| Test Voltage | : DC 3.86V                       | Humidity    | : 56%RH           |
| Test Result  | : PASS                           |             |                   |

Ant1

| Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a    | 5180            | 12.16                 | 2.16             | 14.32             | 24          | Pass    |
| a    | 5240            | 9.52                  | 2.14             | 11.66             | 24          | Pass    |
| a    | 5260            | 12.25                 | 2.16             | 14.41             | 24          | Pass    |
| a    | 5320            | 11.45                 | 2.16             | 13.61             | 24          | Pass    |
| a    | 5500            | 10.5                  | 2.16             | 12.66             | 24          | Pass    |
| a    | 5700            | 9.75                  | 2.16             | 11.91             | 24          | Pass    |
| a    | 5745            | 10.17                 | 2.16             | 12.33             | 30          | Pass    |
| a    | 5825            | 9.11                  | 2.14             | 11.25             | 30          | Pass    |
| n20  | 5180            | 10.65                 | 2.26             | 12.91             | 24          | Pass    |
| n20  | 5240            | 10.6                  | 2.3              | 12.9              | 24          | Pass    |
| n20  | 5260            | 10.8                  | 2.26             | 13.06             | 24          | Pass    |
| n20  | 5320            | 9.59                  | 2.28             | 11.87             | 24          | Pass    |
| n20  | 5500            | 9.4                   | 2.28             | 11.68             | 24          | Pass    |
| n20  | 5700            | 8.29                  | 2.26             | 10.55             | 24          | Pass    |
| n20  | 5745            | 9.63                  | 2.28             | 11.91             | 30          | Pass    |
| n20  | 5825            | 8.09                  | 2.28             | 10.37             | 30          | Pass    |
| n40  | 5190            | 8.85                  | 2.98             | 11.83             | 24          | Pass    |
| n40  | 5230            | 8.73                  | 5.2              | 13.93             | 24          | Pass    |
| n40  | 5270            | 9.09                  | 3                | 12.09             | 24          | Pass    |
| n40  | 5310            | 8.26                  | 3                | 11.26             | 24          | Pass    |
| n40  | 5510            | 7.17                  | 3                | 10.17             | 24          | Pass    |
| n40  | 5670            | 6.34                  | 3                | 9.34              | 24          | Pass    |
| n40  | 5755            | 6.86                  | 3                | 9.86              | 30          | Pass    |
| n40  | 5795            | 6.99                  | 3                | 9.99              | 30          | Pass    |
| ac20 | 5180            | 11.34                 | 2.32             | 13.66             | 24          | Pass    |
| ac20 | 5240            | 10.55                 | 2.32             | 12.87             | 24          | Pass    |
| ac20 | 5260            | 10.33                 | 2.16             | 12.49             | 24          | Pass    |
| ac20 | 5320            | 10.62                 | 2.2              | 12.82             | 24          | Pass    |
| ac20 | 5500            | 8.85                  | 2.16             | 11.01             | 24          | Pass    |
| ac20 | 5700            | 8.27                  | 2.3              | 10.57             | 24          | Pass    |
| ac20 | 5745            | 9.18                  | 2.32             | 11.5              | 30          | Pass    |
| ac20 | 5825            | 7.87                  | 2.32             | 10.19             | 30          | Pass    |
| ac40 | 5190            | 8.59                  | 2.6              | 11.19             | 24          | Pass    |
| ac40 | 5230            | 8.6                   | 3                | 11.6              | 24          | Pass    |
| ac40 | 5270            | 8.56                  | 5                | 13.56             | 24          | Pass    |
| ac40 | 5310            | 8.58                  | 3.75             | 12.33             | 24          | Pass    |
| ac40 | 5510            | 6.77                  | 5                | 11.77             | 24          | Pass    |
| ac40 | 5670            | 5.84                  | 3.98             | 9.82              | 24          | Pass    |
| ac40 | 5755            | 6.4                   | 2                | 8.4               | 30          | Pass    |
| ac40 | 5795            | 6.98                  | 2.58             | 9.56              | 30          | Pass    |
| ac80 | 5210            | 5.22                  | 2.96             | 8.18              | 24          | Pass    |
| ac80 | 5290            | 4.35                  | 2.94             | 7.29              | 24          | Pass    |
| ac80 | 5530            | 3.08                  | 2.94             | 6.02              | 24          | Pass    |
| ac80 | 5610            | 2.14                  | 3                | 5.14              | 24          | Pass    |
| ac80 | 5775            | 3.32                  | 3.67             | 6.99              | 30          | Pass    |
| ax20 | 5180            | 10.6                  | 3                | 13.6              | 24          | Pass    |
| ax20 | 5240            | 10.65                 | 2.79             | 13.44             | 24          | Pass    |
| ax20 | 5260            | 9.84                  | 2.77             | 12.61             | 24          | Pass    |
| ax20 | 5320            | 9.76                  | 2.75             | 12.51             | 24          | Pass    |
| ax20 | 5500            | 8.9                   | 2.73             | 11.63             | 24          | Pass    |
| ax20 | 5700            | 6.46                  | 2.75             | 9.21              | 24          | Pass    |
| ax20 | 5745            | 7.73                  | 2.75             | 10.48             | 30          | Pass    |
| ax20 | 5825            | 5.36                  | 2.77             | 8.13              | 30          | Pass    |
| ax40 | 5190            | 8.81                  | 4.28             | 13.09             | 24          | Pass    |

Report No.: WSCT-ANAB-R&amp;E241200075A-Wi-Fi2

|       |      |      |      |       |    |      |
|-------|------|------|------|-------|----|------|
| ax40  | 5230 | 9.57 | 3.46 | 13.03 | 24 | Pass |
| ax40  | 5270 | 7.73 | 3    | 10.73 | 24 | Pass |
| ax40  | 5310 | 8.43 | 3    | 11.43 | 24 | Pass |
| ax40  | 5510 | 6.55 | 3.44 | 9.99  | 24 | Pass |
| ax40  | 5670 | 4.03 | 3.4  | 7.43  | 24 | Pass |
| ax40  | 5755 | 4.92 | 2    | 6.92  | 30 | Pass |
| ax40  | 5795 | 4.67 | 2    | 6.67  | 30 | Pass |
| ax80  | 5210 | 7.78 | 2.46 | 10.24 | 24 | Pass |
| ax80  | 5290 | 4.52 | 2.49 | 7.01  | 24 | Pass |
| ax80  | 5530 | 5.2  | 2.48 | 7.68  | 24 | Pass |
| ax80  | 5610 | 4.41 | 2.67 | 7.08  | 24 | Pass |
| ax80  | 5775 | 4.03 | 2.6  | 6.63  | 30 | Pass |
| ax160 | 5250 | 9.15 | 2.37 | 11.52 | 24 | Pass |
| ax160 | 5570 | 8.29 | 3.32 | 11.61 | 24 | Pass |

Ant2

| Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a    | 5180            | 10.67                 | 2.23             | 12.9              | 24          | Pass    |
| a    | 5240            | 11.66                 | 2.25             | 13.91             | 24          | Pass    |
| a    | 5260            | 14.93                 | 2.28             | 17.21             | 24          | Pass    |
| a    | 5320            | 15.12                 | 2.26             | 17.38             | 24          | Pass    |
| a    | 5500            | 13.81                 | 2.26             | 16.07             | 24          | Pass    |
| a    | 5700            | 13.41                 | 2.28             | 15.69             | 24          | Pass    |
| a    | 5745            | 13.52                 | 2.02             | 15.54             | 30          | Pass    |
| a    | 5825            | 12.68                 | 2.28             | 14.96             | 30          | Pass    |
| n20  | 5180            | 13.69                 | 2.4              | 16.09             | 24          | Pass    |
| n20  | 5240            | 13.37                 | 2.4              | 15.77             | 24          | Pass    |
| n20  | 5260            | 13.7                  | 2.35             | 16.05             | 24          | Pass    |
| n20  | 5320            | 13.72                 | 2.4              | 16.12             | 24          | Pass    |
| n20  | 5500            | 12.62                 | 2.42             | 15.04             | 24          | Pass    |
| n20  | 5700            | 12.16                 | 2.35             | 14.51             | 24          | Pass    |
| n20  | 5745            | 11.66                 | 2.42             | 14.08             | 30          | Pass    |
| n20  | 5825            | 11.68                 | 2.4              | 14.08             | 30          | Pass    |
| n40  | 5190            | 12.79                 | 3.96             | 16.75             | 24          | Pass    |
| n40  | 5230            | 11.47                 | 2.82             | 14.29             | 24          | Pass    |
| n40  | 5270            | 10.76                 | 3.96             | 14.72             | 24          | Pass    |
| n40  | 5310            | 11.5                  | 3.24             | 14.74             | 24          | Pass    |
| n40  | 5510            | 9.58                  | 3.91             | 13.49             | 24          | Pass    |
| n40  | 5670            | 10.89                 | 2.76             | 13.65             | 24          | Pass    |
| n40  | 5755            | 10.61                 | 3.93             | 14.54             | 30          | Pass    |
| n40  | 5795            | 9.95                  | 4.77             | 14.72             | 30          | Pass    |
| ac20 | 5180            | 13.28                 | 2.39             | 15.67             | 24          | Pass    |
| ac20 | 5240            | 12.76                 | 2.34             | 15.1              | 24          | Pass    |
| ac20 | 5260            | 9.71                  | 2.39             | 12.1              | 24          | Pass    |
| ac20 | 5320            | 12.97                 | 2.39             | 15.36             | 24          | Pass    |
| ac20 | 5500            | 11.04                 | 2.39             | 13.43             | 24          | Pass    |
| ac20 | 5700            | 11.43                 | 2.36             | 13.79             | 24          | Pass    |
| ac20 | 5745            | 12.22                 | 2.12             | 14.34             | 30          | Pass    |
| ac20 | 5825            | 11.79                 | 2.35             | 14.14             | 30          | Pass    |
| ac40 | 5190            | 11.3                  | 2.57             | 13.87             | 24          | Pass    |
| ac40 | 5230            | 11.72                 | 2.76             | 14.48             | 24          | Pass    |
| ac40 | 5270            | 11.24                 | 2.79             | 14.03             | 24          | Pass    |
| ac40 | 5310            | 10.81                 | 2.88             | 13.69             | 24          | Pass    |
| ac40 | 5510            | 10.25                 | 2.66             | 12.91             | 24          | Pass    |
| ac40 | 5670            | 10.42                 | 3.83             | 14.25             | 24          | Pass    |
| ac40 | 5755            | 10.21                 | 3.9              | 14.11             | 30          | Pass    |
| ac40 | 5795            | 8.19                  | 2.85             | 11.04             | 30          | Pass    |
| ac80 | 5210            | 9.46                  | 6.24             | 15.7              | 24          | Pass    |
| ac80 | 5290            | 8.42                  | 6.29             | 14.71             | 24          | Pass    |
| ac80 | 5530            | 7.36                  | 6.21             | 13.57             | 24          | Pass    |
| ac80 | 5610            | 6.28                  | 6.20             | 12.48             | 24          | Pass    |
| ac80 | 5775            | 6.16                  | 2.56             | 8.72              | 30          | Pass    |
| ax20 | 5180            | 12.99                 | 2.77             | 15.76             | 24          | Pass    |
| ax20 | 5240            | 12.5                  | 2.84             | 15.34             | 24          | Pass    |
| ax20 | 5260            | 13.03                 | 2.84             | 15.87             | 24          | Pass    |
| ax20 | 5320            | 12.32                 | 2.91             | 15.23             | 24          | Pass    |
| ax20 | 5500            | 10.38                 | 2.44             | 12.82             | 24          | Pass    |
| ax20 | 5700            | 11.27                 | 2.9              | 14.17             | 24          | Pass    |
| ax20 | 5745            | 11.39                 | 2.9              | 14.29             | 30          | Pass    |

Report No.: WSCT-ANAB-R&amp;E241200075A-Wi-Fi2

|       |      |       |      |       |    |      |
|-------|------|-------|------|-------|----|------|
| ax20  | 5825 | 10.04 | 2.83 | 12.87 | 30 | Pass |
| ax40  | 5190 | 11.08 | 3.6  | 14.68 | 24 | Pass |
| ax40  | 5230 | 11.35 | 4.44 | 15.79 | 24 | Pass |
| ax40  | 5270 | 10.96 | 3.69 | 14.65 | 24 | Pass |
| ax40  | 5310 | 10.37 | 4.46 | 14.83 | 24 | Pass |
| ax40  | 5510 | 8.78  | 4.46 | 13.24 | 24 | Pass |
| ax40  | 5670 | 9.23  | 4.46 | 13.69 | 24 | Pass |
| ax40  | 5755 | 9.17  | 3.66 | 12.83 | 30 | Pass |
| ax40  | 5795 | 8.47  | 3.66 | 12.13 | 30 | Pass |
| ax80  | 5210 | 7.56  | 6.75 | 14.31 | 24 | Pass |
| ax80  | 5290 | 7.74  | 6.6  | 14.34 | 24 | Pass |
| ax80  | 5530 | 7.12  | 6.66 | 13.78 | 24 | Pass |
| ax80  | 5610 | 6.82  | 4.77 | 11.59 | 24 | Pass |
| ax80  | 5775 | 6.45  | 4.04 | 10.49 | 30 | Pass |
| ax160 | 5250 | 9.1   | 8.7  | 17.8  | 24 | Pass |
| ax160 | 5570 | 6.99  | 8.3  | 15.29 | 24 | Pass |

### MiMO Mode



| Mode | Frequency (MHz) | Total Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-------------------|-------------|---------|
| n20  | 5180            | 17.80             | 24          | Pass    |
| n20  | 5240            | 17.58             | 24          | Pass    |
| n20  | 5260            | 17.82             | 24          | Pass    |
| n20  | 5320            | 17.51             | 24          | Pass    |
| n20  | 5500            | 16.69             | 24          | Pass    |
| n20  | 5700            | 15.98             | 24          | Pass    |
| n20  | 5745            | 16.14             | 30          | Pass    |
| n20  | 5825            | 15.62             | 30          | Pass    |
| n40  | 5190            | 17.96             | 24          | Pass    |
| n40  | 5230            | 17.12             | 24          | Pass    |
| n40  | 5270            | 16.61             | 24          | Pass    |
| n40  | 5310            | 16.35             | 24          | Pass    |
| n40  | 5510            | 15.15             | 24          | Pass    |
| n40  | 5670            | 15.02             | 24          | Pass    |
| n40  | 5755            | 15.81             | 30          | Pass    |
| n40  | 5795            | 15.98             | 30          | Pass    |
| ac20 | 5180            | 17.79             | 24          | Pass    |
| ac20 | 5240            | 17.14             | 24          | Pass    |
| ac20 | 5260            | 15.31             | 24          | Pass    |
| ac20 | 5320            | 17.28             | 24          | Pass    |
| ac20 | 5500            | 15.40             | 24          | Pass    |
| ac20 | 5700            | 15.48             | 24          | Pass    |
| ac20 | 5745            | 16.16             | 30          | Pass    |
| ac20 | 5825            | 15.61             | 30          | Pass    |
| ac40 | 5190            | 15.74             | 24          | Pass    |
| ac40 | 5230            | 16.28             | 24          | Pass    |
| ac40 | 5270            | 16.81             | 24          | Pass    |
| ac40 | 5310            | 16.07             | 24          | Pass    |
| ac40 | 5510            | 15.39             | 24          | Pass    |
| ac40 | 5670            | 15.59             | 24          | Pass    |
| ac40 | 5755            | 15.14             | 30          | Pass    |
| ac40 | 5795            | 13.37             | 30          | Pass    |
| ac80 | 5210            | 16.41             | 24          | Pass    |
| ac80 | 5290            | 15.43             | 24          | Pass    |
| ac80 | 5530            | 14.27             | 24          | Pass    |
| ac80 | 5610            | 13.22             | 24          | Pass    |
| ac80 | 5775            | 10.95             | 30          | Pass    |
| ax20 | 5180            | 17.82             | 24          | Pass    |
| ax20 | 5240            | 17.50             | 24          | Pass    |
| ax20 | 5260            | 17.55             | 24          | Pass    |
| ax20 | 5320            | 17.09             | 24          | Pass    |
| ax20 | 5500            | 15.28             | 24          | Pass    |
| ax20 | 5700            | 15.37             | 24          | Pass    |
| ax20 | 5745            | 15.80             | 30          | Pass    |
| ax20 | 5825            | 14.13             | 30          | Pass    |
| ax40 | 5190            | 16.97             | 24          | Pass    |
| ax40 | 5230            | 17.64             | 24          | Pass    |
| ax40 | 5270            | 16.13             | 24          | Pass    |
| ax40 | 5310            | 16.46             | 24          | Pass    |
| ax40 | 5510            | 14.92             | 24          | Pass    |
| ax40 | 5670            | 14.61             | 24          | Pass    |

Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



|       |      |       |    |      |
|-------|------|-------|----|------|
| ax40  | 5755 | 13.82 | 30 | Pass |
| ax40  | 5795 | 13.22 | 30 | Pass |
| ax80  | 5210 | 15.75 | 24 | Pass |
| ax80  | 5290 | 15.08 | 24 | Pass |
| ax80  | 5530 | 14.73 | 24 | Pass |
| ax80  | 5610 | 12.91 | 24 | Pass |
| ax80  | 5775 | 11.99 | 30 | Pass |
| ax160 | 5250 | 18.72 | 24 | Pass |
| ax160 | 5570 | 16.84 | 24 | Pass |

Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



ANT1





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2





Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2



Report No.: WSCT-ANAB-R&E241200075A-Wi-Fi2

