

TABLE OF CONTENTS

01 Conducted output power for inter-band CA2

06 Out-of-band emissions for inter-band CA.....4

01 Conducted output power for inter-band CA


Band	PCC BW (MHz)	PCC Ch	PCC RB	SCC BW (MHz)	SCC Ch	SCC RB	Modulation	EIRP (dBm)	EIRP (mW)	ERP Limit (mW)	Verdict
4A-5A	5	1975	1@0	5	2425	1@24	QPSK	24.63	290.59	2000	PASS
4A-5A	5	1975	1@24	5	2425	1@0	QPSK	24.56	286.01	2000	PASS
4A-5A	5	1975	25@0	5	2425	25@0	QPSK	24.65	291.93	2000	PASS
4A-5A	5	1975	1@0	5	2425	1@24	16QAM	24.74	297.66	2000	PASS
4A-5A	5	1975	1@24	5	2425	1@0	16QAM	24.64	291.23	2000	PASS
4A-5A	5	1975	25@0	5	2425	25@0	16QAM	24.62	289.62	2000	PASS
4A-5A	5	2375	1@0	5	2625	1@24	QPSK	24.53	284.04	2000	PASS
4A-5A	5	2375	1@24	5	2625	1@0	QPSK	24.57	286.15	2000	PASS
4A-5A	5	2375	25@0	5	2625	25@0	QPSK	24.45	278.70	2000	PASS
4A-5A	5	2375	1@0	5	2625	1@24	16QAM	24.28	267.98	2000	PASS
4A-5A	5	2375	1@24	5	2625	1@0	16QAM	24.34	271.72	2000	PASS
4A-5A	5	2375	25@0	5	2625	25@0	16QAM	24.51	282.53	2000	PASS
4A-5A	20	2050	1@0	10	2450	1@49	QPSK	24.73	297.32	2000	PASS
4A-5A	20	2050	1@99	10	2450	1@0	QPSK	24.57	286.50	2000	PASS
4A-5A	20	2050	100@0	10	2450	50@0	QPSK	24.65	291.44	2000	PASS
4A-5A	20	2050	1@0	10	2450	1@49	16QAM	24.53	283.53	2000	PASS
4A-5A	20	2050	1@99	10	2450	1@0	16QAM	24.39	275.02	2000	PASS
4A-5A	20	2050	100@0	10	2450	50@0	16QAM	24.72	296.63	2000	PASS
4A-5A	20	2300	1@0	10	2600	1@49	QPSK	24.61	288.90	2000	PASS
4A-5A	20	2300	1@99	10	2600	1@0	QPSK	24.83	303.83	2000	PASS
4A-5A	20	2300	100@0	10	2600	50@0	QPSK	24.71	295.95	2000	PASS
4A-5A	20	2300	1@0	10	2600	1@49	16QAM	24.47	279.81	2000	PASS
4A-5A	20	2300	1@99	10	2600	1@0	16QAM	24.66	292.29	2000	PASS
4A-5A	20	2300	100@0	10	2600	50@0	16QAM	24.76	299.02	2000	PASS
4A-7A	5	1975	1@0	5	2775	1@24	QPSK	23.37	217.16	2000	PASS
4A-7A	5	1975	1@24	5	2775	1@0	QPSK	23.26	211.89	2000	PASS
4A-7A	5	1975	25@0	5	2775	25@0	QPSK	23.38	217.81	2000	PASS
4A-7A	5	1975	1@0	5	2775	1@24	16QAM	23.58	228.08	2000	PASS
4A-7A	5	1975	1@24	5	2775	1@0	16QAM	23.46	221.69	2000	PASS
4A-7A	5	1975	25@0	5	2775	25@0	16QAM	23.36	216.81	2000	PASS
4A-7A	5	2375	1@0	5	3425	1@24	QPSK	23.42	219.95	2000	PASS
4A-7A	5	2375	1@24	5	3425	1@0	QPSK	23.55	226.72	2000	PASS
4A-7A	5	2375	25@0	5	3425	25@0	QPSK	23.49	223.59	2000	PASS
4A-7A	5	2375	1@0	5	3425	1@24	16QAM	23.40	218.55	2000	PASS
4A-7A	5	2375	1@24	5	3425	1@0	16QAM	23.41	219.06	2000	PASS
4A-7A	5	2375	25@0	5	3425	25@0	16QAM	23.50	223.93	2000	PASS
4A-7A	20	2050	1@0	20	2850	1@99	QPSK	23.38	217.60	2000	PASS
4A-7A	20	2050	1@99	20	2850	1@0	QPSK	23.40	218.54	2000	PASS

4A-7A	20	2050	100@0	20	2850	100@0	QPSK	23.37	217.31	2000	PASS
4A-7A	20	2050	1@0	20	2850	1@99	16QAM	23.18	207.97	2000	PASS
4A-7A	20	2050	1@99	20	2850	1@0	16QAM	23.18	208.11	2000	PASS
4A-7A	20	2050	100@0	20	2850	100@0	16QAM	23.41	219.08	2000	PASS
4A-7A	20	2300	1@0	20	3350	1@99	QPSK	23.71	234.71	2000	PASS
4A-7A	20	2300	1@99	20	3350	1@0	QPSK	23.51	224.17	2000	PASS
4A-7A	20	2300	100@0	20	3350	100@0	QPSK	23.62	229.93	2000	PASS
4A-7A	20	2300	1@0	20	3350	1@99	16QAM	23.61	229.75	2000	PASS
4A-7A	20	2300	1@99	20	3350	1@0	16QAM	23.40	218.83	2000	PASS
4A-7A	20	2300	100@0	20	3350	100@0	16QAM	23.59	228.61	2000	PASS

06 Out-of-band emissions for inter-band CA


Band	PCC BW (MHz)	PCC Ch	PCC RB	SCC BW (MHz)	SCC Ch	SCC RB	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
4A-5A	5	1975	1@0	5	2425	1@24	QPSK	2539.00	-33.19	-13	PASS
4A-5A	5	1975	25@0	5	2425	25@0	QPSK	18932.83	-37.13	-13	PASS
4A-5A	5	1975	1@0	5	2425	1@24	16QAM	2539.00	-35.74	-13	PASS
4A-5A	5	1975	25@0	5	2425	25@0	16QAM	19319.80	-36.83	-13	PASS
4A-5A	5	2375	1@0	5	2625	1@24	QPSK	2599.17	-31.76	-13	PASS
4A-5A	5	2375	25@0	5	2625	25@0	QPSK	1689.70	-31.12	-13	PASS
4A-5A	5	2375	1@0	5	2625	1@24	16QAM	2599.17	-34.96	-13	PASS
4A-5A	5	2375	25@0	5	2625	25@0	16QAM	1689.70	-37.11	-13	PASS
4A-5A	20	2050	1@0	10	2450	1@49	QPSK	2544.70	-35.44	-13	PASS
4A-5A	20	2050	100@0	10	2450	50@0	QPSK	18540.80	-37.16	-13	PASS
4A-5A	20	2050	1@0	10	2450	1@49	16QAM	2544.70	-36.69	-13	PASS
4A-5A	20	2050	100@0	10	2450	50@0	16QAM	19711.83	-36.85	-13	PASS
4A-5A	20	2300	1@0	10	2600	1@49	QPSK	2545.33	-36.97	-13	PASS
4A-5A	20	2300	100@0	10	2600	50@0	QPSK	19463.57	-37.03	-13	PASS
4A-5A	20	2300	1@0	10	2600	1@49	16QAM	2584.60	-33.21	-13	PASS
4A-5A	20	2300	100@0	10	2600	50@0	16QAM	19252.67	-36.63	-13	PASS
4A-7A	5	1975	1@0	5	2775	1@24	QPSK	19145.00	-36.49	-25	PASS
4A-7A	5	1975	25@0	5	2775	25@0	QPSK	19088.00	-37.14	-25	PASS
4A-7A	5	1975	1@0	5	2775	1@24	16QAM	19345.13	-36.95	-25	PASS
4A-7A	5	1975	25@0	5	2775	25@0	16QAM	19846.10	-37.99	-25	PASS
4A-7A	5	2375	1@0	5	3425	1@24	QPSK	19214.03	-36.53	-25	PASS
4A-7A	5	2375	25@0	5	3425	25@0	QPSK	19325.50	-36.95	-25	PASS
4A-7A	5	2375	1@0	5	3425	1@24	16QAM	18888.50	-37.18	-25	PASS
4A-7A	5	2375	25@0	5	3425	25@0	16QAM	19401.50	-37.40	-25	PASS
4A-7A	20	2050	1@0	20	2850	1@99	QPSK	18975.90	-37.01	-25	PASS
4A-7A	20	2050	100@0	20	2850	100@0	QPSK	18797.93	-37.26	-25	PASS
4A-7A	20	2050	1@0	20	2850	1@99	16QAM	19224.80	-37.02	-25	PASS
4A-7A	20	2050	100@0	20	2850	100@0	16QAM	18946.77	-36.49	-25	PASS
4A-7A	20	2300	1@0	20	3350	1@99	QPSK	19309.03	-37.05	-25	PASS
4A-7A	20	2300	100@0	20	3350	100@0	QPSK	19322.97	-37.61	-25	PASS
4A-7A	20	2300	1@0	20	3350	1@99	16QAM	19281.80	-35.57	-25	PASS
4A-7A	20	2300	100@0	20	3350	100@0	16QAM	19036.70	-36.35	-25	PASS

4A-5A 16QAM PCC BW=20MHz Ch=2300 RB=100@0, SCC BW=10MHz Ch=2600 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.15	-13
2	0.15	30	10	0.19	-55.89	-13
3	30	1000	100	929.03	-52.21	-13
4	1000	20000	1000	19252.67	-36.63	-13

4A-5A 16QAM PCC BW=20MHz Ch=2050 RB=1@0,SCC BW=10MHz Ch=2450 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.92	-13
2	0.15	30	10	0.16	-54.16	-13
3	30	1000	100	763.74	-52.65	-13
4	1000	20000	1000	2544.7	-36.69	-13

4A-5A 16QAM PCC BW=20MHz Ch=2050 RB=100@0,SCC BW=10MHz Ch=2450 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.57	-13
2	0.15	30	10	0.17	-55.12	-13
3	30	1000	100	995.8	-51.7	-13
4	1000	20000	1000	19711.83	-36.85	-13

4A-5A QPSK PCC BW=20MHz Ch=2050 RB=100@0,SCC BW=10MHz Ch=2450 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.23	-13
2	0.15	30	10	0.17	-53.46	-13
3	30	1000	100	990.2	-51.88	-13
4	1000	20000	1000	18540.8	-37.16	-13

4A-5A 16QAM PCC BW=5MHz Ch=2375 RB=25@0,SCC BW=5MHz Ch=2625 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.7	-13
2	0.15	30	10	0.17	-54.63	-13
3	30	1000	100	682.81	-52.3	-13
4	1000	20000	1000	1689.7	-37.11	-13

4A-5A QPSK PCC BW=20MHz Ch=2300 RB=100@0,SCC BW=10MHz Ch=2600 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.26	-13
2	0.15	30	10	0.16	-53.94	-13
3	30	1000	100	976.2	-52.46	-13
4	1000	20000	1000	19463.57	-37.03	-13

4A-5A QPSK PCC BW=20MHz Ch=2050 RB=1@0,SCC BW=10MHz Ch=2450 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.46	-13
2	0.15	30	10	0.15	-53.69	-13
3	30	1000	100	964.5	-52.81	-13
4	1000	20000	1000	2544.7	-35.44	-13

4A-5A 16QAM PCC BW=5MHz Ch=1975 RB=1@0,SCC BW=5MHz Ch=2425 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.19	-13
2	0.15	30	10	0.17	-54.84	-13
3	30	1000	100	904.52	-52.24	-13
4	1000	20000	1000	2539	-35.74	-13

4A-5A 16QAM PCC BW=20MHz Ch=2300 RB=1@0,SCC BW=10MHz Ch=2600 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.77	-13
2	0.15	30	10	0.16	-54.78	-13
3	30	1000	100	766.13	-52.04	-13
4	1000	20000	1000	2584.6	-33.21	-13

4A-5A 16QAM PCC BW=5MHz Ch=2375 RB=1@0,SCC BW=5MHz Ch=2625 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.42	-13
2	0.15	30	10	0.15	-52.51	-13
3	30	1000	100	729.69	-52.02	-13
4	1000	20000	1000	2599.17	-34.96	-13

4A-5A 16QAM PCC BW=5MHz Ch=1975 RB=25@0,SCC BW=5MHz Ch=2425 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.42	-13
2	0.15	30	10	0.15	-53.84	-13
3	30	1000	100	707.67	-52.84	-13
4	1000	20000	1000	19319.8	-36.83	-13

4A-5A QPSK PCC BW=5MHz Ch=2375 RB=1@0,SCC BW=5MHz Ch=2625 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.9	-13
2	0.15	30	10	0.15	-53.44	-13
3	30	1000	100	970.25	-52.26	-13
4	1000	20000	1000	2599.17	-31.76	-13

4A-5A QPSK PCC BW=5MHz Ch=2375 RB=25@0,SCC BW=5MHz Ch=2625 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.51	-13
2	0.15	30	10	0.15	-55.08	-13
3	30	1000	100	929.45	-52.99	-13
4	1000	20000	1000	1689.7	-31.12	-13

4A-5A QPSK PCC BW=5MHz Ch=1975 RB=25@0,SCC BW=5MHz Ch=2425 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.72	-13
2	0.15	30	10	0.15	-54.24	-13
3	30	1000	100	972.65	-52.4	-13
4	1000	20000	1000	18932.83	-37.13	-13

4A-5A QPSK PCC BW=20MHz Ch=2300 RB=1@0,SCC BW=10MHz Ch=2600 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.7	-13
2	0.15	30	10	0.15	-54.78	-13
3	30	1000	100	893.98	-52.66	-13
4	1000	20000	1000	2545.33	-36.97	-13

4A-5A QPSK PCC BW=5MHz Ch=1975 RB=1@0,SCC BW=5MHz Ch=2425 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.59	-13
2	0.15	30	10	0.15	-54.28	-13
3	30	1000	100	881.69	-52.45	-13
4	1000	20000	1000	2539	-33.19	-13

4A-7A 16QAM PCC BW=20MHz Ch=2300 RB=1@0,SCC BW=20MHz Ch=3350 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.35	-25
2	0.15	30	10	0.15	-54.54	-25
3	30	1000	100	997.15	-52.03	-25
4	1000	20000	1000	19281.8	-35.57	-25

4A-7A 16QAM PCC BW=5MHz Ch=1975 RB=1@0,SCC BW=5MHz Ch=2775 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.45	-25
2	0.15	30	10	0.16	-53.23	-25
3	30	1000	100	936.63	-52.87	-25
4	1000	20000	1000	19345.13	-36.95	-25

4A-7A 16QAM PCC BW=20MHz Ch=2300 RB=100@0,SCC BW=20MHz Ch=3350 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.97	-25
2	0.15	30	10	0.16	-51.85	-25
3	30	1000	100	874.55	-52.38	-25
4	1000	20000	1000	19036.7	-36.35	-25

4A-7A 16QAM PCC BW=20MHz Ch=2050 RB=100@0,SCC BW=20MHz Ch=2850 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.62	-25
2	0.15	30	10	0.15	-51.71	-25
3	30	1000	100	823.98	-52.38	-25
4	1000	20000	1000	18946.77	-36.49	-25

4A-7A 16QAM PCC BW=20MHz Ch=2050 RB=1@0,SCC BW=20MHz Ch=2850 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.44	-25
2	0.15	30	10	0.15	-52.94	-25
3	30	1000	100	989.17	-52.28	-25
4	1000	20000	1000	19224.8	-37.02	-25

4A-7A QPSK PCC BW=20MHz Ch=2300 RB=100@0,SCC BW=20MHz Ch=3350 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.09	-25
2	0.15	30	10	0.16	-54.87	-25
3	30	1000	100	902.35	-52.28	-25
4	1000	20000	1000	19322.97	-37.61	-25

4A-7A QPSK PCC BW=20MHz Ch=2050 RB=1@0,SCC BW=20MHz Ch=2850 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.71	-25
2	0.15	30	10	0.15	-53.95	-25
3	30	1000	100	832.45	-51.87	-25
4	1000	20000	1000	18975.9	-37.01	-25

4A-7A QPSK PCC BW=5MHz Ch=1975 RB=1@0,SCC BW=5MHz Ch=2775 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.85	-25
2	0.15	30	10	0.18	-54.88	-25
3	30	1000	100	871.57	-52.29	-25
4	1000	20000	1000	19145	-36.49	-25

4A-7A QPSK PCC BW=20MHz Ch=2300 RB=1@0,SCC BW=20MHz Ch=3350 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.18	-25
2	0.15	30	10	0.15	-52.64	-25
3	30	1000	100	963.14	-52.76	-25
4	1000	20000	1000	19309.03	-37.05	-25

4A-7A 16QAM PCC BW=5MHz Ch=2375 RB=1@0,SCC BW=5MHz Ch=3425 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.17	-25
2	0.15	30	10	0.15	-51.87	-25
3	30	1000	100	944.48	-52.08	-25
4	1000	20000	1000	18888.5	-37.18	-25

4A-7A 16QAM PCC BW=5MHz Ch=1975 RB=25@0,SCC BW=5MHz Ch=2775 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.45	-25
2	0.15	30	10	0.16	-53.2	-25
3	30	1000	100	836.72	-51.96	-25
4	1000	20000	1000	19846.1	-37.99	-25

4A-7A QPSK PCC BW=20MHz Ch=2050 RB=100@0,SCC BW=20MHz Ch=2850 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.11	-25
2	0.15	30	10	0.17	-52.68	-25
3	30	1000	100	768.75	-52.58	-25
4	1000	20000	1000	18797.93	-37.26	-25

4A-7A 16QAM PCC BW=5MHz Ch=2375 RB=25@0,SCC BW=5MHz Ch=3425 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.33	-25
2	0.15	30	10	0.15	-53.14	-25
3	30	1000	100	854.34	-52.58	-25
4	1000	20000	1000	19401.5	-37.4	-25

4A-7A QPSK PCC BW=5MHz Ch=2375 RB=25@0,SCC BW=5MHz Ch=3425 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.98	-25
2	0.15	30	10	0.16	-53.12	-25
3	30	1000	100	970.48	-52.05	-25
4	1000	20000	1000	19325.5	-36.95	-25

4A-7A QPSK PCC BW=5MHz Ch=2375 RB=1@0,SCC BW=5MHz Ch=3425 RB=1@24



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.55	-25
2	0.15	30	10	0.16	-53.65	-25
3	30	1000	100	905.13	-51.92	-25
4	1000	20000	1000	19214.03	-36.53	-25

4A-7A QPSK PCC BW=5MHz Ch=1975 RB=25@0,SCC BW=5MHz Ch=2775 RB=25@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.48	-25
2	0.15	30	10	0.15	-53.48	-25
3	30	1000	100	892.59	-53.14	-25
4	1000	20000	1000	19088	-37.14	-25