



Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11ac80 Mode Low Channel 5530MHz Band3




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11060.000	33.69	14.36	48.05	74.00	25.95	Peak
2	11060.000	21.56	14.36	35.92	54.00	18.08	Average
3	16590.000	34.67	19.18	53.85	68.20	14.35	Peak
4	17774.400	33.60	25.81	59.41	74.00	14.59	Peak
5	17774.400	21.60	25.81	47.41	54.00	6.59	Average

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11a Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5944.000	34.95	10.01	44.96	68.20	23.24	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11a Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5970.000	33.78	10.14	43.92	68.20	24.28	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11a Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11650.000	33.84	15.54	49.38	74.00	24.62	Peak
2	11650.000	21.59	15.54	37.13	54.00	16.87	Average
3	17475.000	33.97	22.53	56.50	68.20	11.70	Peak
4	17719.200	33.59	25.89	59.48	74.00	14.52	Peak
5	17719.200	21.32	25.89	47.21	54.00	6.79	Average

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11a Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11650.000	33.69	15.54	49.23	74.00	24.77	Peak
2	11650.000	21.56	15.54	37.10	54.00	16.90	Average
3	17475.000	33.81	22.53	56.34	68.20	11.86	Peak
4	17726.400	33.72	25.87	59.59	74.00	14.41	Peak
5	17726.400	21.02	25.87	46.89	54.00	7.11	Average

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11n ht20 Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5971.000	34.34	10.15	44.49	68.20	23.71	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11n ht20 Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5981.000	34.58	10.19	44.77	68.20	23.43	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11n ht20 Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11650.000	33.92	15.54	49.46	74.00	24.54	Peak
2	11650.000	21.41	15.54	36.95	54.00	17.05	Average
3	17475.000	34.05	22.53	56.58	68.20	11.62	Peak
4	17724.000	33.53	25.87	59.40	74.00	14.60	Peak
5	17724.000	20.46	25.87	46.33	54.00	7.67	Average

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11n ht20 Mode High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11650.000	33.88	15.54	49.42	74.00	24.58	Peak
2	11650.000	21.41	15.54	36.95	54.00	17.05	Average
3	17475.000	34.13	22.53	56.66	68.20	11.54	Peak
4	17940.000	34.45	25.56	60.01	74.00	13.99	Peak
5	17940.000	21.64	25.56	47.20	54.00	6.80	Average

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11n ht40 Mode Low Channel 5755MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5941.000	34.21	9.97	44.18	68.20	24.02	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11n ht40 Mode Low Channel 5755MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5959.000	33.65	10.10	43.75	68.20	24.45	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11n ht40 Mode Low Channel 5755MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11510.000	33.45	14.30	47.75	74.00	26.25	Peak
2	11510.000	21.41	14.30	35.71	54.00	18.29	Average
3	17265.000	34.52	21.25	55.77	68.20	12.43	Peak
4	17656.800	34.09	25.28	59.37	68.20	8.83	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11n ht40 Mode Low Channel 5755MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11510.000	33.52	14.30	47.82	74.00	26.18	Peak
2	11510.000	21.28	14.30	35.58	54.00	18.42	Average
3	17265.000	34.64	21.25	55.89	68.20	12.31	Peak
4	17556.000	36.10	23.72	59.82	68.20	8.38	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11ac80 Mode Middle Channel 5775MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5932.000	33.59	9.90	43.49	68.20	24.71	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11ac80 Mode Middle Channel 5775MHz Band4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	5937.000	35.14	9.94	45.08	68.20	23.12	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: horizontal
Note: 802.11ac80 Mode Middle Channel 5775MHz Band4



No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11550.000	33.97	15.07	49.04	74.00	24.96	Peak
2	11550.000	21.02	15.07	36.09	54.00	17.91	Average
3	17325.000	33.88	21.27	55.15	68.20	13.05	Peak
4	17666.400	34.25	25.42	59.67	68.20	8.53	Peak

Project No.: 2403Y36748E-RF
Tester: Tao Zhu
Polarization: vertical
Note: 802.11ac80 Mode Middle Channel 5775MHz Band4



No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	11550.000	33.89	15.07	48.96	74.00	25.04	Peak
2	11550.000	20.88	15.07	35.95	54.00	18.05	Average
3	17325.000	33.86	21.27	55.13	68.20	13.07	Peak
4	17750.400	33.93	25.84	59.77	74.00	14.23	Peak
5	17750.400	21.28	25.84	47.12	54.00	6.88	Average

4.3 RF Conducted data

Please refer to Annex "2403Y36748E-RF-00D Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2403Y36748E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2403Y36748E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2403Y36748E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====