

FCC Part 15.407

Power Spectral Density

Test Information:

Serial No.:	2KR0-1	Test Date:	2024/06/03~2024/06/07
Test Site:	RF	Test Mode:	Transmitting
Tester:	Lingling Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.6-25.1	Relative Humidity: (%)	41-44	ATM Pressure: (kPa)	100.1-100.3
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU26	100147	2024/04/01	2025/03/31
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060302	Each time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

5.2G

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5180MHz_Chain 0	5.37	0	5.37	11.00	Pass
a_5180MHz_Chain 1	5.44	0	5.44	11.00	Pass
a_5200MHz_Chain 0	5.33	0	5.33	11.00	Pass
a_5200MHz_Chain 1	6.28	0	6.28	11.00	Pass
a_5240MHz_Chain 0	5.25	0	5.25	11.00	Pass
a_5240MHz_Chain 1	6.28	0	6.28	11.00	Pass
n20_5180MHz_Chain 0	4.55	0	4.55	11.00	Pass
n20_5180MHz_Chain 1	4.89	0	4.89	11.00	Pass
n20_5180MHz_Chain 0+Chain 1	7.73	0	7.73	11.00	Pass
n20_5200MHz_Chain 0	4.54	0	4.54	11.00	Pass
n20_5200MHz_Chain 1	4.91	0	4.91	11.00	Pass
n20_5200MHz_Chain 0+Chain 1	7.74	0	7.74	11.00	Pass
n20_5240MHz_Chain 0	4.14	0	4.14	11.00	Pass
n20_5240MHz_Chain 1	4.89	0	4.89	11.00	Pass
n20_5240MHz_Chain 0+Chain 1	7.54	0	7.54	11.00	Pass
n40_5190MHz_Chain 0	2.25	0	2.25	11.00	Pass
n40_5190MHz_Chain 1	2.68	0	2.68	11.00	Pass
n40_5190MHz_Chain 0+Chain 1	5.48	0	5.48	11.00	Pass
n40_5230MHz_Chain 0	1.85	0	1.85	11.00	Pass
n40_5230MHz_Chain 1	2.32	0	2.32	11.00	Pass
n40_5230MHz_Chain 0+Chain 1	5.10	0	5.1	11.00	Pass
ac80_5210MHz_Chain 0	-2.78	0	-2.78	11.00	Pass
ac80_5210MHz_Chain 1	-2.67	0	-2.67	11.00	Pass
ac80_5210MHz_Chain 0+Chain 1	0.29	0	0.29	11.00	Pass
ax20_5180MHz_RU_26/0_Chain 0	4.15	2.75	6.90	11.00	Pass
ax20_5180MHz_RU_26/0_Chain 1	5.71	2.75	8.47	11.00	Pass
ax20_5180MHz_RU_26/0_Chain 0+Chain 1	8.01	2.75	10.76	11.00	Pass
ax20_5180MHz_RU_52/37_Chain 0	1.59	3.08	4.67	11.00	Pass
ax20_5180MHz_RU_52/37_Chain 1	2.89	3.08	5.97	11.00	Pass
ax20_5180MHz_RU_52/37_Chain 0+Chain 1	5.30	3.08	8.38	11.00	Pass
ax20_5180MHz_RU_106/53_Chain 0	-3.91	5.9	1.99	11.00	Pass
ax20_5180MHz_RU_106/53_Chain 1	-2.52	5.9	3.38	11.00	Pass
ax20_5180MHz_RU_106/53_Chain 0+Chain 1	-0.15	5.9	5.75	11.00	Pass
ax20_5180MHz_RU_242/61_Chain 0	-9.01	8.59	-0.42	11.00	Pass
ax20_5180MHz_RU_242/61_Chain 1	-7.54	8.59	1.05	11.00	Pass
ax20_5180MHz_RU_242/61_Chain 0+Chain 1	-5.20	8.59	3.39	11.00	Pass
ax20_5200MHz_RU_26/0_Chain 0	4.23	2.75	6.98	11.00	Pass
ax20_5200MHz_RU_26/0_Chain 1	5.88	2.75	8.63	11.00	Pass

ax20_5200MHz_RU_26/0_Chain 0+Chain 1	8.14	2.75	10.89	11.00	Pass
ax20_5200MHz_RU_52/37_Chain 0	1.38	3.08	4.46	11.00	Pass
ax20_5200MHz_RU_52/37_Chain 1	2.22	3.08	5.3	11.00	Pass
ax20_5200MHz_RU_52/37_Chain 0+Chain 1	4.83	3.08	7.91	11.00	Pass
ax20_5200MHz_RU_106/53_Chain 0	-4.51	5.9	1.39	11.00	Pass
ax20_5200MHz_RU_106/53_Chain 1	-2.69	5.9	3.21	11.00	Pass
ax20_5200MHz_RU_106/53_Chain 0+Chain 1	-0.50	5.9	5.4	11.00	Pass
ax20_5200MHz_RU_242/61_Chain 0	-9.00	8.59	-0.41	11.00	Pass
ax20_5200MHz_RU_242/61_Chain 1	-8.58	8.59	0.01	11.00	Pass
ax20_5200MHz_RU_242/61_Chain 0+Chain 1	-5.77	8.59	2.82	11.00	Pass
ax20_5240MHz_RU_26/8_Chain 0	4.24	2.75	6.99	11.00	Pass
ax20_5240MHz_RU_26/8_Chain 1	5.81	2.75	8.56	11.00	Pass
ax20_5240MHz_RU_26/8_Chain 0+Chain 1	8.11	2.75	10.86	11.00	Pass
ax20_5240MHz_RU_52/40_Chain 0	0.87	3.08	3.95	11.00	Pass
ax20_5240MHz_RU_52/40_Chain 1	2.32	3.08	5.4	11.00	Pass
ax20_5240MHz_RU_52/40_Chain 0+Chain 1	4.67	3.08	7.75	11.00	Pass
ax20_5240MHz_RU_106/54_Chain 0	-3.91	5.9	1.99	11.00	Pass
ax20_5240MHz_RU_106/54_Chain 1	-3.18	5.9	2.72	11.00	Pass
ax20_5240MHz_RU_106/54_Chain 0+Chain 1	-0.52	5.9	5.38	11.00	Pass
ax20_5240MHz_RU_242/61_Chain 0	-9.27	8.59	-0.68	11.00	Pass
ax20_5240MHz_RU_242/61_Chain 1	-8.06	8.59	0.53	11.00	Pass
ax20_5240MHz_RU_242/61_Chain 0+Chain 1	-5.61	8.59	2.98	11.00	Pass
ax40_5190MHz_RU_26/0_Chain 0	4.12	2.56	6.68	11.00	Pass
ax40_5190MHz_RU_26/0_Chain 1	4.21	2.56	6.77	11.00	Pass
ax40_5190MHz_RU_26/0_Chain 0+Chain 1	7.18	2.56	9.74	11.00	Pass
ax40_5190MHz_RU_52/37_Chain 0	-0.46	4.09	3.63	11.00	Pass
ax40_5190MHz_RU_52/37_Chain 1	0.78	4.09	4.87	11.00	Pass
ax40_5190MHz_RU_52/37_Chain 0+Chain 1	3.21	4.09	7.3	11.00	Pass
ax40_5190MHz_RU_106/53_Chain 0	-4.36	6	1.64	11.00	Pass
ax40_5190MHz_RU_106/53_Chain 1	-4.34	6	1.66	11.00	Pass
ax40_5190MHz_RU_106/53_Chain 0+Chain 1	-1.34	6	4.66	11.00	Pass
ax40_5190MHz_RU_242/61_Chain 0	-10.02	8.12	-1.9	11.00	Pass
ax40_5190MHz_RU_242/61_Chain 1	-9.14	8.12	-1.02	11.00	Pass
ax40_5190MHz_RU_242/61_Chain 0+Chain 1	-6.55	8.12	1.57	11.00	Pass
ax40_5190MHz_RU_484/65_Chain 0	-12.22	8.06	-4.16	11.00	Pass
ax40_5190MHz_RU_484/65_Chain 1	-12.30	8.06	-4.24	11.00	Pass
ax40_5190MHz_RU_484/65_Chain 0+Chain 1	-9.25	8.06	-1.19	11.00	Pass
ax40_5230MHz_RU_26/17_Chain 0	3.19	2.56	5.75	11.00	Pass

ax40_5230MHz_RU_26/17_Chain 1	4.50	2.56	7.06	11.00	Pass
ax40_5230MHz_RU_26/17_Chain 0+Chain 1	6.90	2.56	9.46	11.00	Pass
ax40_5230MHz_RU_52/44_Chain 0	0.30	4.09	4.39	11.00	Pass
ax40_5230MHz_RU_52/44_Chain 1	-0.14	4.09	3.95	11.00	Pass
ax40_5230MHz_RU_52/44_Chain 0+Chain 1	3.10	4.09	7.19	11.00	Pass
ax40_5230MHz_RU_106/56_Chain 0	-5.08	6	0.92	11.00	Pass
ax40_5230MHz_RU_106/56_Chain 1	-4.28	6	1.72	11.00	Pass
ax40_5230MHz_RU_106/56_Chain 0+Chain 1	-1.65	6	4.35	11.00	Pass
ax40_5230MHz_RU_242/62_Chain 0	-10.26	8.12	-2.14	11.00	Pass
ax40_5230MHz_RU_242/62_Chain 1	-9.38	8.12	-1.26	11.00	Pass
ax40_5230MHz_RU_242/62_Chain 0+Chain 1	-6.79	8.12	1.33	11.00	Pass
ax40_5230MHz_RU_484/65_Chain 0	-12.76	8.06	-4.7	11.00	Pass
ax40_5230MHz_RU_484/65_Chain 1	-11.35	8.06	-3.29	11.00	Pass
ax40_5230MHz_RU_484/65_Chain 0+Chain 1	-8.99	8.06	-0.93	11.00	Pass
ax80_5210MHz_RU_26/0_Chain 0	3.12	3.85	6.97	11.00	Pass
ax80_5210MHz_RU_26/0_Chain 1	4.03	3.85	7.88	11.00	Pass
ax80_5210MHz_RU_26/0_Chain 0+Chain 1	6.61	3.85	10.46	11.00	Pass
ax80_5210MHz_RU_52/37_Chain 0	-0.59	5.62	5.03	11.00	Pass
ax80_5210MHz_RU_52/37_Chain 1	0.72	5.62	6.34	11.00	Pass
ax80_5210MHz_RU_52/37_Chain 0+Chain 1	3.12	5.62	8.74	11.00	Pass
ax80_5210MHz_RU_106/53_Chain 0	-5.58	7.54	1.96	11.00	Pass
ax80_5210MHz_RU_106/53_Chain 1	-4.43	7.54	3.11	11.00	Pass
ax80_5210MHz_RU_106/53_Chain 0+Chain 1	-1.96	7.54	5.58	11.00	Pass
ax80_5210MHz_RU_242/61_Chain 0	-10.34	7.53	-2.81	11.00	Pass
ax80_5210MHz_RU_242/61_Chain 1	-9.06	7.53	-1.53	11.00	Pass
ax80_5210MHz_RU_242/61_Chain 0+Chain 1	-6.64	7.51	0.87	11.00	Pass
ax80_5210MHz_RU_484/65_Chain 0	-12.67	8.78	-3.89	11.00	Pass
ax80_5210MHz_RU_484/65_Chain 1	-11.96	8.78	-3.18	11.00	Pass
ax80_5210MHz_RU_484/65_Chain 0+Chain 1	-9.29	8.78	-0.51	11.00	Pass
ax80_5210MHz_RU_996/67_Chain 0	-15.60	8.25	-7.35	11.00	Pass
ax80_5210MHz_RU_996/67_Chain 1	-14.71	8.25	-6.46	11.00	Pass
ax80_5210MHz_RU_996/67_Chain 0+Chain 1	-12.12	8.25	-3.87	11.00	Pass

5.3G

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5260MHz_Chain 0	5.76	0	5.76	11.00	Pass
a_5260MHz_Chain 1	6.31	0	6.31	11.00	Pass
a_5280MHz_Chain 0	5.49	0	5.49	11.00	Pass

a_5280MHz_Chain 1	6.31	0	6.31	11.00	Pass
a_5320MHz_Chain 0	5.44	0	5.44	11.00	Pass
a_5320MHz_Chain 1	6.29	0	6.29	11.00	Pass
n20_5260MHz_Chain 0	4.75	0	4.75	11.00	Pass
n20_5260MHz_Chain 1	4.99	0	4.99	11.00	Pass
n20_5260MHz_Chain 0+Chain 1	7.88	0	7.88	11.00	Pass
n20_5280MHz_Chain 0	4.66	0	4.66	11.00	Pass
n20_5280MHz_Chain 1	5.47	0	5.47	11.00	Pass
n20_5280MHz_Chain 0+Chain 1	8.09	0	8.09	11.00	Pass
n20_5320MHz_Chain 0	4.52	0	4.52	11.00	Pass
n20_5320MHz_Chain 1	5.13	0	5.13	11.00	Pass
n20_5320MHz_Chain 0+Chain 1	7.85	0	7.85	11.00	Pass
n40_5270MHz_Chain 0	2.34	0	2.34	11.00	Pass
n40_5270MHz_Chain 1	2.66	0	2.66	11.00	Pass
n40_5270MHz_Chain 0+Chain 1	5.51	0	5.51	11.00	Pass
n40_5310MHz_Chain 0	2.09	0	2.09	11.00	Pass
n40_5310MHz_Chain 1	2.57	0	2.57	11.00	Pass
n40_5310MHz_Chain 0+Chain 1	5.35	0	5.35	11.00	Pass
ac80_5290MHz_Chain 0	-2.92	0	-2.92	11.00	Pass
ac80_5290MHz_Chain 1	-2.54	0	-2.54	11.00	Pass
ac80_5290MHz_Chain 0+Chain 1	0.28	0	0.28	11.00	Pass
ax20_5260MHz_RU_26/0_Chain 0	4.15	2.75	6.9	11.00	Pass
ax20_5260MHz_RU_26/0_Chain 1	5.45	2.75	8.2	11.00	Pass
ax20_5260MHz_RU_26/0_Chain 0+Chain 1	7.86	2.75	10.62	11.00	Pass
ax20_5260MHz_RU_52/37_Chain 0	1.63	3.08	4.71	11.00	Pass
ax20_5260MHz_RU_52/37_Chain 1	3.03	3.08	6.11	11.00	Pass
ax20_5260MHz_RU_52/37_Chain 0+Chain 1	5.40	3.08	8.48	11.00	Pass
ax20_5260MHz_RU_106/53_Chain 0	-3.67	5.9	2.23	11.00	Pass
ax20_5260MHz_RU_106/53_Chain 1	-1.72	5.9	4.18	11.00	Pass
ax20_5260MHz_RU_106/53_Chain 0+Chain 1	0.42	5.9	6.32	11.00	Pass
ax20_5260MHz_RU_242/61_Chain 0	-8.33	8.59	0.26	11.00	Pass
ax20_5260MHz_RU_242/61_Chain 1	-7.10	8.59	1.49	11.00	Pass
ax20_5260MHz_RU_242/61_Chain 0+Chain 1	-4.66	8.59	3.93	11.00	Pass
ax20_5280MHz_RU_26/0_Chain 0	4.56	2.75	7.31	11.00	Pass
ax20_5280MHz_RU_26/0_Chain 1	5.66	2.75	8.41	11.00	Pass
ax20_5280MHz_RU_26/0_Chain 0+Chain 1	8.16	2.75	10.91	11.00	Pass
ax20_5280MHz_RU_52/37_Chain 0	2.24	3.08	5.32	11.00	Pass
ax20_5280MHz_RU_52/37_Chain 1	2.65	3.08	5.73	11.00	Pass
ax20_5280MHz_RU_52/37_Chain 0+Chain 1	5.46	3.08	8.54	11.00	Pass
ax20_5280MHz_RU_106/53_Chain 0	-3.57	5.9	2.33	11.00	Pass
ax20_5280MHz_RU_106/53_Chain 1	-2.46	5.9	3.44	11.00	Pass

ax20_5280MHz_RU_106/53_Chain 0+Chain 1	0.03	5.9	5.93	11.00	Pass
ax20_5280MHz_RU_242/61_Chain 0	-8.55	8.59	0.04	11.00	Pass
ax20_5280MHz_RU_242/61_Chain 1	-7.82	8.59	0.77	11.00	Pass
ax20_5280MHz_RU_242/61_Chain 0+Chain 1	-5.16	8.59	3.43	11.00	Pass
ax20_5320MHz_RU_26/8_Chain 0	4.59	2.75	7.34	11.00	Pass
ax20_5320MHz_RU_26/8_Chain 1	5.60	2.75	8.35	11.00	Pass
ax20_5320MHz_RU_26/8_Chain 0+Chain 1	8.13	2.75	10.88	11.00	Pass
ax20_5320MHz_RU_52/40_Chain 0	1.31	3.08	4.39	11.00	Pass
ax20_5320MHz_RU_52/40_Chain 1	2.31	3.08	5.39	11.00	Pass
ax20_5320MHz_RU_52/40_Chain 0+Chain 1	4.85	3.08	7.93	11.00	Pass
ax20_5320MHz_RU_106/54_Chain 0	-2.98	5.9	2.92	11.00	Pass
ax20_5320MHz_RU_106/54_Chain 1	-2.42	5.9	3.48	11.00	Pass
ax20_5320MHz_RU_106/54_Chain 0+Chain 1	0.32	5.9	6.22	11.00	Pass
ax20_5320MHz_RU_242/61_Chain 0	-8.40	8.59	0.19	11.00	Pass
ax20_5320MHz_RU_242/61_Chain 1	-8.49	8.59	0.1	11.00	Pass
ax20_5320MHz_RU_242/61_Chain 0+Chain 1	-5.43	8.59	3.16	11.00	Pass
ax40_5270MHz_RU_26/0_Chain 0	3.98	2.56	6.54	11.00	Pass
ax40_5270MHz_RU_26/0_Chain 1	4.82	2.56	7.38	11.00	Pass
ax40_5270MHz_RU_26/0_Chain 0+Chain 1	7.43	2.56	9.99	11.00	Pass
ax40_5270MHz_RU_52/37_Chain 0	0.46	4.09	4.55	11.00	Pass
ax40_5270MHz_RU_52/37_Chain 1	1.80	4.09	5.89	11.00	Pass
ax40_5270MHz_RU_52/37_Chain 0+Chain 1	4.19	4.09	8.28	11.00	Pass
ax40_5270MHz_RU_106/53_Chain 0	-4.49	6	1.51	11.00	Pass
ax40_5270MHz_RU_106/53_Chain 1	-3.94	6	2.06	11.00	Pass
ax40_5270MHz_RU_106/53_Chain 0+Chain 1	-1.20	6	4.8	11.00	Pass
ax40_5270MHz_RU_242/61_Chain 0	-9.19	8.12	-1.07	11.00	Pass
ax40_5270MHz_RU_242/61_Chain 1	-8.56	8.12	-0.44	11.00	Pass
ax40_5270MHz_RU_242/61_Chain 0+Chain 1	-5.85	8.12	2.27	11.00	Pass
ax40_5270MHz_RU_484/65_Chain 0	-12.34	8.06	-4.28	11.00	Pass
ax40_5270MHz_RU_484/65_Chain 1	-11.49	8.06	-3.43	11.00	Pass
ax40_5270MHz_RU_484/65_Chain 0+Chain 1	-8.88	8.06	-0.82	11.00	Pass
ax40_5310MHz_RU_26/17_Chain 0	3.07	2.56	5.63	11.00	Pass
ax40_5310MHz_RU_26/17_Chain 1	4.33	2.56	6.89	11.00	Pass
ax40_5310MHz_RU_26/17_Chain 0+Chain 1	6.76	2.56	9.32	11.00	Pass
ax40_5310MHz_RU_52/44_Chain 0	-0.14	4.09	3.95	11.00	Pass
ax40_5310MHz_RU_52/44_Chain 1	0.32	4.09	4.41	11.00	Pass
ax40_5310MHz_RU_52/44_Chain 0+Chain 1	3.11	4.09	7.2	11.00	Pass
ax40_5310MHz_RU_106/56_Chain 0	-4.34	6	1.66	11.00	Pass

ax40_5310MHz_RU_106/56_Chain 1	-3.07	6	2.93	11.00	Pass
ax40_5310MHz_RU_106/56_Chain 0+Chain 1	-0.65	6	5.35	11.00	Pass
ax40_5310MHz_RU_242/62_Chain 0	-9.61	8.12	-1.49	11.00	Pass
ax40_5310MHz_RU_242/62_Chain 1	-8.45	8.12	-0.33	11.00	Pass
ax40_5310MHz_RU_242/62_Chain 0+Chain 1	-5.98	8.12	2.14	11.00	Pass
ax40_5310MHz_RU_484/65_Chain 0	-11.86	8.06	-3.8	11.00	Pass
ax40_5310MHz_RU_484/65_Chain 1	-11.44	8.06	-3.38	11.00	Pass
ax40_5310MHz_RU_484/65_Chain 0+Chain 1	-8.63	8.06	-0.57	11.00	Pass
ax80_5290MHz_RU_26/0_Chain 0	3.16	3.85	7.01	11.00	Pass
ax80_5290MHz_RU_26/0_Chain 1	3.81	3.85	7.66	11.00	Pass
ax80_5290MHz_RU_26/0_Chain 0+Chain 1	6.51	3.85	10.36	11.00	Pass
ax80_5290MHz_RU_52/37_Chain 0	-0.42	5.62	5.2	11.00	Pass
ax80_5290MHz_RU_52/37_Chain 1	0.24	5.62	5.86	11.00	Pass
ax80_5290MHz_RU_52/37_Chain 0+Chain 1	2.93	5.62	8.55	11.00	Pass
ax80_5290MHz_RU_106/53_Chain 0	-5.26	7.54	2.28	11.00	Pass
ax80_5290MHz_RU_106/53_Chain 1	-3.39	7.54	4.15	11.00	Pass
ax80_5290MHz_RU_106/53_Chain 0+Chain 1	-1.21	7.54	6.33	11.00	Pass
ax80_5290MHz_RU_242/61_Chain 0	-9.62	7.53	-2.09	11.00	Pass
ax80_5290MHz_RU_242/61_Chain 1	-8.61	7.53	-1.08	11.00	Pass
ax80_5290MHz_RU_242/61_Chain 0+Chain 1	-6.08	7.51	1.43	11.00	Pass
ax80_5290MHz_RU_484/65_Chain 0	-12.32	8.78	-3.54	11.00	Pass
ax80_5290MHz_RU_484/65_Chain 1	-11.26	8.78	-2.48	11.00	Pass
ax80_5290MHz_RU_484/65_Chain 0+Chain 1	-8.75	8.78	0.03	11.00	Pass
ax80_5290MHz_RU_996/67_Chain 0	-15.22	8.25	-6.97	11.00	Pass
ax80_5290MHz_RU_996/67_Chain 1	-14.51	8.25	-6.26	11.00	Pass
ax80_5290MHz_RU_996/67_Chain 0+Chain 1	-11.84	8.25	-3.59	11.00	Pass

5.6G

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5500MHz_Chain 0	5.38	0	5.38	11.00	Pass
a_5500MHz_Chain 1	6.36	0	6.36	11.00	Pass
a_5580MHz_Chain 0	5.33	0	5.33	11.00	Pass
a_5580MHz_Chain 1	6.09	0	6.09	11.00	Pass
a_5700MHz_Chain 0	4.69	0	4.69	11.00	Pass
a_5700MHz_Chain 1	5.82	0	5.82	11.00	Pass
a_5720MHz_Chain 0	5.68	0	5.68	11.00	Pass
a_5720MHz_Chain 1	6.31	0	6.31	11.00	Pass
n20_5500MHz_Chain 0	4.34	0	4.34	11.00	Pass
n20_5500MHz_Chain 1	5.03	0	5.03	11.00	Pass

n20_5500MHz_Chain 0+Chain 1	7.71	0	7.71	11.00	Pass
n20_5580MHz_Chain 0	3.98	0	3.98	11.00	Pass
n20_5580MHz_Chain 1	5.07	0	5.07	11.00	Pass
n20_5580MHz_Chain 0+Chain 1	7.57	0	7.57	11.00	Pass
n20_5700MHz_Chain 0	4.70	0	4.7	11.00	Pass
n20_5700MHz_Chain 1	5.19	0	5.19	11.00	Pass
n20_5700MHz_Chain 0+Chain 1	7.96	0	7.96	11.00	Pass
n20_5720MHz_Chain 0	4.57	0	4.57	11.00	Pass
n20_5720MHz_Chain 1	5.46	0	5.46	11.00	Pass
n20_5720MHz_Chain 0+Chain 1	8.05	0	8.05	11.00	Pass
n40_5510MHz_Chain 0	1.75	0	1.75	11.00	Pass
n40_5510MHz_Chain 1	2.96	0	2.96	11.00	Pass
n40_5510MHz_Chain 0+Chain 1	5.41	0	5.41	11.00	Pass
n40_5550MHz_Chain 0	1.78	0	1.78	11.00	Pass
n40_5550MHz_Chain 1	2.71	0	2.71	11.00	Pass
n40_5550MHz_Chain 0+Chain 1	5.28	0	5.28	11.00	Pass
n40_5670MHz_Chain 0	2.13	0	2.13	11.00	Pass
n40_5670MHz_Chain 1	2.67	0	2.67	11.00	Pass
n40_5670MHz_Chain 0+Chain 1	5.42	0	5.42	11.00	Pass
n40_5710MHz_Chain 0	2.18	0	2.18	11.00	Pass
n40_5710MHz_Chain 1	2.92	0	2.92	11.00	Pass
n40_5710MHz_Chain 0+Chain 1	5.58	0	5.58	11.00	Pass
ac80_5530MHz_Chain 0	-3.58	0	-3.58	11.00	Pass
ac80_5530MHz_Chain 1	-2.64	0	-2.64	11.00	Pass
ac80_5530MHz_Chain 0+Chain 1	-0.07	0	-0.07	11.00	Pass
ac80_5610MHz_Chain 0	-3.82	0	-3.82	11.00	Pass
ac80_5610MHz_Chain 1	-3.07	0	-3.07	11.00	Pass
ac80_5610MHz_Chain 0+Chain 1	-0.42	0	-0.42	11.00	Pass
ac80_5690MHz_Chain 0	-2.89	0	-2.89	11.00	Pass
ac80_5690MHz_Chain 1	-2.08	0	-2.08	11.00	Pass
ac80_5690MHz_Chain 0+Chain 1	0.54	0	0.54	11.00	Pass
ax20_5500MHz_RU_26/0_Chain 0	4.43	2.75	7.18	11.00	Pass
ax20_5500MHz_RU_26/0_Chain 1	5.29	2.75	8.04	11.00	Pass
ax20_5500MHz_RU_26/0_Chain 0+Chain 1	7.89	2.75	10.64	11.00	Pass
ax20_5500MHz_RU_52/37_Chain 0	-0.83	3.08	2.25	11.00	Pass
ax20_5500MHz_RU_52/37_Chain 1	0.47	3.08	3.55	11.00	Pass
ax20_5500MHz_RU_52/37_Chain 0+Chain 1	2.88	3.08	5.96	11.00	Pass
ax20_5500MHz_RU_106/53_Chain 0	-5.37	5.9	0.53	11.00	Pass
ax20_5500MHz_RU_106/53_Chain 1	-4.05	5.9	1.85	11.00	Pass
ax20_5500MHz_RU_106/53_Chain 0+Chain 1	-1.65	5.9	4.25	11.00	Pass
ax20_5500MHz_RU_242/61_Chain 0	-8.38	8.59	0.21	11.00	Pass
ax20_5500MHz_RU_242/61_Chain 1	-7.52	8.59	1.07	11.00	Pass

ax20_5500MHz_RU_242/61_Chain 0+Chain 1	-4.92	8.59	3.67	11.00	Pass
ax20_5580MHz_RU_26/0_Chain 0	4.26	2.75	7.01	11.00	Pass
ax20_5580MHz_RU_26/0_Chain 1	4.62	2.75	7.37	11.00	Pass
ax20_5580MHz_RU_26/0_Chain 0+Chain 1	7.45	2.75	10.2	11.00	Pass
ax20_5580MHz_RU_52/37_Chain 0	-1.61	3.08	1.47	11.00	Pass
ax20_5580MHz_RU_52/37_Chain 1	0.04	3.08	3.12	11.00	Pass
ax20_5580MHz_RU_52/37_Chain 0+Chain 1	2.30	3.08	5.38	11.00	Pass
ax20_5580MHz_RU_106/53_Chain 0	-6.23	5.9	-0.33	11.00	Pass
ax20_5580MHz_RU_106/53_Chain 1	-5.00	5.9	0.9	11.00	Pass
ax20_5580MHz_RU_106/53_Chain 0+Chain 1	-2.56	5.9	3.34	11.00	Pass
ax20_5580MHz_RU_242/61_Chain 0	-8.79	8.59	-0.2	11.00	Pass
ax20_5580MHz_RU_242/61_Chain 1	-8.09	8.59	0.5	11.00	Pass
ax20_5580MHz_RU_242/61_Chain 0+Chain 1	-5.42	8.59	3.17	11.00	Pass
ax20_5700MHz_RU_26/8_Chain 0	3.27	2.75	6.02	11.00	Pass
ax20_5700MHz_RU_26/8_Chain 1	5.33	2.75	8.08	11.00	Pass
ax20_5700MHz_RU_26/8_Chain 0+Chain 1	7.43	2.75	10.18	11.00	Pass
ax20_5700MHz_RU_52/40_Chain 0	-1.03	3.08	2.05	11.00	Pass
ax20_5700MHz_RU_52/40_Chain 1	0.32	3.08	3.4	11.00	Pass
ax20_5700MHz_RU_52/40_Chain 0+Chain 1	2.71	3.08	5.79	11.00	Pass
ax20_5700MHz_RU_106/54_Chain 0	-5.93	5.9	-0.03	11.00	Pass
ax20_5700MHz_RU_106/54_Chain 1	-4.97	5.9	0.93	11.00	Pass
ax20_5700MHz_RU_106/54_Chain 0+Chain 1	-2.41	5.9	3.49	11.00	Pass
ax20_5700MHz_RU_242/61_Chain 0	-8.39	8.59	0.2	11.00	Pass
ax20_5700MHz_RU_242/61_Chain 1	-7.19	8.59	1.4	11.00	Pass
ax20_5700MHz_RU_242/61_Chain 0+Chain 1	-4.74	8.59	3.85	11.00	Pass
ax20_5720MHz_RU_26/8_Chain 0	4.59	2.75	7.34	11.00	Pass
ax20_5720MHz_RU_26/8_Chain 1	5.27	2.75	8.02	11.00	Pass
ax20_5720MHz_RU_26/8_Chain 0+Chain 1	7.95	2.75	10.7	11.00	Pass
ax20_5720MHz_RU_52/40_Chain 0	-0.17	3.08	2.91	11.00	Pass
ax20_5720MHz_RU_52/40_Chain 1	0.94	3.08	4.02	11.00	Pass
ax20_5720MHz_RU_52/40_Chain 0+Chain 1	3.43	3.08	6.51	11.00	Pass
ax20_5720MHz_RU_106/54_Chain 0	-5.19	5.9	0.71	11.00	Pass
ax20_5720MHz_RU_106/54_Chain 1	-4.98	5.9	0.92	11.00	Pass
ax20_5720MHz_RU_106/54_Chain 0+Chain 1	-2.07	5.9	3.83	11.00	Pass
ax20_5720MHz_RU_242/61_Chain 0	-8.11	8.59	0.48	11.00	Pass
ax20_5720MHz_RU_242/61_Chain 1	-7.28	8.59	1.31	11.00	Pass
ax20_5720MHz_RU_242/61_Chain 0+Chain 1	-4.66	8.59	3.93	11.00	Pass
ax40_5510MHz_RU_26/0_Chain 0	3.28	2.56	5.84	11.00	Pass

ax40_5510MHz_RU_26/0_Chain 1	3.78	2.56	6.34	11.00	Pass
ax40_5510MHz_RU_26/0_Chain 0+Chain 1	6.55	2.56	9.11	11.00	Pass
ax40_5510MHz_RU_52/37_Chain 0	-1.05	4.09	3.04	11.00	Pass
ax40_5510MHz_RU_52/37_Chain 1	-0.41	4.09	3.68	11.00	Pass
ax40_5510MHz_RU_52/37_Chain 0+Chain 1	2.29	4.09	6.38	11.00	Pass
ax40_5510MHz_RU_106/53_Chain 0	-5.10	6	0.9	11.00	Pass
ax40_5510MHz_RU_106/53_Chain 1	-5.25	6	0.75	11.00	Pass
ax40_5510MHz_RU_106/53_Chain 0+Chain 1	-2.16	6	3.84	11.00	Pass
ax40_5510MHz_RU_242/61_Chain 0	-8.52	8.12	-0.4	11.00	Pass
ax40_5510MHz_RU_242/61_Chain 1	-8.48	8.12	-0.36	11.00	Pass
ax40_5510MHz_RU_242/61_Chain 0+Chain 1	-5.49	8.12	2.63	11.00	Pass
ax40_5510MHz_RU_484/65_Chain 0	-11.52	8.06	-3.46	11.00	Pass
ax40_5510MHz_RU_484/65_Chain 1	-11.73	8.06	-3.67	11.00	Pass
ax40_5510MHz_RU_484/65_Chain 0+Chain 1	-8.61	8.06	-0.55	11.00	Pass
ax40_5550MHz_RU_26/0_Chain 0	2.66	2.56	5.22	11.00	Pass
ax40_5550MHz_RU_26/0_Chain 1	3.19	2.56	5.75	11.00	Pass
ax40_5550MHz_RU_26/0_Chain 0+Chain 1	5.94	2.56	8.5	11.00	Pass
ax40_5550MHz_RU_52/37_Chain 0	-1.66	4.09	2.43	11.00	Pass
ax40_5550MHz_RU_52/37_Chain 1	-1.19	4.09	2.9	11.00	Pass
ax40_5550MHz_RU_52/37_Chain 0+Chain 1	1.59	4.09	5.68	11.00	Pass
ax40_5550MHz_RU_106/53_Chain 0	-5.76	6	0.24	11.00	Pass
ax40_5550MHz_RU_106/53_Chain 1	-5.92	6	0.08	11.00	Pass
ax40_5550MHz_RU_106/53_Chain 0+Chain 1	-2.83	6	3.17	11.00	Pass
ax40_5550MHz_RU_242/61_Chain 0	-9.26	8.12	-1.14	11.00	Pass
ax40_5550MHz_RU_242/61_Chain 1	-8.57	8.12	-0.45	11.00	Pass
ax40_5550MHz_RU_242/61_Chain 0+Chain 1	-5.89	8.12	2.23	11.00	Pass
ax40_5550MHz_RU_484/65_Chain 0	-11.75	8.06	-3.69	11.00	Pass
ax40_5550MHz_RU_484/65_Chain 1	-11.72	8.06	-3.66	11.00	Pass
ax40_5550MHz_RU_484/65_Chain 0+Chain 1	-8.72	8.06	-0.66	11.00	Pass
ax40_5670MHz_RU_26/17_Chain 0	3.35	2.56	5.91	11.00	Pass
ax40_5670MHz_RU_26/17_Chain 1	3.75	2.56	6.31	11.00	Pass
ax40_5670MHz_RU_26/17_Chain 0+Chain 1	6.56	2.56	9.12	11.00	Pass
ax40_5670MHz_RU_52/44_Chain 0	-1.65	4.09	2.44	11.00	Pass
ax40_5670MHz_RU_52/44_Chain 1	-1.28	4.09	2.81	11.00	Pass
ax40_5670MHz_RU_52/44_Chain 0+Chain 1	1.55	4.09	5.64	11.00	Pass
ax40_5670MHz_RU_106/56_Chain 0	-5.96	6	0.04	11.00	Pass
ax40_5670MHz_RU_106/56_Chain 1	-5.45	6	0.55	11.00	Pass
ax40_5670MHz_RU_106/56_Chain 0+Chain 1	-2.69	6	3.31	11.00	Pass

ax40_5670MHz_RU_242/62_Chain 0	-9.04	8.12	-0.92	11.00	Pass
ax40_5670MHz_RU_242/62_Chain 1	-8.43	8.12	-0.31	11.00	Pass
ax40_5670MHz_RU_242/62_Chain 0+Chain 1	-5.71	8.12	2.41	11.00	Pass
ax40_5670MHz_RU_484/65_Chain 0	-12.08	8.06	-4.02	11.00	Pass
ax40_5670MHz_RU_484/65_Chain 1	-11.87	8.06	-3.81	11.00	Pass
ax40_5670MHz_RU_484/65_Chain 0+Chain 1	-8.96	8.06	-0.9	11.00	Pass
ax40_5710MHz_RU_26/17_Chain 0	3.06	2.56	5.62	11.00	Pass
ax40_5710MHz_RU_26/17_Chain 1	3.49	2.56	6.05	11.00	Pass
ax40_5710MHz_RU_26/17_Chain 0+Chain 1	6.29	2.56	8.85	11.00	Pass
ax40_5710MHz_RU_52/44_Chain 0	-1.13	4.09	2.96	11.00	Pass
ax40_5710MHz_RU_52/44_Chain 1	-0.96	4.09	3.13	11.00	Pass
ax40_5710MHz_RU_52/44_Chain 0+Chain 1	1.97	4.09	6.06	11.00	Pass
ax40_5710MHz_RU_106/56_Chain 0	-5.45	6	0.55	11.00	Pass
ax40_5710MHz_RU_106/56_Chain 1	-4.75	6	1.25	11.00	Pass
ax40_5710MHz_RU_106/56_Chain 0+Chain 1	-2.08	6	3.92	11.00	Pass
ax40_5710MHz_RU_242/62_Chain 0	-9.31	8.12	-1.19	11.00	Pass
ax40_5710MHz_RU_242/62_Chain 1	-7.60	8.12	0.52	11.00	Pass
ax40_5710MHz_RU_242/62_Chain 0+Chain 1	-5.36	8.12	2.76	11.00	Pass
ax40_5710MHz_RU_484/65_Chain 0	-12.70	8.06	-4.64	11.00	Pass
ax40_5710MHz_RU_484/65_Chain 1	-11.12	8.06	-3.06	11.00	Pass
ax40_5710MHz_RU_484/65_Chain 0+Chain 1	-8.83	8.06	-0.77	11.00	Pass
ax80_5530MHz_RU_26/0_Chain 0	3.17	3.85	7.02	11.00	Pass
ax80_5530MHz_RU_26/0_Chain 1	3.20	3.85	7.05	11.00	Pass
ax80_5530MHz_RU_26/0_Chain 0+Chain 1	6.20	3.85	10.05	11.00	Pass
ax80_5530MHz_RU_52/37_Chain 0	-0.64	5.62	4.98	11.00	Pass
ax80_5530MHz_RU_52/37_Chain 1	-0.26	5.62	5.36	11.00	Pass
ax80_5530MHz_RU_52/37_Chain 0+Chain 1	2.56	5.62	8.18	11.00	Pass
ax80_5530MHz_RU_106/53_Chain 0	-5.80	7.54	1.74	11.00	Pass
ax80_5530MHz_RU_106/53_Chain 1	-5.30	7.54	2.24	11.00	Pass
ax80_5530MHz_RU_106/53_Chain 0+Chain 1	-2.53	7.54	5.01	11.00	Pass
ax80_5530MHz_RU_242/61_Chain 0	-8.81	7.53	-1.28	11.00	Pass
ax80_5530MHz_RU_242/61_Chain 1	-8.70	7.53	-1.17	11.00	Pass
ax80_5530MHz_RU_242/61_Chain 0+Chain 1	-5.74	7.51	1.77	11.00	Pass
ax80_5530MHz_RU_484/65_Chain 0	-11.80	8.78	-3.02	11.00	Pass
ax80_5530MHz_RU_484/65_Chain 1	-12.03	8.78	-3.25	11.00	Pass
ax80_5530MHz_RU_484/65_Chain 0+Chain 1	-8.90	8.78	-0.12	11.00	Pass
ax80_5530MHz_RU_996/67_Chain 0	-14.60	8.25	-6.35	11.00	Pass
ax80_5530MHz_RU_996/67_Chain 1	-14.70	8.25	-6.45	11.00	Pass

ax80_5530MHz_RU_996/67_Chain 0+Chain 1	-11.64	8.25	-3.39	11.00	Pass
ax80_5610MHz_RU_26/0_Chain 0	2.41	3.85	6.26	11.00	Pass
ax80_5610MHz_RU_26/0_Chain 1	3.37	3.85	7.22	11.00	Pass
ax80_5610MHz_RU_26/0_Chain 0+Chain 1	5.93	3.85	9.78	11.00	Pass
ax80_5610MHz_RU_52/37_Chain 0	-2.43	5.62	3.19	11.00	Pass
ax80_5610MHz_RU_52/37_Chain 1	-1.88	5.62	3.74	11.00	Pass
ax80_5610MHz_RU_52/37_Chain 0+Chain 1	0.86	5.62	6.48	11.00	Pass
ax80_5610MHz_RU_106/53_Chain 0	-5.62	7.54	1.92	11.00	Pass
ax80_5610MHz_RU_106/53_Chain 1	-6.21	7.54	1.33	11.00	Pass
ax80_5610MHz_RU_106/53_Chain 0+Chain 1	-2.89	7.54	4.65	11.00	Pass
ax80_5610MHz_RU_242/61_Chain 0	-10.03	7.53	-2.5	11.00	Pass
ax80_5610MHz_RU_242/61_Chain 1	-9.46	7.53	-1.93	11.00	Pass
ax80_5610MHz_RU_242/61_Chain 0+Chain 1	-6.73	7.51	0.78	11.00	Pass
ax80_5610MHz_RU_484/65_Chain 0	-12.56	8.78	-3.78	11.00	Pass
ax80_5610MHz_RU_484/65_Chain 1	-12.47	8.78	-3.69	11.00	Pass
ax80_5610MHz_RU_484/65_Chain 0+Chain 1	-9.50	8.78	-0.72	11.00	Pass
ax80_5610MHz_RU_996/67_Chain 0	-14.85	8.25	-6.6	11.00	Pass
ax80_5610MHz_RU_996/67_Chain 1	-15.20	8.25	-6.95	11.00	Pass
ax80_5610MHz_RU_996/67_Chain 0+Chain 1	-12.01	8.25	-3.76	11.00	Pass
ax80_5690MHz_RU_26/36_Chain 0	2.67	3.85	6.52	11.00	Pass
ax80_5690MHz_RU_26/36_Chain 1	3.43	3.85	7.28	11.00	Pass
ax80_5690MHz_RU_26/36_Chain 0+Chain 1	6.08	3.85	9.93	11.00	Pass
ax80_5690MHz_RU_52/52_Chain 0	-1.82	5.62	3.8	11.00	Pass
ax80_5690MHz_RU_52/52_Chain 1	-1.81	5.62	3.81	11.00	Pass
ax80_5690MHz_RU_52/52_Chain 0+Chain 1	1.20	5.62	6.82	11.00	Pass
ax80_5690MHz_RU_106/60_Chain 0	-5.78	7.54	1.76	11.00	Pass
ax80_5690MHz_RU_106/60_Chain 1	-5.29	7.54	2.25	11.00	Pass
ax80_5690MHz_RU_106/60_Chain 0+Chain 1	-2.52	7.54	5.02	11.00	Pass
ax80_5690MHz_RU_242/64_Chain 0	-8.68	7.53	-1.15	11.00	Pass
ax80_5690MHz_RU_242/64_Chain 1	-8.49	7.53	-0.96	11.00	Pass
ax80_5690MHz_RU_242/64_Chain 0+Chain 1	-5.57	7.51	1.94	11.00	Pass
ax80_5690MHz_RU_484/66_Chain 0	-12.31	8.78	-3.53	11.00	Pass
ax80_5690MHz_RU_484/66_Chain 1	-10.31	8.78	-1.53	11.00	Pass
ax80_5690MHz_RU_484/66_Chain 0+Chain 1	-8.19	8.78	0.59	11.00	Pass
ax80_5690MHz_RU_996/67_Chain 0	-14.77	8.25	-6.52	11.00	Pass
ax80_5690MHz_RU_996/67_Chain 1	-14.27	8.25	-6.02	11.00	Pass
ax80_5690MHz_RU_996/67_Chain 0+Chain 1	-11.50	8.25	-3.25	11.00	Pass

Mode	Value (dBm/500kHz)	Duty Cycle Factor (dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
a_5745MHz_Chain 0	2.11	0	2.11	30.00	Pass
a_5745MHz_Chain 1	3.59	0	3.59	30.00	Pass
a_5785MHz_Chain 0	1.91	0	1.91	30.00	Pass
a_5785MHz_Chain 1	3.69	0	3.69	30.00	Pass
a_5825MHz_Chain 0	2.22	0	2.22	30.00	Pass
a_5825MHz_Chain 1	3.95	0	3.95	30.00	Pass
n20_5745MHz_Chain 0	1.98	0	1.98	30.00	Pass
n20_5745MHz_Chain 1	2.37	0	0	30.00	Pass
n20_5745MHz_Chain 0+Chain 1	5.19	0	5.19	30.00	Pass
n20_5785MHz_Chain 0	1.45	0	1.45	30.00	Pass
n20_5785MHz_Chain 1	2.43	0	2.43	30.00	Pass
n20_5785MHz_Chain 0+Chain 1	4.98	0	4.98	30.00	Pass
n20_5825MHz_Chain 0	1.95	0	1.95	30.00	Pass
n20_5825MHz_Chain 1	2.56	0	2.56	30.00	Pass
n20_5825MHz_Chain 0+Chain 1	5.28	0	5.28	30.00	Pass
n40_5755MHz_Chain 0	-0.76	0	-0.76	30.00	Pass
n40_5755MHz_Chain 1	-0.04	0	-0.04	30.00	Pass
n40_5755MHz_Chain 0+Chain 1	2.63	0	2.63	30.00	Pass
n40_5795MHz_Chain 0	-0.67	0	-0.67	30.00	Pass
n40_5795MHz_Chain 1	0.04	0	0.04	30.00	Pass
n40_5795MHz_Chain 0+Chain 1	2.71	0	2.71	30.00	Pass
ac80_5775MHz_Chain 0	-5.49	0	-5.49	30.00	Pass
ac80_5775MHz_Chain 1	-5.38	0	-5.38	30.00	Pass
ac80_5775MHz_Chain 0+Chain 1	-2.42	0	-2.42	30.00	Pass
ax20_5745MHz_RU_26/0_Chain 0	2.79	2.75	5.54	30.00	Pass
ax20_5745MHz_RU_26/0_Chain 1	3.63	2.75	6.38	30.00	Pass
ax20_5745MHz_RU_26/0_Chain 0+Chain 1	6.24	2.75	8.99	30.00	Pass
ax20_5745MHz_RU_52/37_Chain 0	-0.99	3.08	2.09	30.00	Pass
ax20_5745MHz_RU_52/37_Chain 1	-0.83	3.08	2.25	30.00	Pass
ax20_5745MHz_RU_52/37_Chain 0+Chain 1	2.10	3.08	5.18	30.00	Pass
ax20_5745MHz_RU_106/53_Chain 0	-6.29	5.9	-0.39	30.00	Pass
ax20_5745MHz_RU_106/53_Chain 1	-5.63	5.9	0.27	30.00	Pass
ax20_5745MHz_RU_106/53_Chain 0+Chain 1	-2.94	5.9	2.96	30.00	Pass
ax20_5745MHz_RU_242/61_Chain 0	-10.45	8.59	-1.86	30.00	Pass
ax20_5745MHz_RU_242/61_Chain 1	-9.80	8.59	-1.21	30.00	Pass
ax20_5745MHz_RU_242/61_Chain 0+Chain 1	-7.10	8.59	1.49	30.00	Pass
ax20_5785MHz_RU_26/0_Chain 0	2.50	2.75	5.25	30.00	Pass
ax20_5785MHz_RU_26/0_Chain 1	2.80	2.75	5.55	30.00	Pass
ax20_5785MHz_RU_26/0_Chain 0+Chain 1	5.66	2.75	8.41	30.00	Pass

ax20_5785MHz_RU_52/37_Chain 0	-1.58	3.08	1.5	30.00	Pass
ax20_5785MHz_RU_52/37_Chain 1	-1.90	3.08	1.18	30.00	Pass
ax20_5785MHz_RU_52/37_Chain 0+Chain 1	1.27	3.08	4.35	30.00	Pass
ax20_5785MHz_RU_106/53_Chain 0	-6.48	5.9	-0.58	30.00	Pass
ax20_5785MHz_RU_106/53_Chain 1	-6.41	5.9	-0.51	30.00	Pass
ax20_5785MHz_RU_106/53_Chain 0+Chain 1	-3.43	5.9	2.47	30.00	Pass
ax20_5785MHz_RU_242/61_Chain 0	-11.37	8.59	-2.78	30.00	Pass
ax20_5785MHz_RU_242/61_Chain 1	-11.43	8.59	-2.84	30.00	Pass
ax20_5785MHz_RU_242/61_Chain 0+Chain 1	-8.39	8.59	0.2	30.00	Pass
ax20_5825MHz_RU_26/8_Chain 0	2.47	2.75	5.22	30.00	Pass
ax20_5825MHz_RU_26/8_Chain 1	2.61	2.75	5.36	30.00	Pass
ax20_5825MHz_RU_26/8_Chain 0+Chain 1	5.55	2.75	8.3	30.00	Pass
ax20_5825MHz_RU_52/40_Chain 0	-1.20	3.08	1.88	30.00	Pass
ax20_5825MHz_RU_52/40_Chain 1	0.56	3.08	3.64	30.00	Pass
ax20_5825MHz_RU_52/40_Chain 0+Chain 1	2.78	3.08	5.86	30.00	Pass
ax20_5825MHz_RU_106/54_Chain 0	-6.89	5.9	-0.99	30.00	Pass
ax20_5825MHz_RU_106/54_Chain 1	-6.51	5.9	-0.61	30.00	Pass
ax20_5825MHz_RU_106/54_Chain 0+Chain 1	-3.69	5.9	2.21	30.00	Pass
ax20_5825MHz_RU_242/61_Chain 0	-10.93	8.59	-2.34	30.00	Pass
ax20_5825MHz_RU_242/61_Chain 1	-10.63	8.59	-2.04	30.00	Pass
ax20_5825MHz_RU_242/61_Chain 0+Chain 1	-7.77	8.59	0.82	30.00	Pass
ax40_5755MHz_RU_26/0_Chain 0	1.07	2.56	3.63	30.00	Pass
ax40_5755MHz_RU_26/0_Chain 1	3.05	2.56	5.61	30.00	Pass
ax40_5755MHz_RU_26/0_Chain 0+Chain 1	5.18	2.56	7.74	30.00	Pass
ax40_5755MHz_RU_52/37_Chain 0	-2.31	4.09	1.78	30.00	Pass
ax40_5755MHz_RU_52/37_Chain 1	-1.27	4.09	2.82	30.00	Pass
ax40_5755MHz_RU_52/37_Chain 0+Chain 1	1.25	4.09	5.34	30.00	Pass
ax40_5755MHz_RU_106/53_Chain 0	-7.33	6	-1.33	30.00	Pass
ax40_5755MHz_RU_106/53_Chain 1	-5.75	6	0.25	30.00	Pass
ax40_5755MHz_RU_106/53_Chain 0+Chain 1	-3.46	6	2.54	30.00	Pass
ax40_5755MHz_RU_242/61_Chain 0	-12.91	8.12	-4.79	30.00	Pass
ax40_5755MHz_RU_242/61_Chain 1	-10.98	8.12	-2.86	30.00	Pass
ax40_5755MHz_RU_242/61_Chain 0+Chain 1	-8.83	8.12	-0.71	30.00	Pass
ax40_5755MHz_RU_484/65_Chain 0	-14.44	8.06	-6.38	30.00	Pass
ax40_5755MHz_RU_484/65_Chain 1	-13.80	8.06	-5.74	30.00	Pass
ax40_5755MHz_RU_484/65_Chain 0+Chain 1	-11.10	8.06	-3.04	30.00	Pass
ax40_5795MHz_RU_26/17_Chain 0	1.44	2.56	4	30.00	Pass
ax40_5795MHz_RU_26/17_Chain 1	2.67	2.56	5.23	30.00	Pass

ax40_5795MHz_RU_26/17_Chain 0+Chain 1	5.11	2.56	7.67	30.00	Pass
ax40_5795MHz_RU_52/44_Chain 0	-2.00	4.09	2.09	30.00	Pass
ax40_5795MHz_RU_52/44_Chain 1	-1.08	4.09	3.01	30.00	Pass
ax40_5795MHz_RU_52/44_Chain 0+Chain 1	1.49	4.09	5.58	30.00	Pass
ax40_5795MHz_RU_106/56_Chain 0	-6.91	6	-0.91	30.00	Pass
ax40_5795MHz_RU_106/56_Chain 1	-6.79	6	-0.79	30.00	Pass
ax40_5795MHz_RU_106/56_Chain 0+Chain 1	-3.84	6	2.16	30.00	Pass
ax40_5795MHz_RU_242/62_Chain 0	-12.19	8.12	-4.07	30.00	Pass
ax40_5795MHz_RU_242/62_Chain 1	-11.11	8.12	-2.99	30.00	Pass
ax40_5795MHz_RU_242/62_Chain 0+Chain 1	-8.61	8.12	-0.49	30.00	Pass
ax40_5795MHz_RU_484/65_Chain 0	-14.07	8.06	-6.01	30.00	Pass
ax40_5795MHz_RU_484/65_Chain 1	-13.30	8.06	-5.24	30.00	Pass
ax40_5795MHz_RU_484/65_Chain 0+Chain 1	-10.66	8.06	-2.6	30.00	Pass
ax80_5775MHz_RU_26/0_Chain 0	2.17	3.85	6.02	30.00	Pass
ax80_5775MHz_RU_26/0_Chain 1	3.21	3.85	7.06	30.00	Pass
ax80_5775MHz_RU_26/0_Chain 0+Chain 1	5.73	3.85	9.58	30.00	Pass
ax80_5775MHz_RU_52/37_Chain 0	-2.38	5.62	3.24	30.00	Pass
ax80_5775MHz_RU_52/37_Chain 1	-1.01	5.62	4.61	30.00	Pass
ax80_5775MHz_RU_52/37_Chain 0+Chain 1	1.37	5.62	6.99	30.00	Pass
ax80_5775MHz_RU_106/53_Chain 0	-6.89	7.54	0.65	30.00	Pass
ax80_5775MHz_RU_106/53_Chain 1	-6.19	7.54	1.35	30.00	Pass
ax80_5775MHz_RU_106/53_Chain 0+Chain 1	-3.52	7.54	4.02	30.00	Pass
ax80_5775MHz_RU_242/61_Chain 0	-12.26	7.53	-4.73	30.00	Pass
ax80_5775MHz_RU_242/61_Chain 1	-11.66	7.53	-4.13	30.00	Pass
ax80_5775MHz_RU_242/61_Chain 0+Chain 1	-8.94	7.51	-1.43	30.00	Pass
ax80_5775MHz_RU_484/65_Chain 0	-14.99	8.78	-6.21	30.00	Pass
ax80_5775MHz_RU_484/65_Chain 1	-14.52	8.78	-5.74	30.00	Pass
ax80_5775MHz_RU_484/65_Chain 0+Chain 1	-11.74	8.78	-2.96	30.00	Pass
ax80_5775MHz_RU_996/67_Chain 0	-17.57	8.25	-9.32	30.00	Pass
ax80_5775MHz_RU_996/67_Chain 1	-16.96	8.25	-8.71	30.00	Pass
ax80_5775MHz_RU_996/67_Chain 0+Chain 1	-14.24	8.25	-5.99	30.00	Pass

Note:


The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911

D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = $10 \log(N_{\text{ANT}}/N_{\text{SS}})$ dB, so directional gain is $0.6+10*\log(2/1) = 2.4$ dBi.


5.2G

a_5180MHz_Chain 0 5.37 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 11:54:13

a_5180MHz_Chain 1 5.44 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 14:54:45

a_5200MHz_Chain 0 5.33 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 11:54:52

a_5200MHz_Chain 1 6.28 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 14:57:08

a_5240MHz_Chain 0 5.25 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 11:55:23

a_5240MHz_Chain 1 6.28 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 14:59:06

n20_5180MHz_Chain 0 4.55 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:14:58

n20_5180MHz_Chain 1 4.89 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 15:01:22

n20_5200MHz_Chain 0 4.54 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:15:34

n20_5200MHz_Chain 1 4.91 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 15:03:14

n20_5240MHz_Chain 0 4.14 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:13:55

n20_5240MHz_Chain 1 4.89 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 15:05:18

n40_5190MHz_Chain 0 2.25 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:16:10

n40_5190MHz_Chain 1 2.68 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 15:07:06

n40_5230MHz_Chain 0 1.85 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:16:41

n40_5230MHz_Chain 1 2.32 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 15:08:52

ac80_5210MHz_Chain 0 -2.78 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:17:23

ac80_5210MHz_Chain 1 -2.67 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 15:11:03

ax20_5180MHz_RU_26/0_Chain 0 4.15 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:28:50

ax20_5180MHz_RU_26/0_Chain 1 5.71 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:30:10

ax20_5180MHz_RU_52/37_Chain 0 1.59 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:20:50

ax20_5180MHz_RU_52/37_Chain 1 2.89 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 18:37:40

ax20_5180MHz_RU_106/53_Chain 0 -3.91 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:21:40

ax20_5180MHz_RU_106/53_Chain 1 -2.52 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 18:39:55

ax20_5180MHz_RU_242/61_Chain 0 -9.01 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:22:05

ax20_5180MHz_RU_242/61_Chain 1 -7.54 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 18:41:43

ax20_5200MHz_RU_26/0_Chain 0 4.23 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:32:03

ax20_5200MHz_RU_26/0_Chain 1 5.88 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:32:51

ax20_5200MHz_RU_52/37_Chain 0 1.38 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:22:54

ax20_5200MHz_RU_52/37_Chain 1 2.22 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 19:09:09

ax20_5200MHz_RU_106/53_Chain 0 -4.51 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:23:18

ax20_5200MHz_RU_106/53_Chain 1 -2.69 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 19:10:57

ax20_5200MHz_RU_242/61_Chain 0 -9.00 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:23:40

ax20_5200MHz_RU_242/61_Chain 1 -8.58 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 3.JUN.2024 19:12:49

ax20_5240MHz_RU_26/8_Chain 0 4.24 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:34:41

ax20_5240MHz_RU_26/8_Chain 1 5.81 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:36:15

ax20_5240MHz_RU_52/40_Chain 0 0.87 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:24:42

ax20_5240MHz_RU_52/40_Chain 1 2.32 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:36:37

ax20_5240MHz_RU_106/54_Chain 0 -3.91 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:25:08

ax20_5240MHz_RU_106/54_Chain 1 -3.18 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:37:21

ax20_5240MHz_RU_242/61_Chain 0 -9.27 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:25:36

ax20_5240MHz_RU_242/61_Chain 1 -8.06 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:38:00

ax40_5190MHz_RU_26/0_Chain 0 4.12 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:26:12

ax40_5190MHz_RU_26/0_Chain 1 4.21 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:41:31

ax40_5190MHz_RU_52/37_Chain 0 -0.46 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:26:38

ax40_5190MHz_RU_52/37_Chain 1 0.78 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:43:37

ax40_5190MHz_RU_106/53_Chain 0 -4.36 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:27:18

ax40_5190MHz_RU_106/53_Chain 1 -4.34 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:44:10

ax40_5190MHz_RU_242/61_Chain 0 -10.02 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:28:10

ax40_5190MHz_RU_242/61_Chain 1 -9.14 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:46:25

ax40_5190MHz_RU_484/65_Chain 0 -12.22 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:28:36

ax40_5190MHz_RU_484/65_Chain 1 -12.30 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:47:11

ax40_5230MHz_RU_26/17_Chain 0 3.19 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:29:12

ax40_5230MHz_RU_26/17_Chain 1 4.50 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:49:44


ax40_5230MHz_RU_52/44_Chain 0 0.30 dBm




ax40_5230MHz_RU_52/44_Chain 1 -0.14 dBm




ax40_5230MHz_RU_106/56_Chain 0 -5.08 dBm




ax40_5230MHz_RU_106/56_Chain 1 -4.28 dBm




ax40_5230MHz_RU_242/62_Chain 0 -10.26 dBm



ax40_5230MHz_RU_242/62_Chain 1 -9.38 dBm




ax40_5230MHz_RU_484/65_Chain 0 -12.76 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:31:06

ax40_5230MHz_RU_484/65_Chain 1 -11.35 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 14:52:42

ax80_5210MHz_RU_26/0_Chain 0 3.12 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:32:11

ax80_5210MHz_RU_26/0_Chain 1 4.03 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:01:45

ax80_5210MHz_RU_52/37_Chain 0 -0.59 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:32:42

ax80_5210MHz_RU_52/37_Chain 1 0.72 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:02:28

ax80_5210MHz_RU_106/53_Chain 0 -5.58 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:41:41

ax80_5210MHz_RU_106/53_Chain 1 -4.43 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:03:01

ax80_5210MHz_RU_242/61_Chain 0 -10.34 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:42:17

ax80_5210MHz_RU_242/61_Chain 1 -9.06 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:03:59

ax80_5210MHz_RU_484/65_Chain 0 -12.67 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:43:01

ax80_5210MHz_RU_484/65_Chain 1 -11.96 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:04:32

ax80_5210MHz_RU_996/67_Chain 0 -15.60 dBm



Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:43:41


ax80_5210MHz_RU_996/67_Chain 1 -14.71 dBm



Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:05:12


5.3G

a_5260MHz_Chain 0 5.76 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:45:14

a_5260MHz_Chain 1 6.31 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:19:07

a_5280MHz_Chain 0 5.49 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:48:32

a_5280MHz_Chain 1 6.31 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:22:38


a_5320MHz_Chain 0 5.44 dBm




a_5320MHz_Chain 1 6.29 dBm




n20_5260MHz_Chain 0 4.75 dBm




n20_5260MHz_Chain 1 4.99 dBm




n20_5280MHz_Chain 0 4.66 dBm



n20_5280MHz_Chain 1 5.47 dBm




ac80_5290MHz_Chain 0 -2.92 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 13:53:18

ac80_5290MHz_Chain 1 -2.54 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 15:37:26

ax20_5260MHz_RU_26/0_Chain 0 5.17 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 13:54:44

ax20_5260MHz_RU_26/0_Chain 1 5.45 dBm




Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 7.JUN.2024 14:01:11

ax20_5260MHz_RU_52/37_Chain 0 1.63 dBm



Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 6.JUN.2024 14:55:33

ax20_5260MHz_RU_52/37_Chain 1 3.03 dBm



Comment: ProjectNo.:2403S73382E-RF Tester:Lingling Li
Date: 4.JUN.2024 16:26:25