

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.37	21.5	33.01	PASS
Band2	TestMode	9262	23.32	21.45	33.01	PASS
Band2	TestMode	9400	23.96	22.09	33.01	PASS
Band2	Voice	9400	23.84	21.97	33.01	PASS
Band2	TestMode	9538	23.80	21.93	33.01	PASS
Band2	Voice	9538	23.85	21.98	33.01	PASS
Band4	Voice	1312	23.84	20.8	30.00	PASS
Band4	TestMode	1312	23.82	20.78	30.00	PASS
Band4	TestMode	1413	23.65	20.61	30.00	PASS
Band4	Voice	1413	23.54	20.5	30.00	PASS
Band4	Voice	1513	23.75	20.71	30.00	PASS
Band4	TestMode	1513	23.77	20.73	30.00	PASS
Band5	TestMode	4132	24.18	16.01	38.45	PASS
Band5	Voice	4132	24.11	15.94	38.45	PASS
Band5	TestMode	4183	24.13	15.96	38.45	PASS
Band5	Voice	4183	24.17	16	38.45	PASS
Band5	Voice	4233	24.09	15.92	38.45	PASS
Band5	TestMode	4233	24.17	16	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.80	20.93	33.01	PASS
Band2	9262	2	22.91	21.04	33.01	PASS
Band2	9262	3	22.95	21.08	33.01	PASS
Band2	9262	4	22.94	21.07	33.01	PASS
Band2	9400	1	24.10	22.23	33.01	PASS
Band2	9400	2	23.57	21.7	33.01	PASS
Band2	9400	3	23.55	21.68	33.01	PASS
Band2	9400	4	23.60	21.73	33.01	PASS
Band2	9538	1	23.60	21.73	33.01	PASS
Band2	9538	2	23.42	21.55	33.01	PASS
Band2	9538	3	23.43	21.56	33.01	PASS
Band2	9538	4	23.47	21.6	33.01	PASS

Band4	1312	1	23.86	20.82	30.00	PASS
Band4	1312	2	23.41	20.37	30.00	PASS
Band4	1312	3	23.46	20.42	30.00	PASS
Band4	1312	4	23.41	20.37	30.00	PASS
Band4	1413	1	23.67	20.63	30.00	PASS
Band4	1413	2	23.20	20.16	30.00	PASS
Band4	1413	3	23.24	20.2	30.00	PASS
Band4	1413	4	23.17	20.13	30.00	PASS
Band4	1513	1	23.82	20.78	30.00	PASS
Band4	1513	2	23.30	20.26	30.00	PASS
Band4	1513	3	23.33	20.29	30.00	PASS
Band4	1513	4	23.27	20.23	30.00	PASS
Band5	4132	1	24.21	16.04	38.5	PASS
Band5	4132	2	23.72	15.55	38.5	PASS
Band5	4132	3	23.77	15.6	38.5	PASS
Band5	4132	4	23.71	15.54	38.5	PASS
Band5	4183	1	24.16	15.99	38.5	PASS
Band5	4183	2	23.66	15.49	38.5	PASS
Band5	4183	3	23.72	15.55	38.5	PASS
Band5	4183	4	23.67	15.5	38.5	PASS
Band5	4233	1	24.23	16.06	38.5	PASS
Band5	4233	2	23.75	15.58	38.5	PASS
Band5	4233	3	23.79	15.62	38.5	PASS
Band5	4233	4	23.75	15.58	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.35	19.48	33.01	PASS
Band2	9262	2	21.88	20.01	33.01	PASS
Band2	9262	3	22.35	20.48	33.01	PASS
Band2	9262	4	21.38	19.51	33.01	PASS
Band2	9262	5	23.34	21.47	33.01	PASS
Band2	9400	1	21.93	20.06	33.01	PASS
Band2	9400	2	22.41	20.54	33.01	PASS
Band2	9400	3	22.95	21.08	33.01	PASS
Band2	9400	4	21.93	20.06	33.01	PASS
Band2	9400	5	23.91	22.04	33.01	PASS
Band2	9538	1	21.81	19.94	33.01	PASS
Band2	9538	2	22.32	20.45	33.01	PASS
Band2	9538	3	22.85	20.98	33.01	PASS

Band2	9538	4	21.84	19.97	33.01	PASS
Band2	9538	5	23.84	21.97	33.01	PASS
Band4	1312	1	21.83	18.79	30.00	PASS
Band4	1312	2	22.30	19.26	30.00	PASS
Band4	1312	3	22.81	19.77	30.00	PASS
Band4	1312	4	21.84	18.8	30.00	PASS
Band4	1312	5	23.80	20.76	30.00	PASS
Band4	1413	1	21.62	18.58	30.00	PASS
Band4	1413	2	22.11	19.07	30.00	PASS
Band4	1413	3	22.63	19.59	30.00	PASS
Band4	1413	4	21.64	18.6	30.00	PASS
Band4	1413	5	23.61	20.57	30.00	PASS
Band4	1513	1	21.76	18.72	30.00	PASS
Band4	1513	2	22.24	19.2	30.00	PASS
Band4	1513	3	22.75	19.71	30.00	PASS
Band4	1513	4	21.77	18.73	30.00	PASS
Band4	1513	5	23.75	20.71	30.00	PASS
Band5	4132	1	22.18	14.01	38.5	PASS
Band5	4132	2	22.72	14.55	38.5	PASS
Band5	4132	3	23.20	15.03	38.5	PASS
Band5	4132	4	22.20	14.03	38.5	PASS
Band5	4132	5	24.20	16.03	38.5	PASS
Band5	4183	1	22.14	13.97	38.5	PASS
Band5	4183	2	22.64	14.47	38.5	PASS
Band5	4183	3	23.16	14.99	38.5	PASS
Band5	4183	4	22.16	13.99	38.5	PASS
Band5	4183	5	24.15	15.98	38.5	PASS
Band5	4233	1	22.23	14.06	38.5	PASS
Band5	4233	2	22.72	14.55	38.5	PASS
Band5	4233	3	23.22	15.05	38.5	PASS
Band5	4233	4	22.25	14.08	38.5	PASS
Band5	4233	5	24.21	16.04	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	3.12	13	PASS
Band4	1413	3.18	13	PASS
Band5	4183	3.1	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1430	4.679	---	PASS
Band2	9400	4.1506	4.683	---	PASS
Band2	9538	4.1546	4.683	---	PASS
Band4	1312	4.1565	4.702	---	PASS
Band4	1413	4.1517	4.689	---	PASS
Band4	1513	4.1496	4.685	---	PASS
Band5	4132	4.1465	4.706	---	PASS
Band5	4183	4.1442	4.677	---	PASS
Band5	4233	4.1403	4.675	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-20.75	-13	PASS
Band2	9538	1910.00	-20.26	-13	PASS
Band4	1312	1710.00	-20.13	-13	PASS
Band4	1513	1755.00	-22.91	-13	PASS
Band5	4132	824.00	-17.94	-13	PASS
Band5	4233	849.00	-20.65	-13	PASS

Test Graphs(WCDMA)



JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2412118

AppendixE:Conducted SpuriousEmission

Test Result(WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-56.66	-43	PASS
Band2	9262	0.15~30MHz	0.17	-48.99	-23	PASS
Band2	9262	30~1000MHz	956.8	-45.87	-13	PASS
Band2	9262	1000~20000MHz	19975.3	-30.45	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-54.65	-43	PASS
Band2	9400	0.15~30MHz	0.16	-46.34	-23	PASS
Band2	9400	30~1000MHz	745.76	-45.1	-13	PASS
Band2	9400	1000~20000MHz	19949.33	-30.95	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-54.98	-43	PASS
Band2	9538	0.15~30MHz	0.15	-47.43	-23	PASS
Band2	9538	30~1000MHz	223.55	-45.1	-13	PASS
Band2	9538	1000~20000MHz	19833.43	-29.82	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-54.84	-43	PASS
Band4	1312	0.15~30MHz	0.15	-44.49	-23	PASS
Band4	1312	30~1000MHz	880.85	-45.98	-13	PASS
Band4	1312	1000~20000MHz	19909.43	-29.42	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-54.52	-43	PASS
Band4	1413	0.15~30MHz	0.16	-47.95	-23	PASS
Band4	1413	30~1000MHz	469.44	-45.9	-13	PASS
Band4	1413	1000~20000MHz	19882.83	-30.61	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-55.65	-43	PASS
Band4	1513	0.15~30MHz	0.16	-46.53	-23	PASS
Band4	1513	30~1000MHz	743.56	-45.39	-13	PASS
Band4	1513	1000~20000MHz	19977.2	-30.41	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-56.55	-33	PASS
Band5	4132	0.15~30MHz	0.16	-48.67	-13	PASS
Band5	4132	30~1000MHz	639.9	-54.71	-13	PASS
Band5	4132	1000~10000MHz	6021.1	-36.45	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-55.43	-33	PASS
Band5	4183	0.15~30MHz	0.19	-48.87	-13	PASS
Band5	4183	30~1000MHz	941.96	-54.44	-13	PASS
Band5	4183	1000~10000MHz	5671.9	-36.78	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-55.67	-33	PASS
Band5	4233	0.15~30MHz	0.16	-47.99	-13	PASS
Band5	4233	30~1000MHz	496.31	-54.5	-13	PASS
Band5	4233	1000~10000MHz	5963.5	-36.53	-13	PASS

Test Graphs(WCDMA)





JianYan Testing Group Shenzhen Co., Ltd.


No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.


Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2412118











AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.91	-30	-1.62	-0.001936	±2.5	Pass
	-20	-1.44	-0.001721		
	-10	-0.94	-0.001124		
	0	-0.71	-0.000849		
	10	-0.57	-0.000681		
	20	-0.66	-0.000789		
	30	-1.47	-0.001757		
	40	-1.05	-0.001255		
	50	-0.63	-0.000753		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-0.65	-0.000777	±2.5	Pass
	3.91	-0.82	-0.000980		
	4.50	-0.07	-0.000084		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.91	-30	-1.55	-0.000895	Within authorized band for BAND IV	Pass
	-20	0.85	0.000491		
	-10	0.54	0.000312		
	0	1.27	0.000733		
	10	0.46	0.000265		
	20	0.11	0.000063		
	30	-0.28	-0.000162		
	40	-0.03	-0.000017		
	50	-1.76	-0.001016		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	0.46	0.000265	Within authorized band for BAND IV	Pass
	3.91	0.51	0.000294		
	4.50	0.70	0.000404		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.91	-30	3.77	0.002005	Within authorized band for BAND II	Pass
	-20	3.04	0.001617		
	-10	2.99	0.001590		
	0	2.33	0.001239		
	10	3.20	0.001702		
	20	3.83	0.002037		
	30	3.45	0.001835		
	40	2.75	0.001463		
	50	3.06	0.001628		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	3.61	0.001920	Within authorized band for BAND II	Pass
	3.91	3.88	0.002064		
	4.50	3.00	0.001596		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

