



## Test Data

### Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	5.747	30	Pass
NVNT	BLE	2442	Ant12	5.352	30	Pass
NVNT	BLE	2480	Ant12	5.431	30	Pass






## -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant12	0.708	0.5	Pass
NVNT	BLE	2442	Ant12	0.711	0.5	Pass
NVNT	BLE	2480	Ant12	0.697	0.5	Pass





## Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant12	1.044
NVNT	BLE	2442	Ant12	1.047
NVNT	BLE	2480	Ant12	1.044






## Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	-9.362	8	Pass
NVNT	BLE	2442	Ant12	-9.72	8	Pass
NVNT	BLE	2480	Ant12	-9.64	8	Pass







## Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-61.85	-20	Pass
NVNT	BLE	2480	Ant12	-60.1	-20	Pass






Band Edge NVNT BLE 2480MHz Ant12 Emission




## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-54.08	-20	Pass
NVNT	BLE	2442	Ant12	-54.64	-20	Pass
NVNT	BLE	2480	Ant12	-54.59	-20	Pass






## Tx. Spurious NVNT BLE 2442MHz Ant12 Emission



## Tx. Spurious NVNT BLE 2480MHz Ant12 Ref



Tx. Spurious NVNT BLE 2480MHz Ant12 Emission

