

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.56	-13	Pass	2986
30	500	0.1	Peak	488.5	-43.24	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.14	-13	N/A	5001
1000	10000	1	Peak	3297	-28.05	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.52	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.78	-13	Pass	2986
30	500	0.1	Peak	380	-43.35	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.17	-13	N/A	5001
1000	10000	1	Peak	3347	-29.86	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.23	-13	Pass	2986
30	500	0.1	Peak	396.8	-43.01	-13	Pass	4701
500	1000	0.1	Peak	848.8	31.9	-13	N/A	5001
1000	10000	1	Peak	3395	-30.44	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.6	-13	Pass	2986
30	1000	0.1	Peak	850.9	-46.95	-13	Pass	9701
1000	3000	1	Peak	1850	30.41	-13	N/A	2001
3000	20000	1	Peak	5550	-37.57	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-38.37	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.33	-13	Pass	2986
30	1000	0.1	Peak	968.1	-47.14	-13	Pass	9701
1000	3000	1	Peak	1880	30.15	-13	N/A	2001
3000	20000	1	Peak	5640	-34.29	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.94	-13	Pass	2986
30	1000	0.1	Peak	971.9	-46.92	-13	Pass	9701
1000	3000	1	Peak	1909	27.41	-13	N/A	2001
3000	20000	1	Peak	5729	-33.42	-13	Pass	17001



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.79	-13	Pass	2986
30	500	0.1	Peak	498.3	-42.48	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.11	-13	N/A	5001
1000	10000	1	Peak	3297	-32.45	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-32.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-31.29	-13	Pass	2986
30	500	0.1	Peak	492.3	-43.4	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.56	-13	N/A	5001
1000	10000	1	Peak	3346	-36.73	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.23	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.65	-13	Pass	2986
30	500	0.1	Peak	444.8	-43.31	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.02	-13	N/A	5001
1000	10000	1	Peak	3395	-37.72	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.39	-13	Pass	2986
30	1000	0.1	Peak	983.5	-47.34	-13	Pass	9701
1000	3000	1	Peak	1850	29.13	-13	N/A	2001
3000	20000	1	Peak	19982	-38.91	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.82	-13	Pass	2986
30	1000	0.1	Peak	989.8	-47.14	-13	Pass	9701
1000	3000	1	Peak	1881	25.97	-13	N/A	2001
3000	20000	1	Peak	5640	-38.94	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.01	-13	Pass	2986
30	1000	0.1	Peak	858.1	-46.71	-13	Pass	9701
1000	3000	1	Peak	1909	23.72	-13	N/A	2001
3000	20000	1	Peak	5730	-38.17	-13	Pass	17001



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.8	-13	51.8	Pass	401
0.15	30	0.01	Peak	22.09	-60.61	-13	47.61	Pass	2986
30	1000	0.1	Peak	835	-47.46	-13	34.46	Pass	9701
1000	3000	1	Peak	1853	24.76	-13	-37.76	N/A	2001
3000	20000	1	Peak	13695	-17.25	-13	4.25	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.41	-13	52.41	Pass	401
0.15	30	0.01	Peak	3.27	-60.93	-13	47.93	Pass	2986
30	1000	0.1	Peak	623.5	-47.37	-13	34.37	Pass	9701
1000	3000	1	Peak	1879	24.01	-13	-37.01	N/A	2001
3000	20000	1	Peak	19892	-17.74	-13	4.74	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-65.56	-13	52.56	Pass	401
0.15	30	0.01	Peak	0.2	-60.33	-13	47.33	Pass	2986
30	1000	0.1	Peak	788.5	-47.93	-13	34.93	Pass	9701
1000	3000	1	Peak	1906	24.03	-13	-37.03	N/A	2001
3000	20000	1	Peak	19541	-17.23	-13	4.23	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.064	-66.8	-13	53.8	Pass	401
0.15	30	0.01	Peak	14.7	-60.07	-13	47.07	Pass	2986
30	1000	0.1	Peak	492.2	-47.19	-13	34.19	Pass	9701
1000	3000	1	Peak	1711	24.58	-13	-37.58	N/A	2001
3000	20000	1	Peak	19443	-16.75	-13	3.75	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.85	-13	50.85	Pass	401
0.15	30	0.01	Peak	7.97	-60.27	-13	47.27	Pass	2986
30	1000	0.1	Peak	876.218	-47.35	-13	34.35	Pass	9701
1000	3000	1	Peak	1734	24.71	-13	-37.71	N/A	2001
3000	20000	1	Peak	19804	-17.62	-13	4.62	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.92	-13	51.92	Pass	401
0.15	30	0.01	Peak	9.57	-60.26	-13	47.26	Pass	2986
30	1000	0.1	Peak	512.1	-47.37	-13	34.37	Pass	9701
1000	3000	1	Peak	1751	25	-13	-38	N/A	2001
3000	20000	1	Peak	19434	-18.11	-13	5.11	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-66	-13	53	Pass	401
0.15	30	0.01	Peak	22.36	-60.74	-13	47.74	Pass	2986
30	500	0.1	Peak	486.3	-48.06	-13	35.06	Pass	4701
500	1000	0.1	Peak	825.5	18.59	-13	-31.59	N/A	5001
1000	10000	1	Peak	9691	-23.48	-13	10.48	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.45	-13	53.45	Pass	401
0.15	30	0.01	Peak	19.65	-60.37	-13	47.37	Pass	2986
30	500	0.1	Peak	453.7	-48.19	-13	35.19	Pass	4701
500	1000	0.1	Peak	837	18.24	-13	-31.24	N/A	5001
1000	10000	1	Peak	7097	-23.37	-13	10.37	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.54	-13	52.54	Pass	401
0.15	30	0.01	Peak	4.18	-60.25	-13	47.25	Pass	2986
30	500	0.1	Peak	462.9	-48.26	-13	35.26	Pass	4701
500	1000	0.1	Peak	847.9	16.63	-13	-29.63	N/A	5001
1000	10000	1	Peak	7080	-22.98	-13	9.98	Pass	9002



2. LTE_Band2


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	Pass	401
0.15	30	0.01	RMS	1.09	-68.68	-13	Pass	2986
30	1000	0.1	RMS	873.616	-59.47	-13	Pass	9701
1000	1840	1	RMS	1840	-48.44	-13	Pass	841
1840	1920	1	RMS	1850.2	24.35	60	Pass	401
1920	3000	1	RMS	2952	-45.83	-13	Pass	1081
3000	12000	1	RMS	11477	-36.45	-13	Pass	9002
12000	20000	1	RMS	19809	-29.02	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-71.23	-13	Pass	401
0.15	30	0.01	RMS	12.33	-68.51	-13	Pass	2986
30	1000	0.1	RMS	997.999	-59.34	-13	Pass	9701
1000	1840	1	RMS	1840	-48.5	-13	Pass	841
1840	1920	1	RMS	1850.2	23.33	60	Pass	401
1920	3000	1	RMS	2980	-45.79	-13	Pass	1081
3000	12000	1	RMS	11482	-36.44	-13	Pass	9002
12000	20000	1	RMS	19774	-28.93	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-13	Pass	2986
30	1000	0.1	RMS	906.038	-59.43	-13	Pass	9701
1000	1840	1	RMS	1813	-48.69	-13	Pass	841
1840	1920	1	RMS	1879.4	24.53	60	Pass	401
1920	3000	1	RMS	2930	-45.87	-13	Pass	1081
3000	12000	1	RMS	11461	-36.47	-13	Pass	9002
12000	20000	1	RMS	19814	-29.05	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-13	Pass	401
0.15	30	0.01	RMS	26.41	-68.97	-13	Pass	2986
30	1000	0.1	RMS	909.74	-59.33	-13	Pass	9701
1000	1840	1	RMS	1821	-48.71	-13	Pass	841
1840	1920	1	RMS	1879.4	23.49	60	Pass	401
1920	3000	1	RMS	2956	-45.79	-13	Pass	1081
3000	12000	1	RMS	11854	-36.53	-13	Pass	9002
12000	20000	1	RMS	19786	-29.06	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.76	-13	Pass	401
0.15	30	0.01	RMS	24.35	-68.63	-13	Pass	2986
30	1000	0.1	RMS	898.833	-59.32	-13	Pass	9701
1000	1840	1	RMS	1806	-48.72	-13	Pass	841
1840	1920	1	RMS	1908.8	24.57	60	Pass	401
1920	3000	1	RMS	2966	-45.71	-13	Pass	1081
3000	12000	1	RMS	11855	-36.66	-13	Pass	9002
12000	20000	1	RMS	19797	-29.1	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.63	-13	Pass	2986
30	1000	0.1	RMS	869.313	-59.66	-13	Pass	9701
1000	1840	1	RMS	1818	-48.73	-13	Pass	841
1840	1920	1	RMS	1908.8	23.46	60	Pass	401
1920	3000	1	RMS	2977	-45.78	-13	Pass	1081
3000	12000	1	RMS	11472	-36.46	-13	Pass	9002
12000	20000	1	RMS	19796	-28.9	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-71.61	-13	Pass	401
0.15	30	0.01	RMS	26.01	-69.13	-13	Pass	2986
30	1000	0.1	RMS	890.127	-59.27	-13	Pass	9701
1000	1840	1	RMS	1840	-48.46	-13	Pass	841
1840	1920	1	RMS	1850.2	24.23	60	Pass	401
1920	3000	1	RMS	2954	-45.71	-13	Pass	1081
3000	12000	1	RMS	11488	-36.49	-13	Pass	9002
12000	20000	1	RMS	19806	-29	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.33	-68.27	-13	Pass	2986
30	1000	0.1	RMS	856.605	-59.26	-13	Pass	9701
1000	1840	1	RMS	1840	-48.51	-13	Pass	841
1840	1920	1	RMS	1850.2	23.39	60	Pass	401
1920	3000	1	RMS	2964	-45.8	-13	Pass	1081
3000	12000	1	RMS	11851	-36.6	-13	Pass	9002
12000	20000	1	RMS	19794	-28.96	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-13	Pass	2986
30	1000	0.1	RMS	918.546	-59.5	-13	Pass	9701
1000	1840	1	RMS	1827	-48.63	-13	Pass	841
1840	1920	1	RMS	1878.6	24.41	60	Pass	401
1920	3000	1	RMS	2967	-45.85	-13	Pass	1081
3000	12000	1	RMS	11857	-36.56	-13	Pass	9002
12000	20000	1	RMS	19797	-28.87	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.61	-13	Pass	401
0.15	30	0.01	RMS	1.41	-68.41	-13	Pass	2986
30	1000	0.1	RMS	877.819	-59.56	-13	Pass	9701
1000	1840	1	RMS	1825	-48.83	-13	Pass	841
1840	1920	1	RMS	1878.6	23.34	60	Pass	401
1920	3000	1	RMS	2982	-45.87	-13	Pass	1081
3000	12000	1	RMS	11447	-36.57	-13	Pass	9002
12000	20000	1	RMS	19784	-29.11	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.86	-13	Pass	2986
30	1000	0.1	RMS	900.434	-59.38	-13	Pass	9701
1000	1840	1	RMS	1819	-48.71	-13	Pass	841
1840	1920	1	RMS	1907.2	24.36	60	Pass	401
1920	3000	1	RMS	2958	-45.85	-13	Pass	1081
3000	12000	1	RMS	11490	-36.4	-13	Pass	9002
12000	20000	1	RMS	19798	-29	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.28	-13	Pass	401
0.15	30	0.01	RMS	24.46	-68.68	-13	Pass	2986
30	1000	0.1	RMS	866.812	-59.42	-13	Pass	9701
1000	1840	1	RMS	1818	-48.54	-13	Pass	841
1840	1920	1	RMS	1907.2	23.29	60	Pass	401
1920	3000	1	RMS	2954	-45.77	-13	Pass	1081
3000	12000	1	RMS	11838	-36.49	-13	Pass	9002
12000	20000	1	RMS	19780	-29.02	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.92	-13	Pass	401
0.15	30	0.01	RMS	24.67	-68.58	-13	Pass	2986
30	1000	0.1	RMS	856.405	-59.54	-13	Pass	9701
1000	1840	1	RMS	1840	-48.18	-13	Pass	841
1840	1920	1	RMS	1850.2	24.4	60	Pass	401
1920	3000	1	RMS	2954	-45.8	-13	Pass	1081
3000	12000	1	RMS	11452	-36.41	-13	Pass	9002
12000	20000	1	RMS	19802	-28.89	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.18	-13	Pass	2986
30	1000	0.1	RMS	884.724	-59.46	-13	Pass	9701
1000	1840	1	RMS	1783	-48.65	-13	Pass	841
1840	1920	1	RMS	1850.2	23.42	60	Pass	401
1920	3000	1	RMS	2948	-45.75	-13	Pass	1081
3000	12000	1	RMS	11499	-36.57	-13	Pass	9002
12000	20000	1	RMS	19814	-28.96	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-70.56	-13	Pass	401
0.15	30	0.01	RMS	1.53	-68.51	-13	Pass	2986
30	1000	0.1	RMS	881.622	-59.51	-13	Pass	9701
1000	1840	1	RMS	1834	-48.63	-13	Pass	841
1840	1920	1	RMS	1877.8	24.6	60	Pass	401
1920	3000	1	RMS	2961	-45.7	-13	Pass	1081
3000	12000	1	RMS	11448	-36.47	-13	Pass	9002
12000	20000	1	RMS	19805	-29	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.3	-68.72	-13	Pass	2986
30	1000	0.1	RMS	893.93	-59.44	-13	Pass	9701
1000	1840	1	RMS	1816	-48.59	-13	Pass	841
1840	1920	1	RMS	1877.8	23.68	60	Pass	401
1920	3000	1	RMS	2972	-45.75	-13	Pass	1081
3000	12000	1	RMS	11843	-36.38	-13	Pass	9002
12000	20000	1	RMS	19785	-28.95	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.26	-67.88	-13	Pass	2986
30	1000	0.1	RMS	873.416	-59.26	-13	Pass	9701
1000	1840	1	RMS	1840	-48.78	-13	Pass	841
1840	1920	1	RMS	1905.2	24.49	60	Pass	401
1920	3000	1	RMS	2961	-45.78	-13	Pass	1081
3000	12000	1	RMS	11475	-36.56	-13	Pass	9002
12000	20000	1	RMS	19792	-29.07	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.62	-13	Pass	401
0.15	30	0.01	RMS	1.44	-68.48	-13	Pass	2986
30	1000	0.1	RMS	912.142	-59.34	-13	Pass	9701
1000	1840	1	RMS	1834	-48.74	-13	Pass	841
1840	1920	1	RMS	1905.2	23.62	60	Pass	401
1920	3000	1	RMS	2959	-45.68	-13	Pass	1081
3000	12000	1	RMS	11475	-36.24	-13	Pass	9002
12000	20000	1	RMS	19787	-28.89	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.33	-13	Pass	401
0.15	30	0.01	RMS	17.56	-68.79	-13	Pass	2986
30	1000	0.1	RMS	926.251	-59.53	-13	Pass	9701
1000	1840	1	RMS	1833	-46.88	-13	Pass	841
1840	1920	1	RMS	1850.4	24.45	60	Pass	401
1920	3000	1	RMS	2932	-45.83	-13	Pass	1081
3000	12000	1	RMS	11476	-36.46	-13	Pass	9002
12000	20000	1	RMS	19793	-28.88	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	25.1	-68.91	-13	Pass	2986
30	1000	0.1	RMS	919.647	-59.51	-13	Pass	9701
1000	1840	1	RMS	1840	-47.16	-13	Pass	841
1840	1920	1	RMS	1850.4	23.55	60	Pass	401
1920	3000	1	RMS	2961	-45.83	-13	Pass	1081
3000	12000	1	RMS	11498	-36.76	-13	Pass	9002
12000	20000	1	RMS	19800	-29.05	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.66	-13	Pass	2986
30	1000	0.1	RMS	905.337	-59.12	-13	Pass	9701
1000	1840	1	RMS	1811	-48.73	-13	Pass	841
1840	1920	1	RMS	1875.4	24.69	60	Pass	401
1920	3000	1	RMS	2929	-45.83	-13	Pass	1081
3000	12000	1	RMS	11467	-36.44	-13	Pass	9002
12000	20000	1	RMS	19799	-29.03	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	Pass	401
0.15	30	0.01	RMS	13.76	-68.64	-13	Pass	2986
30	1000	0.1	RMS	822.6	-59.61	-13	Pass	9701
1000	1840	1	RMS	1825	-48.67	-13	Pass	841
1840	1920	1	RMS	1875.4	23.64	60	Pass	401
1920	3000	1	RMS	2953	-45.83	-13	Pass	1081
3000	12000	1	RMS	11471	-36.46	-13	Pass	9002
12000	20000	1	RMS	19787	-28.97	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.25	-13	Pass	2986
30	1000	0.1	RMS	904.237	-59.62	-13	Pass	9701
1000	1840	1	RMS	1811	-48.58	-13	Pass	841
1840	1920	1	RMS	1900.4	24.39	60	Pass	401
1920	3000	1	RMS	2963	-45.73	-13	Pass	1081
3000	12000	1	RMS	11856	-36.53	-13	Pass	9002
12000	20000	1	RMS	19800	-28.76	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.96	-13	Pass	2986
30	1000	0.1	RMS	894.43	-59.32	-13	Pass	9701
1000	1840	1	RMS	1811	-48.54	-13	Pass	841
1840	1920	1	RMS	1900.4	23.39	60	Pass	401
1920	3000	1	RMS	2963	-45.73	-13	Pass	1081
3000	12000	1	RMS	11493	-36.42	-13	Pass	9002
12000	20000	1	RMS	19810	-28.9	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.69	-13	Pass	401
0.15	30	0.01	RMS	24.71	-68.76	-13	Pass	2986
30	1000	0.1	RMS	994.096	-59.57	-13	Pass	9701
1000	1840	1	RMS	1840	-38.06	-13	Pass	841
1840	1920	1	RMS	1850.8	24.41	60	Pass	401
1920	3000	1	RMS	2964	-45.74	-13	Pass	1081
3000	12000	1	RMS	11494	-36.53	-13	Pass	9002
12000	20000	1	RMS	19792	-29.03	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.37	-13	Pass	401
0.15	30	0.01	RMS	24.82	-68.59	-13	Pass	2986
30	1000	0.1	RMS	853.903	-59.49	-13	Pass	9701
1000	1840	1	RMS	1840	-41.08	-13	Pass	841
1840	1920	1	RMS	1850.8	23.51	60	Pass	401
1920	3000	1	RMS	2945	-45.86	-13	Pass	1081
3000	12000	1	RMS	11473	-36.52	-13	Pass	9002
12000	20000	1	RMS	19814	-29	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.55	-13	Pass	2986
30	1000	0.1	RMS	853.703	-59.47	-13	Pass	9701
1000	1840	1	RMS	1831	-48.75	-13	Pass	841
1840	1920	1	RMS	1873.2	24.67	60	Pass	401
1920	3000	1	RMS	2934	-45.7	-13	Pass	1081
3000	12000	1	RMS	11494	-36.32	-13	Pass	9002
12000	20000	1	RMS	19792	-28.81	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.35	-68.61	-13	Pass	2986
30	1000	0.1	RMS	924.65	-59.61	-13	Pass	9701
1000	1840	1	RMS	1815	-48.58	-13	Pass	841
1840	1920	1	RMS	1873.2	23.63	60	Pass	401
1920	3000	1	RMS	2975	-45.66	-13	Pass	1081
3000	12000	1	RMS	11489	-36.23	-13	Pass	9002
12000	20000	1	RMS	19798	-29	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.83	-13	Pass	401
0.15	30	0.01	RMS	23.84	-68.62	-13	Pass	2986
30	1000	0.1	RMS	893.429	-59.3	-13	Pass	9701
1000	1840	1	RMS	1811	-48.61	-13	Pass	841
1840	1920	1	RMS	1895.8	24.31	60	Pass	401
1920	3000	1	RMS	2977	-45.73	-13	Pass	1081
3000	12000	1	RMS	11445	-36.33	-13	Pass	9002
12000	20000	1	RMS	19810	-28.98	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-71.24	-13	Pass	401
0.15	30	0.01	RMS	28.13	-68.75	-13	Pass	2986
30	1000	0.1	RMS	919.847	-59.38	-13	Pass	9701
1000	1840	1	RMS	1835	-48.61	-13	Pass	841
1840	1920	1	RMS	1895.8	23.41	60	Pass	401
1920	3000	1	RMS	2966	-45.78	-13	Pass	1081
3000	12000	1	RMS	11488	-36.66	-13	Pass	9002
12000	20000	1	RMS	19764	-28.89	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-13	Pass	401
0.15	30	0.01	RMS	27.24	-68.71	-13	Pass	2986
30	1000	0.1	RMS	914.243	-59.36	-13	Pass	9701
1000	1840	1	RMS	1840	-39.36	-13	Pass	841
1840	1920	1	RMS	1851	24.36	60	Pass	401
1920	3000	1	RMS	2957	-45.74	-13	Pass	1081
3000	12000	1	RMS	11472	-36.46	-13	Pass	9002
12000	20000	1	RMS	19815	-28.83	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.41	-68.71	-13	Pass	2986
30	1000	0.1	RMS	898.032	-59.18	-13	Pass	9701
1000	1840	1	RMS	1840	-42.06	-13	Pass	841
1840	1920	1	RMS	1851	23.5	60	Pass	401
1920	3000	1	RMS	2932	-45.77	-13	Pass	1081
3000	12000	1	RMS	11497	-36.36	-13	Pass	9002
12000	20000	1	RMS	19786	-28.84	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-13	Pass	2986
30	1000	0.1	RMS	906.038	-59.46	-13	Pass	9701
1000	1840	1	RMS	1840	-48.25	-13	Pass	841
1840	1920	1	RMS	1871	24.56	60	Pass	401
1920	3000	1	RMS	2971	-45.75	-13	Pass	1081
3000	12000	1	RMS	11486	-36.44	-13	Pass	9002
12000	20000	1	RMS	19806	-28.96	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.56	-13	Pass	2986
30	1000	0.1	RMS	921.648	-59.41	-13	Pass	9701
1000	1840	1	RMS	1840	-48.61	-13	Pass	841
1840	1920	1	RMS	1871	23.61	60	Pass	401
1920	3000	1	RMS	2968	-45.89	-13	Pass	1081
3000	12000	1	RMS	11449	-36.62	-13	Pass	9002
12000	20000	1	RMS	19800	-28.97	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-71.74	-13	Pass	401
0.15	30	0.01	RMS	2.61	-69.04	-13	Pass	2986
30	1000	0.1	RMS	879.42	-59.31	-13	Pass	9701
1000	1840	1	RMS	1822	-48.61	-13	Pass	841
1840	1920	1	RMS	1891	24.26	60	Pass	401
1920	3000	1	RMS	2977	-45.77	-13	Pass	1081
3000	12000	1	RMS	11462	-36.24	-13	Pass	9002
12000	20000	1	RMS	19792	-28.9	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.2	-13	Pass	401
0.15	30	0.01	RMS	25.76	-68.72	-13	Pass	2986
30	1000	0.1	RMS	841	-59.52	-13	Pass	9701
1000	1840	1	RMS	1815	-48.59	-13	Pass	841
1840	1920	1	RMS	1891	23.29	60	Pass	401
1920	3000	1	RMS	2974	-45.73	-13	Pass	1081
3000	12000	1	RMS	11851	-36.47	-13	Pass	9002
12000	20000	1	RMS	19794	-28.99	-13	Pass	8001



3. LTE_Band4


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-70.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	Pass	2986
30	1000	0.1	RMS	910.741	-59.3	-13	Pass	9701
1000	1700	1	RMS	1700	-48.2	-13	Pass	701
1700	1765	1	RMS	1710.075	25.4	60	Pass	401
1765	3000	1	RMS	2970	-45.85	-13	Pass	1236
3000	12000	1	RMS	11848	-36.64	-13	Pass	9002
12000	20000	1	RMS	19786	-28.95	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.59	-13	Pass	2986
30	1000	0.1	RMS	916.945	-59.36	-13	Pass	9701
1000	1700	1	RMS	1700	-48.48	-13	Pass	701
1700	1765	1	RMS	1710.238	24.17	60	Pass	401
1765	3000	1	RMS	2954	-45.9	-13	Pass	1236
3000	12000	1	RMS	11452	-36.55	-13	Pass	9002
12000	20000	1	RMS	19795	-29.06	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-13	Pass	2986
30	1000	0.1	RMS	882.922	-59.54	-13	Pass	9701
1000	1700	1	RMS	1680	-49.17	-13	Pass	701
1700	1765	1	RMS	1732.013	25.25	60	Pass	401
1765	3000	1	RMS	2963	-45.91	-13	Pass	1236
3000	12000	1	RMS	11845	-36.72	-13	Pass	9002
12000	20000	1	RMS	19806	-29.03	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	Pass	2986
30	1000	0.1	RMS	912.942	-59.13	-13	Pass	9701
1000	1700	1	RMS	1699	-49.24	-13	Pass	701
1700	1765	1	RMS	1732.013	24.12	60	Pass	401
1765	3000	1	RMS	2953	-45.83	-13	Pass	1236
3000	12000	1	RMS	11496	-36.49	-13	Pass	9002
12000	20000	1	RMS	19804	-29.11	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.44	-13	Pass	2986
30	1000	0.1	RMS	918.746	-59.36	-13	Pass	9701
1000	1700	1	RMS	1680	-49.2	-13	Pass	701
1700	1765	1	RMS	1753.788	25.66	60	Pass	401
1765	3000	1	RMS	2983	-45.88	-13	Pass	1236
3000	12000	1	RMS	11467	-36.36	-13	Pass	9002
12000	20000	1	RMS	19782	-28.92	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.17	-13	Pass	2986
30	1000	0.1	RMS	797.8	-59.38	-13	Pass	9701
1000	1700	1	RMS	1682	-49.19	-13	Pass	701
1700	1765	1	RMS	1753.788	24.58	60	Pass	401
1765	3000	1	RMS	2968	-45.95	-13	Pass	1236
3000	12000	1	RMS	11455	-36.55	-13	Pass	9002
12000	20000	1	RMS	19806	-29.03	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.92	-13	Pass	401
0.15	30	0.01	RMS	17.2	-68.4	-13	Pass	2986
30	1000	0.1	RMS	842.5	-59.39	-13	Pass	9701
1000	1700	1	RMS	1700	-48.29	-13	Pass	701
1700	1765	1	RMS	1710.238	25.23	60	Pass	401
1765	3000	1	RMS	2938	-45.93	-13	Pass	1236
3000	12000	1	RMS	11496	-36.46	-13	Pass	9002
12000	20000	1	RMS	19787	-29.03	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.85	-13	Pass	401
0.15	30	0.01	RMS	16.61	-68.37	-13	Pass	2986
30	1000	0.1	RMS	923.649	-59.31	-13	Pass	9701
1000	1700	1	RMS	1700	-48.24	-13	Pass	701
1700	1765	1	RMS	1710.075	24.23	60	Pass	401
1765	3000	1	RMS	2950	-45.81	-13	Pass	1236
3000	12000	1	RMS	11849	-36.48	-13	Pass	9002
12000	20000	1	RMS	19799	-28.93	-13	Pass	8001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.42	-13	Pass	2986
30	1000	0.1	RMS	989.893	-59.45	-13	Pass	9701
1000	1700	1	RMS	1696	-49.13	-13	Pass	701
1700	1765	1	RMS	1731.2	25.19	60	Pass	401
1765	3000	1	RMS	2992	-45.9	-13	Pass	1236
3000	12000	1	RMS	11851	-36.6	-13	Pass	9002
12000	20000	1	RMS	19787	-29	-13	Pass	8001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.36	-13	Pass	2986
30	1000	0.1	RMS	862.609	-59.39	-13	Pass	9701
1000	1700	1	RMS	1698	-48.98	-13	Pass	701
1700	1765	1	RMS	1731.2	24.06	60	Pass	401
1765	3000	1	RMS	2977	-45.93	-13	Pass	1236
3000	12000	1	RMS	11464	-36.52	-13	Pass	9002
12000	20000	1	RMS	19807	-29.09	-13	Pass	8001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.76	-13	Pass	401
0.15	30	0.01	RMS	27.69	-68.07	-13	Pass	2986
30	1000	0.1	RMS	875.718	-59.43	-13	Pass	9701
1000	1700	1	RMS	1696	-49.18	-13	Pass	701
1700	1765	1	RMS	1752.163	25.57	60	Pass	401
1765	3000	1	RMS	2972	-45.94	-13	Pass	1236
3000	12000	1	RMS	11862	-36.74	-13	Pass	9002
12000	20000	1	RMS	19786	-29.01	-13	Pass	8001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-70.47	-13	Pass	401
0.15	30	0.01	RMS	20.04	-68.6	-13	Pass	2986
30	1000	0.1	RMS	983.289	-59.54	-13	Pass	9701
1000	1700	1	RMS	1665	-49.32	-13	Pass	701
1700	1765	1	RMS	1752.163	24.43	60	Pass	401
1765	3000	1	RMS	2958	-45.84	-13	Pass	1236
3000	12000	1	RMS	11469	-36.64	-13	Pass	9002
12000	20000	1	RMS	19801	-29.08	-13	Pass	8001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.41	-13	Pass	2986
30	1000	0.1	RMS	891.228	-59.46	-13	Pass	9701
1000	1700	1	RMS	1700	-48.01	-13	Pass	701
1700	1765	1	RMS	1710.238	25.47	60	Pass	401
1765	3000	1	RMS	2931	-45.97	-13	Pass	1236
3000	12000	1	RMS	11474	-36.53	-13	Pass	9002
12000	20000	1	RMS	19791	-28.93	-13	Pass	8001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-70.81	-13	Pass	401
0.15	30	0.01	RMS	14.45	-67.94	-13	Pass	2986
30	1000	0.1	RMS	844.6	-59.5	-13	Pass	9701
1000	1700	1	RMS	1700	-48.45	-13	Pass	701
1700	1765	1	RMS	1710.238	24.36	60	Pass	401
1765	3000	1	RMS	2957	-45.83	-13	Pass	1236
3000	12000	1	RMS	11453	-36.62	-13	Pass	9002
12000	20000	1	RMS	19797	-29.03	-13	Pass	8001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.11	-70.71	-13	Pass	401
0.15	30	0.01	RMS	27.02	-68.33	-13	Pass	2986
30	1000	0.1	RMS	861.708	-59.3	-13	Pass	9701
1000	1700	1	RMS	1668	-49.21	-13	Pass	701
1700	1765	1	RMS	1730.225	25.41	60	Pass	401
1765	3000	1	RMS	2927	-45.88	-13	Pass	1236
3000	12000	1	RMS	11502	-36.49	-13	Pass	9002
12000	20000	1	RMS	19793	-28.92	-13	Pass	8001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-13	Pass	2986
30	1000	0.1	RMS	904.837	-59.46	-13	Pass	9701
1000	1700	1	RMS	1680	-49.19	-13	Pass	701
1700	1765	1	RMS	1730.225	24.45	60	Pass	401
1765	3000	1	RMS	2976	-45.86	-13	Pass	1236
3000	12000	1	RMS	11501	-36.66	-13	Pass	9002
12000	20000	1	RMS	19814	-29.12	-13	Pass	8001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-70.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.28	-13	Pass	2986
30	1000	0.1	RMS	980.787	-59.44	-13	Pass	9701
1000	1700	1	RMS	1661	-49.35	-13	Pass	701
1700	1765	1	RMS	1750.213	25.66	60	Pass	401
1765	3000	1	RMS	2961	-45.86	-13	Pass	1236
3000	12000	1	RMS	11451	-36.65	-13	Pass	9002
12000	20000	1	RMS	19796	-28.99	-13	Pass	8001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-70.54	-13	Pass	401
0.15	30	0.01	RMS	16.03	-68.34	-13	Pass	2986
30	1000	0.1	RMS	881.221	-59.34	-13	Pass	9701
1000	1700	1	RMS	1700	-49.08	-13	Pass	701
1700	1765	1	RMS	1750.213	24.69	60	Pass	401
1765	3000	1	RMS	2966	-45.76	-13	Pass	1236
3000	12000	1	RMS	7100	-36.66	-13	Pass	9002
12000	20000	1	RMS	19798	-28.95	-13	Pass	8001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.38	-13	Pass	2986
30	1000	0.1	RMS	994.396	-59.41	-13	Pass	9701
1000	1700	1	RMS	1693	-44.19	-13	Pass	701
1700	1765	1	RMS	1710.563	25.6	60	Pass	401
1765	3000	1	RMS	2975	-45.85	-13	Pass	1236
3000	12000	1	RMS	11497	-36.53	-13	Pass	9002
12000	20000	1	RMS	19797	-29.07	-13	Pass	8001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-70	-13	Pass	401
0.15	30	0.01	RMS	25.32	-68.21	-13	Pass	2986
30	1000	0.1	RMS	867.012	-59.27	-13	Pass	9701
1000	1700	1	RMS	1700	-45	-13	Pass	701
1700	1765	1	RMS	1710.563	24.57	60	Pass	401
1765	3000	1	RMS	2958	-45.74	-13	Pass	1236
3000	12000	1	RMS	11851	-36.68	-13	Pass	9002
12000	20000	1	RMS	19788	-29.08	-13	Pass	8001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.62	-13	Pass	2986
30	1000	0.1	RMS	852.102	-59.32	-13	Pass	9701
1000	1700	1	RMS	1692	-49.11	-13	Pass	701
1700	1765	1	RMS	1727.95	25.45	60	Pass	401
1765	3000	1	RMS	2993	-45.97	-13	Pass	1236
3000	12000	1	RMS	11494	-36.61	-13	Pass	9002
12000	20000	1	RMS	19791	-29.02	-13	Pass	8001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.21	-13	Pass	401
0.15	30	0.01	RMS	28.37	-67.97	-13	Pass	2986
30	1000	0.1	RMS	902.135	-59.49	-13	Pass	9701
1000	1700	1	RMS	1682	-49.18	-13	Pass	701
1700	1765	1	RMS	1727.95	24.38	60	Pass	401
1765	3000	1	RMS	2958	-45.89	-13	Pass	1236
3000	12000	1	RMS	11492	-36.6	-13	Pass	9002
12000	20000	1	RMS	19801	-29.08	-13	Pass	8001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.46	-13	Pass	401
0.15	30	0.01	RMS	25.81	-68.6	-13	Pass	2986
30	1000	0.1	RMS	875.117	-59.45	-13	Pass	9701
1000	1700	1	RMS	1678	-49.11	-13	Pass	701
1700	1765	1	RMS	1745.5	25.78	60	Pass	401
1765	3000	1	RMS	2976	-45.79	-13	Pass	1236
3000	12000	1	RMS	11505	-36.66	-13	Pass	9002
12000	20000	1	RMS	19794	-29.03	-13	Pass	8001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.36	-13	Pass	2986
30	1000	0.1	RMS	907.239	-59.32	-13	Pass	9701
1000	1700	1	RMS	1694	-49.12	-13	Pass	701
1700	1765	1	RMS	1745.5	24.64	60	Pass	401
1765	3000	1	RMS	2959	-45.61	-13	Pass	1236
3000	12000	1	RMS	11499	-36.54	-13	Pass	9002
12000	20000	1	RMS	19792	-28.88	-13	Pass	8001



3.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.01	-13	Pass	2986
30	1000	0.1	RMS	908.539	-59.37	-13	Pass	9701
1000	1700	1	RMS	1700	-32.26	-13	Pass	701
1700	1765	1	RMS	1710.725	25.51	60	Pass	401
1765	3000	1	RMS	2980	-45.88	-13	Pass	1236
3000	12000	1	RMS	11453	-36.62	-13	Pass	9002
12000	20000	1	RMS	19802	-29.09	-13	Pass	8001



3.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.38	-13	Pass	2986
30	1000	0.1	RMS	983.089	-59.4	-13	Pass	9701
1000	1700	1	RMS	1700	-35.41	-13	Pass	701
1700	1765	1	RMS	1710.725	24.47	60	Pass	401
1765	3000	1	RMS	2986	-45.81	-13	Pass	1236
3000	12000	1	RMS	11447	-36.61	-13	Pass	9002
12000	20000	1	RMS	19804	-29.08	-13	Pass	8001



3.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-13	Pass	2986
30	1000	0.1	RMS	990.494	-59.34	-13	Pass	9701
1000	1700	1	RMS	1699	-39.92	-13	Pass	701
1700	1765	1	RMS	1725.675	25.43	60	Pass	401
1765	3000	1	RMS	2976	-45.82	-13	Pass	1236
3000	12000	1	RMS	11867	-36.5	-13	Pass	9002
12000	20000	1	RMS	19770	-28.97	-13	Pass	8001



3.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.81	-13	Pass	2986
30	1000	0.1	RMS	497.6	-59.49	-13	Pass	9701
1000	1700	1	RMS	1699	-42.53	-13	Pass	701
1700	1765	1	RMS	1725.675	24.3	60	Pass	401
1765	3000	1	RMS	2970	-45.82	-13	Pass	1236
3000	12000	1	RMS	11453	-36.47	-13	Pass	9002
12000	20000	1	RMS	19790	-28.99	-13	Pass	8001



3.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-13	Pass	2986
30	1000	0.1	RMS	892.829	-59.46	-13	Pass	9701
1000	1700	1	RMS	1696	-49.13	-13	Pass	701
1700	1765	1	RMS	1740.788	25.54	60	Pass	401
1765	3000	1	RMS	1767	-31.95	-13	Pass	1236
3000	12000	1	RMS	11506	-36.59	-13	Pass	9002
12000	20000	1	RMS	19802	-29.02	-13	Pass	8001



3.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.89	-13	Pass	401
0.15	30	0.01	RMS	19.85	-68.87	-13	Pass	2986
30	1000	0.1	RMS	895.331	-59.46	-13	Pass	9701
1000	1700	1	RMS	1699	-49.12	-13	Pass	701
1700	1765	1	RMS	1740.788	24.46	60	Pass	401
1765	3000	1	RMS	1767	-33.15	-13	Pass	1236
3000	12000	1	RMS	11490	-36.38	-13	Pass	9002
12000	20000	1	RMS	19789	-28.9	-13	Pass	8001



3.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-70.07	-13	Pass	401
0.15	30	0.01	RMS	3.57	-68.31	-13	Pass	2986
30	1000	0.1	RMS	885.424	-59.3	-13	Pass	9701
1000	1700	1	RMS	1700	-33.42	-13	Pass	701
1700	1765	1	RMS	1711.05	25.41	60	Pass	401
1765	3000	1	RMS	2958	-45.74	-13	Pass	1236
3000	12000	1	RMS	11486	-36.56	-13	Pass	9002
12000	20000	1	RMS	19798	-28.94	-13	Pass	8001



3.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.2	-13	Pass	401
0.15	30	0.01	RMS	14.37	-68.82	-13	Pass	2986
30	1000	0.1	RMS	880.221	-59.51	-13	Pass	9701
1000	1700	1	RMS	1700	-36.59	-13	Pass	701
1700	1765	1	RMS	1711.05	24.43	60	Pass	401
1765	3000	1	RMS	2978	-45.81	-13	Pass	1236
3000	12000	1	RMS	11494	-36.59	-13	Pass	9002
12000	20000	1	RMS	19806	-29.12	-13	Pass	8001



3.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.06	-13	Pass	2986
30	1000	0.1	RMS	903.536	-59.27	-13	Pass	9701
1000	1700	1	RMS	1688	-48.04	-13	Pass	701
1700	1765	1	RMS	1723.563	25.4	60	Pass	401
1765	3000	1	RMS	2967	-45.77	-13	Pass	1236
3000	12000	1	RMS	11490	-36.48	-13	Pass	9002
12000	20000	1	RMS	19801	-28.93	-13	Pass	8001



3.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.79	-13	Pass	401
0.15	30	0.01	RMS	19.46	-68.16	-13	Pass	2986
30	1000	0.1	RMS	904.237	-59.34	-13	Pass	9701
1000	1700	1	RMS	1700	-48.79	-13	Pass	701
1700	1765	1	RMS	1723.563	24.29	60	Pass	401
1765	3000	1	RMS	2945	-45.79	-13	Pass	1236
3000	12000	1	RMS	11513	-36.64	-13	Pass	9002
12000	20000	1	RMS	19796	-28.99	-13	Pass	8001



3.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.82	-13	Pass	2986
30	1000	0.1	RMS	911.241	-59.24	-13	Pass	9701
1000	1700	1	RMS	1700	-42.43	-13	Pass	701
1700	1765	1	RMS	1736.075	25.27	60	Pass	401
1765	3000	1	RMS	1772	-30.07	-13	Pass	1236
3000	12000	1	RMS	11458	-36.68	-13	Pass	9002
12000	20000	1	RMS	19799	-29.11	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-13	Pass	2986
30	1000	0.1	RMS	903.136	-59.37	-13	Pass	9701
1000	1700	1	RMS	1700	-43.99	-13	Pass	701
1700	1765	1	RMS	1736.075	24.17	60	Pass	401
1765	3000	1	RMS	1772	-31.27	-13	Pass	1236
3000	12000	1	RMS	11849	-36.56	-13	Pass	9002
12000	20000	1	RMS	19805	-28.97	-13	Pass	8001



1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-13	Pass	2986
30	814	0.1	RMS	643.6	-59.79	-13	Pass	7841
814	860	0.1	RMS	824.3	20.22	60	Pass	461
860	1000	0.1	RMS	889.6	-59.21	-13	Pass	1401
1000	3000	1	RMS	1648	-36.53	-13	Pass	2001
3000	10000	1	RMS	7104	-36.95	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.4	-13	Pass	401
0.15	30	0.01	RMS	4.96	-69.34	-13	Pass	2986
30	814	0.1	RMS	641.3	-59.7	-13	Pass	7841
814	860	0.1	RMS	824.3	19.26	60	Pass	461
860	1000	0.1	RMS	995.4	-59.5	-13	Pass	1401
1000	3000	1	RMS	1648	-37.37	-13	Pass	2001
3000	10000	1	RMS	7101	-36.84	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-13	Pass	401
0.15	30	0.01	RMS	3.5	-68.87	-13	Pass	2986
30	814	0.1	RMS	487.1	-60.05	-13	Pass	7841
814	860	0.1	RMS	836.1	20.09	60	Pass	461
860	1000	0.1	RMS	998.3	-59.47	-13	Pass	1401
1000	3000	1	RMS	1672	-36.62	-13	Pass	2001
3000	10000	1	RMS	7088	-37.18	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.73	-68.21	-13	Pass	2986
30	814	0.1	RMS	478.1	-59.79	-13	Pass	7841
814	860	0.1	RMS	836.1	19.1	60	Pass	461
860	1000	0.1	RMS	913.1	-59.47	-13	Pass	1401
1000	3000	1	RMS	1672	-37.72	-13	Pass	2001
3000	10000	1	RMS	7103	-37.03	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.72	-13	Pass	401
0.15	30	0.01	RMS	25.05	-69.13	-13	Pass	2986
30	814	0.1	RMS	803.9	-59.95	-13	Pass	7841
814	860	0.1	RMS	847.9	19.99	60	Pass	461
860	1000	0.1	RMS	894.8	-59.47	-13	Pass	1401
1000	3000	1	RMS	1695	-41.85	-13	Pass	2001
3000	10000	1	RMS	7102	-37.09	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.67	-13	Pass	2986
30	814	0.1	RMS	730.8	-59.94	-13	Pass	7841
814	860	0.1	RMS	847.9	19.05	60	Pass	461
860	1000	0.1	RMS	899.7	-59.58	-13	Pass	1401
1000	3000	1	RMS	1695	-42.34	-13	Pass	2001
3000	10000	1	RMS	7097	-37.08	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.52	-13	Pass	2986
30	814	0.1	RMS	794.2	-59.94	-13	Pass	7841
814	860	0.1	RMS	824.2	20.23	60	Pass	461
860	1000	0.1	RMS	910	-59.34	-13	Pass	1401
1000	3000	1	RMS	1648	-36.64	-13	Pass	2001
3000	10000	1	RMS	7100	-36.9	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-13	Pass	2986
30	814	0.1	RMS	502.1	-59.7	-13	Pass	7841
814	860	0.1	RMS	824.2	19.36	60	Pass	461
860	1000	0.1	RMS	920.9	-59.51	-13	Pass	1401
1000	3000	1	RMS	1648	-37.27	-13	Pass	2001
3000	10000	1	RMS	7109	-36.99	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-13	Pass	2986
30	814	0.1	RMS	780.4	-60.07	-13	Pass	7841
814	860	0.1	RMS	835.2	20.11	60	Pass	461
860	1000	0.1	RMS	983.1	-59.6	-13	Pass	1401
1000	3000	1	RMS	1670	-35.91	-13	Pass	2001
3000	10000	1	RMS	7100	-36.91	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.19	-13	Pass	2986
30	814	0.1	RMS	489.6	-59.92	-13	Pass	7841
814	860	0.1	RMS	835.2	19.15	60	Pass	461
860	1000	0.1	RMS	864.7	-59.31	-13	Pass	1401
1000	3000	1	RMS	1670	-37.01	-13	Pass	2001
3000	10000	1	RMS	7097	-37.01	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.7	-13	Pass	2986
30	814	0.1	RMS	743.3	-59.98	-13	Pass	7841
814	860	0.1	RMS	846.2	20.13	60	Pass	461
860	1000	0.1	RMS	916.7	-59.27	-13	Pass	1401
1000	3000	1	RMS	1692	-40.8	-13	Pass	2001
3000	10000	1	RMS	7113	-37.21	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-72.22	-13	Pass	401
0.15	30	0.01	RMS	27.22	-68.69	-13	Pass	2986
30	814	0.1	RMS	802.1	-59.89	-13	Pass	7841
814	860	0.1	RMS	846.2	19.16	60	Pass	461
860	1000	0.1	RMS	884.9	-59.47	-13	Pass	1401
1000	3000	1	RMS	1692	-41.28	-13	Pass	2001
3000	10000	1	RMS	7105	-36.7	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.57	-68.2	-13	Pass	2986
30	814	0.1	RMS	378.4	-59.94	-13	Pass	7841
814	860	0.1	RMS	824.3	20.59	60	Pass	461
860	1000	0.1	RMS	884.7	-59.49	-13	Pass	1401
1000	3000	1	RMS	1648	-36.8	-13	Pass	2001
3000	10000	1	RMS	7082	-36.86	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.8	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.96	-13	Pass	7841
814	860	0.1	RMS	824.3	19.62	60	Pass	461
860	1000	0.1	RMS	914.1	-59.42	-13	Pass	1401
1000	3000	1	RMS	1648	-37.55	-13	Pass	2001
3000	10000	1	RMS	7097	-36.93	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.34	-13	Pass	2986
30	814	0.1	RMS	481.9	-59.98	-13	Pass	7841
814	860	0.1	RMS	834.3	20.45	60	Pass	461
860	1000	0.1	RMS	972.4	-59.66	-13	Pass	1401
1000	3000	1	RMS	1668	-36.46	-13	Pass	2001
3000	10000	1	RMS	7105	-37.04	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.15	-13	Pass	401
0.15	30	0.01	RMS	21.58	-68.99	-13	Pass	2986
30	814	0.1	RMS	721.6	-59.85	-13	Pass	7841
814	860	0.1	RMS	834.3	19.71	60	Pass	461
860	1000	0.1	RMS	881.4	-59.58	-13	Pass	1401
1000	3000	1	RMS	1668	-37.41	-13	Pass	2001
3000	10000	1	RMS	7103	-36.93	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.65	-13	Pass	401
0.15	30	0.01	RMS	23.05	-68.41	-13	Pass	2986
30	814	0.1	RMS	516.7	-59.93	-13	Pass	7841
814	860	0.1	RMS	844.3	20.48	60	Pass	461
860	1000	0.1	RMS	908.6	-59.35	-13	Pass	1401
1000	3000	1	RMS	1688	-39.43	-13	Pass	2001
3000	10000	1	RMS	7101	-36.91	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.77	-13	Pass	401
0.15	30	0.01	RMS	8.41	-69.1	-13	Pass	2986
30	814	0.1	RMS	481.6	-59.83	-13	Pass	7841
814	860	0.1	RMS	844.3	19.66	60	Pass	461
860	1000	0.1	RMS	875.1	-59.54	-13	Pass	1401
1000	3000	1	RMS	1688	-39.86	-13	Pass	2001
3000	10000	1	RMS	7099	-36.87	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.89	-13	Pass	401
0.15	30	0.01	RMS	21.11	-68.97	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.26	-13	Pass	7841
814	860	0.1	RMS	824.6	21.09	60	Pass	461
860	1000	0.1	RMS	904.9	-59.37	-13	Pass	1401
1000	3000	1	RMS	1649	-37.49	-13	Pass	2001
3000	10000	1	RMS	7095	-37.14	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-70.73	-13	Pass	401
0.15	30	0.01	RMS	14.98	-68.56	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.66	-13	Pass	7841
814	860	0.1	RMS	824.6	20.24	60	Pass	461
860	1000	0.1	RMS	948.3	-59.38	-13	Pass	1401
1000	3000	1	RMS	1649	-38.1	-13	Pass	2001
3000	10000	1	RMS	7099	-37.01	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.6	-13	Pass	401
0.15	30	0.01	RMS	28.77	-69.05	-13	Pass	2986
30	814	0.1	RMS	763.7	-59.86	-13	Pass	7841
814	860	0.1	RMS	832.1	21.06	60	Pass	461
860	1000	0.1	RMS	915.9	-59.47	-13	Pass	1401
1000	3000	1	RMS	1664	-38.86	-13	Pass	2001
3000	10000	1	RMS	7096	-36.77	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.18	-13	Pass	401
0.15	30	0.01	RMS	9.66	-68.61	-13	Pass	2986
30	814	0.1	RMS	642.6	-59.84	-13	Pass	7841
814	860	0.1	RMS	832.1	19.94	60	Pass	461
860	1000	0.1	RMS	884	-59.44	-13	Pass	1401
1000	3000	1	RMS	1664	-39.84	-13	Pass	2001
3000	10000	1	RMS	7099	-37	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.31	-68.69	-13	Pass	2986
30	814	0.1	RMS	627	-59.86	-13	Pass	7841
814	860	0.1	RMS	839.6	20.94	60	Pass	461
860	1000	0.1	RMS	903.3	-59.59	-13	Pass	1401
1000	3000	1	RMS	1679	-36.05	-13	Pass	2001
3000	10000	1	RMS	7106	-36.83	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-13	Pass	2986
30	814	0.1	RMS	756.6	-59.82	-13	Pass	7841
814	860	0.1	RMS	839.6	20.04	60	Pass	461
860	1000	0.1	RMS	872.1	-59.62	-13	Pass	1401
1000	3000	1	RMS	1679	-36.94	-13	Pass	2001
3000	10000	1	RMS	7102	-36.88	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freqency (MHz)	Stop Freqency (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-25	Pass	401
0.15	30	0.01	RMS	15.71	-68.61	-25	Pass	2986
30	1000	0.1	RMS	981.988	-59.18	-25	Pass	9701
1000	2490	1	RMS	2490	-46.64	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.79	60	Pass	401
2580	3000	1	RMS	2962	-45.83	-25	Pass	421
3000	12000	1	RMS	5001	-56.26	-25	Pass	9002
12000	26000	1	RMS	25092	-45.53	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.06	-25	Pass	2986
30	1000	0.1	RMS	481.1	-59.51	-25	Pass	9701
1000	2490	1	RMS	2487	-46.84	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.05	60	Pass	401
2580	3000	1	RMS	2977	-45.82	-25	Pass	421
3000	12000	1	RMS	11461	-56.32	-25	Pass	9002
12000	26000	1	RMS	25103	-44.67	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.25	-25	Pass	401
0.15	30	0.01	RMS	2.94	-68.96	-25	Pass	2986
30	1000	0.1	RMS	871.615	-59.42	-25	Pass	9701
1000	2490	1	RMS	2490	-47.09	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.9	60	Pass	401
2580	3000	1	RMS	2953	-45.92	-25	Pass	421
3000	12000	1	RMS	11850	-56.31	-25	Pass	9002
12000	26000	1	RMS	25103	-44.54	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-72	-25	Pass	401
0.15	30	0.01	RMS	18.27	-68.6	-25	Pass	2986
30	1000	0.1	RMS	895.03	-59.34	-25	Pass	9701
1000	2490	1	RMS	2488	-47.15	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.04	60	Pass	401
2580	3000	1	RMS	2957	-45.92	-25	Pass	421
3000	12000	1	RMS	11851	-56.3	-25	Pass	9002
12000	26000	1	RMS	25106	-44.69	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-71.54	-25	Pass	401
0.15	30	0.01	RMS	28.03	-68.67	-25	Pass	2986
30	1000	0.1	RMS	998.299	-59.51	-25	Pass	9701
1000	2490	1	RMS	2481	-47.13	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.38	60	Pass	401
2580	3000	1	RMS	2976	-45.82	-25	Pass	421
3000	12000	1	RMS	5131	-53.72	-25	Pass	9002
12000	26000	1	RMS	25099	-44.56	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-72.28	-25	Pass	401
0.15	30	0.01	RMS	21.93	-68.57	-25	Pass	2986
30	1000	0.1	RMS	977.085	-59.44	-25	Pass	9701
1000	2490	1	RMS	2485	-47.09	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.61	60	Pass	401
2580	3000	1	RMS	2954	-45.96	-25	Pass	421
3000	12000	1	RMS	5131	-54.14	-25	Pass	9002
12000	26000	1	RMS	25113	-44.67	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.29	-25	Pass	2986
30	1000	0.1	RMS	920.647	-59.43	-25	Pass	9701
1000	2490	1	RMS	2483	-42.96	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.79	60	Pass	401
2580	3000	1	RMS	2958	-45.85	-25	Pass	421
3000	12000	1	RMS	5001	-55.62	-25	Pass	9002
12000	26000	1	RMS	25106	-44.68	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.69	-25	Pass	2986
30	1000	0.1	RMS	927.252	-59.34	-25	Pass	9701
1000	2490	1	RMS	2490	-43.77	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.22	60	Pass	401
2580	3000	1	RMS	2957	-45.81	-25	Pass	421
3000	12000	1	RMS	11853	-56.24	-25	Pass	9002
12000	26000	1	RMS	25099	-44.55	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-71.11	-25	Pass	401
0.15	30	0.01	RMS	1.26	-68.23	-25	Pass	2986
30	1000	0.1	RMS	919.046	-59.2	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.98	60	Pass	401
2580	3000	1	RMS	2957	-45.92	-25	Pass	421
3000	12000	1	RMS	5061	-55.6	-25	Pass	9002
12000	26000	1	RMS	25104	-44.61	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.83	-25	Pass	2986
30	1000	0.1	RMS	986.791	-59.35	-25	Pass	9701
1000	2490	1	RMS	2485	-46.96	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.01	60	Pass	401
2580	3000	1	RMS	2958	-46.01	-25	Pass	421
3000	12000	1	RMS	5061	-55.81	-25	Pass	9002
12000	26000	1	RMS	25094	-44.71	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.8	-25	Pass	401
0.15	30	0.01	RMS	20.77	-68.54	-25	Pass	2986
30	1000	0.1	RMS	919.447	-59.3	-25	Pass	9701
1000	2490	1	RMS	2487	-47.1	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.52	60	Pass	401
2580	3000	1	RMS	2966	-45.98	-25	Pass	421
3000	12000	1	RMS	5121	-53.53	-25	Pass	9002
12000	26000	1	RMS	25096	-44.71	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.86	-25	Pass	401
0.15	30	0.01	RMS	29.05	-68.75	-25	Pass	2986
30	1000	0.1	RMS	893.329	-59.43	-25	Pass	9701
1000	2490	1	RMS	2490	-47.03	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.77	60	Pass	401
2580	3000	1	RMS	2978	-46	-25	Pass	421
3000	12000	1	RMS	5121	-54.04	-25	Pass	9002
12000	26000	1	RMS	25855	-44.71	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.82	-25	Pass	2986
30	1000	0.1	RMS	879.92	-59.45	-25	Pass	9701
1000	2490	1	RMS	2490	-36.07	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.68	60	Pass	401
2580	3000	1	RMS	2959	-45.86	-25	Pass	421
3000	12000	1	RMS	5002	-56	-25	Pass	9002
12000	26000	1	RMS	25127	-44.65	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.53	-25	Pass	401
0.15	30	0.01	RMS	27.42	-68.41	-25	Pass	2986
30	1000	0.1	RMS	907.239	-59.26	-25	Pass	9701
1000	2490	1	RMS	2490	-38.09	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.19	60	Pass	401
2580	3000	1	RMS	2962	-45.97	-25	Pass	421
3000	12000	1	RMS	11902	-56.49	-25	Pass	9002
12000	26000	1	RMS	25095	-44.75	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-71.2	-25	Pass	401
0.15	30	0.01	RMS	28.87	-68.21	-25	Pass	2986
30	1000	0.1	RMS	872.415	-59.14	-25	Pass	9701
1000	2490	1	RMS	2489	-47.02	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.91	60	Pass	401
2580	3000	1	RMS	2955	-45.87	-25	Pass	421
3000	12000	1	RMS	5057	-55.2	-25	Pass	9002
12000	26000	1	RMS	25789	-44.62	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-71.36	-25	Pass	401
0.15	30	0.01	RMS	24.08	-68.29	-25	Pass	2986
30	1000	0.1	RMS	899.133	-59.34	-25	Pass	9701
1000	2490	1	RMS	2484	-47.15	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.92	60	Pass	401
2580	3000	1	RMS	2965	-45.96	-25	Pass	421
3000	12000	1	RMS	5057	-55.9	-25	Pass	9002
12000	26000	1	RMS	25103	-44.64	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.27	-25	Pass	2986
30	1000	0.1	RMS	883.223	-59.23	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2595	1	RMS	2555.625	23.41	60	Pass	401
2595	3000	1	RMS	2981	-45.97	-25	Pass	406
3000	12000	1	RMS	5112	-54.95	-25	Pass	9002
12000	26000	1	RMS	25805	-44.74	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-25	Pass	401
0.15	30	0.01	RMS	25.03	-68.69	-25	Pass	2986
30	1000	0.1	RMS	860.808	-59.32	-25	Pass	9701
1000	2490	1	RMS	2490	-47.15	-25	Pass	1491
2490	2595	1	RMS	2555.625	22.95	60	Pass	401
2595	3000	1	RMS	2960	-45.89	-25	Pass	406
3000	12000	1	RMS	5112	-55.5	-25	Pass	9002
12000	26000	1	RMS	25107	-44.57	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-25	Pass	401
0.15	30	0.01	RMS	18.18	-68.33	-25	Pass	2986
30	1000	0.1	RMS	866.712	-59.33	-25	Pass	9701
1000	2490	1	RMS	2486	-37.58	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.85	60	Pass	401
2580	3000	1	RMS	2961	-45.83	-25	Pass	421
3000	12000	1	RMS	5002	-55.2	-25	Pass	9002
12000	26000	1	RMS	25100	-44.58	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	Pass	2986
30	1000	0.1	RMS	903.336	-59.35	-25	Pass	9701
1000	2490	1	RMS	2490	-38.99	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.11	60	Pass	401
2580	3000	1	RMS	2975	-45.95	-25	Pass	421
3000	12000	1	RMS	5002	-56.37	-25	Pass	9002
12000	26000	1	RMS	25101	-44.58	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.78	-25	Pass	401
0.15	30	0.01	RMS	5.41	-68.87	-25	Pass	2986
30	1000	0.1	RMS	912.442	-59.4	-25	Pass	9701
1000	2490	1	RMS	2490	-43.98	-25	Pass	1491
2490	2580	1	RMS	2526	23.82	60	Pass	401
2580	3000	1	RMS	2959	-46	-25	Pass	421
3000	12000	1	RMS	5052	-54.32	-25	Pass	9002
12000	26000	1	RMS	25104	-44.8	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.67	-25	Pass	401
0.15	30	0.01	RMS	20.03	-68.37	-25	Pass	2986
30	1000	0.1	RMS	879.72	-59.34	-25	Pass	9701
1000	2490	1	RMS	2490	-44.86	-25	Pass	1491
2490	2580	1	RMS	2526	22.89	60	Pass	401
2580	3000	1	RMS	2975	-45.87	-25	Pass	421
3000	12000	1	RMS	5052	-55.04	-25	Pass	9002
12000	26000	1	RMS	25391	-44.69	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.89	-25	Pass	2986
30	1000	0.1	RMS	908.539	-59.46	-25	Pass	9701
1000	2490	1	RMS	2490	-46.94	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.79	60	Pass	401
2580	3000	1	RMS	2586	-35.13	-25	Pass	421
3000	12000	1	RMS	11865	-56.29	-25	Pass	9002
12000	26000	1	RMS	25098	-44.52	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.23	-25	Pass	2986
30	1000	0.1	RMS	929.653	-59.43	-25	Pass	9701
1000	2490	1	RMS	2488	-47.06	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.84	60	Pass	401
2580	3000	1	RMS	2586	-36.36	-25	Pass	421
3000	12000	1	RMS	11859	-56.41	-25	Pass	9002
12000	26000	1	RMS	25112	-44.77	-25	Pass	14002



5. LTE_Band38


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.56	-25	Pass	401
0.15	30	0.01	RMS	25.77	-64.52	-25	Pass	2986
30	1000	0.1	RMS	975.184	-55.52	-25	Pass	9701
1000	2560	1	RMS	2560	-40.47	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.47	60	Pass	401
2630	3000	1	RMS	2959.3	-41.86	-25	Pass	401
3000	12000	1	RMS	11452	-52.45	-25	Pass	9002
12000	26500	1	RMS	25800	-41.5	-25	Pass	14502




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-67.41	-25	Pass	401
0.15	30	0.01	RMS	12.77	-64.55	-25	Pass	2986
30	1000	0.1	RMS	908.539	-55.49	-25	Pass	9701
1000	2560	1	RMS	2560	-41.3	-25	Pass	1561
2560	2630	1	RMS	2570.15	23.83	60	Pass	401
2630	3000	1	RMS	2958.375	-41.96	-25	Pass	401
3000	12000	1	RMS	11843	-52.35	-25	Pass	9002
12000	26500	1	RMS	25098	-41.7	-25	Pass	14502




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.61	-25	Pass	401
0.15	30	0.01	RMS	28.34	-64.39	-25	Pass	2986
30	1000	0.1	RMS	846.8	-55.36	-25	Pass	9701
1000	2560	1	RMS	2510	-43.05	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.3	60	Pass	401
2630	3000	1	RMS	2980.575	-41.97	-25	Pass	401
3000	12000	1	RMS	11849	-52.37	-25	Pass	9002
12000	26500	1	RMS	25101	-41.5	-25	Pass	14502




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-67.04	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.33	-25	Pass	2986
30	1000	0.1	RMS	877.519	-55.52	-25	Pass	9701
1000	2560	1	RMS	2500	-42.89	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.56	60	Pass	401
2630	3000	1	RMS	2956.525	-41.93	-25	Pass	401
3000	12000	1	RMS	11851	-52.33	-25	Pass	9002
12000	26500	1	RMS	25084	-41.57	-25	Pass	14502




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.11	-25	Pass	401
0.15	30	0.01	RMS	26.96	-64.67	-25	Pass	2986
30	1000	0.1	RMS	881.121	-55.26	-25	Pass	9701
1000	2560	1	RMS	2514	-42.85	-25	Pass	1561
2560	2630	1	RMS	2615.3	25.01	60	Pass	401
2630	3000	1	RMS	2963	-41.97	-25	Pass	401
3000	12000	1	RMS	11849	-52.24	-25	Pass	9002
12000	26500	1	RMS	25120	-41.43	-25	Pass	14502




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-67.49	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64.68	-25	Pass	2986
30	1000	0.1	RMS	909.84	-55.14	-25	Pass	9701
1000	2560	1	RMS	2497	-42.9	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.19	60	Pass	401
2630	3000	1	RMS	2964.85	-41.96	-25	Pass	401
3000	12000	1	RMS	11851	-52.31	-25	Pass	9002
12000	26500	1	RMS	25110	-41.52	-25	Pass	14502




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-67.08	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64	-25	Pass	2986
30	1000	0.1	RMS	999.8	-55.33	-25	Pass	9701
1000	2560	1	RMS	2559	-40.92	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.1	60	Pass	401
2630	3000	1	RMS	2931.55	-41.96	-25	Pass	401
3000	12000	1	RMS	11465	-52.59	-25	Pass	9002
12000	26500	1	RMS	25833	-41.55	-25	Pass	14502




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.88	-25	Pass	401
0.15	30	0.01	RMS	25.32	-64.4	-25	Pass	2986
30	1000	0.1	RMS	859.707	-55.45	-25	Pass	9701
1000	2560	1	RMS	2560	-40.97	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.9	60	Pass	401
2630	3000	1	RMS	2975.025	-41.93	-25	Pass	401
3000	12000	1	RMS	11854	-52.47	-25	Pass	9002
12000	26500	1	RMS	25093	-41.33	-25	Pass	14502



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.41	-25	Pass	401
0.15	30	0.01	RMS	19.03	-64.54	-25	Pass	2986
30	1000	0.1	RMS	995.797	-55.48	-25	Pass	9701
1000	2560	1	RMS	2497	-42.83	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.71	60	Pass	401
2630	3000	1	RMS	2931.55	-42.01	-25	Pass	401
3000	12000	1	RMS	11859	-52.47	-25	Pass	9002
12000	26500	1	RMS	25099	-41.53	-25	Pass	14502



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.14	-25	Pass	401
0.15	30	0.01	RMS	28.89	-64.24	-25	Pass	2986
30	1000	0.1	RMS	900.134	-55.37	-25	Pass	9701
1000	2560	1	RMS	2553	-43.08	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.33	60	Pass	401
2630	3000	1	RMS	2964.85	-41.96	-25	Pass	401
3000	12000	1	RMS	11852	-52.49	-25	Pass	9002
12000	26500	1	RMS	25093	-41.5	-25	Pass	14502



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.83	-25	Pass	401
0.15	30	0.01	RMS	0.42	-64.58	-25	Pass	2986
30	1000	0.1	RMS	994.897	-55.63	-25	Pass	9701
1000	2560	1	RMS	2494	-42.94	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.69	60	Pass	401
2630	3000	1	RMS	2974.1	-41.85	-25	Pass	401
3000	12000	1	RMS	11851	-52.47	-25	Pass	9002
12000	26500	1	RMS	25103	-41.46	-25	Pass	14502



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-67.52	-25	Pass	401
0.15	30	0.01	RMS	28.06	-64.79	-25	Pass	2986
30	1000	0.1	RMS	926.051	-55.56	-25	Pass	9701
1000	2560	1	RMS	2504	-42.98	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.13	60	Pass	401
2630	3000	1	RMS	2966.7	-42	-25	Pass	401
3000	12000	1	RMS	11853	-52.59	-25	Pass	9002
12000	26500	1	RMS	25084	-41.51	-25	Pass	14502



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.78	-25	Pass	401
0.15	30	0.01	RMS	22	-64.87	-25	Pass	2986
30	1000	0.1	RMS	886.125	-55.39	-25	Pass	9701
1000	2560	1	RMS	2559	-37.67	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.55	60	Pass	401
2630	3000	1	RMS	2964.85	-41.98	-25	Pass	401
3000	12000	1	RMS	11863	-52.31	-25	Pass	9002
12000	26500	1	RMS	25105	-41.4	-25	Pass	14502



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.71	-25	Pass	401
0.15	30	0.01	RMS	0.2	-63.96	-25	Pass	2986
30	1000	0.1	RMS	900.634	-55.54	-25	Pass	9701
1000	2560	1	RMS	2558	-38.65	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.68	60	Pass	401
2630	3000	1	RMS	2962.075	-41.97	-25	Pass	401
3000	12000	1	RMS	11867	-52.44	-25	Pass	9002
12000	26500	1	RMS	25097	-41.51	-25	Pass	14502



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.67	-25	Pass	401
0.15	30	0.01	RMS	23.96	-64.29	-25	Pass	2986
30	1000	0.1	RMS	885.224	-55.54	-25	Pass	9701
1000	2560	1	RMS	2512	-42.95	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.97	60	Pass	401
2630	3000	1	RMS	2962.075	-41.98	-25	Pass	401
3000	12000	1	RMS	11459	-52.46	-25	Pass	9002
12000	26500	1	RMS	25882	-41.62	-25	Pass	14502



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.66	-25	Pass	401
0.15	30	0.01	RMS	29.61	-64.33	-25	Pass	2986
30	1000	0.1	RMS	989.593	-55.52	-25	Pass	9701
1000	2560	1	RMS	2519	-43	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.97	60	Pass	401
2630	3000	1	RMS	2965.775	-41.94	-25	Pass	401
3000	12000	1	RMS	11874	-52.48	-25	Pass	9002
12000	26500	1	RMS	25088	-41.49	-25	Pass	14502



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.21	-64.23	-25	Pass	2986
30	1000	0.1	RMS	909.74	-55.62	-25	Pass	9701
1000	2560	1	RMS	2502	-42.95	-25	Pass	1561
2560	2645	1	RMS	2605.688	24.56	60	Pass	401
2645	3000	1	RMS	2968.938	-41.89	-25	Pass	401
3000	12000	1	RMS	11847	-52.51	-25	Pass	9002
12000	26500	1	RMS	25101	-41.36	-25	Pass	14502



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-67.92	-25	Pass	401
0.15	30	0.01	RMS	23.6	-64.57	-25	Pass	2986
30	1000	0.1	RMS	870.514	-55.68	-25	Pass	9701
1000	2560	1	RMS	2560	-42.91	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.18	60	Pass	401
2645	3000	1	RMS	2959.175	-41.85	-25	Pass	401
3000	12000	1	RMS	11464	-52.37	-25	Pass	9002
12000	26500	1	RMS	25101	-41.51	-25	Pass	14502



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-67.95	-25	Pass	401
0.15	30	0.01	RMS	7.81	-64.68	-25	Pass	2986
30	1000	0.1	RMS	899.934	-55.52	-25	Pass	9701
1000	2560	1	RMS	2559	-37.93	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.33	60	Pass	401
2630	3000	1	RMS	2979.65	-41.98	-25	Pass	401
3000	12000	1	RMS	11848	-52.4	-25	Pass	9002
12000	26500	1	RMS	25809	-41.38	-25	Pass	14502



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.31	-25	Pass	401
0.15	30	0.01	RMS	28.07	-64.3	-25	Pass	2986
30	1000	0.1	RMS	894.43	-55.54	-25	Pass	9701
1000	2560	1	RMS	2559	-38.86	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.26	60	Pass	401
2630	3000	1	RMS	2975.025	-41.95	-25	Pass	401
3000	12000	1	RMS	11851	-52.47	-25	Pass	9002
12000	26500	1	RMS	25098	-41.47	-25	Pass	14502



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-67.21	-25	Pass	401
0.15	30	0.01	RMS	26.87	-64.13	-25	Pass	2986
30	1000	0.1	RMS	916.745	-55.38	-25	Pass	9701
1000	2560	1	RMS	2505	-42.94	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.93	60	Pass	401
2630	3000	1	RMS	2958.375	-41.86	-25	Pass	401
3000	12000	1	RMS	11849	-52.25	-25	Pass	9002
12000	26500	1	RMS	25105	-41.35	-25	Pass	14502



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.75	-25	Pass	401
0.15	30	0.01	RMS	28.16	-63.75	-25	Pass	2986
30	1000	0.1	RMS	896.431	-55.64	-25	Pass	9701
1000	2560	1	RMS	2558	-42.87	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.1	60	Pass	401
2630	3000	1	RMS	2963	-41.91	-25	Pass	401
3000	12000	1	RMS	11850	-52.32	-25	Pass	9002
12000	26500	1	RMS	25101	-41.46	-25	Pass	14502



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-67.96	-25	Pass	401
0.15	30	0.01	RMS	27.09	-64.44	-25	Pass	2986
30	1000	0.1	RMS	985.691	-55.78	-25	Pass	9701
1000	2560	1	RMS	2518	-42.93	-25	Pass	1561
2560	2645	1	RMS	2600.8	24.2	60	Pass	401
2645	3000	1	RMS	2955.625	-42.01	-25	Pass	401
3000	12000	1	RMS	11844	-52.59	-25	Pass	9002
12000	26500	1	RMS	25097	-41.43	-25	Pass	14502



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-67.39	-25	Pass	401
0.15	30	0.01	RMS	12.13	-65	-25	Pass	2986
30	1000	0.1	RMS	895.331	-55.79	-25	Pass	9701
1000	2560	1	RMS	2499	-42.74	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.35	60	Pass	401
2645	3000	1	RMS	2953.85	-41.95	-25	Pass	401
3000	12000	1	RMS	11850	-52.53	-25	Pass	9002
12000	26500	1	RMS	25103	-41.46	-25	Pass	14502



6. LTE_Band41 120M


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-67.4	-25	Pass	401
0.15	30	0.01	RMS	19.91	-64.32	-25	Pass	2986
30	1000	0.1	RMS	909.14	-55.45	-25	Pass	9701
1000	2486	1	RMS	2483	-43.26	-25	Pass	1487
2486	2700	1	RMS	2535.22	23.65	60	Pass	401
2700	3000	1	RMS	2981.25	-41.98	-25	Pass	401
3000	12000	1	RMS	11470	-52.54	-25	Pass	9002
12000	27000	1	RMS	25080	-40.64	-25	Pass	15002




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-64.49	-25	Pass	2986
30	1000	0.1	RMS	903.536	-55.7	-25	Pass	9701
1000	2486	1	RMS	2483	-43.48	-25	Pass	1487
2486	2700	1	RMS	2535.22	22.33	60	Pass	401
2700	3000	1	RMS	2962.5	-42.06	-25	Pass	401
3000	12000	1	RMS	7147	-44.89	-25	Pass	9002
12000	27000	1	RMS	20072	-36.99	-25	Pass	15002




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.81	-25	Pass	401
0.15	30	0.01	RMS	1.95	-64.61	-25	Pass	2986
30	1000	0.1	RMS	887.125	-55.67	-25	Pass	9701
1000	2486	1	RMS	2473	-43.49	-25	Pass	1487
2486	2700	1	RMS	2592.465	24.53	60	Pass	401
2700	3000	1	RMS	2956.5	-42.12	-25	Pass	401
3000	12000	1	RMS	11486	-52.69	-25	Pass	9002
12000	27000	1	RMS	25093	-40.72	-25	Pass	15002




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.1	-25	Pass	401
0.15	30	0.01	RMS	0.61	-65.08	-25	Pass	2986
30	1000	0.1	RMS	858.906	-55.64	-25	Pass	9701
1000	2486	1	RMS	2482	-43.45	-25	Pass	1487
2486	2700	1	RMS	2592.465	23.66	60	Pass	401
2700	3000	1	RMS	2958.75	-42.16	-25	Pass	401
3000	12000	1	RMS	11845	-52.81	-25	Pass	9002
12000	27000	1	RMS	25091	-40.79	-25	Pass	15002




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.2	-25	Pass	401
0.15	30	0.01	RMS	28.13	-64.57	-25	Pass	2986
30	1000	0.1	RMS	892.629	-55.63	-25	Pass	9701
1000	2486	1	RMS	2485	-43.29	-25	Pass	1487
2486	2700	1	RMS	2650.245	24.4	60	Pass	401
2700	3000	1	RMS	2961	-42.04	-25	Pass	401
3000	12000	1	RMS	11489	-52.62	-25	Pass	9002
12000	27000	1	RMS	26019	-40.76	-25	Pass	15002




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.61	-25	Pass	401
0.15	30	0.01	RMS	24.8	-64.62	-25	Pass	2986
30	1000	0.1	RMS	984.59	-55.64	-25	Pass	9701
1000	2486	1	RMS	2485	-43.45	-25	Pass	1487
2486	2700	1	RMS	2650.245	23.88	60	Pass	401
2700	3000	1	RMS	2964.75	-42.19	-25	Pass	401
3000	12000	1	RMS	7151	-45.6	-25	Pass	9002
12000	27000	1	RMS	20091	-37.2	-25	Pass	15002




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.95	-25	Pass	401
0.15	30	0.01	RMS	22.56	-64.74	-25	Pass	2986
30	1000	0.1	RMS	909.04	-55.47	-25	Pass	9701
1000	2486	1	RMS	2482	-43.42	-25	Pass	1487
2486	2700	1	RMS	2535.22	24.32	60	Pass	401
2700	3000	1	RMS	2946.75	-42.16	-25	Pass	401
3000	12000	1	RMS	11491	-52.61	-25	Pass	9002
12000	27000	1	RMS	26218	-40.81	-25	Pass	15002




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-68.31	-25	Pass	401
0.15	30	0.01	RMS	6.06	-64.92	-25	Pass	2986
30	1000	0.1	RMS	892.129	-55.22	-25	Pass	9701
1000	2486	1	RMS	2480	-43.38	-25	Pass	1487
2486	2700	1	RMS	2535.22	23.78	60	Pass	401
2700	3000	1	RMS	2968.5	-42.07	-25	Pass	401
3000	12000	1	RMS	11859	-52.53	-25	Pass	9002
12000	27000	1	RMS	25084	-40.59	-25	Pass	15002



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.8	-25	Pass	401
0.15	30	0.01	RMS	4.19	-64.21	-25	Pass	2986
30	1000	0.1	RMS	617.1	-54.85	-25	Pass	9701
1000	2486	1	RMS	2474	-43.34	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.52	60	Pass	401
2700	3000	1	RMS	2958.75	-41.98	-25	Pass	401
3000	12000	1	RMS	11740	-45.37	-25	Pass	9002
12000	27000	1	RMS	21085	-36.3	-25	Pass	15002



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.6	-25	Pass	401
0.15	30	0.01	RMS	27.24	-64.36	-25	Pass	2986
30	1000	0.1	RMS	906.138	-55.78	-25	Pass	9701
1000	2486	1	RMS	2479	-43.29	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.62	60	Pass	401
2700	3000	1	RMS	2970	-42.04	-25	Pass	401
3000	12000	1	RMS	11454	-52.41	-25	Pass	9002
12000	27000	1	RMS	25088	-40.76	-25	Pass	15002



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-67.75	-25	Pass	401
0.15	30	0.01	RMS	24.86	-64.89	-25	Pass	2986
30	1000	0.1	RMS	919.146	-55.89	-25	Pass	9701
1000	2486	1	RMS	2483	-43.22	-25	Pass	1487
2486	2700	1	RMS	2645.43	23.86	60	Pass	401
2700	3000	1	RMS	2962.5	-42.01	-25	Pass	401
3000	12000	1	RMS	11855	-52.5	-25	Pass	9002
12000	27000	1	RMS	25103	-40.6	-25	Pass	15002



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.42	-25	Pass	2986
30	1000	0.1	RMS	901.435	-55.52	-25	Pass	9701
1000	2486	1	RMS	2485	-43.36	-25	Pass	1487
2486	2700	1	RMS	2645.43	22.45	60	Pass	401
2700	3000	1	RMS	2932.5	-42.05	-25	Pass	401
3000	12000	1	RMS	11856	-52.39	-25	Pass	9002
12000	27000	1	RMS	25086	-40.69	-25	Pass	15002



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.13	-25	Pass	401
0.15	30	0.01	RMS	0.27	-65.39	-25	Pass	2986
30	1000	0.1	RMS	857.406	-55.62	-25	Pass	9701
1000	2486	1	RMS	2486	-43.47	-25	Pass	1487
2486	2700	1	RMS	2535.22	23.36	60	Pass	401
2700	3000	1	RMS	2961.75	-42.14	-25	Pass	401
3000	12000	1	RMS	7173	-46.03	-25	Pass	9002
12000	27000	1	RMS	20116	-36.83	-25	Pass	15002



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.89	-25	Pass	401
0.15	30	0.01	RMS	0.4	-64.61	-25	Pass	2986
30	1000	0.1	RMS	656.7	-55.62	-25	Pass	9701
1000	2486	1	RMS	2486	-43.25	-25	Pass	1487
2486	2700	1	RMS	2535.755	22.53	60	Pass	401
2700	3000	1	RMS	2934.75	-42.16	-25	Pass	401
3000	12000	1	RMS	11849	-52.74	-25	Pass	9002
12000	27000	1	RMS	25107	-40.77	-25	Pass	15002



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.36	-25	Pass	401
0.15	30	0.01	RMS	19.57	-64.45	-25	Pass	2986
30	1000	0.1	RMS	978.586	-55.71	-25	Pass	9701
1000	2486	1	RMS	2486	-43.48	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.9	60	Pass	401
2700	3000	1	RMS	2953.5	-42.18	-25	Pass	401
3000	12000	1	RMS	11848	-52.61	-25	Pass	9002
12000	27000	1	RMS	26102	-40.9	-25	Pass	15002



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-68.31	-25	Pass	401
0.15	30	0.01	RMS	0.21	-64.72	-25	Pass	2986
30	1000	0.1	RMS	974.983	-55.78	-25	Pass	9701
1000	2486	1	RMS	2485	-43.48	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.19	60	Pass	401
2700	3000	1	RMS	2959.5	-42.16	-25	Pass	401
3000	12000	1	RMS	11849	-52.45	-25	Pass	9002
12000	27000	1	RMS	25097	-40.77	-25	Pass	15002



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.9	-25	Pass	401
0.15	30	0.01	RMS	7.33	-64.76	-25	Pass	2986
30	1000	0.1	RMS	902.736	-55.72	-25	Pass	9701
1000	2486	1	RMS	2486	-43.48	-25	Pass	1487
2486	2700	1	RMS	2640.615	24.63	60	Pass	401
2700	3000	1	RMS	2960.25	-42.08	-25	Pass	401
3000	12000	1	RMS	7182	-46.43	-25	Pass	9002
12000	27000	1	RMS	20144	-37.26	-25	Pass	15002



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.39	-25	Pass	401
0.15	30	0.01	RMS	0.45	-64.77	-25	Pass	2986
30	1000	0.1	RMS	905.738	-55.62	-25	Pass	9701
1000	2486	1	RMS	2477	-43.53	-25	Pass	1487
2486	2700	1	RMS	2640.615	24.1	60	Pass	401
2700	3000	1	RMS	2979.75	-42.07	-25	Pass	401
3000	12000	1	RMS	11851	-52.46	-25	Pass	9002
12000	27000	1	RMS	25088	-40.73	-25	Pass	15002



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.16	-25	Pass	401
0.15	30	0.01	RMS	0.44	-63.62	-25	Pass	2986
30	1000	0.1	RMS	900.134	-55.54	-25	Pass	9701
1000	2486	1	RMS	2486	-43.48	-25	Pass	1487
2486	2700	1	RMS	2535.755	23.87	60	Pass	401
2700	3000	1	RMS	2956.5	-42.1	-25	Pass	401
3000	12000	1	RMS	11863	-52.73	-25	Pass	9002
12000	27000	1	RMS	25095	-40.74	-25	Pass	15002



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.49	-25	Pass	401
0.15	30	0.01	RMS	0.56	-64.53	-25	Pass	2986
30	1000	0.1	RMS	883.523	-55.77	-25	Pass	9701
1000	2486	1	RMS	2486	-43.64	-25	Pass	1487
2486	2700	1	RMS	2535.755	23.86	60	Pass	401
2700	3000	1	RMS	2965.5	-42.26	-25	Pass	401
3000	12000	1	RMS	11872	-52.7	-25	Pass	9002
12000	27000	1	RMS	25111	-40.83	-25	Pass	15002



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.51	-25	Pass	401
0.15	30	0.01	RMS	6.93	-64.66	-25	Pass	2986
30	1000	0.1	RMS	982.288	-55.44	-25	Pass	9701
1000	2486	1	RMS	2482	-43.6	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.98	60	Pass	401
2700	3000	1	RMS	2961	-42.15	-25	Pass	401
3000	12000	1	RMS	7190	-45.49	-25	Pass	9002
12000	27000	1	RMS	20148	-36.83	-25	Pass	15002



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.35	-25	Pass	401
0.15	30	0.01	RMS	28.08	-65.18	-25	Pass	2986
30	1000	0.1	RMS	996.698	-55.72	-25	Pass	9701
1000	2486	1	RMS	2482	-43.51	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.19	60	Pass	401
2700	3000	1	RMS	2957.25	-42.12	-25	Pass	401
3000	12000	1	RMS	11858	-52.52	-25	Pass	9002
12000	27000	1	RMS	25102	-40.67	-25	Pass	15002



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.58	-25	Pass	401
0.15	30	0.01	RMS	0.34	-64.6	-25	Pass	2986
30	1000	0.1	RMS	881.021	-55.83	-25	Pass	9701
1000	2486	1	RMS	2472	-43.49	-25	Pass	1487
2486	2700	1	RMS	2635.8	23.43	60	Pass	401
2700	3000	1	RMS	2973	-42.2	-25	Pass	401
3000	12000	1	RMS	11454	-52.55	-25	Pass	9002
12000	27000	1	RMS	25103	-40.62	-25	Pass	15002



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-67.87	-25	Pass	401
0.15	30	0.01	RMS	20.54	-64.96	-25	Pass	2986
30	1000	0.1	RMS	858.706	-55.48	-25	Pass	9701
1000	2486	1	RMS	2481	-43.33	-25	Pass	1487
2486	2700	1	RMS	2635.8	23.77	60	Pass	401
2700	3000	1	RMS	2973	-42.13	-25	Pass	401
3000	12000	1	RMS	11849	-52.65	-25	Pass	9002
12000	27000	1	RMS	25105	-40.72	-25	Pass	15002




2. CA_2C

2.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18700|18817, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	20.13	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	991.995	-59.4	-13	46.4	Pass	9701
1000	1810	1	RMS	1805	-48.64	-13	35.64	Pass	811
1810	1950	1	RMS	1873.7	13.57	60	46.43	Pass	401
1950	3000	1	RMS	2935	-45.71	-13	32.71	Pass	1051
3000	20000	1	RMS	19795	-48.4	-13	35.4	Pass	17003



2.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18700|18817, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.79	-69	-13	56	Pass	2986
30	1000	0.1	RMS	859.207	-59.05	-13	46.05	Pass	9701
1000	1810	1	RMS	1799	-48.91	-13	35.91	Pass	811
1810	1950	1	RMS	1871.25	13.91	60	46.09	Pass	401
1950	3000	1	RMS	2977	-45.73	-13	32.73	Pass	1051
3000	20000	1	RMS	19797	-48.47	-13	35.47	Pass	17003



2.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18700|18817, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.46	-68.74	-13	55.74	Pass	2986
30	1000	0.1	RMS	975.784	-59.41	-13	46.41	Pass	9701
1000	1810	1	RMS	1805	-48.5	-13	35.5	Pass	811
1810	1950	1	RMS	1873.7	13.58	60	46.42	Pass	401
1950	3000	1	RMS	2976	-45.86	-13	32.86	Pass	1051
3000	20000	1	RMS	19782	-48.35	-13	35.35	Pass	17003



2.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18700|18817, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.16	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	982.989	-59.32	-13	46.32	Pass	9701
1000	1810	1	RMS	1806	-48.82	-13	35.82	Pass	811
1810	1950	1	RMS	1872.3	12.87	60	47.13	Pass	401
1950	3000	1	RMS	2965	-45.82	-13	32.82	Pass	1051
3000	20000	1	RMS	19786	-48.51	-13	35.51	Pass	17003



2.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18875|18992, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	4.51	-69.36	-13	56.36	Pass	2986
30	1000	0.1	RMS	938.059	-59.42	-13	46.42	Pass	9701
1000	1810	1	RMS	1801	-48.72	-13	35.72	Pass	811
1810	1950	1	RMS	1868.45	13.2	60	46.8	Pass	401
1950	3000	1	RMS	2951	-45.84	-13	32.84	Pass	1051
3000	20000	1	RMS	19795	-48.45	-13	35.45	Pass	17003



2.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18875|18992, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	29.58	-69.47	-13	56.47	Pass	2986
30	1000	0.1	RMS	923.449	-59.56	-13	46.56	Pass	9701
1000	1810	1	RMS	1809	-48.72	-13	35.72	Pass	811
1810	1950	1	RMS	1889.1	13	60	47	Pass	401
1950	3000	1	RMS	2963	-45.89	-13	32.89	Pass	1051
3000	20000	1	RMS	19784	-48.31	-13	35.31	Pass	17003



2.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18875|18992, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.26	-68.9	-13	55.9	Pass	2986
30	1000	0.1	RMS	904.437	-59.5	-13	46.5	Pass	9701
1000	1810	1	RMS	1797	-48.75	-13	35.75	Pass	811
1810	1950	1	RMS	1868.45	13.22	60	46.78	Pass	401
1950	3000	1	RMS	2954	-45.88	-13	32.88	Pass	1051
3000	20000	1	RMS	19782	-48.56	-13	35.56	Pass	17003



2.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18875|18992, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.96	-69.25	-13	56.25	Pass	2986
30	1000	0.1	RMS	877.019	-59.34	-13	46.34	Pass	9701
1000	1810	1	RMS	1795	-48.58	-13	35.58	Pass	811
1810	1950	1	RMS	1888.05	11.93	60	48.07	Pass	401
1950	3000	1	RMS	2930	-45.79	-13	32.79	Pass	1051
3000	20000	1	RMS	19789	-48.49	-13	35.49	Pass	17003



2.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19050|19167, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.5	-69.08	-13	56.08	Pass	2986
30	1000	0.1	RMS	938.559	-59.35	-13	46.35	Pass	9701
1000	1810	1	RMS	1805	-48.91	-13	35.91	Pass	811
1810	1950	1	RMS	1885.95	13.27	60	46.73	Pass	401
1950	3000	1	RMS	2951	-45.82	-13	32.82	Pass	1051
3000	20000	1	RMS	19794	-48.55	-13	35.55	Pass	17003



2.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19050|19167, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	3.13	-69.17	-13	56.17	Pass	2986
30	1000	0.1	RMS	895.03	-59.37	-13	46.37	Pass	9701
1000	1810	1	RMS	1805	-48.91	-13	35.91	Pass	811
1810	1950	1	RMS	1905.2	12.98	60	47.02	Pass	401
1950	3000	1	RMS	2952	-45.9	-13	32.9	Pass	1051
3000	20000	1	RMS	19788	-48.46	-13	35.46	Pass	17003



2.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:19050|19167, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	4.78	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	980.087	-59.59	-13	46.59	Pass	9701
1000	1810	1	RMS	1797	-48.74	-13	35.74	Pass	811
1810	1950	1	RMS	1885.95	13.34	60	46.66	Pass	401
1950	3000	1	RMS	2997	-45.93	-13	32.93	Pass	1051
3000	20000	1	RMS	19808	-48.45	-13	35.45	Pass	17003



2.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:19050|19167, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.77	-13	60.77	Pass	401
0.15	30	0.01	RMS	15.35	-69.04	-13	56.04	Pass	2986
30	1000	0.1	RMS	855.704	-59.5	-13	46.5	Pass	9701
1000	1810	1	RMS	1806	-48.9	-13	35.9	Pass	811
1810	1950	1	RMS	1905.55	12	60	48	Pass	401
1950	3000	1	RMS	2966	-45.87	-13	32.87	Pass	1051
3000	20000	1	RMS	19802	-48.5	-13	35.5	Pass	17003



2.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18700|18898, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	1.12	-69.23	-13	56.23	Pass	2986
30	1000	0.1	RMS	900.734	-59.35	-13	46.35	Pass	9701
1000	1810	1	RMS	1776	-48.22	-13	35.22	Pass	811
1810	1950	1	RMS	1888.4	12.54	60	47.46	Pass	401
1950	3000	1	RMS	2973	-45.72	-13	32.72	Pass	1051
3000	20000	1	RMS	19783	-48.58	-13	35.58	Pass	17003



2.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18700|18898, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	19.25	-69.66	-13	56.66	Pass	2986
30	1000	0.1	RMS	979.386	-59.48	-13	46.48	Pass	9701
1000	1810	1	RMS	1809	-48.65	-13	35.65	Pass	811
1810	1950	1	RMS	1872.3	7.93	60	52.07	Pass	401
1950	3000	1	RMS	2944	-45.92	-13	32.92	Pass	1051
3000	20000	1	RMS	19805	-48.62	-13	35.62	Pass	17003



2.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18700|18898, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	23.96	-69.67	-13	56.67	Pass	2986
30	1000	0.1	RMS	890.728	-59.5	-13	46.5	Pass	9701
1000	1810	1	RMS	1801	-48.62	-13	35.62	Pass	811
1810	1950	1	RMS	1888.4	12.5	60	47.5	Pass	401
1950	3000	1	RMS	2934	-45.8	-13	32.8	Pass	1051
3000	20000	1	RMS	19790	-48.56	-13	35.56	Pass	17003



2.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18700|18898, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.3	-68.79	-13	55.79	Pass	2986
30	1000	0.1	RMS	903.036	-59.35	-13	46.35	Pass	9701
1000	1810	1	RMS	1800	-48.59	-13	35.59	Pass	811
1810	1950	1	RMS	1874.05	6.96	60	53.04	Pass	401
1950	3000	1	RMS	2955	-45.71	-13	32.71	Pass	1051
3000	20000	1	RMS	19778	-48.46	-13	35.46	Pass	17003



2.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18801|18999, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.27	-68.47	-13	55.47	Pass	2986
30	1000	0.1	RMS	878.119	-59.37	-13	46.37	Pass	9701
1000	1810	1	RMS	1786	-48.47	-13	35.47	Pass	811
1810	1950	1	RMS	1898.55	12.78	60	47.22	Pass	401
1950	3000	1	RMS	2979	-45.74	-13	32.74	Pass	1051
3000	20000	1	RMS	19801	-48.6	-13	35.6	Pass	17003



2.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18801|18999, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	22.31	-69.6	-13	56.6	Pass	2986
30	1000	0.1	RMS	908.74	-59.64	-13	46.64	Pass	9701
1000	1810	1	RMS	1798	-48.84	-13	35.84	Pass	811
1810	1950	1	RMS	1874.75	7.74	60	52.26	Pass	401
1950	3000	1	RMS	2939	-45.84	-13	32.84	Pass	1051
3000	20000	1	RMS	19791	-48.64	-13	35.64	Pass	17003



2.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18801|18999, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	0.21	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	910.241	-59.51	-13	46.51	Pass	9701
1000	1810	1	RMS	1786	-48.59	-13	35.59	Pass	811
1810	1950	1	RMS	1898.55	12.67	60	47.33	Pass	401
1950	3000	1	RMS	2959	-45.81	-13	32.81	Pass	1051
3000	20000	1	RMS	19818	-48.63	-13	35.63	Pass	17003



2.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18801|18999, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	27.72	-69.34	-13	56.34	Pass	2986
30	1000	0.1	RMS	892.028	-59.68	-13	46.68	Pass	9701
1000	1810	1	RMS	1798	-48.83	-13	35.83	Pass	811
1810	1950	1	RMS	1875.1	6.84	60	53.16	Pass	401
1950	3000	1	RMS	2960	-45.81	-13	32.81	Pass	1051
3000	20000	1	RMS	19781	-48.63	-13	35.63	Pass	17003



2.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18902|19100, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	27.89	-69.42	-13	56.42	Pass	2986
30	1000	0.1	RMS	863.81	-59.48	-13	46.48	Pass	9701
1000	1810	1	RMS	1796	-48.53	-13	35.53	Pass	811
1810	1950	1	RMS	1871.25	13.23	60	46.77	Pass	401
1950	3000	1	RMS	2960	-45.91	-13	32.91	Pass	1051
3000	20000	1	RMS	19797	-48.41	-13	35.41	Pass	17003



2.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18902|19100, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	14.3	-69.73	-13	56.73	Pass	2986
30	1000	0.1	RMS	903.036	-59.28	-13	46.28	Pass	9701
1000	1810	1	RMS	1803	-48.57	-13	35.57	Pass	811
1810	1950	1	RMS	1872.3	7.64	60	52.36	Pass	401
1950	3000	1	RMS	2999	-45.82	-13	32.82	Pass	1051
3000	20000	1	RMS	19796	-48.65	-13	35.65	Pass	17003



2.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18902|19100, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	4.21	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	914.343	-59.46	-13	46.46	Pass	9701
1000	1810	1	RMS	1796	-48.53	-13	35.53	Pass	811
1810	1950	1	RMS	1871.25	13.35	60	46.65	Pass	401
1950	3000	1	RMS	2932	-45.84	-13	32.84	Pass	1051
3000	20000	1	RMS	19805	-48.61	-13	35.61	Pass	17003



2.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18902|19100, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	10.16	-69.82	-13	56.82	Pass	2986
30	1000	0.1	RMS	871.215	-59.56	-13	46.56	Pass	9701
1000	1810	1	RMS	1808	-48.44	-13	35.44	Pass	811
1810	1950	1	RMS	1872.65	6.62	60	53.38	Pass	401
1950	3000	1	RMS	2982	-45.76	-13	32.76	Pass	1051
3000	20000	1	RMS	19807	-48.44	-13	35.44	Pass	17003




5. CA_5B

5.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-13	55.94	Pass	2986
30	814	0.1	RMS	810.8	-56.97	-13	43.97	Pass	7841
814	859	0.1	RMS	824.6	9.42	60	50.58	Pass	451
859	1000	0.1	RMS	863.7	-59.73	-13	46.73	Pass	1411
1000	3000	1	RMS	2960	-45.35	-13	32.35	Pass	2001
3000	10000	1	RMS	6652	-54.52	-13	41.52	Pass	7001



5.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.22	-68.79	-13	55.79	Pass	2986
30	814	0.1	RMS	814	-57.07	-13	44.07	Pass	7841
814	859	0.1	RMS	835.7	2.41	60	57.59	Pass	451
859	1000	0.1	RMS	859	-52.39	-13	39.39	Pass	1411
1000	3000	1	RMS	2968	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	6652	-54.54	-13	41.54	Pass	7001



5.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.24	-68.26	-13	55.26	Pass	2986
30	814	0.1	RMS	810.8	-57.31	-13	44.31	Pass	7841
814	859	0.1	RMS	824.6	9.54	60	50.46	Pass	451
859	1000	0.1	RMS	885	-60.16	-13	47.16	Pass	1411
1000	3000	1	RMS	2977	-45.34	-13	32.34	Pass	2001
3000	10000	1	RMS	6652	-54.39	-13	41.39	Pass	7001



5.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.44	-69.05	-13	56.05	Pass	2986
30	814	0.1	RMS	814	-58.59	-13	45.59	Pass	7841
814	859	0.1	RMS	834.3	1.6	60	58.4	Pass	451
859	1000	0.1	RMS	859	-54	-13	41	Pass	1411
1000	3000	1	RMS	2969	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	6652	-54.57	-13	41.57	Pass	7001



5.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	28.39	-69.38	-13	56.38	Pass	2986
30	814	0.1	RMS	728.6	-59.94	-13	46.94	Pass	7841
814	859	0.1	RMS	829.6	9.79	60	50.21	Pass	451
859	1000	0.1	RMS	881.1	-60.14	-13	47.14	Pass	1411
1000	3000	1	RMS	2959	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	6692	-53.69	-13	40.69	Pass	7001



5.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	25.24	-69.69	-13	56.69	Pass	2986
30	814	0.1	RMS	814	-58.94	-13	45.94	Pass	7841
814	859	0.1	RMS	841.2	2.3	60	57.7	Pass	451
859	1000	0.1	RMS	859.3	-49.09	-13	36.09	Pass	1411
1000	3000	1	RMS	2935	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	6692	-53.78	-13	40.78	Pass	7001



5.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	26.33	-69.48	-13	56.48	Pass	2986
30	814	0.1	RMS	723.8	-60.01	-13	47.01	Pass	7841
814	859	0.1	RMS	829.6	9.66	60	50.34	Pass	451
859	1000	0.1	RMS	859.4	-60.26	-13	47.26	Pass	1411
1000	3000	1	RMS	2957	-45.43	-13	32.43	Pass	2001
3000	10000	1	RMS	6692	-53.68	-13	40.68	Pass	7001



5.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	19.4	-69.73	-13	56.73	Pass	2986
30	814	0.1	RMS	724.4	-59.93	-13	46.93	Pass	7841
814	859	0.1	RMS	840.2	1.45	60	58.55	Pass	451
859	1000	0.1	RMS	859	-50.57	-13	37.57	Pass	1411
1000	3000	1	RMS	2963	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	6692	-53.78	-13	40.78	Pass	7001



5.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	20.4	-69.77	-13	56.77	Pass	2986
30	814	0.1	RMS	698.7	-60.09	-13	47.09	Pass	7841
814	859	0.1	RMS	834.6	9.33	60	50.67	Pass	451
859	1000	0.1	RMS	862.1	-44.81	-13	31.81	Pass	1411
1000	3000	1	RMS	2763	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	6732	-53.12	-13	40.12	Pass	7001



5.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	28.27	-69.07	-13	56.07	Pass	2986
30	814	0.1	RMS	812.3	-59.98	-13	46.98	Pass	7841
814	859	0.1	RMS	845.3	2.69	60	57.31	Pass	451
859	1000	0.1	RMS	859	-44.31	-13	31.31	Pass	1411
1000	3000	1	RMS	2978	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	4218	-53.17	-13	40.17	Pass	7001



5.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	16.68	-69.45	-13	56.45	Pass	2986
30	814	0.1	RMS	724.6	-59.94	-13	46.94	Pass	7841
814	859	0.1	RMS	834.6	9.22	60	50.78	Pass	451
859	1000	0.1	RMS	862.1	-45.75	-13	32.75	Pass	1411
1000	3000	1	RMS	2986	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	6732	-53.04	-13	40.04	Pass	7001



5.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.64	-69.1	-13	56.1	Pass	2986
30	814	0.1	RMS	748.5	-59.73	-13	46.73	Pass	7841
814	859	0.1	RMS	848.1	1.56	60	58.44	Pass	451
859	1000	0.1	RMS	859	-46.03	-13	33.03	Pass	1411
1000	3000	1	RMS	2945	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	6732	-53.14	-13	40.14	Pass	7001



5.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.68	-68.86	-13	55.86	Pass	2986
30	814	0.1	RMS	805.9	-56.96	-13	43.96	Pass	7841
814	859	0.1	RMS	824.6	9.3	60	50.7	Pass	451
859	1000	0.1	RMS	862	-48.12	-13	35.12	Pass	1411
1000	3000	1	RMS	2933	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	6672	-54.61	-13	41.61	Pass	7001



5.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.16	-68.96	-13	55.96	Pass	2986
30	814	0.1	RMS	814	-55.27	-13	42.27	Pass	7841
814	859	0.1	RMS	828.2	0.05	60	59.95	Pass	451
859	1000	0.1	RMS	859	-47.75	-13	34.75	Pass	1411
1000	3000	1	RMS	3000	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	6672	-54.87	-13	41.87	Pass	7001



5.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	3.22	-69.48	-13	56.48	Pass	2986
30	814	0.1	RMS	805.8	-57.34	-13	44.34	Pass	7841
814	859	0.1	RMS	824.6	9.41	60	50.59	Pass	451
859	1000	0.1	RMS	862	-47.81	-13	34.81	Pass	1411
1000	3000	1	RMS	2967	-45.48	-13	32.48	Pass	2001
3000	10000	1	RMS	6672	-54.49	-13	41.49	Pass	7001



5.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.27	-69.48	-13	56.48	Pass	2986
30	814	0.1	RMS	814	-57.02	-13	44.02	Pass	7841
814	859	0.1	RMS	829	-1.03	60	61.03	Pass	451
859	1000	0.1	RMS	859	-49.45	-13	36.45	Pass	1411
1000	3000	1	RMS	2961	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	6672	-54.82	-13	41.82	Pass	7001



5.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	4.62	-69.33	-13	56.33	Pass	2986
30	814	0.1	RMS	808.5	-57.71	-13	44.71	Pass	7841
814	859	0.1	RMS	827.2	9.52	60	50.48	Pass	451
859	1000	0.1	RMS	864.7	-59.87	-13	46.87	Pass	1411
1000	3000	1	RMS	2767	-45.42	-13	32.42	Pass	2001
3000	10000	1	RMS	6692	-54.49	-13	41.49	Pass	7001



5.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.22	-69.21	-13	56.21	Pass	2986
30	814	0.1	RMS	814	-57.37	-13	44.37	Pass	7841
814	859	0.1	RMS	830.4	0	60	60	Pass	451
859	1000	0.1	RMS	859	-45.6	-13	32.6	Pass	1411
1000	3000	1	RMS	2972	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	6692	-54.52	-13	41.52	Pass	7001



5.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-73.68	-13	60.68	Pass	401
0.15	30	0.01	RMS	22.36	-69.36	-13	56.36	Pass	2986
30	814	0.1	RMS	808.5	-57.87	-13	44.87	Pass	7841
814	859	0.1	RMS	827.2	9.41	60	50.59	Pass	451
859	1000	0.1	RMS	864.6	-59.79	-13	46.79	Pass	1411
1000	3000	1	RMS	2973	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	6692	-54.54	-13	41.54	Pass	7001



5.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.36	-69.66	-13	56.66	Pass	2986
30	814	0.1	RMS	814	-58.44	-13	45.44	Pass	7841
814	859	0.1	RMS	831	-1.02	60	61.02	Pass	451
859	1000	0.1	RMS	859.1	-47.4	-13	34.4	Pass	1411
1000	3000	1	RMS	2941	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	6692	-54.5	-13	41.5	Pass	7001



5.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	22.19	-69.49	-13	56.49	Pass	2986
30	814	0.1	RMS	811	-57.32	-13	44.32	Pass	7841
814	859	0.1	RMS	829.7	9.45	60	50.55	Pass	451
859	1000	0.1	RMS	859	-58.48	-13	45.48	Pass	1411
1000	3000	1	RMS	2955	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	6712	-54.27	-13	41.27	Pass	7001



5.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	28.15	-69.45	-13	56.45	Pass	2986
30	814	0.1	RMS	813.9	-59.24	-13	46.24	Pass	7841
814	859	0.1	RMS	833	-0.1	60	60.1	Pass	451
859	1000	0.1	RMS	859	-43.45	-13	30.45	Pass	1411
1000	3000	1	RMS	2955	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	6712	-54.35	-13	41.35	Pass	7001



5.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	27.9	-69.46	-13	56.46	Pass	2986
30	814	0.1	RMS	811	-57.27	-13	44.27	Pass	7841
814	859	0.1	RMS	829.7	9.37	60	50.63	Pass	451
859	1000	0.1	RMS	859	-58.49	-13	45.49	Pass	1411
1000	3000	1	RMS	2954	-45.32	-13	32.32	Pass	2001
3000	10000	1	RMS	6712	-54.24	-13	41.24	Pass	7001



5.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	28.59	-69.39	-13	56.39	Pass	2986
30	814	0.1	RMS	813.8	-59.1	-13	46.1	Pass	7841
814	859	0.1	RMS	833.3	-1.13	60	61.13	Pass	451
859	1000	0.1	RMS	859	-44.99	-13	31.99	Pass	1411
1000	3000	1	RMS	2770	-45.4	-13	32.4	Pass	2001
3000	10000	1	RMS	6712	-54.37	-13	41.37	Pass	7001




3. CA_7C

3.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-25	48.75	Pass	401
0.15	30	0.01	RMS	0.72	-68.9	-25	43.9	Pass	2986
30	1000	0.1	RMS	909.64	-59.55	-25	34.55	Pass	9701
1000	2475	1	RMS	2473	-45.53	-25	20.53	Pass	1476
2475	2735	1	RMS	2528.3	12.03	60	47.97	Pass	401
2735	3000	1	RMS	2962.238	-45.91	-25	20.91	Pass	401
3000	12000	1	RMS	11843	-46.21	-25	21.21	Pass	9002
12000	26000	1	RMS	25820	-34.63	-25	9.63	Pass	14002



3.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-25	46.38	Pass	401
0.15	30	0.01	RMS	0.51	-69.04	-25	44.04	Pass	2986
30	1000	0.1	RMS	491.4	-59.53	-25	34.53	Pass	9701
1000	2475	1	RMS	2475	-42.87	-25	17.87	Pass	1476
2475	2735	1	RMS	2525.05	10.11	60	49.89	Pass	401
2735	3000	1	RMS	2957.6	-45.85	-25	20.85	Pass	401
3000	12000	1	RMS	11499	-46.36	-25	21.36	Pass	9002
12000	26000	1	RMS	25107	-34.64	-25	9.64	Pass	14002



3.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-25	47.88	Pass	401
0.15	30	0.01	RMS	0.79	-69.58	-25	44.58	Pass	2986
30	1000	0.1	RMS	995.497	-59.42	-25	34.42	Pass	9701
1000	2475	1	RMS	2473	-45.52	-25	20.52	Pass	1476
2475	2735	1	RMS	2528.3	11.87	60	48.13	Pass	401
2735	3000	1	RMS	2972.838	-45.92	-25	20.92	Pass	401
3000	12000	1	RMS	11902	-46.41	-25	21.41	Pass	9002
12000	26000	1	RMS	25106	-34.64	-25	9.64	Pass	14002



3.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-25	46.17	Pass	401
0.15	30	0.01	RMS	16.61	-69.39	-25	44.39	Pass	2986
30	1000	0.1	RMS	924.95	-59.55	-25	34.55	Pass	9701
1000	2475	1	RMS	2475	-44.75	-25	19.75	Pass	1476
2475	2735	1	RMS	2521.15	9.04	60	50.96	Pass	401
2735	3000	1	RMS	2962.9	-45.79	-25	20.79	Pass	401
3000	12000	1	RMS	11845	-46.36	-25	21.36	Pass	9002
12000	26000	1	RMS	25095	-34.51	-25	9.51	Pass	14002



3.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-25	46.61	Pass	401
0.15	30	0.01	RMS	21.6	-69.5	-25	44.5	Pass	2986
30	1000	0.1	RMS	894.23	-59.51	-25	34.51	Pass	9701
1000	2475	1	RMS	2474	-47.47	-25	22.47	Pass	1476
2475	2735	1	RMS	2548.45	11.89	60	48.11	Pass	401
2735	3000	1	RMS	2963.563	-45.93	-25	20.93	Pass	401
3000	12000	1	RMS	11872	-46.33	-25	21.33	Pass	9002
12000	26000	1	RMS	25108	-34.79	-25	9.79	Pass	14002



3.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-73.13	-25	48.13	Pass	401
0.15	30	0.01	RMS	0.22	-69.03	-25	44.03	Pass	2986
30	1000	0.1	RMS	932.655	-59.57	-25	34.57	Pass	9701
1000	2475	1	RMS	2475	-46	-25	21	Pass	1476
2475	2735	1	RMS	2541.3	9.83	60	50.17	Pass	401
2735	3000	1	RMS	2980.125	-45.97	-25	20.97	Pass	401
3000	12000	1	RMS	11473	-46.31	-25	21.31	Pass	9002
12000	26000	1	RMS	25116	-34.73	-25	9.73	Pass	14002



3.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	0.32	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	847.4	-59.63	-25	34.63	Pass	9701
1000	2475	1	RMS	2458	-47.29	-25	22.29	Pass	1476
2475	2735	1	RMS	2548.45	11.9	60	48.1	Pass	401
2735	3000	1	RMS	2956.938	-45.9	-25	20.9	Pass	401
3000	12000	1	RMS	11492	-46.34	-25	21.34	Pass	9002
12000	26000	1	RMS	25100	-34.5	-25	9.5	Pass	14002



3.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	47.67	Pass	401
0.15	30	0.01	RMS	26.63	-69.43	-25	44.43	Pass	2986
30	1000	0.1	RMS	993.996	-59.23	-25	34.23	Pass	9701
1000	2475	1	RMS	2475	-46.55	-25	21.55	Pass	1476
2475	2735	1	RMS	2541.3	8.87	60	51.13	Pass	401
2735	3000	1	RMS	2959.588	-45.81	-25	20.81	Pass	401
3000	12000	1	RMS	11863	-46.16	-25	21.16	Pass	9002
12000	26000	1	RMS	25113	-34.42	-25	9.42	Pass	14002



3.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.4	-25	46.4	Pass	401
0.15	30	0.01	RMS	1.02	-68.88	-25	43.88	Pass	2986
30	1000	0.1	RMS	921.148	-59.62	-25	34.62	Pass	9701
1000	2475	1	RMS	2473	-47.54	-25	22.54	Pass	1476
2475	2735	1	RMS	2540.65	12.1	60	47.9	Pass	401
2735	3000	1	RMS	2964.888	-45.9	-25	20.9	Pass	401
3000	12000	1	RMS	11860	-46.33	-25	21.33	Pass	9002
12000	26000	1	RMS	25848	-34.71	-25	9.71	Pass	14002



3.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	47.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	890.728	-59.37	-25	34.37	Pass	9701
1000	2475	1	RMS	2475	-46.82	-25	21.82	Pass	1476
2475	2735	1	RMS	2560.8	9.4	60	50.6	Pass	401
2735	3000	1	RMS	2956.938	-45.84	-25	20.84	Pass	401
3000	12000	1	RMS	11851	-46.28	-25	21.28	Pass	9002
12000	26000	1	RMS	25093	-34.54	-25	9.54	Pass	14002



3.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.44	-25	48.44	Pass	401
0.15	30	0.01	RMS	4.29	-69.85	-25	44.85	Pass	2986
30	1000	0.1	RMS	913.943	-59.34	-25	34.34	Pass	9701
1000	2475	1	RMS	2461	-47.42	-25	22.42	Pass	1476
2475	2735	1	RMS	2540.65	12.03	60	47.97	Pass	401
2735	3000	1	RMS	2930.438	-45.88	-25	20.88	Pass	401
3000	12000	1	RMS	11836	-46.29	-25	21.29	Pass	9002
12000	26000	1	RMS	25101	-34.39	-25	9.39	Pass	14002



3.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-73.35	-25	48.35	Pass	401
0.15	30	0.01	RMS	1.93	-69.41	-25	44.41	Pass	2986
30	1000	0.1	RMS	911.441	-59.31	-25	34.31	Pass	9701
1000	2475	1	RMS	2475	-47.08	-25	22.08	Pass	1476
2475	2735	1	RMS	2561.45	8.36	60	51.64	Pass	401
2735	3000	1	RMS	2960.25	-45.9	-25	20.9	Pass	401
3000	12000	1	RMS	11880	-46.19	-25	21.19	Pass	9002
12000	26000	1	RMS	25776	-34.71	-25	9.71	Pass	14002



3.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.13	-25	47.13	Pass	401
0.15	30	0.01	RMS	0.2	-69.49	-25	44.49	Pass	2986
30	1000	0.1	RMS	911.541	-59.52	-25	34.52	Pass	9701
1000	2475	1	RMS	2469	-47.31	-25	22.31	Pass	1476
2475	2735	1	RMS	2538.7	11.37	60	48.63	Pass	401
2735	3000	1	RMS	2999.338	-45.92	-25	20.92	Pass	401
3000	12000	1	RMS	11854	-46.27	-25	21.27	Pass	9002
12000	26000	1	RMS	25792	-34.79	-25	9.79	Pass	14002



3.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-25	45.61	Pass	401
0.15	30	0.01	RMS	3.58	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	982.588	-59.48	-25	34.48	Pass	9701
1000	2475	1	RMS	2475	-39.2	-25	14.2	Pass	1476
2475	2735	1	RMS	2527.65	7.23	60	52.77	Pass	401
2735	3000	1	RMS	2973.5	-45.94	-25	20.94	Pass	401
3000	12000	1	RMS	11849	-46.41	-25	21.41	Pass	9002
12000	26000	1	RMS	25119	-34.74	-25	9.74	Pass	14002



3.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-73.34	-25	48.34	Pass	401
0.15	30	0.01	RMS	0.21	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	958.973	-58.76	-25	33.76	Pass	9701
1000	2475	1	RMS	2460	-47.43	-25	22.43	Pass	1476
2475	2735	1	RMS	2538.7	11.16	60	48.84	Pass	401
2735	3000	1	RMS	2963.563	-45.83	-25	20.83	Pass	401
3000	12000	1	RMS	11855	-46.36	-25	21.36	Pass	9002
12000	26000	1	RMS	25099	-34.84	-25	9.84	Pass	14002



3.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.18	-25	47.18	Pass	401
0.15	30	0.01	RMS	14.1	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	894.73	-58.84	-25	33.84	Pass	9701
1000	2475	1	RMS	2475	-42.39	-25	17.39	Pass	1476
2475	2735	1	RMS	2528.3	6.16	60	53.84	Pass	401
2735	3000	1	RMS	2929.775	-45.8	-25	20.8	Pass	401
3000	12000	1	RMS	11521	-46.22	-25	21.22	Pass	9002
12000	26000	1	RMS	25100	-34.72	-25	9.72	Pass	14002



3.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-25	48.2	Pass	401
0.15	30	0.01	RMS	21.21	-69.21	-25	44.21	Pass	2986
30	1000	0.1	RMS	878.72	-59.22	-25	34.22	Pass	9701
1000	2475	1	RMS	2472	-47.37	-25	22.37	Pass	1476
2475	2735	1	RMS	2553.65	11.75	60	48.25	Pass	401
2735	3000	1	RMS	2962.238	-45.84	-25	20.84	Pass	401
3000	12000	1	RMS	11857	-46.37	-25	21.37	Pass	9002
12000	26000	1	RMS	25077	-34.67	-25	9.67	Pass	14002



3.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	1.25	-69.07	-25	44.07	Pass	2986
30	1000	0.1	RMS	880.921	-59.33	-25	34.33	Pass	9701
1000	2475	1	RMS	2475	-44.5	-25	19.5	Pass	1476
2475	2735	1	RMS	2530.9	7.11	60	52.89	Pass	401
2735	3000	1	RMS	2970.85	-45.94	-25	20.94	Pass	401
3000	12000	1	RMS	11456	-46.36	-25	21.36	Pass	9002
12000	26000	1	RMS	25104	-34.65	-25	9.65	Pass	14002



3.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-25	47.24	Pass	401
0.15	30	0.01	RMS	0.74	-69.24	-25	44.24	Pass	2986
30	1000	0.1	RMS	860.207	-59.41	-25	34.41	Pass	9701
1000	2475	1	RMS	2475	-47.45	-25	22.45	Pass	1476
2475	2735	1	RMS	2553.65	11.73	60	48.27	Pass	401
2735	3000	1	RMS	2961.575	-45.92	-25	20.92	Pass	401
3000	12000	1	RMS	11466	-46.25	-25	21.25	Pass	9002
12000	26000	1	RMS	25102	-34.61	-25	9.61	Pass	14002



3.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-25	46.92	Pass	401
0.15	30	0.01	RMS	0.36	-69.23	-25	44.23	Pass	2986
30	1000	0.1	RMS	918.946	-59.13	-25	34.13	Pass	9701
1000	2475	1	RMS	2475	-45.91	-25	20.91	Pass	1476
2475	2735	1	RMS	2539.35	6.07	60	53.93	Pass	401
2735	3000	1	RMS	2935.075	-45.97	-25	20.97	Pass	401
3000	12000	1	RMS	11494	-46.31	-25	21.31	Pass	9002
12000	26000	1	RMS	25099	-34.52	-25	9.52	Pass	14002



3.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.28	-68.84	-25	43.84	Pass	2986
30	1000	0.1	RMS	898.132	-59.51	-25	34.51	Pass	9701
1000	2475	1	RMS	2473	-47.37	-25	22.37	Pass	1476
2475	2735	1	RMS	2530.9	12.25	60	47.75	Pass	401
2735	3000	1	RMS	2958.925	-45.91	-25	20.91	Pass	401
3000	12000	1	RMS	11869	-46.3	-25	21.3	Pass	9002
12000	26000	1	RMS	25103	-34.9	-25	9.9	Pass	14002



3.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.52	-25	46.52	Pass	401
0.15	30	0.01	RMS	19.93	-69.27	-25	44.27	Pass	2986
30	1000	0.1	RMS	896.231	-59.4	-25	34.4	Pass	9701
1000	2475	1	RMS	2475	-45.69	-25	20.69	Pass	1476
2475	2735	1	RMS	2545.2	7.23	60	52.77	Pass	401
2735	3000	1	RMS	2968.863	-45.88	-25	20.88	Pass	401
3000	12000	1	RMS	11850	-46.36	-25	21.36	Pass	9002
12000	26000	1	RMS	25071	-34.75	-25	9.75	Pass	14002



3.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	26.33	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	863.109	-59.63	-25	34.63	Pass	9701
1000	2475	1	RMS	2448	-47.43	-25	22.43	Pass	1476
2475	2735	1	RMS	2530.9	12.2	60	47.8	Pass	401
2735	3000	1	RMS	2978.8	-45.94	-25	20.94	Pass	401
3000	12000	1	RMS	11453	-46.4	-25	21.4	Pass	9002
12000	26000	1	RMS	25114	-34.74	-25	9.74	Pass	14002



3.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.45	-69.21	-25	44.21	Pass	2986
30	1000	0.1	RMS	876.218	-59.32	-25	34.32	Pass	9701
1000	2475	1	RMS	2475	-46.22	-25	21.22	Pass	1476
2475	2735	1	RMS	2545.2	6.26	60	53.74	Pass	401
2735	3000	1	RMS	2976.15	-45.99	-25	20.99	Pass	401
3000	12000	1	RMS	11465	-46.38	-25	21.38	Pass	9002
12000	26000	1	RMS	25097	-34.86	-25	9.86	Pass	14002




4. CA_38C

4.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.26	-25	44.26	Pass	401
0.15	30	0.01	RMS	27.54	-65.32	-25	40.32	Pass	2986
30	1000	0.1	RMS	877.319	-55.47	-25	30.47	Pass	9701
1000	2525	1	RMS	2514	-42.37	-25	17.37	Pass	1526
2525	2665	1	RMS	2598.85	12.93	60	47.07	Pass	401
2665	3000	1	RMS	2683.425	-38.11	-25	13.11	Pass	401
3000	12000	1	RMS	11854	-46.23	-25	21.23	Pass	9002
12000	26500	1	RMS	25847	-34.62	-25	9.62	Pass	14502



4.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-69.27	-25	44.27	Pass	401
0.15	30	0.01	RMS	29.88	-65.02	-25	40.02	Pass	2986
30	1000	0.1	RMS	987.692	-55.73	-25	30.73	Pass	9701
1000	2525	1	RMS	2523	-42.33	-25	17.33	Pass	1526
2525	2665	1	RMS	2589.05	8.29	60	51.71	Pass	401
2665	3000	1	RMS	2963.988	-41.97	-25	16.97	Pass	401
3000	12000	1	RMS	11850	-46.31	-25	21.31	Pass	9002
12000	26500	1	RMS	26193	-34.52	-25	9.52	Pass	14502



4.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	1.22	-65.29	-25	40.29	Pass	2986
30	1000	0.1	RMS	639.1	-55.6	-25	30.6	Pass	9701
1000	2525	1	RMS	2514	-41.96	-25	16.96	Pass	1526
2525	2665	1	RMS	2570.5	12.54	60	47.46	Pass	401
2665	3000	1	RMS	2683.425	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11858	-46.18	-25	21.18	Pass	9002
12000	26500	1	RMS	25098	-34.55	-25	9.55	Pass	14502



4.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	28.8	-65.23	-25	40.23	Pass	2986
30	1000	0.1	RMS	894.23	-55.03	-25	30.03	Pass	9701
1000	2525	1	RMS	2524	-42.41	-25	17.41	Pass	1526
2525	2665	1	RMS	2582.4	7.76	60	52.24	Pass	401
2665	3000	1	RMS	2963.988	-41.85	-25	16.85	Pass	401
3000	12000	1	RMS	11865	-46.31	-25	21.31	Pass	9002
12000	26500	1	RMS	25091	-34.31	-25	9.31	Pass	14502



4.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	13.63	-65.49	-25	40.49	Pass	2986
30	1000	0.1	RMS	852.002	-54.75	-25	29.75	Pass	9701
1000	2525	1	RMS	2524	-38.38	-25	13.38	Pass	1526
2525	2665	1	RMS	2580.65	13	60	47	Pass	401
2665	3000	1	RMS	2665.838	-37.34	-25	12.34	Pass	401
3000	12000	1	RMS	11855	-46.15	-25	21.15	Pass	9002
12000	26500	1	RMS	25102	-34.63	-25	9.63	Pass	14502



4.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-69.52	-25	44.52	Pass	401
0.15	30	0.01	RMS	0.36	-65.43	-25	40.43	Pass	2986
30	1000	0.1	RMS	883.823	-55.64	-25	30.64	Pass	9701
1000	2525	1	RMS	2520	-42.62	-25	17.62	Pass	1526
2525	2665	1	RMS	2592.2	9.01	60	50.99	Pass	401
2665	3000	1	RMS	2668.35	-41.91	-25	16.91	Pass	401
3000	12000	1	RMS	11877	-46.29	-25	21.29	Pass	9002
12000	26500	1	RMS	25096	-34.43	-25	9.43	Pass	14502



4.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.62	-25	42.62	Pass	401
0.15	30	0.01	RMS	0.2	-64.96	-25	39.96	Pass	2986
30	1000	0.1	RMS	919.146	-55.61	-25	30.61	Pass	9701
1000	2525	1	RMS	2525	-40.6	-25	15.6	Pass	1526
2525	2665	1	RMS	2609	12.97	60	47.03	Pass	401
2665	3000	1	RMS	2665.838	-38.41	-25	13.41	Pass	401
3000	12000	1	RMS	11457	-46.45	-25	21.45	Pass	9002
12000	26500	1	RMS	25407	-34.49	-25	9.49	Pass	14502



4.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.18	-64.46	-25	39.46	Pass	2986
30	1000	0.1	RMS	880.421	-55.51	-25	30.51	Pass	9701
1000	2525	1	RMS	2521	-42.83	-25	17.83	Pass	1526
2525	2665	1	RMS	2597.45	7.8	60	52.2	Pass	401
2665	3000	1	RMS	2963.15	-41.95	-25	16.95	Pass	401
3000	12000	1	RMS	11850	-46.38	-25	21.38	Pass	9002
12000	26500	1	RMS	25796	-34.52	-25	9.52	Pass	14502



4.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.3	-25	42.3	Pass	401
0.15	30	0.01	RMS	0.27	-65.35	-25	40.35	Pass	2986
30	1000	0.1	RMS	845.1	-55.62	-25	30.62	Pass	9701
1000	2525	1	RMS	2510	-43.06	-25	18.06	Pass	1526
2525	2665	1	RMS	2619.15	12.49	60	47.51	Pass	401
2665	3000	1	RMS	2675.888	-37.52	-25	12.52	Pass	401
3000	12000	1	RMS	11849	-46.34	-25	21.34	Pass	9002
12000	26500	1	RMS	25104	-34.5	-25	9.5	Pass	14502



4.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.3	-25	44.3	Pass	401
0.15	30	0.01	RMS	0.16	-64.94	-25	39.94	Pass	2986
30	1000	0.1	RMS	907.839	-55.54	-25	30.54	Pass	9701
1000	2525	1	RMS	2524	-42.76	-25	17.76	Pass	1526
2525	2665	1	RMS	2608.65	9.24	60	50.76	Pass	401
2665	3000	1	RMS	2665	-40.59	-25	15.59	Pass	401
3000	12000	1	RMS	11862	-46.48	-25	21.48	Pass	9002
12000	26500	1	RMS	25103	-34.34	-25	9.34	Pass	14502



4.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	3.31	-65.16	-25	40.16	Pass	2986
30	1000	0.1	RMS	909.24	-55.38	-25	30.38	Pass	9701
1000	2525	1	RMS	2511	-42.9	-25	17.9	Pass	1526
2525	2665	1	RMS	2619.15	13.15	60	46.85	Pass	401
2665	3000	1	RMS	2675.05	-37.57	-25	12.57	Pass	401
3000	12000	1	RMS	11869	-46.36	-25	21.36	Pass	9002
12000	26500	1	RMS	25089	-34.56	-25	9.56	Pass	14502



4.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.39	-25	42.39	Pass	401
0.15	30	0.01	RMS	0.29	-64.86	-25	39.86	Pass	2986
30	1000	0.1	RMS	974.383	-55.4	-25	30.4	Pass	9701
1000	2525	1	RMS	2505	-42.9	-25	17.9	Pass	1526
2525	2665	1	RMS	2610.4	7.5	60	52.5	Pass	401
2665	3000	1	RMS	2665	-41.79	-25	16.79	Pass	401
3000	12000	1	RMS	11860	-46.34	-25	21.34	Pass	9002
12000	26500	1	RMS	25759	-34.6	-25	9.6	Pass	14502



4.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.59	-25	42.59	Pass	401
0.15	30	0.01	RMS	17.19	-65.26	-25	40.26	Pass	2986
30	1000	0.1	RMS	905.537	-55.53	-25	30.53	Pass	9701
1000	2525	1	RMS	2513	-42.87	-25	17.87	Pass	1526
2525	2665	1	RMS	2608.3	12.21	60	47.79	Pass	401
2665	3000	1	RMS	2683.425	-36.49	-25	11.49	Pass	401
3000	12000	1	RMS	11857	-46.24	-25	21.24	Pass	9002
12000	26500	1	RMS	25104	-34.57	-25	9.57	Pass	14502



4.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	4.51	-65.22	-25	40.22	Pass	2986
30	1000	0.1	RMS	870.614	-55.69	-25	30.69	Pass	9701
1000	2525	1	RMS	2524	-42.21	-25	17.21	Pass	1526
2525	2665	1	RMS	2592.9	7.59	60	52.41	Pass	401
2665	3000	1	RMS	2665	-41.58	-25	16.58	Pass	401
3000	12000	1	RMS	11881	-46.27	-25	21.27	Pass	9002
12000	26500	1	RMS	25093	-34.42	-25	9.42	Pass	14502



4.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.6	-25	42.6	Pass	401
0.15	30	0.01	RMS	0.18	-65.37	-25	40.37	Pass	2986
30	1000	0.1	RMS	976.484	-55.72	-25	30.72	Pass	9701
1000	2525	1	RMS	2524	-42.88	-25	17.88	Pass	1526
2525	2665	1	RMS	2570.85	12.64	60	47.36	Pass	401
2665	3000	1	RMS	2683.425	-38.67	-25	13.67	Pass	401
3000	12000	1	RMS	11462	-46.37	-25	21.37	Pass	9002
12000	26500	1	RMS	25094	-34.55	-25	9.55	Pass	14502



4.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	19.88	-65.57	-25	40.57	Pass	2986
30	1000	0.1	RMS	902.836	-55.67	-25	30.67	Pass	9701
1000	2525	1	RMS	2523	-42.56	-25	17.56	Pass	1526
2525	2665	1	RMS	2592.2	6.83	60	53.17	Pass	401
2665	3000	1	RMS	2954.775	-42.09	-25	17.09	Pass	401
3000	12000	1	RMS	11856	-46.35	-25	21.35	Pass	9002
12000	26500	1	RMS	25113	-34.37	-25	9.37	Pass	14502



4.25. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.51	-25	42.51	Pass	401
0.15	30	0.01	RMS	21.87	-65.16	-25	40.16	Pass	2986
30	1000	0.1	RMS	898.233	-55.76	-25	30.76	Pass	9701
1000	2525	1	RMS	2494	-43.16	-25	18.16	Pass	1526
2525	2665	1	RMS	2613.55	12.98	60	47.02	Pass	401
2665	3000	1	RMS	2688.45	-37.72	-25	12.72	Pass	401
3000	12000	1	RMS	11841	-46.4	-25	21.4	Pass	9002
12000	26500	1	RMS	25862	-34.67	-25	9.67	Pass	14502



4.26. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.43	-25	42.43	Pass	401
0.15	30	0.01	RMS	1.16	-65.19	-25	40.19	Pass	2986
30	1000	0.1	RMS	987.292	-55.72	-25	30.72	Pass	9701
1000	2525	1	RMS	2522	-42.51	-25	17.51	Pass	1526
2525	2665	1	RMS	2591.15	7.31	60	52.69	Pass	401
2665	3000	1	RMS	2665.838	-40.69	-25	15.69	Pass	401
3000	12000	1	RMS	11858	-46.26	-25	21.26	Pass	9002
12000	26500	1	RMS	25105	-34.65	-25	9.65	Pass	14502



4.27. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.19	-25	44.19	Pass	401
0.15	30	0.01	RMS	28.64	-65.16	-25	40.16	Pass	2986
30	1000	0.1	RMS	882.922	-55.68	-25	30.68	Pass	9701
1000	2525	1	RMS	2508	-42.99	-25	17.99	Pass	1526
2525	2665	1	RMS	2576.1	12.08	60	47.92	Pass	401
2665	3000	1	RMS	2688.45	-39.38	-25	14.38	Pass	401
3000	12000	1	RMS	11850	-46.24	-25	21.24	Pass	9002
12000	26500	1	RMS	25816	-34.62	-25	9.62	Pass	14502



4.28. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	24.4	-65.63	-25	40.63	Pass	2986
30	1000	0.1	RMS	899.133	-55.47	-25	30.47	Pass	9701
1000	2525	1	RMS	2523	-42.65	-25	17.65	Pass	1526
2525	2665	1	RMS	2592.55	6.1	60	53.9	Pass	401
2665	3000	1	RMS	2665.838	-41.72	-25	16.72	Pass	401
3000	12000	1	RMS	11447	-46.49	-25	21.49	Pass	9002
12000	26500	1	RMS	25095	-34.35	-25	9.35	Pass	14502



4.29. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	29.27	-65.41	-25	40.41	Pass	2986
30	1000	0.1	RMS	919.046	-55.53	-25	30.53	Pass	9701
1000	2525	1	RMS	2523	-42.99	-25	17.99	Pass	1526
2525	2665	1	RMS	2618.45	12.19	60	47.81	Pass	401
2665	3000	1	RMS	2693.475	-40.28	-25	15.28	Pass	401
3000	12000	1	RMS	11450	-46.44	-25	21.44	Pass	9002
12000	26500	1	RMS	25101	-34.4	-25	9.4	Pass	14502



4.30. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	0.18	-65.71	-25	40.71	Pass	2986
30	1000	0.1	RMS	924.65	-55.72	-25	30.72	Pass	9701
1000	2525	1	RMS	2523	-42.5	-25	17.5	Pass	1526
2525	2665	1	RMS	2603.4	7.86	60	52.14	Pass	401
2665	3000	1	RMS	2665	-39.41	-25	14.41	Pass	401
3000	12000	1	RMS	11873	-46.36	-25	21.36	Pass	9002
12000	26500	1	RMS	25111	-34.72	-25	9.72	Pass	14502



4.31. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-69.61	-25	44.61	Pass	401
0.15	30	0.01	RMS	8.28	-65.59	-25	40.59	Pass	2986
30	1000	0.1	RMS	846.9	-55.71	-25	30.71	Pass	9701
1000	2525	1	RMS	2499	-42.87	-25	17.87	Pass	1526
2525	2665	1	RMS	2618.8	13.18	60	46.82	Pass	401
2665	3000	1	RMS	2693.475	-41.35	-25	16.35	Pass	401
3000	12000	1	RMS	11847	-46.5	-25	21.5	Pass	9002
12000	26500	1	RMS	25105	-34.47	-25	9.47	Pass	14502



4.32. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-69.3	-25	44.3	Pass	401
0.15	30	0.01	RMS	0.16	-65.43	-25	40.43	Pass	2986
30	1000	0.1	RMS	922.749	-55.72	-25	30.72	Pass	9701
1000	2525	1	RMS	2524	-42.61	-25	17.61	Pass	1526
2525	2665	1	RMS	2603.4	6.5	60	53.5	Pass	401
2665	3000	1	RMS	2665.838	-40.7	-25	15.7	Pass	401
3000	12000	1	RMS	11860	-46.46	-25	21.46	Pass	9002
12000	26500	1	RMS	25100	-34.55	-25	9.55	Pass	14502




1. CA_41C_2535-2655

1.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40140|40257, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.39	-25	Pass	401
0.15	30	0.01	RMS	6	-64.97	-25	Pass	2986
30	1000	0.1	RMS	897.032	-55.32	-25	Pass	9701
1000	2475	1	RMS	2466	-43.27	-25	Pass	1476
2475	2735	1	RMS	2536.1	11.81	60	Pass	401
2735	3000	1	RMS	2966.213	-41.87	-25	Pass	401
3000	12000	1	RMS	11856	-46.25	-25	Pass	9002
12000	27000	1	RMS	25095	-34.31	-25	Pass	15002



1.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40140|40257, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.73	-25	Pass	401
0.15	30	0.01	RMS	20.8	-65.19	-25	Pass	2986
30	1000	0.1	RMS	862.609	-55.64	-25	Pass	9701
1000	2475	1	RMS	2463	-43.35	-25	Pass	1476
2475	2735	1	RMS	2556.25	13.39	60	Pass	401
2735	3000	1	RMS	2965.55	-41.9	-25	Pass	401
3000	12000	1	RMS	11868	-46.21	-25	Pass	9002
12000	27000	1	RMS	25782	-34.45	-25	Pass	15002



1.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40140|40257, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.21	-25	Pass	401
0.15	30	0.01	RMS	29.81	-65.24	-25	Pass	2986
30	1000	0.1	RMS	904.136	-55.7	-25	Pass	9701
1000	2475	1	RMS	2463	-43.29	-25	Pass	1476
2475	2735	1	RMS	2536.1	11.76	60	Pass	401
2735	3000	1	RMS	2978.8	-41.85	-25	Pass	401
3000	12000	1	RMS	11864	-46.22	-25	Pass	9002
12000	27000	1	RMS	25827	-34.38	-25	Pass	15002



1.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40140|40257, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.39	-25	Pass	401
0.15	30	0.01	RMS	0.43	-64.91	-25	Pass	2986
30	1000	0.1	RMS	891.028	-55.76	-25	Pass	9701
1000	2475	1	RMS	2458	-43.39	-25	Pass	1476
2475	2735	1	RMS	2555.6	12.71	60	Pass	401
2735	3000	1	RMS	2954.95	-41.92	-25	Pass	401
3000	12000	1	RMS	11853	-46.18	-25	Pass	9002
12000	27000	1	RMS	25796	-34.38	-25	Pass	15002



1.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40619|40736, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.34	-25	Pass	401
0.15	30	0.01	RMS	28.26	-64.97	-25	Pass	2986
30	1000	0.1	RMS	895.03	-55.45	-25	Pass	9701
1000	2475	1	RMS	2473	-43.47	-25	Pass	1476
2475	2735	1	RMS	2583.55	12.79	60	Pass	401
2735	3000	1	RMS	2966.213	-41.81	-25	Pass	401
3000	12000	1	RMS	11856	-46.16	-25	Pass	9002
12000	27000	1	RMS	25098	-34.33	-25	Pass	15002



1.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40619|40736, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-68.39	-25	Pass	401
0.15	30	0.01	RMS	7.5	-65.15	-25	Pass	2986
30	1000	0.1	RMS	911.842	-55.68	-25	Pass	9701
1000	2475	1	RMS	2474	-43.31	-25	Pass	1476
2475	2735	1	RMS	2604.35	13.21	60	Pass	401
2735	3000	1	RMS	2957.6	-41.86	-25	Pass	401
3000	12000	1	RMS	11870	-46.2	-25	Pass	9002
12000	27000	1	RMS	25788	-34.37	-25	Pass	15002



1.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40619|40736, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-25	Pass	401
0.15	30	0.01	RMS	0.88	-64.86	-25	Pass	2986
30	1000	0.1	RMS	873.316	-55.58	-25	Pass	9701
1000	2475	1	RMS	2473	-43.54	-25	Pass	1476
2475	2735	1	RMS	2583.55	12.64	60	Pass	401
2735	3000	1	RMS	2963.563	-41.89	-25	Pass	401
3000	12000	1	RMS	11862	-46.22	-25	Pass	9002
12000	27000	1	RMS	25097	-34.35	-25	Pass	15002



1.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40619|40736, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.28	-25	Pass	401
0.15	30	0.01	RMS	22.16	-65.14	-25	Pass	2986
30	1000	0.1	RMS	903.936	-55.6	-25	Pass	9701
1000	2475	1	RMS	2475	-43.23	-25	Pass	1476
2475	2735	1	RMS	2604.35	12.26	60	Pass	401
2735	3000	1	RMS	2944.35	-41.8	-25	Pass	401
3000	12000	1	RMS	11854	-46.02	-25	Pass	9002
12000	27000	1	RMS	25931	-34.44	-25	Pass	15002



1.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41098|41215, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.25	-25	Pass	401
0.15	30	0.01	RMS	1.17	-64.74	-25	Pass	2986
30	1000	0.1	RMS	887.325	-55.55	-25	Pass	9701
1000	2475	1	RMS	2474	-43.39	-25	Pass	1476
2475	2735	1	RMS	2654.4	12.51	60	Pass	401
2735	3000	1	RMS	2962.9	-41.79	-25	Pass	401
3000	12000	1	RMS	11859	-45.99	-25	Pass	9002
12000	27000	1	RMS	25925	-34.27	-25	Pass	15002



1.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41098|41215, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.26	-25	Pass	401
0.15	30	0.01	RMS	23.58	-64.95	-25	Pass	2986
30	1000	0.1	RMS	888.526	-55.72	-25	Pass	9701
1000	2475	1	RMS	2457	-43.5	-25	Pass	1476
2475	2735	1	RMS	2651.8	13.16	60	Pass	401
2735	3000	1	RMS	2960.913	-41.89	-25	Pass	401
3000	12000	1	RMS	11838	-46.17	-25	Pass	9002
12000	27000	1	RMS	25112	-34.23	-25	Pass	15002



1.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41098|41215, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.46	-25	Pass	2986
30	1000	0.1	RMS	893.93	-55.57	-25	Pass	9701
1000	2475	1	RMS	2462	-43.14	-25	Pass	1476
2475	2735	1	RMS	2654.4	12.6	60	Pass	401
2735	3000	1	RMS	2975.488	-41.81	-25	Pass	401
3000	12000	1	RMS	11481	-46.24	-25	Pass	9002
12000	27000	1	RMS	25077	-34.36	-25	Pass	15002



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41098|41215, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.89	-25	Pass	401
0.15	30	0.01	RMS	21.41	-65.55	-25	Pass	2986
30	1000	0.1	RMS	890.427	-55.64	-25	Pass	9701
1000	2475	1	RMS	2465	-43.38	-25	Pass	1476
2475	2735	1	RMS	2651.15	12.57	60	Pass	401
2735	3000	1	RMS	2963.563	-41.89	-25	Pass	401
3000	12000	1	RMS	11847	-46.21	-25	Pass	9002
12000	27000	1	RMS	25109	-34.21	-25	Pass	15002



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40140|40338, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-67.22	-25	42.22	Pass	401
0.15	30	0.01	RMS	17.75	-64.43	-25	39.43	Pass	2986
30	1000	0.1	RMS	888.626	-55.27	-25	30.27	Pass	9701
1000	2475	1	RMS	2461	-43.26	-25	18.26	Pass	1476
2475	2735	1	RMS	2536.1	11.38	60	48.62	Pass	401
2735	3000	1	RMS	2974.825	-41.84	-25	16.84	Pass	401
3000	12000	1	RMS	11471	-46.22	-25	21.22	Pass	9002
12000	27000	1	RMS	26004	-34.58	-25	9.58	Pass	15002



1.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40140|40338, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.68	-25	40.68	Pass	401
0.15	30	0.01	RMS	0.18	-64.33	-25	39.33	Pass	2986
30	1000	0.1	RMS	719.1	-55.4	-25	30.4	Pass	9701
1000	2475	1	RMS	2475	-43.35	-25	18.35	Pass	1476
2475	2735	1	RMS	2558.2	7.92	60	52.08	Pass	401
2735	3000	1	RMS	2978.138	-41.86	-25	16.86	Pass	401
3000	12000	1	RMS	11853	-46.18	-25	21.18	Pass	9002
12000	27000	1	RMS	25094	-34.26	-25	9.26	Pass	15002



1.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40140|40338, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.85	-25	40.85	Pass	401
0.15	30	0.01	RMS	25.94	-64.59	-25	39.59	Pass	2986
30	1000	0.1	RMS	655.2	-55.25	-25	30.25	Pass	9701
1000	2475	1	RMS	2474	-43.4	-25	18.4	Pass	1476
2475	2735	1	RMS	2536.1	11.35	60	48.65	Pass	401
2735	3000	1	RMS	2957.6	-41.88	-25	16.88	Pass	401
3000	12000	1	RMS	10541	-46.19	-25	21.19	Pass	9002
12000	27000	1	RMS	25093	-34.43	-25	9.43	Pass	15002



1.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40140|40338, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.64	-25	40.64	Pass	401
0.15	30	0.01	RMS	26.16	-64.51	-25	39.51	Pass	2986
30	1000	0.1	RMS	903.536	-55.07	-25	30.07	Pass	9701
1000	2475	1	RMS	2475	-43.19	-25	18.19	Pass	1476
2475	2735	1	RMS	2557.55	6.99	60	53.01	Pass	401
2735	3000	1	RMS	2962.238	-41.78	-25	16.78	Pass	401
3000	12000	1	RMS	11911	-46.2	-25	21.2	Pass	9002
12000	27000	1	RMS	26175	-34.4	-25	9.4	Pass	15002



1.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40541|40739, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.84	-25	41.84	Pass	401
0.15	30	0.01	RMS	1	-63.84	-25	38.84	Pass	2986
30	1000	0.1	RMS	976.084	-55.4	-25	30.4	Pass	9701
1000	2475	1	RMS	2467	-43.52	-25	18.52	Pass	1476
2475	2735	1	RMS	2613.45	12.5	60	47.5	Pass	401
2735	3000	1	RMS	2962.9	-41.87	-25	16.87	Pass	401
3000	12000	1	RMS	11464	-46.28	-25	21.28	Pass	9002
12000	27000	1	RMS	25834	-34.37	-25	9.37	Pass	15002



1.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40541|40739, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.29	-25	41.29	Pass	401
0.15	30	0.01	RMS	20.81	-64.33	-25	39.33	Pass	2986
30	1000	0.1	RMS	848.5	-55.11	-25	30.11	Pass	9701
1000	2475	1	RMS	2475	-43.16	-25	18.16	Pass	1476
2475	2735	1	RMS	2598.5	7.26	60	52.74	Pass	401
2735	3000	1	RMS	2966.213	-41.82	-25	16.82	Pass	401
3000	12000	1	RMS	11849	-46	-25	21	Pass	9002
12000	27000	1	RMS	25130	-34.52	-25	9.52	Pass	15002



1.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40541|40739, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.32	-25	41.32	Pass	401
0.15	30	0.01	RMS	0.56	-63.82	-25	38.82	Pass	2986
30	1000	0.1	RMS	902.535	-55.27	-25	30.27	Pass	9701
1000	2475	1	RMS	2474	-43.51	-25	18.51	Pass	1476
2475	2735	1	RMS	2613.45	11.29	60	48.71	Pass	401
2735	3000	1	RMS	2962.9	-41.91	-25	16.91	Pass	401
3000	12000	1	RMS	11857	-46.07	-25	21.07	Pass	9002
12000	27000	1	RMS	25101	-34.32	-25	9.32	Pass	15002



1.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40541|40739, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-67.73	-25	42.73	Pass	401
0.15	30	0.01	RMS	0.47	-64.01	-25	39.01	Pass	2986
30	1000	0.1	RMS	911.641	-55.38	-25	30.38	Pass	9701
1000	2475	1	RMS	2464	-43.1	-25	18.1	Pass	1476
2475	2735	1	RMS	2591.35	6.14	60	53.86	Pass	401
2735	3000	1	RMS	2937.725	-41.8	-25	16.8	Pass	401
3000	12000	1	RMS	11845	-46.06	-25	21.06	Pass	9002
12000	27000	1	RMS	25102	-34.47	-25	9.47	Pass	15002



1.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40942|41140, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.89	-25	40.89	Pass	401
0.15	30	0.01	RMS	28.83	-64.62	-25	39.62	Pass	2986
30	1000	0.1	RMS	990.994	-55.2	-25	30.2	Pass	9701
1000	2475	1	RMS	2469	-43.02	-25	18.02	Pass	1476
2475	2735	1	RMS	2653.75	12.39	60	47.61	Pass	401
2735	3000	1	RMS	2981.45	-41.86	-25	16.86	Pass	401
3000	12000	1	RMS	11842	-46.36	-25	21.36	Pass	9002
12000	27000	1	RMS	25099	-34.21	-25	9.21	Pass	15002



1.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40942|41140, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.17	-63.72	-25	38.72	Pass	2986
30	1000	0.1	RMS	893.73	-55.49	-25	30.49	Pass	9701
1000	2475	1	RMS	2468	-43.38	-25	18.38	Pass	1476
2475	2735	1	RMS	2637.5	7.63	60	52.37	Pass	401
2735	3000	1	RMS	2958.263	-41.91	-25	16.91	Pass	401
3000	12000	1	RMS	11857	-46.19	-25	21.19	Pass	9002
12000	27000	1	RMS	25105	-34.41	-25	9.41	Pass	15002



1.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:40942|41140, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.71	-25	42.71	Pass	401
0.15	30	0.01	RMS	11.67	-64.07	-25	39.07	Pass	2986
30	1000	0.1	RMS	988.893	-55.29	-25	30.29	Pass	9701
1000	2475	1	RMS	2467	-43.38	-25	18.38	Pass	1476
2475	2735	1	RMS	2653.75	11.81	60	48.19	Pass	401
2735	3000	1	RMS	2931.763	-41.93	-25	16.93	Pass	401
3000	12000	1	RMS	11474	-46.28	-25	21.28	Pass	9002
12000	27000	1	RMS	25902	-34.63	-25	9.63	Pass	15002



1.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:40942|41140, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	28.59	-64.09	-25	39.09	Pass	2986
30	1000	0.1	RMS	875.117	-55.35	-25	30.35	Pass	9701
1000	2475	1	RMS	2462	-43.34	-25	18.34	Pass	1476
2475	2735	1	RMS	2638.8	7.3	60	52.7	Pass	401
2735	3000	1	RMS	2955.613	-41.93	-25	16.93	Pass	401
3000	12000	1	RMS	11846	-46.34	-25	21.34	Pass	9002
12000	27000	1	RMS	25744	-34.56	-25	9.56	Pass	15002



--BLANK BELOW--