


16.3 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-25	47.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-25	47.3	Pass	2986
30	1000	0.1	RMS	978.085	-65.38	-25	40.38	Pass	9701
1000	2475	1	RMS	2473	-52.62	-25	27.62	Pass	1476
2475	2735	1	RMS	2528.3	10.49	60	49.51	Pass	401
2735	3000	1	RMS	2984.763	-51.58	-25	26.58	Pass	401
3000	12000	1	RMS	11979	-52.01	-25	27.01	Pass	9002
12000	26000	1	RMS	25499	-41.16	-25	16.16	Pass	14002



16.4 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-25	46.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	47.02	Pass	2986
30	1000	0.1	RMS	973.382	-65.52	-25	40.52	Pass	9701
1000	2475	1	RMS	2475	-52.71	-25	27.71	Pass	1476
2475	2735	1	RMS	2521.15	7.63	60	52.37	Pass	401
2735	3000	1	RMS	2998.013	-51.58	-25	26.58	Pass	401
3000	12000	1	RMS	11981	-52.08	-25	27.08	Pass	9002
12000	26000	1	RMS	25501	-41.06	-25	16.06	Pass	14002



16.5 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-25	48.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-25	47.8	Pass	2986
30	1000	0.1	RMS	850.301	-65.49	-25	40.49	Pass	9701
1000	2475	1	RMS	2475	-52.92	-25	27.92	Pass	1476
2475	2735	1	RMS	2521.15	9.87	60	50.13	Pass	401
2735	3000	1	RMS	2986.75	-51.59	-25	26.59	Pass	401
3000	12000	1	RMS	11980	-52.09	-25	27.09	Pass	9002
12000	26000	1	RMS	25513	-41.14	-25	16.14	Pass	14002



16.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-25	47.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	841.1	-65.47	-25	40.47	Pass	9701
1000	2475	1	RMS	2475	-52.84	-25	27.84	Pass	1476
2475	2735	1	RMS	2541.3	7.86	60	52.14	Pass	401
2735	3000	1	RMS	2988.738	-51.55	-25	26.55	Pass	401
3000	12000	1	RMS	11979	-52.12	-25	27.12	Pass	9002
12000	26000	1	RMS	25503	-41.13	-25	16.13	Pass	14002



16.7 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.46	-25	47.46	Pass	401
0.15	30	0.01	RMS	0.19	-72.87	-25	47.87	Pass	2986
30	1000	0.1	RMS	995.297	-65.44	-25	40.44	Pass	9701
1000	2475	1	RMS	2474	-52.94	-25	27.94	Pass	1476
2475	2735	1	RMS	2521.15	9.81	60	50.19	Pass	401
2735	3000	1	RMS	2997.35	-51.59	-25	26.59	Pass	401
3000	12000	1	RMS	11981	-52.11	-25	27.11	Pass	9002
12000	26000	1	RMS	25498	-41.05	-25	16.05	Pass	14002



16.8 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-25	47.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-25	47.56	Pass	2986
30	1000	0.1	RMS	843.5	-65.44	-25	40.44	Pass	9701
1000	2475	1	RMS	2473	-52.88	-25	27.88	Pass	1476
2475	2735	1	RMS	2541.3	6.85	60	53.15	Pass	401
2735	3000	1	RMS	2987.413	-51.59	-25	26.59	Pass	401
3000	12000	1	RMS	11979	-52.09	-25	27.09	Pass	9002
12000	26000	1	RMS	25492	-41.14	-25	16.14	Pass	14002



16.9 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	984.69	-65.59	-25	40.59	Pass	9701
1000	2475	1	RMS	2473	-52.83	-25	27.83	Pass	1476
2475	2735	1	RMS	2568.6	10.64	60	49.36	Pass	401
2735	3000	1	RMS	2984.1	-51.6	-25	26.6	Pass	401
3000	12000	1	RMS	11983	-52.07	-25	27.07	Pass	9002
12000	26000	1	RMS	25505	-41.16	-25	16.16	Pass	14002



16.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-25	48.53	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	957.872	-65.4	-25	40.4	Pass	9701
1000	2475	1	RMS	2475	-52.72	-25	27.72	Pass	1476
2475	2735	1	RMS	2566	8.46	60	51.54	Pass	401
2735	3000	1	RMS	2992.713	-51.48	-25	26.48	Pass	401
3000	12000	1	RMS	11981	-51.92	-25	26.92	Pass	9002
12000	26000	1	RMS	25510	-41.02	-25	16.02	Pass	14002



16.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.21	-73.13	-25	48.13	Pass	2986
30	1000	0.1	RMS	968.579	-65.31	-25	40.31	Pass	9701
1000	2475	1	RMS	2474	-52.81	-25	27.81	Pass	1476
2475	2735	1	RMS	2568.6	10.67	60	49.33	Pass	401
2735	3000	1	RMS	2990.063	-51.49	-25	26.49	Pass	401
3000	12000	1	RMS	11978	-52	-25	27	Pass	9002
12000	26000	1	RMS	25500	-41.04	-25	16.04	Pass	14002



16.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-25	46.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	932.655	-65.38	-25	40.38	Pass	9701
1000	2475	1	RMS	2475	-52.69	-25	27.69	Pass	1476
2475	2735	1	RMS	2567.3	7.44	60	52.56	Pass	401
2735	3000	1	RMS	2985.425	-51.49	-25	26.49	Pass	401
3000	12000	1	RMS	11981	-51.99	-25	26.99	Pass	9002
12000	26000	1	RMS	25510	-41	-25	16	Pass	14002



16.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-25	47.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	977.585	-65.21	-25	40.21	Pass	9701
1000	2475	1	RMS	2473	-52.81	-25	27.81	Pass	1476
2475	2735	1	RMS	2538.7	9.55	60	50.45	Pass	401
2735	3000	1	RMS	2976.813	-51.51	-25	26.51	Pass	401
3000	12000	1	RMS	11981	-51.98	-25	26.98	Pass	9002
12000	26000	1	RMS	25499	-41.15	-25	16.15	Pass	14002



16.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-25	46.79	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	845.8	-65.37	-25	40.37	Pass	9701
1000	2475	1	RMS	2475	-52.57	-25	27.57	Pass	1476
2475	2735	1	RMS	2523.75	5.7	60	54.3	Pass	401
2735	3000	1	RMS	2997.35	-51.5	-25	26.5	Pass	401
3000	12000	1	RMS	11981	-51.97	-25	26.97	Pass	9002
12000	26000	1	RMS	25506	-41.01	-25	16.01	Pass	14002



16.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.98	-25	47.98	Pass	401
0.15	30	0.01	RMS	0.21	-73.01	-25	48.01	Pass	2986
30	1000	0.1	RMS	832.1	-65.36	-25	40.36	Pass	9701
1000	2475	1	RMS	2475	-52.76	-25	27.76	Pass	1476
2475	2735	1	RMS	2538.7	9.4	60	50.6	Pass	401
2735	3000	1	RMS	2991.388	-51.49	-25	26.49	Pass	401
3000	12000	1	RMS	11982	-51.97	-25	26.97	Pass	9002
12000	26000	1	RMS	25500	-41.09	-25	16.09	Pass	14002



16.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.57	-25	46.57	Pass	401
0.15	30	0.01	RMS	0.23	-72.93	-25	47.93	Pass	2986
30	1000	0.1	RMS	836.8	-65.29	-25	40.29	Pass	9701
1000	2475	1	RMS	2475	-52.57	-25	27.57	Pass	1476
2475	2735	1	RMS	2523.75	4.74	60	55.26	Pass	401
2735	3000	1	RMS	2994.038	-51.49	-25	26.49	Pass	401
3000	12000	1	RMS	11980	-51.99	-25	26.99	Pass	9002
12000	26000	1	RMS	25505	-41.02	-25	16.02	Pass	14002



16.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.18	-72.15	-25	47.15	Pass	2986
30	1000	0.1	RMS	835.6	-65.37	-25	40.37	Pass	9701
1000	2475	1	RMS	2472	-52.77	-25	27.77	Pass	1476
2475	2735	1	RMS	2515.95	10.04	60	49.96	Pass	401
2735	3000	1	RMS	2987.413	-51.51	-25	26.51	Pass	401
3000	12000	1	RMS	11977	-51.88	-25	26.88	Pass	9002
12000	26000	1	RMS	25501	-40.99	-25	15.99	Pass	14002



16.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-25	47.47	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-25	47.51	Pass	2986
30	1000	0.1	RMS	945.564	-65.35	-25	40.35	Pass	9701
1000	2475	1	RMS	2475	-52.6	-25	27.6	Pass	1476
2475	2735	1	RMS	2530.25	5.51	60	54.49	Pass	401
2735	3000	1	RMS	2990.063	-51.48	-25	26.48	Pass	401
3000	12000	1	RMS	11981	-51.93	-25	26.93	Pass	9002
12000	26000	1	RMS	25495	-41	-25	16	Pass	14002



16.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-25	47.8	Pass	401
0.15	30	0.01	RMS	0.3	-73.18	-25	48.18	Pass	2986
30	1000	0.1	RMS	940.16	-65.41	-25	40.41	Pass	9701
1000	2475	1	RMS	2475	-52.73	-25	27.73	Pass	1476
2475	2735	1	RMS	2515.95	9.93	60	50.07	Pass	401
2735	3000	1	RMS	2986.088	-51.49	-25	26.49	Pass	401
3000	12000	1	RMS	11979	-52	-25	27	Pass	9002
12000	26000	1	RMS	25505	-41.11	-25	16.11	Pass	14002



16.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	868.813	-65.28	-25	40.28	Pass	9701
1000	2475	1	RMS	2475	-52.7	-25	27.7	Pass	1476
2475	2735	1	RMS	2527	4.49	60	55.51	Pass	401
2735	3000	1	RMS	2990.725	-51.51	-25	26.51	Pass	401
3000	12000	1	RMS	11976	-51.99	-25	26.99	Pass	9002
12000	26000	1	RMS	25508	-41.07	-25	16.07	Pass	14002



16.21 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-25	47.86	Pass	401
0.15	30	0.01	RMS	0.19	-72.61	-25	47.61	Pass	2986
30	1000	0.1	RMS	845.2	-65.45	-25	40.45	Pass	9701
1000	2475	1	RMS	2473	-52.66	-25	27.66	Pass	1476
2475	2735	1	RMS	2568.6	10.32	60	49.68	Pass	401
2735	3000	1	RMS	2986.088	-51.46	-25	26.46	Pass	401
3000	12000	1	RMS	11980	-51.92	-25	26.92	Pass	9002
12000	26000	1	RMS	25511	-41.11	-25	16.11	Pass	14002



16.22 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-25	47.74	Pass	401
0.15	30	0.01	RMS	0.19	-72.9	-25	47.9	Pass	2986
30	1000	0.1	RMS	968.779	-65.37	-25	40.37	Pass	9701
1000	2475	1	RMS	2473	-52.74	-25	27.74	Pass	1476
2475	2735	1	RMS	2567.3	5.5	60	54.5	Pass	401
2735	3000	1	RMS	2984.1	-51.47	-25	26.47	Pass	401
3000	12000	1	RMS	11986	-51.88	-25	26.88	Pass	9002
12000	26000	1	RMS	25493	-41.11	-25	16.11	Pass	14002



16.23 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.22	-72.81	-25	47.81	Pass	2986
30	1000	0.1	RMS	956.471	-65.29	-25	40.29	Pass	9701
1000	2475	1	RMS	2471	-52.81	-25	27.81	Pass	1476
2475	2735	1	RMS	2568.6	10.27	60	49.73	Pass	401
2735	3000	1	RMS	2986.088	-51.5	-25	26.5	Pass	401
3000	12000	1	RMS	11981	-51.92	-25	26.92	Pass	9002
12000	26000	1	RMS	25504	-41.14	-25	16.14	Pass	14002



16.24 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	47.71	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	838.4	-65.34	-25	40.34	Pass	9701
1000	2475	1	RMS	2475	-52.71	-25	27.71	Pass	1476
2475	2735	1	RMS	2567.3	4.49	60	55.51	Pass	401
2735	3000	1	RMS	2992.05	-51.51	-25	26.51	Pass	401
3000	12000	1	RMS	11980	-51.9	-25	26.9	Pass	9002
12000	26000	1	RMS	25500	-41.12	-25	16.12	Pass	14002




17. CA_38C

17.1 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	984.19	-61.02	-25	36.02	Pass	9701
1000	2525	1	RMS	2514	-45.57	-25	20.57	Pass	1526
2525	2665	1	RMS	2598.85	11.68	60	48.32	Pass	401
2665	3000	1	RMS	2997.488	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11991	-51.93	-25	26.93	Pass	9002
12000	26500	1	RMS	25481	-42.04	-25	17.04	Pass	14502



17.2 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	952.469	-61.13	-25	36.13	Pass	9701
1000	2525	1	RMS	2524	-45.45	-25	20.45	Pass	1526
2525	2665	1	RMS	2589.05	7.86	60	52.14	Pass	401
2665	3000	1	RMS	2999.163	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11993	-51.93	-25	26.93	Pass	9002
12000	26500	1	RMS	25501	-41.89	-25	16.89	Pass	14502



17.3 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	937.158	-61.01	-25	36.01	Pass	9701
1000	2525	1	RMS	2514	-45.76	-25	20.76	Pass	1526
2525	2665	1	RMS	2599.2	12.02	60	47.98	Pass	401
2665	3000	1	RMS	3000	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11993	-51.91	-25	26.91	Pass	9002
12000	26500	1	RMS	25511	-42.01	-25	17.01	Pass	14502



17.4 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.67	-25	43.67	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	980.787	-61.07	-25	36.07	Pass	9701
1000	2525	1	RMS	2524	-46.1	-25	21.1	Pass	1526
2525	2665	1	RMS	2586.6	7.16	60	52.84	Pass	401
2665	3000	1	RMS	2999.163	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11983	-51.91	-25	26.91	Pass	9002
12000	26500	1	RMS	25499	-42.01	-25	17.01	Pass	14502



17.5 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.19	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	904.337	-60.97	-25	35.97	Pass	9701
1000	2525	1	RMS	2524	-40.31	-25	15.31	Pass	1526
2525	2665	1	RMS	2609	11.69	60	48.31	Pass	401
2665	3000	1	RMS	2665	-40.24	-25	15.24	Pass	401
3000	12000	1	RMS	11995	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25512	-42	-25	17	Pass	14502



17.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	911.341	-61.04	-25	36.04	Pass	9701
1000	2525	1	RMS	2525	-43.26	-25	18.26	Pass	1526
2525	2665	1	RMS	2609	12.27	60	47.73	Pass	401
2665	3000	1	RMS	2665	-40.63	-25	15.63	Pass	401
3000	12000	1	RMS	11994	-51.86	-25	26.86	Pass	9002
12000	26500	1	RMS	25501	-41.94	-25	16.94	Pass	14502



17.7 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.23	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	858.206	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2523	-47.23	-25	22.23	Pass	1526
2525	2665	1	RMS	2602.7	7.22	60	52.78	Pass	401
2665	3000	1	RMS	2998.325	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11999	-51.92	-25	26.92	Pass	9002
12000	26500	1	RMS	25495	-42.02	-25	17.02	Pass	14502



17.8 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	856.405	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2494	-47.65	-25	22.65	Pass	1526
2525	2665	1	RMS	2618.8	12.15	60	47.85	Pass	401
2665	3000	1	RMS	2675.05	-40.88	-25	15.88	Pass	401
3000	12000	1	RMS	11999	-51.85	-25	26.85	Pass	9002
12000	26500	1	RMS	25501	-42.01	-25	17.01	Pass	14502



17.9 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	995.897	-61	-25	36	Pass	9701
1000	2525	1	RMS	2524	-47.36	-25	22.36	Pass	1526
2525	2665	1	RMS	2608.65	8.27	60	51.73	Pass	401
2665	3000	1	RMS	2665	-42.66	-25	17.66	Pass	401
3000	12000	1	RMS	11991	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25498	-41.98	-25	16.98	Pass	14502



17.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	0.21	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	930.654	-61.05	-25	36.05	Pass	9701
1000	2525	1	RMS	2512	-47.66	-25	22.66	Pass	1526
2525	2665	1	RMS	2618.8	11.89	60	48.11	Pass	401
2665	3000	1	RMS	2675.05	-40.7	-25	15.7	Pass	401
3000	12000	1	RMS	11999	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25506	-41.95	-25	16.95	Pass	14502



17.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.17	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	967.078	-61.11	-25	36.11	Pass	9701
1000	2525	1	RMS	2499	-47.65	-25	22.65	Pass	1526
2525	2665	1	RMS	2608.65	12.68	60	47.32	Pass	401
2665	3000	1	RMS	2683.425	-43.92	-25	18.92	Pass	401
3000	12000	1	RMS	11998	-51.87	-25	26.87	Pass	9002
12000	26500	1	RMS	25500	-42.04	-25	17.04	Pass	14502



17.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.16	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	866.411	-61.07	-25	36.07	Pass	9701
1000	2525	1	RMS	2525	-44.22	-25	19.22	Pass	1526
2525	2665	1	RMS	2607.6	7.34	60	52.66	Pass	401
2665	3000	1	RMS	2665	-41.62	-25	16.62	Pass	401
3000	12000	1	RMS	11999	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25494	-42	-25	17	Pass	14502



17.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.25	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	850.101	-61.02	-25	36.02	Pass	9701
1000	2525	1	RMS	2492	-47.68	-25	22.68	Pass	1526
2525	2665	1	RMS	2608.65	11.71	60	48.29	Pass	401
2665	3000	1	RMS	2683.425	-43.46	-25	18.46	Pass	401
3000	12000	1	RMS	11990	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25500	-41.96	-25	16.96	Pass	14502



17.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.16	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	973.783	-60.86	-25	35.86	Pass	9701
1000	2525	1	RMS	2524	-45.48	-25	20.48	Pass	1526
2525	2665	1	RMS	2606.9	6.34	60	53.66	Pass	401
2665	3000	1	RMS	2665	-42.86	-25	17.86	Pass	401
3000	12000	1	RMS	11996	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25500	-42	-25	17	Pass	14502



17.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.56	-25	42.56	Pass	401
0.15	30	0.01	RMS	0.46	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	966.078	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2525	-45.18	-25	20.18	Pass	1526
2525	2665	1	RMS	2601.65	6.68	60	53.32	Pass	401
2665	3000	1	RMS	2665.838	-39.66	-25	14.66	Pass	401
3000	12000	1	RMS	11989	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25488	-42.08	-25	17.08	Pass	14502



17.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.17	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	850.601	-61.07	-25	36.07	Pass	9701
1000	2525	1	RMS	2514	-47.67	-25	22.67	Pass	1526
2525	2665	1	RMS	2613.9	12.09	60	47.91	Pass	401
2665	3000	1	RMS	2688.45	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11991	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25497	-42	-25	17	Pass	14502



17.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.22	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	962.975	-61.12	-25	36.12	Pass	9701
1000	2525	1	RMS	2524	-46.15	-25	21.15	Pass	1526
2525	2665	1	RMS	2607.25	6.06	60	53.94	Pass	401
2665	3000	1	RMS	2665	-41.19	-25	16.19	Pass	401
3000	12000	1	RMS	11987	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25504	-41.99	-25	16.99	Pass	14502



17.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.33	-25	42.33	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	964.476	-61.02	-25	36.02	Pass	9701
1000	2525	1	RMS	2500	-47.72	-25	22.72	Pass	1526
2525	2665	1	RMS	2618.8	11.68	60	48.32	Pass	401
2665	3000	1	RMS	2999.163	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11995	-51.98	-25	26.98	Pass	9002
12000	26500	1	RMS	25513	-42.08	-25	17.08	Pass	14502



17.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.17	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	964.476	-61.07	-25	36.07	Pass	9701
1000	2525	1	RMS	2513	-47.73	-25	22.73	Pass	1526
2525	2665	1	RMS	2618.8	11.93	60	48.07	Pass	401
2665	3000	1	RMS	2999.163	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11995	-51.91	-25	26.91	Pass	9002
12000	26500	1	RMS	25493	-42.06	-25	17.06	Pass	14502



17.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.22	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	844	-60.87	-25	35.87	Pass	9701
1000	2525	1	RMS	2523	-46.79	-25	21.79	Pass	1526
2525	2665	1	RMS	2602.7	5.64	60	54.36	Pass	401
2665	3000	1	RMS	2665.838	-40.28	-25	15.28	Pass	401
3000	12000	1	RMS	11992	-51.99	-25	26.99	Pass	9002
12000	26500	1	RMS	25500	-41.99	-25	16.99	Pass	14502




18. CA_41C_2535-2655

18.1 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40140|40257, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.72	-25	43.72	Pass	401
0.15	30	0.01	RMS	0.17	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	858.606	-60.97	-25	35.97	Pass	9701
1000	2475	1	RMS	2473	-47.94	-25	22.94	Pass	1476
2475	2735	1	RMS	2558.85	12.32	60	47.68	Pass	401
2735	3000	1	RMS	2999.338	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11998	-51.92	-25	26.92	Pass	9002
12000	26500	1	RMS	25500	-41.98	-25	16.98	Pass	14502



18.2 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40140|40257, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.7	-25	42.7	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	957.272	-60.93	-25	35.93	Pass	9701
1000	2475	1	RMS	2475	-47.86	-25	22.86	Pass	1476
2475	2735	1	RMS	2556.25	12.97	60	47.03	Pass	401
2735	3000	1	RMS	2999.338	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11998	-51.93	-25	26.93	Pass	9002
12000	26500	1	RMS	25505	-42	-25	17	Pass	14502



18.3 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40140|40257, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.7	-25	43.7	Pass	401
0.15	30	0.01	RMS	0.2	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	983.389	-61.06	-25	36.06	Pass	9701
1000	2475	1	RMS	2471	-47.91	-25	22.91	Pass	1476
2475	2735	1	RMS	2558.85	11.97	60	48.03	Pass	401
2735	3000	1	RMS	3000	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	12000	-51.84	-25	26.84	Pass	9002
12000	26500	1	RMS	25502	-41.97	-25	16.97	Pass	14502



18.4 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40140|40257, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.59	-25	43.59	Pass	401
0.15	30	0.01	RMS	0.2	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	941.361	-61.04	-25	36.04	Pass	9701
1000	2475	1	RMS	2473	-47.82	-25	22.82	Pass	1476
2475	2735	1	RMS	2555.6	12.13	60	47.87	Pass	401
2735	3000	1	RMS	3000	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	11995	-51.87	-25	26.87	Pass	9002
12000	26500	1	RMS	25501	-41.89	-25	16.89	Pass	14502



18.5 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40615|40732, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	896.732	-61.14	-25	36.14	Pass	9701
1000	2475	1	RMS	2473	-47.84	-25	22.84	Pass	1476
2475	2735	1	RMS	2606.3	11.84	60	48.16	Pass	401
2735	3000	1	RMS	2999.338	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	11987	-51.85	-25	26.85	Pass	9002
12000	26500	1	RMS	25504	-41.97	-25	16.97	Pass	14502



18.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40615|40732, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.72	-25	43.72	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	943.062	-61.05	-25	36.05	Pass	9701
1000	2475	1	RMS	2471	-47.84	-25	22.84	Pass	1476
2475	2735	1	RMS	2603.7	12.45	60	47.55	Pass	401
2735	3000	1	RMS	2970.85	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	11978	-51.84	-25	26.84	Pass	9002
12000	26500	1	RMS	25492	-41.95	-25	16.95	Pass	14502



18.7 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40615|40732, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.85	-25	41.85	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	980.787	-61.07	-25	36.07	Pass	9701
1000	2475	1	RMS	2466	-47.9	-25	22.9	Pass	1476
2475	2735	1	RMS	2606.3	11.28	60	48.72	Pass	401
2735	3000	1	RMS	2999.338	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	11988	-51.88	-25	26.88	Pass	9002
12000	26500	1	RMS	25497	-41.95	-25	16.95	Pass	14502



18.8 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40615|40732, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	989.393	-60.98	-25	35.98	Pass	9701
1000	2475	1	RMS	2475	-47.81	-25	22.81	Pass	1476
2475	2735	1	RMS	2603.7	11.94	60	48.06	Pass	401
2735	3000	1	RMS	2999.338	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	11994	-51.8	-25	26.8	Pass	9002
12000	26500	1	RMS	25509	-41.95	-25	16.95	Pass	14502



18.9 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41090|41207, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.22	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	980.287	-61.01	-25	36.01	Pass	9701
1000	2475	1	RMS	2473	-47.86	-25	22.86	Pass	1476
2475	2735	1	RMS	2653.75	11.29	60	48.71	Pass	401
2735	3000	1	RMS	3000	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11999	-51.87	-25	26.87	Pass	9002
12000	26500	1	RMS	25498	-42.01	-25	17.01	Pass	14502



18.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41090|41207, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.25	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	937.559	-60.94	-25	35.94	Pass	9701
1000	2475	1	RMS	2475	-47.85	-25	22.85	Pass	1476
2475	2735	1	RMS	2651.15	12.4	60	47.6	Pass	401
2735	3000	1	RMS	2998.675	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	11996	-51.84	-25	26.84	Pass	9002
12000	26500	1	RMS	25490	-41.95	-25	16.95	Pass	14502



18.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41090|41207, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.76	-25	43.76	Pass	401
0.15	30	0.01	RMS	0.23	-68.9	-25	43.9	Pass	2986
30	1000	0.1	RMS	980.887	-61.09	-25	36.09	Pass	9701
1000	2475	1	RMS	2475	-47.91	-25	22.91	Pass	1476
2475	2735	1	RMS	2653.75	11.39	60	48.61	Pass	401
2735	3000	1	RMS	3000	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	11997	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25499	-42	-25	17	Pass	14502



18.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41090|41207, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.29	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	978.085	-61.13	-25	36.13	Pass	9701
1000	2475	1	RMS	2475	-47.91	-25	22.91	Pass	1476
2475	2735	1	RMS	2650.5	11.67	60	48.33	Pass	401
2735	3000	1	RMS	2998.675	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11998	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25497	-42	-25	17	Pass	14502



18.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40140|40338, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.25	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	820.4	-61.06	-25	36.06	Pass	9701
1000	2475	1	RMS	2473	-47.95	-25	22.95	Pass	1476
2475	2735	1	RMS	2573.15	11.44	60	48.56	Pass	401
2735	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11989	-51.88	-25	26.88	Pass	9002
12000	26500	1	RMS	25478	-42.1	-25	17.1	Pass	14502



18.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40140|40338, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.17	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	851.001	-61.04	-25	36.04	Pass	9701
1000	2475	1	RMS	2473	-47.94	-25	22.94	Pass	1476
2475	2735	1	RMS	2559.5	6.96	60	53.04	Pass	401
2735	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11987	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25508	-41.93	-25	16.93	Pass	14502



18.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40140|40338, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.2	-69.09	-25	44.09	Pass	2986
30	1000	0.1	RMS	934.457	-61.15	-25	36.15	Pass	9701
1000	2475	1	RMS	2472	-47.91	-25	22.91	Pass	1476
2475	2735	1	RMS	2573.8	11.41	60	48.59	Pass	401
2735	3000	1	RMS	2998.675	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11998	-51.83	-25	26.83	Pass	9002
12000	26500	1	RMS	25509	-42	-25	17	Pass	14502



18.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40140|40338, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.05	-25	44.05	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	850.001	-61.02	-25	36.02	Pass	9701
1000	2475	1	RMS	2465	-47.98	-25	22.98	Pass	1476
2475	2735	1	RMS	2563.4	6.6	60	53.4	Pass	401
2735	3000	1	RMS	3000	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11979	-51.93	-25	26.93	Pass	9002
12000	26500	1	RMS	25501	-42.06	-25	17.06	Pass	14502



18.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40541|40739, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.93	-25	43.93	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	864.81	-61.19	-25	36.19	Pass	9701
1000	2475	1	RMS	2469	-47.9	-25	22.9	Pass	1476
2475	2735	1	RMS	2613.45	11.94	60	48.06	Pass	401
2735	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	12000	-51.88	-25	26.88	Pass	9002
12000	26500	1	RMS	25498	-41.97	-25	16.97	Pass	14502



18.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40541|40739, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.2	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	851.702	-61.14	-25	36.14	Pass	9701
1000	2475	1	RMS	2475	-47.86	-25	22.86	Pass	1476
2475	2735	1	RMS	2603.05	6.73	60	53.27	Pass	401
2735	3000	1	RMS	3000	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11983	-51.9	-25	26.9	Pass	9002
12000	26500	1	RMS	25513	-42	-25	17	Pass	14502



18.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40541|40739, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.76	-25	43.76	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	961.474	-60.95	-25	35.95	Pass	9701
1000	2475	1	RMS	2472	-47.88	-25	22.88	Pass	1476
2475	2735	1	RMS	2613.45	12.31	60	47.69	Pass	401
2735	3000	1	RMS	2997.35	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11993	-51.92	-25	26.92	Pass	9002
12000	26500	1	RMS	25499	-41.97	-25	16.97	Pass	14502



18.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40541|40739, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.18	-69	-25	44	Pass	2986
30	1000	0.1	RMS	995.497	-61.08	-25	36.08	Pass	9701
1000	2475	1	RMS	2472	-47.87	-25	22.87	Pass	1476
2475	2735	1	RMS	2611.5	6.31	60	53.69	Pass	401
2735	3000	1	RMS	2998.675	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	11999	-51.91	-25	26.91	Pass	9002
12000	26500	1	RMS	25506	-42.02	-25	17.02	Pass	14502



18.21 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40942|41140, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.15	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	953.269	-61.14	-25	36.14	Pass	9701
1000	2475	1	RMS	2474	-47.8	-25	22.8	Pass	1476
2475	2735	1	RMS	2616.05	11.23	60	48.77	Pass	401
2735	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11988	-51.91	-25	26.91	Pass	9002
12000	26500	1	RMS	25498	-42.03	-25	17.03	Pass	14502



18.22 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40942|41140, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.45	-25	43.45	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	929.353	-61.02	-25	36.02	Pass	9701
1000	2475	1	RMS	2475	-47.85	-25	22.85	Pass	1476
2475	2735	1	RMS	2630.35	7.17	60	52.83	Pass	401
2735	3000	1	RMS	2997.35	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11985	-51.84	-25	26.84	Pass	9002
12000	26500	1	RMS	25502	-41.87	-25	16.87	Pass	14502



18.23 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:40942|41140, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.89	-25	42.89	Pass	401
0.15	30	0.01	RMS	0.19	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	867.412	-61.05	-25	36.05	Pass	9701
1000	2475	1	RMS	2475	-47.83	-25	22.83	Pass	1476
2475	2735	1	RMS	2616.05	11.53	60	48.47	Pass	401
2735	3000	1	RMS	3000	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11989	-51.89	-25	26.89	Pass	9002
12000	26500	1	RMS	25509	-41.96	-25	16.96	Pass	14502



18.24 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:40942|41140, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.23	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	978.486	-61.06	-25	36.06	Pass	9701
1000	2475	1	RMS	2473	-47.84	-25	22.84	Pass	1476
2475	2735	1	RMS	2627.75	5.8	60	54.2	Pass	401
2735	3000	1	RMS	2997.35	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11998	-51.77	-25	26.77	Pass	9002
12000	26500	1	RMS	25499	-41.99	-25	16.99	Pass	14502

