



## Test Data

### Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant14	13.281	30	Pass
NVNT	BLE	2442	Ant14	10.88	30	Pass
NVNT	BLE	2478	Ant14	14.223	30	Pass






## -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant14	1.127	0.5	Pass
NVNT	BLE	2442	Ant14	1.154	0.5	Pass
NVNT	BLE	2478	Ant14	1.164	0.5	Pass





## Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2404	Ant14	2.061
NVNT	BLE	2442	Ant14	2.071
NVNT	BLE	2478	Ant14	2.065






## Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant14	-3.977	8	Pass
NVNT	BLE	2442	Ant14	-6.431	8	Pass
NVNT	BLE	2478	Ant14	-3.062	8	Pass






## Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant14	-71.73	-20	Pass
NVNT	BLE	2478	Ant14	-69.02	-20	Pass






## Band Edge NVNT BLE 2478MHz Ant14 Emission




## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant14	-71.25	-20	Pass
NVNT	BLE	2442	Ant14	-68.94	-20	Pass
NVNT	BLE	2478	Ant14	-72.34	-20	Pass






Tx. Spurious NVNT BLE 2442MHz Ant14 Emission



Tx. Spurious NVNT BLE 2478MHz Ant14 Ref



Tx. Spurious NVNT BLE 2478MHz Ant14 Emission

