

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.43	21.65	33.01	PASS
Band2	TestMode	9262	23.30	21.52	33.01	PASS
Band2	TestMode	9400	23.22	21.44	33.01	PASS
Band2	Voice	9400	23.30	21.52	33.01	PASS
Band2	TestMode	9538	23.10	21.32	33.01	PASS
Band2	Voice	9538	23.18	21.4	33.01	PASS
Band4	TestMode	1312	23.16	21.91	30.00	PASS
Band4	Voice	1312	23.22	21.97	30.00	PASS
Band4	TestMode	1413	23.24	21.99	30.00	PASS
Band4	Voice	1413	23.32	22.07	30.00	PASS
Band4	Voice	1513	23.26	22.01	30.00	PASS
Band4	TestMode	1513	23.28	22.03	30.00	PASS
Band5	TestMode	4132	23.46	16.1	38.45	PASS
Band5	Voice	4132	23.48	16.12	38.45	PASS
Band5	Voice	4183	23.49	16.13	38.45	PASS
Band5	TestMode	4183	23.50	16.14	38.45	PASS
Band5	TestMode	4233	23.17	15.81	38.45	PASS
Band5	Voice	4233	23.19	15.83	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	23.28	21.5	33.01	PASS
Band2	9262	2	22.79	21.01	33.01	PASS
Band2	9262	3	22.69	20.91	33.01	PASS
Band2	9262	4	22.73	20.95	33.01	PASS
Band2	9400	1	23.17	21.39	33.01	PASS
Band2	9400	2	22.55	20.77	33.01	PASS
Band2	9400	3	22.56	20.78	33.01	PASS
Band2	9400	4	22.58	20.8	33.01	PASS
Band2	9538	1	22.99	21.21	33.01	PASS
Band2	9538	2	22.38	20.6	33.01	PASS
Band2	9538	3	22.52	20.74	33.01	PASS
Band2	9538	4	22.49	20.71	33.01	PASS
Band4	1312	1	23.20	21.95	30.00	PASS

Band4	1312	2	22.68	21.43	30.00	PASS
Band4	1312	3	22.69	21.44	30.00	PASS
Band4	1312	4	22.63	21.38	30.00	PASS
Band4	1413	1	23.37	22.12	30.00	PASS
Band4	1413	2	22.83	21.58	30.00	PASS
Band4	1413	3	22.76	21.51	30.00	PASS
Band4	1413	4	22.70	21.45	30.00	PASS
Band4	1513	1	23.34	22.09	30.00	PASS
Band4	1513	2	22.73	21.48	30.00	PASS
Band4	1513	3	22.75	21.5	30.00	PASS
Band4	1513	4	22.65	21.4	30.00	PASS
Band5	4132	1	23.49	16.13	38.5	PASS
Band5	4132	2	22.99	15.63	38.5	PASS
Band5	4132	3	22.97	15.61	38.5	PASS
Band5	4132	4	22.94	15.58	38.5	PASS
Band5	4183	1	23.51	16.15	38.5	PASS
Band5	4183	2	22.97	15.61	38.5	PASS
Band5	4183	3	22.98	15.62	38.5	PASS
Band5	4183	4	22.98	15.62	38.5	PASS
Band5	4233	1	23.18	15.82	38.5	PASS
Band5	4233	2	22.66	15.3	38.5	PASS
Band5	4233	3	22.65	15.29	38.5	PASS
Band5	4233	4	22.63	15.27	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.23	19.45	33.01	PASS
Band2	9262	2	21.77	19.99	33.01	PASS
Band2	9262	3	22.24	20.46	33.01	PASS
Band2	9262	4	21.24	19.46	33.01	PASS
Band2	9262	5	23.22	21.44	33.01	PASS
Band2	9400	1	21.12	19.34	33.01	PASS
Band2	9400	2	21.56	19.78	33.01	PASS
Band2	9400	3	22.10	20.32	33.01	PASS
Band2	9400	4	21.12	19.34	33.01	PASS
Band2	9400	5	23.10	21.32	33.01	PASS
Band2	9538	1	21.01	19.23	33.01	PASS
Band2	9538	2	21.48	19.7	33.01	PASS
Band2	9538	3	22.00	20.22	33.01	PASS
Band2	9538	4	20.98	19.2	33.01	PASS

Band2	9538	5	23.01	21.23	33.01	PASS
Band4	1312	1	21.23	19.98	30.00	PASS
Band4	1312	2	21.69	20.44	30.00	PASS
Band4	1312	3	22.22	20.97	30.00	PASS
Band4	1312	4	21.23	19.98	30.00	PASS
Band4	1312	5	23.23	21.98	30.00	PASS
Band4	1413	1	21.22	19.97	30.00	PASS
Band4	1413	2	21.66	20.41	30.00	PASS
Band4	1413	3	22.19	20.94	30.00	PASS
Band4	1413	4	21.19	19.94	30.00	PASS
Band4	1413	5	23.22	21.97	30.00	PASS
Band4	1513	1	21.14	19.89	30.00	PASS
Band4	1513	2	21.64	20.39	30.00	PASS
Band4	1513	3	22.12	20.87	30.00	PASS
Band4	1513	4	21.13	19.88	30.00	PASS
Band4	1513	5	23.18	21.93	30.00	PASS
Band5	4132	1	21.55	14.19	38.5	PASS
Band5	4132	2	22.04	14.68	38.5	PASS
Band5	4132	3	22.55	15.19	38.5	PASS
Band5	4132	4	21.57	14.21	38.5	PASS
Band5	4132	5	23.53	16.17	38.5	PASS
Band5	4183	1	21.53	14.17	38.5	PASS
Band5	4183	2	22.04	14.68	38.5	PASS
Band5	4183	3	22.55	15.19	38.5	PASS
Band5	4183	4	21.53	14.17	38.5	PASS
Band5	4183	5	23.57	16.21	38.5	PASS
Band5	4233	1	21.18	13.82	38.5	PASS
Band5	4233	2	21.67	14.31	38.5	PASS
Band5	4233	3	22.20	14.84	38.5	PASS
Band5	4233	4	21.19	13.83	38.5	PASS
Band5	4233	5	23.21	15.85	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	3.07	13	PASS
Band4	1413	3.14	13	PASS
Band5	4183	2.8	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1513	4.698	---	PASS
Band2	9400	4.1531	4.693	---	PASS
Band2	9538	4.1484	4.706	---	PASS
Band4	1312	4.1513	4.700	---	PASS
Band4	1413	4.1522	4.682	---	PASS
Band4	1513	4.1489	4.684	---	PASS
Band5	4132	4.1570	4.719	---	PASS
Band5	4183	4.1563	4.726	---	PASS
Band5	4233	4.1575	4.716	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-20.78	-13	PASS
Band2	9538	1910.00	-19.38	-13	PASS
Band4	1312	1710.00	-22.92	-13	PASS
Band4	1513	1755.00	-22.76	-13	PASS
Band5	4132	824.00	-18.33	-13	PASS
Band5	4233	849.00	-19.72	-13	PASS

Test Graphs(WCDMA)





AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-54.91	-43	PASS
Band2	9262	0.15~30MHz	0.16	-45.95	-23	PASS
Band2	9262	30~1000MHz	915.19	-46.38	-13	PASS
Band2	9262	1000~20000MHz	19920.2	-30.45	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-57.08	-43	PASS
Band2	9400	0.15~30MHz	0.15	-47.12	-23	PASS
Band2	9400	30~1000MHz	410.82	-45.87	-13	PASS
Band2	9400	1000~20000MHz	19996.83	-30.41	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-55.44	-43	PASS
Band2	9538	0.15~30MHz	0.16	-49.36	-23	PASS
Band2	9538	30~1000MHz	978.18	-46.54	-13	PASS
Band2	9538	1000~20000MHz	19917.03	-29.79	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-54.99	-43	PASS
Band4	1312	0.15~30MHz	0.16	-47.56	-23	PASS
Band4	1312	30~1000MHz	857.44	-45.68	-13	PASS
Band4	1312	1000~20000MHz	19948.7	-30.7	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-54.8	-43	PASS
Band4	1413	0.15~30MHz	0.15	-46.16	-23	PASS
Band4	1413	30~1000MHz	748.09	-45.56	-13	PASS
Band4	1413	1000~20000MHz	19924.63	-30.54	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-55.7	-43	PASS
Band4	1513	0.15~30MHz	0.15	-47.78	-23	PASS
Band4	1513	30~1000MHz	845.48	-44.68	-13	PASS
Band4	1513	1000~20000MHz	19936.03	-29.99	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-54.85	-33	PASS
Band5	4132	0.15~30MHz	0.15	-46.27	-13	PASS
Band5	4132	30~1000MHz	988.94	-53.99	-13	PASS
Band5	4132	1000~10000MHz	5975.5	-36.98	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-55.88	-33	PASS
Band5	4183	0.15~30MHz	0.15	-47.02	-13	PASS
Band5	4183	30~1000MHz	974.68	-54.91	-13	PASS
Band5	4183	1000~10000MHz	5942.5	-36.62	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-55.44	-33	PASS
Band5	4233	0.15~30MHz	0.16	-46.27	-13	PASS
Band5	4233	30~1000MHz	956.84	-54.44	-13	PASS
Band5	4233	1000~10000MHz	9547.9	-37.11	-13	PASS


Test Graphs(WCDMA)














7AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.92	-30	-5.59	-0.006682	±2.5	Pass
	-20	-6.38	-0.007626		
	-10	-4.61	-0.005510		
	0	-5.09	-0.006084		
	10	-5.20	-0.006216		
	20	-4.09	-0.004889		
	30	-6.80	-0.008128		
	40	-3.55	-0.004243		
	50	-5.60	-0.006694		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-5.24	-0.006263	±2.5	Pass
	3.92	-5.37	-0.006419		
	4.53	-4.99	-0.005965		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.92	-30	-7.50	-0.004329	Within authorized band for BAND IV	Pass
	-20	-7.89	-0.004554		
	-10	-5.70	-0.003290		
	0	-7.93	-0.004577		
	10	-5.59	-0.003226		
	20	-8.85	-0.005108		
	30	-5.82	-0.003359		
	40	-5.01	-0.002892		
	50	-7.20	-0.004156		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-8.48	-0.004894	Within authorized band for BAND IV	Pass
	3.92	-6.84	-0.003948		
	4.53	-6.43	-0.003711		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.92	-30	-4.97	-0.002644	Within authorized band for BAND II	Pass
	-20	-3.38	-0.001798		
	-10	-1.85	-0.000984		
	0	-5.63	-0.002995		
	10	-2.80	-0.001489		
	20	-0.59	-0.000314		
	30	-4.02	-0.002138		
	40	-1.89	-0.001005		
	50	-4.43	-0.002356		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-3.24	-0.001723	Within authorized band for BAND II	Pass
	3.92	-2.08	-0.001106		
	4.53	-4.32	-0.002298		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

