



## Test Data

### Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.233	30	Pass
NVNT	BLE	2442	Ant1	-2.003	30	Pass
NVNT	BLE	2480	Ant1	-2.246	30	Pass





**-6dB Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass






## Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.02
NVNT	BLE	2442	Ant1	1.02
NVNT	BLE	2480	Ant1	1.02






## Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.616	8	Pass
NVNT	BLE	2442	Ant1	-8.382	8	Pass
NVNT	BLE	2480	Ant1	-8.63	8	Pass







**Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.63	-20	Pass
NVNT	BLE	2480	Ant1	-54.38	-20	Pass






Band Edge NVNT BLE 2480MHz Ant1 Emission




## Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-46.31	-20	Pass
NVNT	BLE	2442	Ant1	-47.49	-20	Pass
NVNT	BLE	2480	Ant1	-46.5	-20	Pass





## Tx. Spurious NVNT BLE 2442MHz Ant1 Emission





## Tx. Spurious NVNT BLE 2480MHz Ant1 Emission

