



802.11ac20_5260MHz 17.600MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang

Date: 22.NOV.2024 20:35:41


802.11ac20_5280MHz 17.600MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang

Date: 22.NOV.2024 20:36:49


802.11ac20_5320MHz 17.600MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang

Date: 22.NOV.2024 20:37:52


802.11ac40_5270MHz 36.200MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang

Date: 22.NOV.2024 20:39:34


802.11ac40_5310MHz 36.200MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang

Date: 22.NOV.2024 20:40:27

802.11ac80_5290MHz 75.200MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang

Date: 22.NOV.2024 20:41:25


5470-5725MHz

802.11a_5500MHz 16.450MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:43:49

802.11a_5580MHz 16.450MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:45:10

802.11a_5700MHz 16.450MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:46:34

802.11a_5720MHz 16.500MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:47:44

802.11ac20_5500MHz 17.600MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:49:11

802.11ac20_5580MHz 17.550MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:50:19

802.11ac20_5700MHz 17.600MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:51:40

802.11ac20_5720MHz 17.600MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:52:43

802.11ac40_5510MHz 36.200MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:52:24

802.11ac40_5550MHz 36.100MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:52:03

802.11ac40_5670MHz 36.100MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:54:40

802.11ac40_5710MHz 36.100MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 20:55:18

802.11ac80_5530MHz 75.200MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
 Date: 22.NOV.2024 20:56:09


802.11ac80_5610MHz 75.200MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
 Date: 22.NOV.2024 20:56:54


5725-5850MHz

802.11ac80_5690MHz 75.200MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
 Date: 22.NOV.2024 20:57:35

802.11a_5745MHz 16.450MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
 Date: 22.NOV.2024 20:59:35

802.11a_5785MHz 16.500MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
 Date: 22.NOV.2024 21:00:56

802.11a_5825MHz 16.450MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
 Date: 22.NOV.2024 21:01:56

802.11ac20_5745MHz 17.550MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 21:03:24

802.11ac20_5785MHz 17.550MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 21:04:41

802.11ac20_5825MHz 17.550MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 21:05:41

802.11ac40_5755MHz 36.200MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 21:06:22

802.11ac40_5795MHz 36.100MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 21:06:58

802.11ac80_5775MHz 75.200MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 22.NOV.2024 21:07:46

Maximum Conducted Output Power

Test Information:

Sample No.:	2TGQ-2	Test Date:	2024/11/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.5	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------	------	------------------------------	----	------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	14.3	24	Pass
	5200	14.24	24	Pass
	5240	14.22	24	Pass
802.11ac20	5180	14.1	24	Pass
	5200	14.6	24	Pass
	5240	15.6	24	Pass
802.11ac40	5190	14.18	24	Pass
	5230	14.65	24	Pass
802.11ac80	5210	14.73	24	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	14.79	24	Pass
	5280	14.39	24	Pass
	5320	14.34	24	Pass
802.11ac20	5260	14.08	24	Pass
	5280	14.63	24	Pass
	5320	14.73	24	Pass
802.11ac40	5270	14.67	24	Pass
	5310	14.81	24	Pass
802.11ac80	5290	12.23	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5500	11.84	24	Pass
	5580	11.56	24	Pass
	5700	11.29	24	Pass
	5720	11.18	24	Pass
802.11ac20	5500	11.19	24	Pass
	5580	11.4	24	Pass
	5700	11.15	24	Pass
	5720	11.03	24	Pass
802.11ac40	5510	11.81	24	Pass
	5550	11.67	24	Pass
	5670	11.21	24	Pass
	5710	10.74	24	Pass
802.11ac80	5530	11.79	24	Pass
	5610	11.45	24	Pass
	5690	11.35	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	10.18	30	Pass
	5785	10.21	30	Pass
	5825	10.35	30	Pass
802.11ac20	5745	10.03	30	Pass
	5785	10.13	30	Pass
	5825	10.17	30	Pass
802.11ac40	5755	10.18	30	Pass
	5795	10.21	30	Pass
802.11ac80	5775	10.27	30	Pass

Note: The device is a client device.

Power Spectral Density

Test Information:

Sample No.:	2TGQ-2	Test Date:	2024/11/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.5	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------	------	------------------------------	----	------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	4.58	0.12	4.70	11	Pass
	5200	4.37	0.12	4.49	11	Pass
	5240	4.01	0.12	4.13	11	Pass
802.11ac20	5180	4.14	0.12	4.26	11	Pass
	5200	4.27	0.12	4.39	11	Pass
	5240	4.10	0.12	4.22	11	Pass
802.11ac40	5190	1.08	0.23	1.31	11	Pass
	5230	1.54	0.23	1.77	11	Pass
802.11ac80	5210	-2.16	0.63	-1.53	11	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	4.02	0.11	4.13	11	Pass
	5280	4.61	0.11	4.72	11	Pass
	5320	4.02	0.11	4.13	11	Pass
802.11ac20	5260	4.39	0.12	4.51	11	Pass
	5280	4.23	0.12	4.35	11	Pass
	5320	4.27	0.12	4.39	11	Pass
802.11ac40	5270	1.35	0.23	1.58	11	Pass
	5310	1.80	0.23	2.03	11	Pass
802.11ac80	5290	-4.31	0.45	-3.86	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	1.18	0.11	1.29	11	Pass
	5580	1.33	0.11	1.44	11	Pass
	5700	1.08	0.11	1.19	11	Pass
	5720	0.68	0.11	0.79	11	Pass
802.11ac20	5500	0.88	0.12	1.00	11	Pass
	5580	1.08	0.12	1.20	11	Pass
	5700	0.63	0.12	0.75	11	Pass
	5720	0.50	0.12	0.62	11	Pass
802.11ac40	5510	-2.21	0.23	-1.98	11	Pass
	5550	-2.16	0.23	-1.93	11	Pass
	5670	-2.80	0.23	-2.57	11	Pass
	5710	-2.18	0.23	-1.95	11	Pass
802.11ac80	5530	-5.08	0.45	-4.63	11	Pass
	5610	-5.29	0.45	-4.84	11	Pass
	5690	-5.51	0.45	-5.06	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading(dBm /500kHz)	Duty Cycle Factor(dB)	Result(dBm /500kHz)	Limit(dBm /500kHz)	Verdict
802.11a	5745	-2.88	0.11	-2.77	30	Pass
	5785	-2.85	0.11	-2.74	30	Pass
	5825	-2.66	0.11	-2.55	30	Pass
802.11ac20	5745	-3.04	0.12	-2.92	30	Pass
	5785	-3.11	0.12	-2.99	30	Pass
	5825	-3.13	0.12	-3.01	30	Pass
802.11ac40	5755	-6.05	/	-6.05	30	Pass
	5795	-6.06	/	-6.06	30	Pass
802.11ac80	5775	-9.97	0.45	-9.52	30	Pass

Note:**Result = Reading + Duty Cycle Factor****The device is a client device.**


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 20:41:09

802.11a_5200MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 20:41:37

802.11a_5240MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 20:42:08

802.11ac20_5180MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 20:42:45

802.11ac20_5200MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 20:43:08

802.11ac20_5240MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 20:43:33

802.11ac40_5190MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaister Liang
Date: 13.NOV.2024 20:44:51


802.11ac40_5230MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaister Liang
Date: 13.NOV.2024 20:45:18


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaister Liang
Date: 13.NOV.2024 20:45:58

802.11a_5260MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaister Liang
Date: 13.NOV.2024 21:20:13

802.11a_5280MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaister Liang
Date: 13.NOV.2024 21:20:48

802.11a_5320MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaister Liang
Date: 13.NOV.2024 21:21:12

802.11ac20_5260MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 21:21:46

802.11ac20_5280MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 21:22:10

802.11ac20_5320MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 21:22:37

802.11ac40_5270MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 21:22:13

802.11ac40_5310MHz



ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 21:23:39


802.11ac80_5290MHz



ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 21:24:14


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:00:46

802.11a_5580MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:01:13

802.11a_5700MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:01:53

802.11a_5720MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:02:19

802.11ac20_5500MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:02:59

802.11ac20_5580MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:03:26

802.11ac20_5700MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 22:03:50

802.11ac20_5720MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 22:04:18

802.11ac40_5510MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 22:04:54

802.11ac40_5550MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 22:05:32

802.11ac40_5670MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 22:07:33

802.11ac40_5710MHz




ProjectNo.:2401Y58158E-RF Tester:Rungfumaister Liang
Date: 13.NOV.2024 22:08:03

802.11ac80_5530MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 22:08:37


802.11ac80_5610MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 22:09:03


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 22:10:18

802.11a_5745MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 22:14:16

802.11a_5785MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 22:47:05

802.11a_5825MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 22:47:33

802.11ac20_5745MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:48:01

802.11ac20_5785MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:48:31

802.11ac20_5825MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:49:00

802.11ac40_5755MHz




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:49:33

802.11ac40_5795MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:49:04

802.11ac80_5775MHz



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:50:51

Duty Cycle

Test Information:

Sample No.:	2TGQ-2	Test Date:	2024/11/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C):	26.5	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------	------	------------------------------	----	------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	1.389	1.427	97.34	0.12	720	1
802.11ac20	5200	1.302	1.339	97.24	0.12	768	1
802.11ac40	5190	0.651	0.687	94.76	0.23	1536	2
802.11ac80	5210	0.225	0.260	86.54	0.63	4444	5

5250-5350MHz

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5280	1.384	1.421	97.40	0.11	723	1
802.11ac20	5280	1.307	1.344	97.25	0.12	765	1
802.11ac40	5270	0.651	0.687	94.76	0.23	1536	2
802.11ac80	5290	0.324	0.359	90.25	0.45	3086	5

5470-5725MHz

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5580	1.384	1.421	97.40	0.11	723	1
802.11ac20	5580	1.302	1.339	97.24	0.12	768	1
802.11ac40	5550	0.651	0.687	94.76	0.23	1536	2
802.11ac80	5610	0.324	0.359	90.25	0.45	3086	5

5725-5850MHz


Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5785	1.389	1.426	97.41	0.11	720	1
802.11ac20	5785	1.302	1.339	97.24	0.12	768	1
802.11ac40	5755	0.644	0.645	99.84	/	/	2
802.11ac80	5775	0.324	0.359	90.25	0.45	3086	5

Duty Cycle = Ton/(Ton+Toff)*100%

Duty Cycle Factor=10 log (1 / D), D=Duty Cycle


5150-5250MHz

802.11a_5200MHz
1.389ms,1.427ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 19:57:37

802.11ac20_5200MHz
1.302ms,1.339ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 19:58:39

802.11ac40_5190MHz
0.651ms,0.687ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 19:59:33


802.11ac80_5210MHz
0.225ms,0.260ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 20:00:22


5250-5350MHz

802.11a_5280MHz
1.384ms,1.421ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 20:59:12

802.11ac20_5280MHz
1.307ms,1.344ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaster Liang
Date: 13.NOV.2024 21:00:02

802.11ac40_5270MHz
0.651ms,0.687ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 21:00:47


802.11ac80_5290MHz
0.324ms,0.359ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 21:01:31


5470-5725MHz

802.11a_5580MHz
1.384ms,1.421ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 21:26:05

802.11ac20_5580MHz
1.302ms,1.339ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 21:26:59

802.11ac40_5550MHz
0.651ms,0.687ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 21:28:22


802.11ac80_5610MHz
0.324ms,0.359ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 21:29:47


5725-5850MHz

802.11a_5785MHz
1.389ms,1.426ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:12:16

802.11ac20_5785MHz
1.302ms,1.339ms




ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:12:53

802.11ac40_5755MHz
0.644ms,0.645ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:13:38

802.11ac80_5775MHz
0.324ms,0.359ms



ProjectNo.:2401Y58158E-RF Tester:Kungfumaater Liang
Date: 13.NOV.2024 22:16:29

RF EXPOSURE EVALUATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: 2401Y58158E-SA.

EUT PHOTOGRAPHS

Please refer to the attachment 2401Y58158E-RF External photo and 2401Y58158E-RF Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2401Y58158E-RF-00B Test Setup photo.

******* END OF REPORT *******