

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_PCS


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.92	-13	Pass	2986
30	1000	0.1	Peak	976.3	-45.75	-13	Pass	9701
1000	3000	1	Peak	1851	29.38	-13	N/A	2001
3000	20000	1	Peak	5550	-33.27	-13	Pass	17001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.78	-13	Pass	2986
30	1000	0.1	Peak	829	-46.78	-13	Pass	9701
1000	3000	1	Peak	1879	25.67	-13	N/A	2001
3000	20000	1	Peak	5640	-33.4	-13	Pass	17001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.98	-13	Pass	2986
30	1000	0.1	Peak	987.1	-47.12	-13	Pass	9701
1000	3000	1	Peak	1910	30.69	-13	N/A	2001
3000	20000	1	Peak	5730	-33.82	-13	Pass	17001



2. GSM_GSM850


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.49	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.18	-13	Pass	2986
30	500	0.1	Peak	370.3	-42.88	-13	Pass	4701
500	1000	0.1	Peak	824.2	31.84	-13	N/A	5001
1000	10000	1	Peak	3296	-26.43	-13	Pass	9001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.63	-13	Pass	2986
30	500	0.1	Peak	432.9	-42.71	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.68	-13	N/A	5001
1000	10000	1	Peak	3347	-28.74	-13	Pass	9001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.31	-13	Pass	2986
30	500	0.1	Peak	496	-42.51	-13	Pass	4701
500	1000	0.1	Peak	848.8	31.58	-13	N/A	5001
1000	10000	1	Peak	3395	-33.3	-13	Pass	9001



1. EGPRS_PCS


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.03	-13	Pass	2986
30	1000	0.1	Peak	964	-46.37	-13	Pass	9701
1000	3000	1	Peak	1850	28.75	-13	N/A	2001
3000	20000	1	Peak	19985	-39.2	-13	Pass	17001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-38.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.53	-13	Pass	2986
30	1000	0.1	Peak	948.3	-46.8	-13	Pass	9701
1000	3000	1	Peak	1880	28.89	-13	N/A	2001
3000	20000	1	Peak	19355	-39.36	-13	Pass	17001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.72	-13	Pass	2986
30	1000	0.1	Peak	945	-46.97	-13	Pass	9701
1000	3000	1	Peak	1910	28.9	-13	N/A	2001
3000	20000	1	Peak	5730	-38.99	-13	Pass	17001



2. EGPRS_GSM850


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.91	-13	Pass	2986
30	500	0.1	Peak	473.2	-42.64	-13	Pass	4701
500	1000	0.1	Peak	824.4	17.64	-13	N/A	5001
1000	10000	1	Peak	3296	-35.85	-13	Pass	9001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.96	-13	Pass	2986
30	500	0.1	Peak	447.9	-43.28	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.05	-13	N/A	5001
1000	10000	1	Peak	3346	-34.66	-13	Pass	9001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32	-13	Pass	2986
30	500	0.1	Peak	492.9	-42.93	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.15	-13	N/A	5001
1000	10000	1	Peak	3395	-36.42	-13	Pass	9001



1. WCDMA_Band2


1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.39	-13	Pass	2986
30	1000	0.1	Peak	820.1	-50.2	-13	Pass	9701
1000	3000	1	Peak	1854	24.69	-13	N/A	2001
3000	20000	1	Peak	19780	-25.89	-13	Pass	17001




1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.09	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.83	-13	Pass	2986
30	1000	0.1	Peak	829.1	-50.95	-13	Pass	9701
1000	3000	1	Peak	1881	24.55	-13	N/A	2001
3000	20000	1	Peak	19998	-24.9	-13	Pass	17001



1.4. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.28	-13	Pass	401
0.15	30	0.01	Peak	0.17	-42.24	-13	Pass	2986
30	1000	0.1	Peak	951.5	-50.78	-13	Pass	9701
1000	3000	1	Peak	1908	24.84	-13	N/A	2001
3000	20000	1	Peak	19999	-25.3	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.87	-13	Pass	401
0.15	30	0.01	Peak	0.17	-44.8	-13	Pass	2986
30	1000	0.1	Peak	952.4	-51.05	-13	Pass	9701
1000	3000	1	Peak	1711	24.02	-13	N/A	2001
3000	20000	1	Peak	19733	-25.46	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.99	-13	Pass	2986
30	1000	0.1	Peak	886.2	-50.98	-13	Pass	9701
1000	3000	1	Peak	1734	24.37	-13	N/A	2001
3000	20000	1	Peak	19796	-25	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.93	-13	Pass	2986
30	1000	0.1	Peak	988.8	-50.79	-13	Pass	9701
1000	3000	1	Peak	1754	24.3	-13	N/A	2001
3000	20000	1	Peak	19392	-25.64	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.14	-13	Pass	2986
30	500	0.1	Peak	484.2	-53.46	-13	Pass	4701
500	1000	0.1	Peak	827	18	-13	N/A	5001
1000	10000	1	Peak	7723	-29.84	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.39	-13	Pass	2986
30	500	0.1	Peak	390.7	-52.58	-13	Pass	4701
500	1000	0.1	Peak	837.1	16.31	-13	N/A	5001
1000	10000	1	Peak	9931	-30.61	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.1	-13	Pass	2986
30	500	0.1	Peak	497.6	-52.92	-13	Pass	4701
500	1000	0.1	Peak	847.5	16.05	-13	N/A	5001
1000	10000	1	Peak	9558	-30.05	-13	Pass	9001



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.16	-68.12	-13	55.12	Pass	2986
30	1000	0.1	RMS	484.2	-59.59	-13	46.59	Pass	9701
1000	1840	1	RMS	1840	-48.23	-13	35.23	Pass	841
1840	1920	1	RMS	1850.2	24.88	60	35.12	Pass	401
1920	3000	1	RMS	2960	-45.7	-13	32.7	Pass	1081
3000	12000	1	RMS	11849	-36.66	-13	23.66	Pass	9002
12000	20000	1	RMS	19796	-29.18	-13	16.18	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	1.38	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	881.722	-59.56	-13	46.56	Pass	9701
1000	1840	1	RMS	1840	-48.55	-13	35.55	Pass	841
1840	1920	1	RMS	1850.2	23.91	60	36.09	Pass	401
1920	3000	1	RMS	2958	-45.95	-13	32.95	Pass	1081
3000	12000	1	RMS	11854	-36.56	-13	23.56	Pass	9002
12000	20000	1	RMS	19795	-29.27	-13	16.27	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	57.55	Pass	401
0.15	30	0.01	RMS	21.93	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	921.548	-59.54	-13	46.54	Pass	9701
1000	1840	1	RMS	1821	-48.84	-13	35.84	Pass	841
1840	1920	1	RMS	1879.4	24.92	60	35.08	Pass	401
1920	3000	1	RMS	2953	-46.03	-13	33.03	Pass	1081
3000	12000	1	RMS	11503	-36.66	-13	23.66	Pass	9002
12000	20000	1	RMS	19823	-29.27	-13	16.27	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	27.34	-68.46	-13	55.46	Pass	2986
30	1000	0.1	RMS	919.847	-59.55	-13	46.55	Pass	9701
1000	1840	1	RMS	1814	-48.67	-13	35.67	Pass	841
1840	1920	1	RMS	1879.4	23.86	60	36.14	Pass	401
1920	3000	1	RMS	2965	-45.93	-13	32.93	Pass	1081
3000	12000	1	RMS	7097	-36.59	-13	23.59	Pass	9002
12000	20000	1	RMS	19800	-29.01	-13	16.01	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	27.11	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	888.626	-59.59	-13	46.59	Pass	9701
1000	1840	1	RMS	1808	-48.79	-13	35.79	Pass	841
1840	1920	1	RMS	1908.8	24.82	60	35.18	Pass	401
1920	3000	1	RMS	2963	-45.79	-13	32.79	Pass	1081
3000	12000	1	RMS	11851	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19812	-29.08	-13	16.08	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	12.13	-69.26	-13	56.26	Pass	2986
30	1000	0.1	RMS	970.781	-59.59	-13	46.59	Pass	9701
1000	1840	1	RMS	1811	-48.71	-13	35.71	Pass	841
1840	1920	1	RMS	1908.8	23.74	60	36.26	Pass	401
1920	3000	1	RMS	2934	-45.89	-13	32.89	Pass	1081
3000	12000	1	RMS	11850	-36.53	-13	23.53	Pass	9002
12000	20000	1	RMS	19798	-29.08	-13	16.08	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.17	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	478.8	-59.68	-13	46.68	Pass	9701
1000	1840	1	RMS	1840	-48.24	-13	35.24	Pass	841
1840	1920	1	RMS	1850.2	24.7	60	35.3	Pass	401
1920	3000	1	RMS	2994	-46.08	-13	33.08	Pass	1081
3000	12000	1	RMS	11506	-36.65	-13	23.65	Pass	9002
12000	20000	1	RMS	19808	-29.31	-13	16.31	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	18.33	-68.8	-13	55.8	Pass	2986
30	1000	0.1	RMS	863.71	-59.56	-13	46.56	Pass	9701
1000	1840	1	RMS	1840	-48.39	-13	35.39	Pass	841
1840	1920	1	RMS	1850.2	23.76	60	36.24	Pass	401
1920	3000	1	RMS	2951	-45.81	-13	32.81	Pass	1081
3000	12000	1	RMS	11500	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19790	-28.99	-13	15.99	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.23	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	879.92	-59.75	-13	46.75	Pass	9701
1000	1840	1	RMS	1823	-48.86	-13	35.86	Pass	841
1840	1920	1	RMS	1878.6	24.71	60	35.29	Pass	401
1920	3000	1	RMS	2929	-45.95	-13	32.95	Pass	1081
3000	12000	1	RMS	11497	-36.59	-13	23.59	Pass	9002
12000	20000	1	RMS	19802	-29.25	-13	16.25	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.38	-68.52	-13	55.52	Pass	2986
30	1000	0.1	RMS	933.456	-59.76	-13	46.76	Pass	9701
1000	1840	1	RMS	1812	-48.72	-13	35.72	Pass	841
1840	1920	1	RMS	1878.6	23.91	60	36.09	Pass	401
1920	3000	1	RMS	2938	-45.99	-13	32.99	Pass	1081
3000	12000	1	RMS	11489	-36.57	-13	23.57	Pass	9002
12000	20000	1	RMS	19801	-29.18	-13	16.18	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	20.45	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	890.728	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1812	-48.9	-13	35.9	Pass	841
1840	1920	1	RMS	1907.2	24.64	60	35.36	Pass	401
1920	3000	1	RMS	2993	-46.04	-13	33.04	Pass	1081
3000	12000	1	RMS	11488	-36.45	-13	23.45	Pass	9002
12000	20000	1	RMS	19788	-29.17	-13	16.17	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	29.28	-68.78	-13	55.78	Pass	2986
30	1000	0.1	RMS	987.091	-59.58	-13	46.58	Pass	9701
1000	1840	1	RMS	1837	-48.93	-13	35.93	Pass	841
1840	1920	1	RMS	1907.2	23.74	60	36.26	Pass	401
1920	3000	1	RMS	2944	-46.07	-13	33.07	Pass	1081
3000	12000	1	RMS	11475	-36.56	-13	23.56	Pass	9002
12000	20000	1	RMS	19800	-29.28	-13	16.28	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.2	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	895.331	-59.5	-13	46.5	Pass	9701
1000	1840	1	RMS	1840	-48.11	-13	35.11	Pass	841
1840	1920	1	RMS	1850.2	24.89	60	35.11	Pass	401
1920	3000	1	RMS	2931	-45.94	-13	32.94	Pass	1081
3000	12000	1	RMS	11471	-36.42	-13	23.42	Pass	9002
12000	20000	1	RMS	19758	-29.2	-13	16.2	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.21	-67.96	-13	54.96	Pass	2986
30	1000	0.1	RMS	924.25	-59.19	-13	46.19	Pass	9701
1000	1840	1	RMS	1840	-48.33	-13	35.33	Pass	841
1840	1920	1	RMS	1850.2	24.05	60	35.95	Pass	401
1920	3000	1	RMS	2973	-45.92	-13	32.92	Pass	1081
3000	12000	1	RMS	11485	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19800	-29.06	-13	16.06	Pass	8001



1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	25.39	-68.69	-13	55.69	Pass	2986
30	1000	0.1	RMS	875.518	-59.19	-13	46.19	Pass	9701
1000	1840	1	RMS	1815	-48.79	-13	35.79	Pass	841
1840	1920	1	RMS	1877.8	24.96	60	35.04	Pass	401
1920	3000	1	RMS	2975	-45.92	-13	32.92	Pass	1081
3000	12000	1	RMS	11496	-36.4	-13	23.4	Pass	9002
12000	20000	1	RMS	19803	-29	-13	16	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.41	-13	56.41	Pass	401
0.15	30	0.01	RMS	28.32	-68.73	-13	55.73	Pass	2986
30	1000	0.1	RMS	905.237	-59.47	-13	46.47	Pass	9701
1000	1840	1	RMS	1802	-48.86	-13	35.86	Pass	841
1840	1920	1	RMS	1877.8	24.19	60	35.81	Pass	401
1920	3000	1	RMS	2964	-45.9	-13	32.9	Pass	1081
3000	12000	1	RMS	11499	-36.45	-13	23.45	Pass	9002
12000	20000	1	RMS	19800	-29.2	-13	16.2	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	29.63	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	885.224	-59.56	-13	46.56	Pass	9701
1000	1840	1	RMS	1838	-48.69	-13	35.69	Pass	841
1840	1920	1	RMS	1905.2	24.92	60	35.08	Pass	401
1920	3000	1	RMS	2959	-45.79	-13	32.79	Pass	1081
3000	12000	1	RMS	11850	-36.64	-13	23.64	Pass	9002
12000	20000	1	RMS	19805	-29.06	-13	16.06	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	13.53	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	876.618	-59.51	-13	46.51	Pass	9701
1000	1840	1	RMS	1807	-48.82	-13	35.82	Pass	841
1840	1920	1	RMS	1905.2	24.04	60	35.96	Pass	401
1920	3000	1	RMS	2981	-46	-13	33	Pass	1081
3000	12000	1	RMS	11484	-36.5	-13	23.5	Pass	9002
12000	20000	1	RMS	19750	-29.27	-13	16.27	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	17.31	-68.93	-13	55.93	Pass	2986
30	1000	0.1	RMS	891.428	-59.53	-13	46.53	Pass	9701
1000	1840	1	RMS	1840	-45.92	-13	32.92	Pass	841
1840	1920	1	RMS	1850.4	24.91	60	35.09	Pass	401
1920	3000	1	RMS	2978	-45.91	-13	32.91	Pass	1081
3000	12000	1	RMS	11483	-36.57	-13	23.57	Pass	9002
12000	20000	1	RMS	19795	-29.05	-13	16.05	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	7.18	-69.03	-13	56.03	Pass	2986
30	1000	0.1	RMS	926.051	-59.5	-13	46.5	Pass	9701
1000	1840	1	RMS	1840	-46.22	-13	33.22	Pass	841
1840	1920	1	RMS	1850.4	24.08	60	35.92	Pass	401
1920	3000	1	RMS	2934	-45.93	-13	32.93	Pass	1081
3000	12000	1	RMS	11852	-36.51	-13	23.51	Pass	9002
12000	20000	1	RMS	19773	-29.03	-13	16.03	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	29.48	-68.84	-13	55.84	Pass	2986
30	1000	0.1	RMS	901.935	-59.45	-13	46.45	Pass	9701
1000	1840	1	RMS	1840	-48.88	-13	35.88	Pass	841
1840	1920	1	RMS	1875.4	25.06	60	34.94	Pass	401
1920	3000	1	RMS	2968	-45.93	-13	32.93	Pass	1081
3000	12000	1	RMS	11489	-36.44	-13	23.44	Pass	9002
12000	20000	1	RMS	19800	-29.12	-13	16.12	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	17	-68.63	-13	55.63	Pass	2986
30	1000	0.1	RMS	925.651	-59.36	-13	46.36	Pass	9701
1000	1840	1	RMS	1804	-48.78	-13	35.78	Pass	841
1840	1920	1	RMS	1875.4	24.16	60	35.84	Pass	401
1920	3000	1	RMS	2955	-45.9	-13	32.9	Pass	1081
3000	12000	1	RMS	11462	-36.48	-13	23.48	Pass	9002
12000	20000	1	RMS	19792	-29.01	-13	16.01	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	10.16	-69	-13	56	Pass	2986
30	1000	0.1	RMS	911.441	-59.5	-13	46.5	Pass	9701
1000	1840	1	RMS	1819	-48.88	-13	35.88	Pass	841
1840	1920	1	RMS	1900.4	24.84	60	35.16	Pass	401
1920	3000	1	RMS	2959	-45.88	-13	32.88	Pass	1081
3000	12000	1	RMS	11493	-36.59	-13	23.59	Pass	9002
12000	20000	1	RMS	19800	-29.16	-13	16.16	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	26.44	-68.79	-13	55.79	Pass	2986
30	1000	0.1	RMS	874.317	-59.46	-13	46.46	Pass	9701
1000	1840	1	RMS	1797	-48.86	-13	35.86	Pass	841
1840	1920	1	RMS	1900.4	23.96	60	36.04	Pass	401
1920	3000	1	RMS	2965	-45.9	-13	32.9	Pass	1081
3000	12000	1	RMS	11850	-36.58	-13	23.58	Pass	9002
12000	20000	1	RMS	19798	-29.04	-13	16.04	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	0.66	-67.84	-13	54.84	Pass	2986
30	1000	0.1	RMS	881.421	-59.45	-13	46.45	Pass	9701
1000	1840	1	RMS	1840	-37.49	-13	24.49	Pass	841
1840	1920	1	RMS	1850.8	24.9	60	35.1	Pass	401
1920	3000	1	RMS	2972	-45.85	-13	32.85	Pass	1081
3000	12000	1	RMS	11491	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19805	-29.15	-13	16.15	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	20.29	-68.97	-13	55.97	Pass	2986
30	1000	0.1	RMS	903.336	-59.51	-13	46.51	Pass	9701
1000	1840	1	RMS	1840	-39.48	-13	26.48	Pass	841
1840	1920	1	RMS	1850.8	24.04	60	35.96	Pass	401
1920	3000	1	RMS	2960	-45.88	-13	32.88	Pass	1081
3000	12000	1	RMS	11505	-36.67	-13	23.67	Pass	9002
12000	20000	1	RMS	19767	-29.11	-13	16.11	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	0.49	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	898.833	-59.38	-13	46.38	Pass	9701
1000	1840	1	RMS	1809	-48.79	-13	35.79	Pass	841
1840	1920	1	RMS	1873.2	25.1	60	34.9	Pass	401
1920	3000	1	RMS	2963	-46.02	-13	33.02	Pass	1081
3000	12000	1	RMS	11504	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19819	-29.22	-13	16.22	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-13	55.05	Pass	2986
30	1000	0.1	RMS	982.188	-59.18	-13	46.18	Pass	9701
1000	1840	1	RMS	1827	-48.92	-13	35.92	Pass	841
1840	1920	1	RMS	1873.2	24.16	60	35.84	Pass	401
1920	3000	1	RMS	2998	-46.09	-13	33.09	Pass	1081
3000	12000	1	RMS	11484	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19788	-29.27	-13	16.27	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	21.04	-68.73	-13	55.73	Pass	2986
30	1000	0.1	RMS	992.095	-59.31	-13	46.31	Pass	9701
1000	1840	1	RMS	1820	-48.83	-13	35.83	Pass	841
1840	1920	1	RMS	1895.8	24.84	60	35.16	Pass	401
1920	3000	1	RMS	1922	-40.69	-13	27.69	Pass	1081
3000	12000	1	RMS	11493	-36.44	-13	23.44	Pass	9002
12000	20000	1	RMS	19802	-29.08	-13	16.08	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.22	-68.56	-13	55.56	Pass	2986
30	1000	0.1	RMS	989.893	-59.64	-13	46.64	Pass	9701
1000	1840	1	RMS	1815	-48.77	-13	35.77	Pass	841
1840	1920	1	RMS	1895.8	23.92	60	36.08	Pass	401
1920	3000	1	RMS	1922	-41.5	-13	28.5	Pass	1081
3000	12000	1	RMS	11495	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19788	-28.99	-13	15.99	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	3.63	-68.85	-13	55.85	Pass	2986
30	1000	0.1	RMS	854.003	-59.35	-13	46.35	Pass	9701
1000	1840	1	RMS	1840	-38.52	-13	25.52	Pass	841
1840	1920	1	RMS	1851	24.9	60	35.1	Pass	401
1920	3000	1	RMS	2943	-45.99	-13	32.99	Pass	1081
3000	12000	1	RMS	11851	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19800	-29.2	-13	16.2	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	24.28	-68.52	-13	55.52	Pass	2986
30	1000	0.1	RMS	877.419	-59.51	-13	46.51	Pass	9701
1000	1840	1	RMS	1840	-40.24	-13	27.24	Pass	841
1840	1920	1	RMS	1851	24.12	60	35.88	Pass	401
1920	3000	1	RMS	2932	-45.88	-13	32.88	Pass	1081
3000	12000	1	RMS	11850	-36.52	-13	23.52	Pass	9002
12000	20000	1	RMS	19789	-29.08	-13	16.08	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	27.23	-68.84	-13	55.84	Pass	2986
30	1000	0.1	RMS	985.991	-59.47	-13	46.47	Pass	9701
1000	1840	1	RMS	1835	-44.47	-13	31.47	Pass	841
1840	1920	1	RMS	1871	24.99	60	35.01	Pass	401
1920	3000	1	RMS	2961	-45.94	-13	32.94	Pass	1081
3000	12000	1	RMS	11843	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19791	-29.15	-13	16.15	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	28.33	-68.61	-13	55.61	Pass	2986
30	1000	0.1	RMS	902.535	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1835	-44.93	-13	31.93	Pass	841
1840	1920	1	RMS	1871	24.15	60	35.85	Pass	401
1920	3000	1	RMS	2953	-45.97	-13	32.97	Pass	1081
3000	12000	1	RMS	11852	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19810	-29.16	-13	16.16	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	22.82	-68.63	-13	55.63	Pass	2986
30	1000	0.1	RMS	909.44	-59.12	-13	46.12	Pass	9701
1000	1840	1	RMS	1807	-48.75	-13	35.75	Pass	841
1840	1920	1	RMS	1891	24.77	60	35.23	Pass	401
1920	3000	1	RMS	1922	-40.01	-13	27.01	Pass	1081
3000	12000	1	RMS	11854	-36.67	-13	23.67	Pass	9002
12000	20000	1	RMS	19787	-29.08	-13	16.08	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	26.39	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	842.7	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1809	-48.8	-13	35.8	Pass	841
1840	1920	1	RMS	1891	23.99	60	36.01	Pass	401
1920	3000	1	RMS	1922	-40.37	-13	27.37	Pass	1081
3000	12000	1	RMS	11482	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19786	-29.15	-13	16.15	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-13	54.54	Pass	2986
30	1000	0.1	RMS	865.111	-59.4	-13	46.4	Pass	9701
1000	1700	1	RMS	1700	-48.44	-13	35.44	Pass	701
1700	1765	1	RMS	1710.238	24.78	60	35.22	Pass	401
1765	3000	1	RMS	2931	-46.01	-13	33.01	Pass	1236
3000	12000	1	RMS	11481	-36.7	-13	23.7	Pass	9002
12000	20000	1	RMS	19808	-29.3	-13	16.3	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.88	-68.07	-13	55.07	Pass	2986
30	1000	0.1	RMS	882.622	-59.31	-13	46.31	Pass	9701
1000	1700	1	RMS	1700	-48.62	-13	35.62	Pass	701
1700	1765	1	RMS	1710.238	23.7	60	36.3	Pass	401
1765	3000	1	RMS	2965	-45.96	-13	32.96	Pass	1236
3000	12000	1	RMS	11842	-36.72	-13	23.72	Pass	9002
12000	20000	1	RMS	19794	-29.21	-13	16.21	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	21.58	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	901.235	-59.53	-13	46.53	Pass	9701
1000	1700	1	RMS	1700	-49.16	-13	36.16	Pass	701
1700	1765	1	RMS	1732.013	24.7	60	35.3	Pass	401
1765	3000	1	RMS	2961	-45.76	-13	32.76	Pass	1236
3000	12000	1	RMS	11476	-36.43	-13	23.43	Pass	9002
12000	20000	1	RMS	19795	-29.14	-13	16.14	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	21.73	-68.2	-13	55.2	Pass	2986
30	1000	0.1	RMS	986.191	-59.61	-13	46.61	Pass	9701
1000	1700	1	RMS	1696	-49.2	-13	36.2	Pass	701
1700	1765	1	RMS	1732.013	23.69	60	36.31	Pass	401
1765	3000	1	RMS	2931	-45.95	-13	32.95	Pass	1236
3000	12000	1	RMS	11446	-36.66	-13	23.66	Pass	9002
12000	20000	1	RMS	19807	-29.17	-13	16.17	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	23.83	-68.63	-13	55.63	Pass	2986
30	1000	0.1	RMS	906.538	-59.42	-13	46.42	Pass	9701
1000	1700	1	RMS	1691	-49.14	-13	36.14	Pass	701
1700	1765	1	RMS	1753.788	25.05	60	34.95	Pass	401
1765	3000	1	RMS	2938	-46.06	-13	33.06	Pass	1236
3000	12000	1	RMS	11484	-36.6	-13	23.6	Pass	9002
12000	20000	1	RMS	19796	-29.19	-13	16.19	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.21	-67.97	-13	54.97	Pass	2986
30	1000	0.1	RMS	887.025	-59.61	-13	46.61	Pass	9701
1000	1700	1	RMS	1677	-49.21	-13	36.21	Pass	701
1700	1765	1	RMS	1753.788	23.98	60	36.02	Pass	401
1765	3000	1	RMS	2976	-45.84	-13	32.84	Pass	1236
3000	12000	1	RMS	11837	-36.59	-13	23.59	Pass	9002
12000	20000	1	RMS	19810	-29.19	-13	16.19	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	15.05	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	901.235	-59.68	-13	46.68	Pass	9701
1000	1700	1	RMS	1700	-48.14	-13	35.14	Pass	701
1700	1765	1	RMS	1710.238	24.58	60	35.42	Pass	401
1765	3000	1	RMS	2956	-45.8	-13	32.8	Pass	1236
3000	12000	1	RMS	11849	-36.63	-13	23.63	Pass	9002
12000	20000	1	RMS	19803	-29.17	-13	16.17	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	0.25	-67.6	-13	54.6	Pass	2986
30	1000	0.1	RMS	895.531	-59.15	-13	46.15	Pass	9701
1000	1700	1	RMS	1700	-48.5	-13	35.5	Pass	701
1700	1765	1	RMS	1710.238	24.7	60	35.3	Pass	401
1765	3000	1	RMS	2968	-45.73	-13	32.73	Pass	1236
3000	12000	1	RMS	11495	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19764	-29.27	-13	16.27	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	0.25	-68.11	-13	55.11	Pass	2986
30	1000	0.1	RMS	895.731	-59.43	-13	46.43	Pass	9701
1000	1700	1	RMS	1700	-48.65	-13	35.65	Pass	701
1700	1765	1	RMS	1710.238	23.75	60	36.25	Pass	401
1765	3000	1	RMS	2963	-45.91	-13	32.91	Pass	1236
3000	12000	1	RMS	11499	-36.6	-13	23.6	Pass	9002
12000	20000	1	RMS	19797	-29.05	-13	16.05	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	25.66	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	914.844	-59.07	-13	46.07	Pass	9701
1000	1700	1	RMS	1668	-49.01	-13	36.01	Pass	701
1700	1765	1	RMS	1732.013	24.68	60	35.32	Pass	401
1765	3000	1	RMS	2955	-45.84	-13	32.84	Pass	1236
3000	12000	1	RMS	11507	-36.53	-13	23.53	Pass	9002
12000	20000	1	RMS	19808	-29	-13	16	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	9.71	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	907.639	-59.36	-13	46.36	Pass	9701
1000	1700	1	RMS	1685	-49.08	-13	36.08	Pass	701
1700	1765	1	RMS	1732.013	23.72	60	36.28	Pass	401
1765	3000	1	RMS	2960	-45.8	-13	32.8	Pass	1236
3000	12000	1	RMS	11484	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19804	-29	-13	16	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.16	-68.01	-13	55.01	Pass	2986
30	1000	0.1	RMS	971.081	-59.42	-13	46.42	Pass	9701
1000	1700	1	RMS	1700	-49.17	-13	36.17	Pass	701
1700	1765	1	RMS	1753.788	25.01	60	34.99	Pass	401
1765	3000	1	RMS	2964	-45.75	-13	32.75	Pass	1236
3000	12000	1	RMS	11844	-36.49	-13	23.49	Pass	9002
12000	20000	1	RMS	19793	-28.99	-13	15.99	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	24.98	-68.48	-13	55.48	Pass	2986
30	1000	0.1	RMS	912.742	-59.16	-13	46.16	Pass	9701
1000	1700	1	RMS	1699	-49.11	-13	36.11	Pass	701
1700	1765	1	RMS	1753.788	24.07	60	35.93	Pass	401
1765	3000	1	RMS	2956	-45.9	-13	32.9	Pass	1236
3000	12000	1	RMS	11492	-36.5	-13	23.5	Pass	9002
12000	20000	1	RMS	19814	-29.23	-13	16.23	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.16	-67.99	-13	54.99	Pass	2986
30	1000	0.1	RMS	797.6	-59.2	-13	46.2	Pass	9701
1000	1700	1	RMS	1700	-48.2	-13	35.2	Pass	701
1700	1765	1	RMS	1710.238	24.58	60	35.42	Pass	401
1765	3000	1	RMS	2969	-45.8	-13	32.8	Pass	1236
3000	12000	1	RMS	11454	-36.58	-13	23.58	Pass	9002
12000	20000	1	RMS	19778	-29.02	-13	16.02	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	7.13	-68.85	-13	55.85	Pass	2986
30	1000	0.1	RMS	876.918	-59.13	-13	46.13	Pass	9701
1000	1700	1	RMS	1700	-48.46	-13	35.46	Pass	701
1700	1765	1	RMS	1710.238	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2948	-45.89	-13	32.89	Pass	1236
3000	12000	1	RMS	11506	-36.7	-13	23.7	Pass	9002
12000	20000	1	RMS	19805	-29.22	-13	16.22	Pass	8001



2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-67.19	-13	54.19	Pass	2986
30	1000	0.1	RMS	879.42	-59.35	-13	46.35	Pass	9701
1000	1700	1	RMS	1676	-49.16	-13	36.16	Pass	701
1700	1765	1	RMS	1731.2	24.51	60	35.49	Pass	401
1765	3000	1	RMS	2967	-45.84	-13	32.84	Pass	1236
3000	12000	1	RMS	11465	-36.48	-13	23.48	Pass	9002
12000	20000	1	RMS	19802	-29.09	-13	16.09	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-13	54.83	Pass	2986
30	1000	0.1	RMS	901.835	-59.44	-13	46.44	Pass	9701
1000	1700	1	RMS	1690	-49.07	-13	36.07	Pass	701
1700	1765	1	RMS	1731.2	23.67	60	36.33	Pass	401
1765	3000	1	RMS	2964	-45.96	-13	32.96	Pass	1236
3000	12000	1	RMS	11504	-36.64	-13	23.64	Pass	9002
12000	20000	1	RMS	19799	-28.93	-13	15.93	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.38	-13	57.38	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-13	54.71	Pass	2986
30	1000	0.1	RMS	986.891	-59.31	-13	46.31	Pass	9701
1000	1700	1	RMS	1690	-49.12	-13	36.12	Pass	701
1700	1765	1	RMS	1752.163	24.84	60	35.16	Pass	401
1765	3000	1	RMS	2984	-46	-13	33	Pass	1236
3000	12000	1	RMS	11449	-36.64	-13	23.64	Pass	9002
12000	20000	1	RMS	19818	-29.19	-13	16.19	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	15.01	-69.14	-13	56.14	Pass	2986
30	1000	0.1	RMS	861.208	-59.27	-13	46.27	Pass	9701
1000	1700	1	RMS	1668	-49.26	-13	36.26	Pass	701
1700	1765	1	RMS	1752.163	23.88	60	36.12	Pass	401
1765	3000	1	RMS	2935	-46	-13	33	Pass	1236
3000	12000	1	RMS	11487	-36.56	-13	23.56	Pass	9002
12000	20000	1	RMS	19792	-29.07	-13	16.07	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.079	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.16	-67.81	-13	54.81	Pass	2986
30	1000	0.1	RMS	906.738	-59.18	-13	46.18	Pass	9701
1000	1700	1	RMS	1700	-48.32	-13	35.32	Pass	701
1700	1765	1	RMS	1710.238	24.81	60	35.19	Pass	401
1765	3000	1	RMS	2960	-45.72	-13	32.72	Pass	1236
3000	12000	1	RMS	11853	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19801	-28.98	-13	15.98	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.29	-13	57.29	Pass	401
0.15	30	0.01	RMS	15.84	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	990.994	-59.76	-13	46.76	Pass	9701
1000	1700	1	RMS	1700	-48.6	-13	35.6	Pass	701
1700	1765	1	RMS	1710.238	23.92	60	36.08	Pass	401
1765	3000	1	RMS	2946	-45.89	-13	32.89	Pass	1236
3000	12000	1	RMS	11498	-36.59	-13	23.59	Pass	9002
12000	20000	1	RMS	19798	-28.95	-13	15.95	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.104	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	24.72	-68.34	-13	55.34	Pass	2986
30	1000	0.1	RMS	993.696	-59.57	-13	46.57	Pass	9701
1000	1700	1	RMS	1687	-49.08	-13	36.08	Pass	701
1700	1765	1	RMS	1730.225	24.76	60	35.24	Pass	401
1765	3000	1	RMS	2998	-45.88	-13	32.88	Pass	1236
3000	12000	1	RMS	11473	-36.45	-13	23.45	Pass	9002
12000	20000	1	RMS	19800	-29.03	-13	16.03	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	16.62	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	883.823	-59.57	-13	46.57	Pass	9701
1000	1700	1	RMS	1680	-49.16	-13	36.16	Pass	701
1700	1765	1	RMS	1730.225	24.02	60	35.98	Pass	401
1765	3000	1	RMS	2928	-46.03	-13	33.03	Pass	1236
3000	12000	1	RMS	11487	-36.68	-13	23.68	Pass	9002
12000	20000	1	RMS	19808	-29.06	-13	16.06	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	0.18	-67.91	-13	54.91	Pass	2986
30	1000	0.1	RMS	738.2	-59.57	-13	46.57	Pass	9701
1000	1700	1	RMS	1692	-49.16	-13	36.16	Pass	701
1700	1765	1	RMS	1750.213	25.07	60	34.93	Pass	401
1765	3000	1	RMS	2944	-45.93	-13	32.93	Pass	1236
3000	12000	1	RMS	11839	-36.66	-13	23.66	Pass	9002
12000	20000	1	RMS	19751	-29.15	-13	16.15	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	22	-68.78	-13	55.78	Pass	2986
30	1000	0.1	RMS	891.128	-59.68	-13	46.68	Pass	9701
1000	1700	1	RMS	1679	-49.09	-13	36.09	Pass	701
1700	1765	1	RMS	1750.213	24.15	60	35.85	Pass	401
1765	3000	1	RMS	2967	-45.89	-13	32.89	Pass	1236
3000	12000	1	RMS	11856	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19801	-29.1	-13	16.1	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	11.29	-68.42	-13	55.42	Pass	2986
30	1000	0.1	RMS	991.995	-59.52	-13	46.52	Pass	9701
1000	1700	1	RMS	1700	-44.84	-13	31.84	Pass	701
1700	1765	1	RMS	1710.563	24.85	60	35.15	Pass	401
1765	3000	1	RMS	2981	-45.86	-13	32.86	Pass	1236
3000	12000	1	RMS	11477	-36.53	-13	23.53	Pass	9002
12000	20000	1	RMS	19795	-28.97	-13	15.97	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-71.22	-13	58.22	Pass	401
0.15	30	0.01	RMS	28.04	-68.84	-13	55.84	Pass	2986
30	1000	0.1	RMS	880.02	-59.82	-13	46.82	Pass	9701
1000	1700	1	RMS	1700	-45.25	-13	32.25	Pass	701
1700	1765	1	RMS	1710.563	23.97	60	36.03	Pass	401
1765	3000	1	RMS	2936	-45.93	-13	32.93	Pass	1236
3000	12000	1	RMS	11849	-36.53	-13	23.53	Pass	9002
12000	20000	1	RMS	19801	-29.22	-13	16.22	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.16	-68.48	-13	55.48	Pass	2986
30	1000	0.1	RMS	905.337	-59.43	-13	46.43	Pass	9701
1000	1700	1	RMS	1676	-49.22	-13	36.22	Pass	701
1700	1765	1	RMS	1727.95	24.8	60	35.2	Pass	401
1765	3000	1	RMS	2958	-45.76	-13	32.76	Pass	1236
3000	12000	1	RMS	11454	-36.6	-13	23.6	Pass	9002
12000	20000	1	RMS	19811	-29.05	-13	16.05	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.16	-68.81	-13	55.81	Pass	2986
30	1000	0.1	RMS	896.631	-59.75	-13	46.75	Pass	9701
1000	1700	1	RMS	1682	-49.26	-13	36.26	Pass	701
1700	1765	1	RMS	1727.95	23.95	60	36.05	Pass	401
1765	3000	1	RMS	2959	-45.85	-13	32.85	Pass	1236
3000	12000	1	RMS	11857	-36.51	-13	23.51	Pass	9002
12000	20000	1	RMS	19784	-29.11	-13	16.11	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	21.04	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	911.641	-59.6	-13	46.6	Pass	9701
1000	1700	1	RMS	1676	-49.16	-13	36.16	Pass	701
1700	1765	1	RMS	1745.5	25.04	60	34.96	Pass	401
1765	3000	1	RMS	2985	-45.83	-13	32.83	Pass	1236
3000	12000	1	RMS	11493	-36.46	-13	23.46	Pass	9002
12000	20000	1	RMS	19799	-29.16	-13	16.16	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.16	-68.57	-13	55.57	Pass	2986
30	1000	0.1	RMS	898.132	-59.46	-13	46.46	Pass	9701
1000	1700	1	RMS	1691	-49.27	-13	36.27	Pass	701
1700	1765	1	RMS	1745.5	24.09	60	35.91	Pass	401
1765	3000	1	RMS	2945	-46.06	-13	33.06	Pass	1236
3000	12000	1	RMS	11490	-36.69	-13	23.69	Pass	9002
12000	20000	1	RMS	19787	-29.3	-13	16.3	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-13	54.96	Pass	2986
30	1000	0.1	RMS	992.395	-59.64	-13	46.64	Pass	9701
1000	1700	1	RMS	1700	-35.27	-13	22.27	Pass	701
1700	1765	1	RMS	1710.725	24.81	60	35.19	Pass	401
1765	3000	1	RMS	2954	-45.97	-13	32.97	Pass	1236
3000	12000	1	RMS	11856	-36.73	-13	23.73	Pass	9002
12000	20000	1	RMS	19765	-29.1	-13	16.1	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-70.01	-13	57.01	Pass	401
0.15	30	0.01	RMS	0.17	-68.89	-13	55.89	Pass	2986
30	1000	0.1	RMS	901.535	-59.76	-13	46.76	Pass	9701
1000	1700	1	RMS	1700	-37.52	-13	24.52	Pass	701
1700	1765	1	RMS	1710.725	23.95	60	36.05	Pass	401
1765	3000	1	RMS	2959	-45.92	-13	32.92	Pass	1236
3000	12000	1	RMS	11493	-36.57	-13	23.57	Pass	9002
12000	20000	1	RMS	19798	-29.28	-13	16.28	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-13	57.06	Pass	401
0.15	30	0.01	RMS	0.16	-67.7	-13	54.7	Pass	2986
30	1000	0.1	RMS	890.828	-59.75	-13	46.75	Pass	9701
1000	1700	1	RMS	1699	-39.04	-13	26.04	Pass	701
1700	1765	1	RMS	1725.838	24.74	60	35.26	Pass	401
1765	3000	1	RMS	2980	-45.93	-13	32.93	Pass	1236
3000	12000	1	RMS	11483	-36.41	-13	23.41	Pass	9002
12000	20000	1	RMS	19799	-29.07	-13	16.07	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	20.56	-69.1	-13	56.1	Pass	2986
30	1000	0.1	RMS	487.2	-59.72	-13	46.72	Pass	9701
1000	1700	1	RMS	1699	-39.88	-13	26.88	Pass	701
1700	1765	1	RMS	1725.675	23.88	60	36.12	Pass	401
1765	3000	1	RMS	2965	-45.85	-13	32.85	Pass	1236
3000	12000	1	RMS	11467	-36.6	-13	23.6	Pass	9002
12000	20000	1	RMS	19801	-28.96	-13	15.96	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.53	-13	56.53	Pass	401
0.15	30	0.01	RMS	0.75	-67.98	-13	54.98	Pass	2986
30	1000	0.1	RMS	858.706	-59.7	-13	46.7	Pass	9701
1000	1700	1	RMS	1662	-49.37	-13	36.37	Pass	701
1700	1765	1	RMS	1740.788	24.89	60	35.11	Pass	401
1765	3000	1	RMS	1767	-31.43	-13	18.43	Pass	1236
3000	12000	1	RMS	7102	-36.74	-13	23.74	Pass	9002
12000	20000	1	RMS	19811	-29.21	-13	16.21	Pass	8001



2.37. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	0.17	-68.34	-13	55.34	Pass	2986
30	1000	0.1	RMS	918.746	-59.52	-13	46.52	Pass	9701
1000	1700	1	RMS	1672	-49.23	-13	36.23	Pass	701
1700	1765	1	RMS	1740.788	23.92	60	36.08	Pass	401
1765	3000	1	RMS	1767	-32.46	-13	19.46	Pass	1236
3000	12000	1	RMS	11479	-36.69	-13	23.69	Pass	9002
12000	20000	1	RMS	19801	-29.02	-13	16.02	Pass	8001



2.38. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	1.04	-68.41	-13	55.41	Pass	2986
30	1000	0.1	RMS	910.04	-59.38	-13	46.38	Pass	9701
1000	1700	1	RMS	1700	-36.81	-13	23.81	Pass	701
1700	1765	1	RMS	1711.05	24.74	60	35.26	Pass	401
1765	3000	1	RMS	2962	-45.78	-13	32.78	Pass	1236
3000	12000	1	RMS	11467	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19805	-29.11	-13	16.11	Pass	8001



2.39. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	867.912	-59.64	-13	46.64	Pass	9701
1000	1700	1	RMS	1700	-38.68	-13	25.68	Pass	701
1700	1765	1	RMS	1711.05	23.92	60	36.08	Pass	401
1765	3000	1	RMS	2977	-45.94	-13	32.94	Pass	1236
3000	12000	1	RMS	11454	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19802	-29.05	-13	16.05	Pass	8001



2.40. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-13	55.08	Pass	2986
30	1000	0.1	RMS	865.111	-59.72	-13	46.72	Pass	9701
1000	1700	1	RMS	1688	-48.1	-13	35.1	Pass	701
1700	1765	1	RMS	1723.563	24.68	60	35.32	Pass	401
1765	3000	1	RMS	2940	-45.84	-13	32.84	Pass	1236
3000	12000	1	RMS	11510	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19786	-28.97	-13	15.97	Pass	8001



2.41. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	863.81	-59.73	-13	46.73	Pass	9701
1000	1700	1	RMS	1688	-48.47	-13	35.47	Pass	701
1700	1765	1	RMS	1723.563	23.9	60	36.1	Pass	401
1765	3000	1	RMS	2973	-45.81	-13	32.81	Pass	1236
3000	12000	1	RMS	11487	-36.54	-13	23.54	Pass	9002
12000	20000	1	RMS	19769	-29.13	-13	16.13	Pass	8001



2.42. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	20.52	-68.9	-13	55.9	Pass	2986
30	1000	0.1	RMS	887.425	-59.38	-13	46.38	Pass	9701
1000	1700	1	RMS	1700	-41.43	-13	28.43	Pass	701
1700	1765	1	RMS	1736.075	24.64	60	35.36	Pass	401
1765	3000	1	RMS	1772	-29.32	-13	16.32	Pass	1236
3000	12000	1	RMS	11506	-36.69	-13	23.69	Pass	9002
12000	20000	1	RMS	19804	-29.06	-13	16.06	Pass	8001



2.43. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	25.12	-68.48	-13	55.48	Pass	2986
30	1000	0.1	RMS	897.132	-59.46	-13	46.46	Pass	9701
1000	1700	1	RMS	1700	-42.07	-13	29.07	Pass	701
1700	1765	1	RMS	1736.075	23.85	60	36.15	Pass	401
1765	3000	1	RMS	1772	-30.19	-13	17.19	Pass	1236
3000	12000	1	RMS	11486	-36.48	-13	23.48	Pass	9002
12000	20000	1	RMS	19780	-29.07	-13	16.07	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	11.78	-68.66	-13	55.66	Pass	2986
30	814	0.1	RMS	813.6	-59.82	-13	46.82	Pass	7841
814	860	0.1	RMS	824.2	20.36	60	39.64	Pass	461
860	1000	0.1	RMS	896.3	-59.62	-13	46.62	Pass	1401
1000	3000	1	RMS	1648	-44.81	-13	31.81	Pass	2001
3000	10000	1	RMS	7163	-30.53	-13	17.53	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.94	-13	56.94	Pass	401
0.15	30	0.01	RMS	0.16	-68.87	-13	55.87	Pass	2986
30	814	0.1	RMS	492.2	-59.84	-13	46.84	Pass	7841
814	860	0.1	RMS	824.2	19.31	60	40.69	Pass	461
860	1000	0.1	RMS	893.9	-59.4	-13	46.4	Pass	1401
1000	3000	1	RMS	1648	-45.57	-13	32.57	Pass	2001
3000	10000	1	RMS	7098	-36.96	-13	23.96	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	22.58	-69.23	-13	56.23	Pass	2986
30	814	0.1	RMS	802.4	-59.94	-13	46.94	Pass	7841
814	860	0.1	RMS	836.1	20.26	60	39.74	Pass	461
860	1000	0.1	RMS	875.6	-59.37	-13	46.37	Pass	1401
1000	3000	1	RMS	2971	-46.03	-13	33.03	Pass	2001
3000	10000	1	RMS	7102	-37.08	-13	24.08	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	3.93	-68.76	-13	55.76	Pass	2986
30	814	0.1	RMS	725.5	-59.78	-13	46.78	Pass	7841
814	860	0.1	RMS	836.1	19.18	60	40.82	Pass	461
860	1000	0.1	RMS	911.4	-59.49	-13	46.49	Pass	1401
1000	3000	1	RMS	2964	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7099	-37.06	-13	24.06	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	29.83	-69.39	-13	56.39	Pass	2986
30	814	0.1	RMS	799	-59.24	-13	46.24	Pass	7841
814	860	0.1	RMS	847.9	20.06	60	39.94	Pass	461
860	1000	0.1	RMS	909.3	-58.89	-13	45.89	Pass	1401
1000	3000	1	RMS	1695	-45.19	-13	32.19	Pass	2001
3000	10000	1	RMS	7100	-37.06	-13	24.06	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.45	-68.8	-13	55.8	Pass	2986
30	814	0.1	RMS	516.9	-59.9	-13	46.9	Pass	7841
814	860	0.1	RMS	847.8	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	998	-59.56	-13	46.56	Pass	1401
1000	3000	1	RMS	1695	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7098	-36.96	-13	23.96	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	9.31	-68.87	-13	55.87	Pass	2986
30	814	0.1	RMS	813.2	-60.15	-13	47.15	Pass	7841
814	860	0.1	RMS	824.2	20.38	60	39.62	Pass	461
860	1000	0.1	RMS	871.7	-59.66	-13	46.66	Pass	1401
1000	3000	1	RMS	1648	-44.86	-13	31.86	Pass	2001
3000	10000	1	RMS	7126	-29.11	-13	16.11	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	26.75	-68.74	-13	55.74	Pass	2986
30	814	0.1	RMS	732.9	-59.9	-13	46.9	Pass	7841
814	860	0.1	RMS	824.2	19.54	60	40.46	Pass	461
860	1000	0.1	RMS	933.9	-59.49	-13	46.49	Pass	1401
1000	3000	1	RMS	1648	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7079	-37.21	-13	24.21	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.69	-68.83	-13	55.83	Pass	2986
30	814	0.1	RMS	494.1	-59.96	-13	46.96	Pass	7841
814	860	0.1	RMS	835.2	20.34	60	39.66	Pass	461
860	1000	0.1	RMS	880.5	-59.62	-13	46.62	Pass	1401
1000	3000	1	RMS	1670	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7100	-36.77	-13	23.77	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.19	-68.81	-13	55.81	Pass	2986
30	814	0.1	RMS	499.4	-60.01	-13	47.01	Pass	7841
814	860	0.1	RMS	835.2	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	891.2	-59.51	-13	46.51	Pass	1401
1000	3000	1	RMS	2964	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7090	-36.97	-13	23.97	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.83	-68.98	-13	55.98	Pass	2986
30	814	0.1	RMS	798.7	-59.37	-13	46.37	Pass	7841
814	860	0.1	RMS	846.2	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	877.5	-58.78	-13	45.78	Pass	1401
1000	3000	1	RMS	1692	-44.53	-13	31.53	Pass	2001
3000	10000	1	RMS	7102	-36.83	-13	23.83	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	26.08	-68.91	-13	55.91	Pass	2986
30	814	0.1	RMS	733.3	-59.79	-13	46.79	Pass	7841
814	860	0.1	RMS	846.2	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	917.8	-59.6	-13	46.6	Pass	1401
1000	3000	1	RMS	1692	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	7109	-36.84	-13	23.84	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-13	55.74	Pass	2986
30	814	0.1	RMS	729.3	-59.8	-13	46.8	Pass	7841
814	860	0.1	RMS	824.3	20.76	60	39.24	Pass	461
860	1000	0.1	RMS	984.8	-59.53	-13	46.53	Pass	1401
1000	3000	1	RMS	1648	-44.81	-13	31.81	Pass	2001
3000	10000	1	RMS	7154	-30.55	-13	17.55	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	28.33	-68.65	-13	55.65	Pass	2986
30	814	0.1	RMS	813.7	-59.91	-13	46.91	Pass	7841
814	860	0.1	RMS	824.3	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	893.1	-59.42	-13	46.42	Pass	1401
1000	3000	1	RMS	1648	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	7088	-37.17	-13	24.17	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	29.79	-68.76	-13	55.76	Pass	2986
30	814	0.1	RMS	485.9	-60	-13	47	Pass	7841
814	860	0.1	RMS	834.3	20.56	60	39.44	Pass	461
860	1000	0.1	RMS	880.9	-59.42	-13	46.42	Pass	1401
1000	3000	1	RMS	1668	-45.48	-13	32.48	Pass	2001
3000	10000	1	RMS	7105	-37.17	-13	24.17	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.5	-69.11	-13	56.11	Pass	2986
30	814	0.1	RMS	744.3	-59.9	-13	46.9	Pass	7841
814	860	0.1	RMS	834.3	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	919.5	-59.65	-13	46.65	Pass	1401
1000	3000	1	RMS	2963	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7100	-36.91	-13	23.91	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-13	55.61	Pass	2986
30	814	0.1	RMS	808.1	-60	-13	47	Pass	7841
814	860	0.1	RMS	844.3	20.57	60	39.43	Pass	461
860	1000	0.1	RMS	977.9	-59.75	-13	46.75	Pass	1401
1000	3000	1	RMS	1688	-45.06	-13	32.06	Pass	2001
3000	10000	1	RMS	7102	-36.72	-13	23.72	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.39	-13	57.39	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-13	55.4	Pass	2986
30	814	0.1	RMS	733.3	-59.27	-13	46.27	Pass	7841
814	860	0.1	RMS	844.3	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	911.5	-58.89	-13	45.89	Pass	1401
1000	3000	1	RMS	1688	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	7104	-36.93	-13	23.93	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.26	-69.09	-13	56.09	Pass	2986
30	814	0.1	RMS	814	-51.28	-13	38.28	Pass	7841
814	860	0.1	RMS	824.6	21.25	60	38.75	Pass	461
860	1000	0.1	RMS	908.3	-59.41	-13	46.41	Pass	1401
1000	3000	1	RMS	1649	-44.95	-13	31.95	Pass	2001
3000	10000	1	RMS	7127	-29.75	-13	16.75	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	26.69	-69.18	-13	56.18	Pass	2986
30	814	0.1	RMS	814	-51.85	-13	38.85	Pass	7841
814	860	0.1	RMS	824.6	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	892.9	-59.56	-13	46.56	Pass	1401
1000	3000	1	RMS	1649	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7099	-37.15	-13	24.15	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	55.42	Pass	2986
30	814	0.1	RMS	722	-60	-13	47	Pass	7841
814	860	0.1	RMS	832.1	21.16	60	38.84	Pass	461
860	1000	0.1	RMS	900.1	-59.58	-13	46.58	Pass	1401
1000	3000	1	RMS	1664	-45.38	-13	32.38	Pass	2001
3000	10000	1	RMS	7102	-36.84	-13	23.84	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	55.42	Pass	2986
30	814	0.1	RMS	489.7	-60.06	-13	47.06	Pass	7841
814	860	0.1	RMS	832.1	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	880.9	-59.52	-13	46.52	Pass	1401
1000	3000	1	RMS	2981	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7098	-36.94	-13	23.94	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	26.61	-68.45	-13	55.45	Pass	2986
30	814	0.1	RMS	480.6	-59.05	-13	46.05	Pass	7841
814	860	0.1	RMS	839.6	21.08	60	38.92	Pass	461
860	1000	0.1	RMS	999.4	-59.23	-13	46.23	Pass	1401
1000	3000	1	RMS	1679	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	7100	-36.84	-13	23.84	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.01	-13	57.01	Pass	401
0.15	30	0.01	RMS	27.6	-68.72	-13	55.72	Pass	2986
30	814	0.1	RMS	803.6	-59.97	-13	46.97	Pass	7841
814	860	0.1	RMS	839.6	20.17	60	39.83	Pass	461
860	1000	0.1	RMS	884.9	-59.66	-13	46.66	Pass	1401
1000	3000	1	RMS	2960	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	7102	-36.81	-13	23.81	Pass	7001



3. LTE_Band7


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-72.14	-25	47.14	Pass	401
0.15	30	0.01	RMS	0.17	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	897.232	-59.63	-25	34.63	Pass	9701
1000	2490	1	RMS	2490	-46.92	-25	21.92	Pass	1491
2490	2580	1	RMS	2500.35	23.84	60	36.16	Pass	401
2580	3000	1	RMS	2968	-46.02	-25	21.02	Pass	421
3000	12000	1	RMS	11937	-56.65	-25	31.65	Pass	9002
12000	26000	1	RMS	25101	-45.65	-25	20.65	Pass	14002




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.61	-25	46.61	Pass	401
0.15	30	0.01	RMS	1.6	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	992.195	-59.57	-25	34.57	Pass	9701
1000	2490	1	RMS	2490	-46.75	-25	21.75	Pass	1491
2490	2580	1	RMS	2500.125	23.32	60	36.68	Pass	401
2580	3000	1	RMS	2966	-46.03	-25	21.03	Pass	421
3000	12000	1	RMS	11850	-56.42	-25	31.42	Pass	9002
12000	26000	1	RMS	25087	-44.55	-25	19.55	Pass	14002




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.27	-25	46.27	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	889.026	-59.67	-25	34.67	Pass	9701
1000	2490	1	RMS	2489	-47.22	-25	22.22	Pass	1491
2490	2580	1	RMS	2532.75	24.02	60	35.98	Pass	401
2580	3000	1	RMS	2978	-46.03	-25	21.03	Pass	421
3000	12000	1	RMS	11850	-56.35	-25	31.35	Pass	9002
12000	26000	1	RMS	25774	-44.77	-25	19.77	Pass	14002




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-70.96	-25	45.96	Pass	401
0.15	30	0.01	RMS	6.1	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	854.804	-59.48	-25	34.48	Pass	9701
1000	2490	1	RMS	2482	-47.38	-25	22.38	Pass	1491
2490	2580	1	RMS	2532.75	23.28	60	36.72	Pass	401
2580	3000	1	RMS	2973	-46.11	-25	21.11	Pass	421
3000	12000	1	RMS	11858	-56.45	-25	31.45	Pass	9002
12000	26000	1	RMS	25107	-44.6	-25	19.6	Pass	14002




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.95	-25	45.95	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	906.038	-59.65	-25	34.65	Pass	9701
1000	2490	1	RMS	2486	-47.36	-25	22.36	Pass	1491
2490	2580	1	RMS	2565.15	23.5	60	36.5	Pass	401
2580	3000	1	RMS	2962	-46.03	-25	21.03	Pass	421
3000	12000	1	RMS	5131	-56.16	-25	31.16	Pass	9002
12000	26000	1	RMS	25079	-44.61	-25	19.61	Pass	14002




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-25	45.79	Pass	401
0.15	30	0.01	RMS	6.71	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	907.539	-59.6	-25	34.6	Pass	9701
1000	2490	1	RMS	2489	-47.36	-25	22.36	Pass	1491
2490	2580	1	RMS	2565.15	22.94	60	37.06	Pass	401
2580	3000	1	RMS	2959	-45.89	-25	20.89	Pass	421
3000	12000	1	RMS	11495	-56.57	-25	31.57	Pass	9002
12000	26000	1	RMS	25122	-44.65	-25	19.65	Pass	14002




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.38	-25	46.38	Pass	401
0.15	30	0.01	RMS	0.47	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	861.208	-59.63	-25	34.63	Pass	9701
1000	2490	1	RMS	2490	-43.84	-25	18.84	Pass	1491
2490	2580	1	RMS	2500.575	23.85	60	36.15	Pass	401
2580	3000	1	RMS	2964	-45.94	-25	20.94	Pass	421
3000	12000	1	RMS	11501	-56.6	-25	31.6	Pass	9002
12000	26000	1	RMS	25116	-44.65	-25	19.65	Pass	14002




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	27.53	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	901.835	-59.55	-25	34.55	Pass	9701
1000	2490	1	RMS	2483	-43.88	-25	18.88	Pass	1491
2490	2580	1	RMS	2500.575	23.42	60	36.58	Pass	401
2580	3000	1	RMS	2971	-46.03	-25	21.03	Pass	421
3000	12000	1	RMS	11860	-56.44	-25	31.44	Pass	9002
12000	26000	1	RMS	25104	-44.46	-25	19.46	Pass	14002



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-71.02	-25	46.02	Pass	401
0.15	30	0.01	RMS	5.99	-69.07	-25	44.07	Pass	2986
30	1000	0.1	RMS	884.924	-59.47	-25	34.47	Pass	9701
1000	2490	1	RMS	2489	-47.07	-25	22.07	Pass	1491
2490	2580	1	RMS	2530.5	24.14	60	35.86	Pass	401
2580	3000	1	RMS	2965	-46.03	-25	21.03	Pass	421
3000	12000	1	RMS	11444	-56.49	-25	31.49	Pass	9002
12000	26000	1	RMS	25865	-44.67	-25	19.67	Pass	14002



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-71.39	-25	46.39	Pass	401
0.15	30	0.01	RMS	0.17	-68.7	-25	43.7	Pass	2986
30	1000	0.1	RMS	905.237	-59.74	-25	34.74	Pass	9701
1000	2490	1	RMS	2486	-47.35	-25	22.35	Pass	1491
2490	2580	1	RMS	2530.5	23.22	60	36.78	Pass	401
2580	3000	1	RMS	2978	-45.98	-25	20.98	Pass	421
3000	12000	1	RMS	11442	-56.44	-25	31.44	Pass	9002
12000	26000	1	RMS	25095	-44.78	-25	19.78	Pass	14002



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.59	-25	45.59	Pass	401
0.15	30	0.01	RMS	2.59	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	901.435	-59.61	-25	34.61	Pass	9701
1000	2490	1	RMS	2488	-47.29	-25	22.29	Pass	1491
2490	2580	1	RMS	2560.425	23.62	60	36.38	Pass	401
2580	3000	1	RMS	2964	-46.09	-25	21.09	Pass	421
3000	12000	1	RMS	5121	-55.14	-25	30.14	Pass	9002
12000	26000	1	RMS	25084	-44.84	-25	19.84	Pass	14002



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.93	-25	45.93	Pass	401
0.15	30	0.01	RMS	11.69	-69.2	-25	44.2	Pass	2986
30	1000	0.1	RMS	889.026	-59.41	-25	34.41	Pass	9701
1000	2490	1	RMS	2488	-47.34	-25	22.34	Pass	1491
2490	2580	1	RMS	2560.425	22.89	60	37.11	Pass	401
2580	3000	1	RMS	2968	-46.1	-25	21.1	Pass	421
3000	12000	1	RMS	5121	-55.85	-25	30.85	Pass	9002
12000	26000	1	RMS	25093	-44.72	-25	19.72	Pass	14002



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.7	-25	45.7	Pass	401
0.15	30	0.01	RMS	19.59	-69.08	-25	44.08	Pass	2986
30	1000	0.1	RMS	848	-59.64	-25	34.64	Pass	9701
1000	2490	1	RMS	2489	-38.04	-25	13.04	Pass	1491
2490	2580	1	RMS	2500.8	23.82	60	36.18	Pass	401
2580	3000	1	RMS	2930	-46.12	-25	21.12	Pass	421
3000	12000	1	RMS	11854	-56.7	-25	31.7	Pass	9002
12000	26000	1	RMS	25097	-44.78	-25	19.78	Pass	14002



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.51	-25	45.51	Pass	401
0.15	30	0.01	RMS	19.48	-68.81	-25	43.81	Pass	2986
30	1000	0.1	RMS	900.834	-59.65	-25	34.65	Pass	9701
1000	2490	1	RMS	2489	-38.02	-25	13.02	Pass	1491
2490	2580	1	RMS	2500.8	23.37	60	36.63	Pass	401
2580	3000	1	RMS	2970	-46.04	-25	21.04	Pass	421
3000	12000	1	RMS	11838	-56.48	-25	31.48	Pass	9002
12000	26000	1	RMS	25103	-44.65	-25	19.65	Pass	14002



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.66	-25	45.66	Pass	401
0.15	30	0.01	RMS	19.93	-69.02	-25	44.02	Pass	2986
30	1000	0.1	RMS	909.34	-59.6	-25	34.6	Pass	9701
1000	2490	1	RMS	2483	-47.35	-25	22.35	Pass	1491
2490	2580	1	RMS	2528.25	24.04	60	35.96	Pass	401
2580	3000	1	RMS	2955	-46.01	-25	21.01	Pass	421
3000	12000	1	RMS	11448	-56.59	-25	31.59	Pass	9002
12000	26000	1	RMS	25099	-44.59	-25	19.59	Pass	14002



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.56	-25	45.56	Pass	401
0.15	30	0.01	RMS	0.22	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	904.937	-59.54	-25	34.54	Pass	9701
1000	2490	1	RMS	2488	-47.27	-25	22.27	Pass	1491
2490	2580	1	RMS	2528.25	23.18	60	36.82	Pass	401
2580	3000	1	RMS	2961	-46.08	-25	21.08	Pass	421
3000	12000	1	RMS	11475	-56.62	-25	31.62	Pass	9002
12000	26000	1	RMS	25104	-44.8	-25	19.8	Pass	14002



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.63	-25	45.63	Pass	401
0.15	30	0.01	RMS	0.16	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	994.897	-59.36	-25	34.36	Pass	9701
1000	2490	1	RMS	2490	-47.33	-25	22.33	Pass	1491
2490	2595	1	RMS	2555.625	23.81	60	36.19	Pass	401
2595	3000	1	RMS	2962	-45.96	-25	20.96	Pass	406
3000	12000	1	RMS	5112	-56.29	-25	31.29	Pass	9002
12000	26000	1	RMS	25103	-44.69	-25	19.69	Pass	14002



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	0.16	-67.63	-25	42.63	Pass	2986
30	1000	0.1	RMS	901.435	-59.35	-25	34.35	Pass	9701
1000	2490	1	RMS	2490	-47.23	-25	22.23	Pass	1491
2490	2595	1	RMS	2555.625	23	60	37	Pass	401
2595	3000	1	RMS	2966	-45.98	-25	20.98	Pass	406
3000	12000	1	RMS	11851	-56.47	-25	31.47	Pass	9002
12000	26000	1	RMS	25112	-44.66	-25	19.66	Pass	14002



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.87	-25	45.87	Pass	401
0.15	30	0.01	RMS	27.03	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	901.635	-59.41	-25	34.41	Pass	9701
1000	2490	1	RMS	2486	-39.51	-25	14.51	Pass	1491
2490	2580	1	RMS	2501.025	23.79	60	36.21	Pass	401
2580	3000	1	RMS	2976	-46.11	-25	21.11	Pass	421
3000	12000	1	RMS	11848	-56.39	-25	31.39	Pass	9002
12000	26000	1	RMS	25096	-44.86	-25	19.86	Pass	14002



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.95	-25	46.95	Pass	401
0.15	30	0.01	RMS	0.16	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	885.024	-59.73	-25	34.73	Pass	9701
1000	2490	1	RMS	2490	-39.29	-25	14.29	Pass	1491
2490	2580	1	RMS	2501.025	23.42	60	36.58	Pass	401
2580	3000	1	RMS	2967	-46	-25	21	Pass	421
3000	12000	1	RMS	11849	-56.38	-25	31.38	Pass	9002
12000	26000	1	RMS	25108	-44.67	-25	19.67	Pass	14002



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-25	45.8	Pass	401
0.15	30	0.01	RMS	20.8	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	886.525	-59.37	-25	34.37	Pass	9701
1000	2490	1	RMS	2490	-44.22	-25	19.22	Pass	1491
2490	2580	1	RMS	2526	24.01	60	35.99	Pass	401
2580	3000	1	RMS	2972	-46.07	-25	21.07	Pass	421
3000	12000	1	RMS	11858	-56.46	-25	31.46	Pass	9002
12000	26000	1	RMS	25101	-44.67	-25	19.67	Pass	14002



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.96	-25	44.96	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	895.531	-59.35	-25	34.35	Pass	9701
1000	2490	1	RMS	2490	-44.72	-25	19.72	Pass	1491
2490	2580	1	RMS	2526	23.17	60	36.83	Pass	401
2580	3000	1	RMS	2964	-46.11	-25	21.11	Pass	421
3000	12000	1	RMS	11496	-56.32	-25	31.32	Pass	9002
12000	26000	1	RMS	25099	-44.49	-25	19.49	Pass	14002



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-25	46.32	Pass	401
0.15	30	0.01	RMS	26.41	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	899.633	-59.52	-25	34.52	Pass	9701
1000	2490	1	RMS	2489	-47.17	-25	22.17	Pass	1491
2490	2580	1	RMS	2550.975	23.81	60	36.19	Pass	401
2580	3000	1	RMS	2586	-37.22	-25	12.22	Pass	421
3000	12000	1	RMS	11511	-56.67	-25	31.67	Pass	9002
12000	26000	1	RMS	25113	-44.86	-25	19.86	Pass	14002



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.81	-25	45.81	Pass	401
0.15	30	0.01	RMS	1.14	-69.08	-25	44.08	Pass	2986
30	1000	0.1	RMS	973.082	-59.55	-25	34.55	Pass	9701
1000	2490	1	RMS	2489	-47.38	-25	22.38	Pass	1491
2490	2580	1	RMS	2550.975	23.1	60	36.9	Pass	401
2580	3000	1	RMS	2586	-37.78	-25	12.78	Pass	421
3000	12000	1	RMS	11851	-56.45	-25	31.45	Pass	9002
12000	26000	1	RMS	25105	-44.69	-25	19.69	Pass	14002



11. LTE_Band12


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	28.26	-68.61	-13	55.61	Pass	2986
30	689	0.1	RMS	472.1	-60.21	-13	47.21	Pass	6591
689	726	0.1	RMS	699.268	21.06	60	38.94	Pass	401
726	1000	0.1	RMS	887	-59.43	-13	46.43	Pass	2741
1000	3000	1	RMS	2957	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	7150	-29.84	-13	16.84	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	26.84	-68.95	-13	55.95	Pass	2986
30	689	0.1	RMS	598	-59.91	-13	46.91	Pass	6591
689	726	0.1	RMS	699.268	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	960.2	-59.32	-13	46.32	Pass	2741
1000	3000	1	RMS	2971	-46.02	-13	33.02	Pass	2001
3000	10000	1	RMS	7086	-37.23	-13	24.23	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	28.11	-68.83	-13	55.83	Pass	2986
30	689	0.1	RMS	485.9	-60.15	-13	47.15	Pass	6591
689	726	0.1	RMS	707.038	21.16	60	38.84	Pass	401
726	1000	0.1	RMS	909.5	-59.53	-13	46.53	Pass	2741
1000	3000	1	RMS	2969	-46.06	-13	33.06	Pass	2001
3000	10000	1	RMS	7101	-37.1	-13	24.1	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.33	-68.49	-13	55.49	Pass	2986
30	689	0.1	RMS	488.6	-60.29	-13	47.29	Pass	6591
689	726	0.1	RMS	707.038	20.02	60	39.98	Pass	401
726	1000	0.1	RMS	886	-59.32	-13	46.32	Pass	2741
1000	3000	1	RMS	2982	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	7101	-37.05	-13	24.05	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	16.69	-68.94	-13	55.94	Pass	2986
30	689	0.1	RMS	658.7	-60.09	-13	47.09	Pass	6591
689	726	0.1	RMS	714.808	20.75	60	39.25	Pass	401
726	1000	0.1	RMS	910.7	-59.18	-13	46.18	Pass	2741
1000	3000	1	RMS	2968	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	7099	-37.21	-13	24.21	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.29	-69.01	-13	56.01	Pass	2986
30	689	0.1	RMS	488.3	-60.02	-13	47.02	Pass	6591
689	726	0.1	RMS	714.808	19.64	60	40.36	Pass	401
726	1000	0.1	RMS	982.6	-59.17	-13	46.17	Pass	2741
1000	3000	1	RMS	2945	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	7103	-36.91	-13	23.91	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	29.87	-69.05	-13	56.05	Pass	2986
30	689	0.1	RMS	472	-60.04	-13	47.04	Pass	6591
689	726	0.1	RMS	699.268	20.86	60	39.14	Pass	401
726	1000	0.1	RMS	860.7	-59.53	-13	46.53	Pass	2741
1000	3000	1	RMS	2967	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7154	-29.07	-13	16.07	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	15.98	-68.33	-13	55.33	Pass	2986
30	689	0.1	RMS	487.6	-60.07	-13	47.07	Pass	6591
689	726	0.1	RMS	699.268	20.03	60	39.97	Pass	401
726	1000	0.1	RMS	847	-59.4	-13	46.4	Pass	2741
1000	3000	1	RMS	2972	-46.12	-13	33.12	Pass	2001
3000	10000	1	RMS	7098	-37.1	-13	24.1	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	16.58	-68.97	-13	55.97	Pass	2986
30	689	0.1	RMS	500.9	-59.92	-13	46.92	Pass	6591
689	726	0.1	RMS	706.205	20.73	60	39.27	Pass	401
726	1000	0.1	RMS	871.1	-59.03	-13	46.03	Pass	2741
1000	3000	1	RMS	2958	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	7102	-36.88	-13	23.88	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	9	-68.5	-13	55.5	Pass	2986
30	689	0.1	RMS	511.3	-59.6	-13	46.6	Pass	6591
689	726	0.1	RMS	706.205	19.68	60	40.32	Pass	401
726	1000	0.1	RMS	910.4	-59.31	-13	46.31	Pass	2741
1000	3000	1	RMS	2938	-46.03	-13	33.03	Pass	2001
3000	10000	1	RMS	7104	-37.33	-13	24.33	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	29.56	-68.55	-13	55.55	Pass	2986
30	689	0.1	RMS	490.5	-59.91	-13	46.91	Pass	6591
689	726	0.1	RMS	713.235	21.12	60	38.88	Pass	401
726	1000	0.1	RMS	910	-59.33	-13	46.33	Pass	2741
1000	3000	1	RMS	1426	-44.1	-13	31.1	Pass	2001
3000	10000	1	RMS	7098	-37.12	-13	24.12	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.21	-68.22	-13	55.22	Pass	2986
30	689	0.1	RMS	650.6	-60.19	-13	47.19	Pass	6591
689	726	0.1	RMS	713.235	20.21	60	39.79	Pass	401
726	1000	0.1	RMS	986.4	-59.34	-13	46.34	Pass	2741
1000	3000	1	RMS	1426	-44.99	-13	31.99	Pass	2001
3000	10000	1	RMS	7094	-37.27	-13	24.27	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.44	-68.91	-13	55.91	Pass	2986
30	689	0.1	RMS	365.6	-60.3	-13	47.3	Pass	6591
689	726	0.1	RMS	699.36	20.94	60	39.06	Pass	401
726	1000	0.1	RMS	847.7	-59.34	-13	46.34	Pass	2741
1000	3000	1	RMS	2957	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	7136	-29.38	-13	16.38	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.16	-68.42	-13	55.42	Pass	2986
30	689	0.1	RMS	482.5	-59.88	-13	46.88	Pass	6591
689	726	0.1	RMS	699.36	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	898.6	-59.38	-13	46.38	Pass	2741
1000	3000	1	RMS	2959	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7098	-37.04	-13	24.04	Pass	7001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	26.56	-68.74	-13	55.74	Pass	2986
30	689	0.1	RMS	393.6	-60.04	-13	47.04	Pass	6591
689	726	0.1	RMS	705.373	20.91	60	39.09	Pass	401
726	1000	0.1	RMS	890.3	-59.16	-13	46.16	Pass	2741
1000	3000	1	RMS	2981	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	7099	-37.04	-13	24.04	Pass	7001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	15	-68.91	-13	55.91	Pass	2986
30	689	0.1	RMS	646.8	-60.2	-13	47.2	Pass	6591
689	726	0.1	RMS	705.373	20.06	60	39.94	Pass	401
726	1000	0.1	RMS	805.6	-59.27	-13	46.27	Pass	2741
1000	3000	1	RMS	2954	-46.06	-13	33.06	Pass	2001
3000	10000	1	RMS	7100	-36.92	-13	23.92	Pass	7001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	9.89	-69.24	-13	56.24	Pass	2986
30	689	0.1	RMS	486.5	-60.09	-13	47.09	Pass	6591
689	726	0.1	RMS	711.293	20.77	60	39.23	Pass	401
726	1000	0.1	RMS	881.7	-59.31	-13	46.31	Pass	2741
1000	3000	1	RMS	1422	-43.23	-13	30.23	Pass	2001
3000	10000	1	RMS	7097	-36.93	-13	23.93	Pass	7001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.35	-68.24	-13	55.24	Pass	2986
30	689	0.1	RMS	477.8	-60.18	-13	47.18	Pass	6591
689	726	0.1	RMS	711.385	19.87	60	40.13	Pass	401
726	1000	0.1	RMS	842.7	-59.35	-13	46.35	Pass	2741
1000	3000	1	RMS	1422	-44.23	-13	31.23	Pass	2001
3000	10000	1	RMS	7106	-36.89	-13	23.89	Pass	7001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.17	-67.77	-13	54.77	Pass	2986
30	689	0.1	RMS	475.3	-60.06	-13	47.06	Pass	6591
689	726	0.1	RMS	699.545	20.71	60	39.29	Pass	401
726	1000	0.1	RMS	925.1	-59.29	-13	46.29	Pass	2741
1000	3000	1	RMS	2958	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	7149	-29.1	-13	16.1	Pass	7001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.3	-68.55	-13	55.55	Pass	2986
30	689	0.1	RMS	493.2	-60.13	-13	47.13	Pass	6591
689	726	0.1	RMS	699.545	19.86	60	40.14	Pass	401
726	1000	0.1	RMS	885	-59.28	-13	46.28	Pass	2741
1000	3000	1	RMS	2933	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	7100	-37.07	-13	24.07	Pass	7001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	55.43	Pass	2986
30	689	0.1	RMS	637	-59.49	-13	46.49	Pass	6591
689	726	0.1	RMS	703.06	21.04	60	38.96	Pass	401
726	1000	0.1	RMS	894.1	-58.78	-13	45.78	Pass	2741
1000	3000	1	RMS	2934	-45.97	-13	32.97	Pass	2001
3000	10000	1	RMS	7106	-36.86	-13	23.86	Pass	7001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-13	55.13	Pass	2986
30	689	0.1	RMS	489.7	-60.2	-13	47.2	Pass	6591
689	726	0.1	RMS	703.06	20.05	60	39.95	Pass	401
726	1000	0.1	RMS	912.6	-59.3	-13	46.3	Pass	2741
1000	3000	1	RMS	2968	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7102	-36.99	-13	23.99	Pass	7001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	24.43	-68.39	-13	55.39	Pass	2986
30	689	0.1	RMS	643.2	-60.15	-13	47.15	Pass	6591
689	726	0.1	RMS	706.575	21.33	60	38.67	Pass	401
726	1000	0.1	RMS	914.2	-59.17	-13	46.17	Pass	2741
1000	3000	1	RMS	2953	-46.09	-13	33.09	Pass	2001
3000	10000	1	RMS	7099	-37.04	-13	24.04	Pass	7001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	20.17	-68.72	-13	55.72	Pass	2986
30	689	0.1	RMS	498.8	-60.04	-13	47.04	Pass	6591
689	726	0.1	RMS	706.575	20.4	60	39.6	Pass	401
726	1000	0.1	RMS	900.5	-59.06	-13	46.06	Pass	2741
1000	3000	1	RMS	2956	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	7100	-37.03	-13	24.03	Pass	7001



12. LTE_Band13


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.31	-68.26	-13	55.26	Pass	2986
30	767	0.1	RMS	740.4	-60.08	-13	47.08	Pass	7371
767	797	0.1	RMS	777.35	21.14	60	38.86	Pass	401
797	1000	0.1	RMS	885	-59.51	-13	46.51	Pass	2031
1000	3000	1	RMS	1554	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	7159	-29.29	-13	16.29	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	11.34	-69.02	-13	56.02	Pass	2986
30	767	0.1	RMS	739.4	-60.08	-13	47.08	Pass	7371
767	797	0.1	RMS	777.35	20.32	60	39.68	Pass	401
797	1000	0.1	RMS	973	-59.41	-13	46.41	Pass	2031
1000	3000	1	RMS	2976	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7107	-36.99	-13	23.99	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	22.44	-68.3	-13	55.3	Pass	2986
30	767	0.1	RMS	741.4	-59.6	-13	46.6	Pass	7371
767	797	0.1	RMS	779.825	21.22	60	38.78	Pass	401
797	1000	0.1	RMS	996.2	-59.45	-13	46.45	Pass	2031
1000	3000	1	RMS	1559	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	7084	-36.96	-13	23.96	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	16.58	-68.18	-13	55.18	Pass	2986
30	767	0.1	RMS	483.9	-60.13	-13	47.13	Pass	7371
767	797	0.1	RMS	779.825	20.49	60	39.51	Pass	401
797	1000	0.1	RMS	885	-59.54	-13	46.54	Pass	2031
1000	3000	1	RMS	2981	-46.03	-13	33.03	Pass	2001
3000	10000	1	RMS	7100	-37	-13	24	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	25.51	-68.84	-13	55.84	Pass	2986
30	767	0.1	RMS	371.3	-60.09	-13	47.09	Pass	7371
767	797	0.1	RMS	782.3	21.02	60	38.98	Pass	401
797	1000	0.1	RMS	895.5	-59.52	-13	46.52	Pass	2031
1000	3000	1	RMS	1564	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	7103	-37.03	-13	24.03	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.94	-13	56.94	Pass	401
0.15	30	0.01	RMS	0.18	-68.26	-13	55.26	Pass	2986
30	767	0.1	RMS	635.6	-59.99	-13	46.99	Pass	7371
767	797	0.1	RMS	782.3	20.25	60	39.75	Pass	401
797	1000	0.1	RMS	911.6	-59.65	-13	46.65	Pass	2031
1000	3000	1	RMS	2963	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	7098	-36.86	-13	23.86	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	17.27	-68.71	-13	55.71	Pass	2986
30	767	0.1	RMS	468.2	-59.91	-13	46.91	Pass	7371
767	797	0.1	RMS	777.575	21.35	60	38.65	Pass	401
797	1000	0.1	RMS	901.3	-59.22	-13	46.22	Pass	2031
1000	3000	1	RMS	1555	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7132	-29.42	-13	16.42	Pass	7001



12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	7.57	-68.95	-13	55.95	Pass	2986
30	767	0.1	RMS	474	-60.1	-13	47.1	Pass	7371
767	797	0.1	RMS	777.575	20.5	60	39.5	Pass	401
797	1000	0.1	RMS	901.8	-59.57	-13	46.57	Pass	2031
1000	3000	1	RMS	2965	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7105	-36.87	-13	23.87	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	0.3	-68.26	-13	55.26	Pass	2986
30	694	0.1	RMS	688.5	-60	-13	47	Pass	6641
694	726	0.1	RMS	704.32	21.04	60	38.96	Pass	401
726	1000	0.1	RMS	886.5	-59.01	-13	46.01	Pass	2741
1000	3000	1	RMS	2971	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7138	-29.57	-13	16.57	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	25.69	-68.91	-13	55.91	Pass	2986
30	694	0.1	RMS	618	-60.07	-13	47.07	Pass	6641
694	726	0.1	RMS	704.32	20.1	60	39.9	Pass	401
726	1000	0.1	RMS	982.8	-59.07	-13	46.07	Pass	2741
1000	3000	1	RMS	2985	-46.09	-13	33.09	Pass	2001
3000	10000	1	RMS	7102	-37.11	-13	24.11	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-13	55.3	Pass	2986
30	694	0.1	RMS	507.3	-60.14	-13	47.14	Pass	6641
694	726	0.1	RMS	707.84	21.23	60	38.77	Pass	401
726	1000	0.1	RMS	816.1	-59.36	-13	46.36	Pass	2741
1000	3000	1	RMS	2973	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	7109	-37.11	-13	24.11	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	28.75	-68.93	-13	55.93	Pass	2986
30	694	0.1	RMS	624.2	-60.13	-13	47.13	Pass	6641
694	726	0.1	RMS	707.84	20.47	60	39.53	Pass	401
726	1000	0.1	RMS	901.9	-59.24	-13	46.24	Pass	2741
1000	3000	1	RMS	2974	-46.09	-13	33.09	Pass	2001
3000	10000	1	RMS	7103	-37.15	-13	24.15	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	26.11	-68.23	-13	55.23	Pass	2986
30	694	0.1	RMS	497.2	-60.16	-13	47.16	Pass	6641
694	726	0.1	RMS	711.36	20.93	60	39.07	Pass	401
726	1000	0.1	RMS	890.8	-59.16	-13	46.16	Pass	2741
1000	3000	1	RMS	1422	-43.33	-13	30.33	Pass	2001
3000	10000	1	RMS	7098	-36.9	-13	23.9	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.33	-68.5	-13	55.5	Pass	2986
30	694	0.1	RMS	484.8	-60	-13	47	Pass	6641
694	726	0.1	RMS	711.36	20.35	60	39.65	Pass	401
726	1000	0.1	RMS	896.8	-59.34	-13	46.34	Pass	2741
1000	3000	1	RMS	1422	-44.33	-13	31.33	Pass	2001
3000	10000	1	RMS	7099	-36.92	-13	23.92	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	20.72	-68.82	-13	55.82	Pass	2986
30	694	0.1	RMS	694	-54.7	-13	41.7	Pass	6641
694	726	0.1	RMS	704.56	21.08	60	38.92	Pass	401
726	1000	0.1	RMS	893.3	-58.82	-13	45.82	Pass	2741
1000	3000	1	RMS	2976	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7147	-29.66	-13	16.66	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	24.58	-68.5	-13	55.5	Pass	2986
30	694	0.1	RMS	694	-55.41	-13	42.41	Pass	6641
694	726	0.1	RMS	704.56	20.19	60	39.81	Pass	401
726	1000	0.1	RMS	858.1	-59.32	-13	46.32	Pass	2741
1000	3000	1	RMS	2958	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7101	-36.66	-13	23.66	Pass	7001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	5.02	-69.21	-13	56.21	Pass	2986
30	694	0.1	RMS	478.3	-60.03	-13	47.03	Pass	6641
694	726	0.1	RMS	705.6	21.3	60	38.7	Pass	401
726	1000	0.1	RMS	925.4	-59.35	-13	46.35	Pass	2741
1000	3000	1	RMS	2961	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7099	-37.03	-13	24.03	Pass	7001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.36	-67.78	-13	54.78	Pass	2986
30	694	0.1	RMS	645.9	-60.12	-13	47.12	Pass	6641
694	726	0.1	RMS	705.6	20.29	60	39.71	Pass	401
726	1000	0.1	RMS	908.2	-59.17	-13	46.17	Pass	2741
1000	3000	1	RMS	2970	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7098	-37.09	-13	24.09	Pass	7001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-13	55.34	Pass	2986
30	694	0.1	RMS	495	-60.19	-13	47.19	Pass	6641
694	726	0.1	RMS	706.56	21.1	60	38.9	Pass	401
726	1000	0.1	RMS	900.3	-59.12	-13	46.12	Pass	2741
1000	3000	1	RMS	2932	-46.03	-13	33.03	Pass	2001
3000	10000	1	RMS	7100	-37.1	-13	24.1	Pass	7001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	0.18	-67.98	-13	54.98	Pass	2986
30	694	0.1	RMS	634.8	-60.14	-13	47.14	Pass	6641
694	726	0.1	RMS	706.56	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	886.6	-59.48	-13	46.48	Pass	2741
1000	3000	1	RMS	2964	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7099	-36.91	-13	23.91	Pass	7001



4. LTE_Band25


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.16	-67.85	-13	54.85	Pass	2986
30	1000	0.1	RMS	899.533	-59.64	-13	46.64	Pass	9701
1000	1840	1	RMS	1840	-48.21	-13	35.21	Pass	841
1840	1925	1	RMS	1850.2	24.76	60	35.24	Pass	401
1925	3000	1	RMS	2966	-45.86	-13	32.86	Pass	1076
3000	12000	1	RMS	11860	-36.67	-13	23.67	Pass	9002
12000	20000	1	RMS	19786	-29.11	-13	16.11	Pass	8001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.33	-13	57.33	Pass	401
0.15	30	0.01	RMS	3.09	-68.87	-13	55.87	Pass	2986
30	1000	0.1	RMS	922.048	-59.19	-13	46.19	Pass	9701
1000	1840	1	RMS	1840	-48.57	-13	35.57	Pass	841
1840	1925	1	RMS	1850.2	23.89	60	36.11	Pass	401
1925	3000	1	RMS	2941	-45.89	-13	32.89	Pass	1076
3000	12000	1	RMS	11497	-36.64	-13	23.64	Pass	9002
12000	20000	1	RMS	19750	-29.08	-13	16.08	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.22	-68.21	-13	55.21	Pass	2986
30	1000	0.1	RMS	898.132	-59.54	-13	46.54	Pass	9701
1000	1840	1	RMS	1806	-48.76	-13	35.76	Pass	841
1840	1925	1	RMS	1881.863	24.74	60	35.26	Pass	401
1925	3000	1	RMS	2964	-45.9	-13	32.9	Pass	1076
3000	12000	1	RMS	11461	-36.57	-13	23.57	Pass	9002
12000	20000	1	RMS	19814	-29.07	-13	16.07	Pass	8001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	24.76	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	979.386	-59.49	-13	46.49	Pass	9701
1000	1840	1	RMS	1817	-48.82	-13	35.82	Pass	841
1840	1925	1	RMS	1881.863	23.83	60	36.17	Pass	401
1925	3000	1	RMS	2966	-45.94	-13	32.94	Pass	1076
3000	12000	1	RMS	11847	-36.68	-13	23.68	Pass	9002
12000	20000	1	RMS	19775	-29.18	-13	16.18	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.19	-68.01	-13	55.01	Pass	2986
30	1000	0.1	RMS	898.233	-59.47	-13	46.47	Pass	9701
1000	1840	1	RMS	1788	-48.88	-13	35.88	Pass	841
1840	1925	1	RMS	1913.738	24.68	60	35.32	Pass	401
1925	3000	1	RMS	2956	-45.84	-13	32.84	Pass	1076
3000	12000	1	RMS	11858	-36.59	-13	23.59	Pass	9002
12000	20000	1	RMS	19802	-29	-13	16	Pass	8001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	9.27	-68.41	-13	55.41	Pass	2986
30	1000	0.1	RMS	999.4	-59.31	-13	46.31	Pass	9701
1000	1840	1	RMS	1837	-48.71	-13	35.71	Pass	841
1840	1925	1	RMS	1913.738	23.67	60	36.33	Pass	401
1925	3000	1	RMS	2958	-45.83	-13	32.83	Pass	1076
3000	12000	1	RMS	11856	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19815	-29.1	-13	16.1	Pass	8001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	21.5	-68.52	-13	55.52	Pass	2986
30	1000	0.1	RMS	988.893	-59.39	-13	46.39	Pass	9701
1000	1840	1	RMS	1840	-48.3	-13	35.3	Pass	841
1840	1925	1	RMS	1850.2	24.65	60	35.35	Pass	401
1925	3000	1	RMS	2980	-45.98	-13	32.98	Pass	1076
3000	12000	1	RMS	11486	-36.49	-13	23.49	Pass	9002
12000	20000	1	RMS	19801	-29.28	-13	16.28	Pass	8001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	7.14	-68.44	-13	55.44	Pass	2986
30	1000	0.1	RMS	496.5	-59.58	-13	46.58	Pass	9701
1000	1840	1	RMS	1840	-48.4	-13	35.4	Pass	841
1840	1925	1	RMS	1850.2	23.81	60	36.19	Pass	401
1925	3000	1	RMS	2957	-45.96	-13	32.96	Pass	1076
3000	12000	1	RMS	11510	-36.54	-13	23.54	Pass	9002
12000	20000	1	RMS	19803	-28.98	-13	15.98	Pass	8001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	29.87	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	900.234	-59.64	-13	46.64	Pass	9701
1000	1840	1	RMS	1818	-48.83	-13	35.83	Pass	841
1840	1925	1	RMS	1881.225	24.62	60	35.38	Pass	401
1925	3000	1	RMS	2930	-46.03	-13	33.03	Pass	1076
3000	12000	1	RMS	11487	-36.43	-13	23.43	Pass	9002
12000	20000	1	RMS	19793	-29.15	-13	16.15	Pass	8001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.56	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	909.64	-59.42	-13	46.42	Pass	9701
1000	1840	1	RMS	1797	-48.83	-13	35.83	Pass	841
1840	1925	1	RMS	1881.225	23.79	60	36.21	Pass	401
1925	3000	1	RMS	2955	-45.74	-13	32.74	Pass	1076
3000	12000	1	RMS	11482	-36.53	-13	23.53	Pass	9002
12000	20000	1	RMS	19769	-29.17	-13	16.17	Pass	8001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	28.68	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	906.938	-59.41	-13	46.41	Pass	9701
1000	1840	1	RMS	1807	-48.9	-13	35.9	Pass	841
1840	1925	1	RMS	1912.038	24.48	60	35.52	Pass	401
1925	3000	1	RMS	2962	-45.96	-13	32.96	Pass	1076
3000	12000	1	RMS	11848	-36.64	-13	23.64	Pass	9002
12000	20000	1	RMS	19782	-29.11	-13	16.11	Pass	8001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	5.92	-69.05	-13	56.05	Pass	2986
30	1000	0.1	RMS	901.835	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1785	-48.97	-13	35.97	Pass	841
1840	1925	1	RMS	1912.038	23.51	60	36.49	Pass	401
1925	3000	1	RMS	2967	-46.01	-13	33.01	Pass	1076
3000	12000	1	RMS	11489	-36.71	-13	23.71	Pass	9002
12000	20000	1	RMS	19792	-29.24	-13	16.24	Pass	8001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	0.15	-67.69	-13	54.69	Pass	2986
30	1000	0.1	RMS	919.447	-59.6	-13	46.6	Pass	9701
1000	1840	1	RMS	1840	-48.31	-13	35.31	Pass	841
1840	1925	1	RMS	1850.2	24.92	60	35.08	Pass	401
1925	3000	1	RMS	2955	-45.84	-13	32.84	Pass	1076
3000	12000	1	RMS	11453	-36.63	-13	23.63	Pass	9002
12000	20000	1	RMS	19772	-29.14	-13	16.14	Pass	8001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	0.38	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	891.728	-59.42	-13	46.42	Pass	9701
1000	1840	1	RMS	1840	-48.36	-13	35.36	Pass	841
1840	1925	1	RMS	1850.2	24.06	60	35.94	Pass	401
1925	3000	1	RMS	2958	-45.84	-13	32.84	Pass	1076
3000	12000	1	RMS	11852	-36.39	-13	23.39	Pass	9002
12000	20000	1	RMS	19799	-29.08	-13	16.08	Pass	8001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	14.83	-69.25	-13	56.25	Pass	2986
30	1000	0.1	RMS	901.835	-59.38	-13	46.38	Pass	9701
1000	1840	1	RMS	1838	-48.8	-13	35.8	Pass	841
1840	1925	1	RMS	1880.163	24.9	60	35.1	Pass	401
1925	3000	1	RMS	2972	-45.93	-13	32.93	Pass	1076
3000	12000	1	RMS	11490	-36.63	-13	23.63	Pass	9002
12000	20000	1	RMS	19795	-29.34	-13	16.34	Pass	8001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	29.14	-68.79	-13	55.79	Pass	2986
30	1000	0.1	RMS	893.63	-59.37	-13	46.37	Pass	9701
1000	1840	1	RMS	1808	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1880.163	24.18	60	35.82	Pass	401
1925	3000	1	RMS	2959	-46.02	-13	33.02	Pass	1076
3000	12000	1	RMS	11498	-36.56	-13	23.56	Pass	9002
12000	20000	1	RMS	19803	-29.27	-13	16.27	Pass	8001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.15	-67.27	-13	54.27	Pass	2986
30	1000	0.1	RMS	879.32	-59.53	-13	46.53	Pass	9701
1000	1840	1	RMS	1798	-48.88	-13	35.88	Pass	841
1840	1925	1	RMS	1910.338	24.63	60	35.37	Pass	401
1925	3000	1	RMS	2948	-45.98	-13	32.98	Pass	1076
3000	12000	1	RMS	11848	-36.71	-13	23.71	Pass	9002
12000	20000	1	RMS	19784	-29.16	-13	16.16	Pass	8001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.23	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	922.949	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1798	-48.69	-13	35.69	Pass	841
1840	1925	1	RMS	1910.125	23.78	60	36.22	Pass	401
1925	3000	1	RMS	2957	-45.91	-13	32.91	Pass	1076
3000	12000	1	RMS	11467	-36.47	-13	23.47	Pass	9002
12000	20000	1	RMS	19802	-29.03	-13	16.03	Pass	8001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	4.19	-68.61	-13	55.61	Pass	2986
30	1000	0.1	RMS	929.854	-58.99	-13	45.99	Pass	9701
1000	1840	1	RMS	1833	-45.1	-13	32.1	Pass	841
1840	1925	1	RMS	1850.413	24.92	60	35.08	Pass	401
1925	3000	1	RMS	2975	-45.92	-13	32.92	Pass	1076
3000	12000	1	RMS	11472	-36.63	-13	23.63	Pass	9002
12000	20000	1	RMS	19796	-29.06	-13	16.06	Pass	8001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	20.71	-69.03	-13	56.03	Pass	2986
30	1000	0.1	RMS	910.341	-59.49	-13	46.49	Pass	9701
1000	1840	1	RMS	1833	-46.05	-13	33.05	Pass	841
1840	1925	1	RMS	1850.413	24.06	60	35.94	Pass	401
1925	3000	1	RMS	2930	-45.96	-13	32.96	Pass	1076
3000	12000	1	RMS	11849	-36.74	-13	23.74	Pass	9002
12000	20000	1	RMS	19792	-29.02	-13	16.02	Pass	8001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.103	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	20.36	-68.53	-13	55.53	Pass	2986
30	1000	0.1	RMS	848.3	-59.41	-13	46.41	Pass	9701
1000	1840	1	RMS	1811	-48.88	-13	35.88	Pass	841
1840	1925	1	RMS	1878.038	25.02	60	34.98	Pass	401
1925	3000	1	RMS	2967	-46.05	-13	33.05	Pass	1076
3000	12000	1	RMS	11508	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19792	-29.11	-13	16.11	Pass	8001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	28.89	-68.71	-13	55.71	Pass	2986
30	1000	0.1	RMS	840.3	-59.48	-13	46.48	Pass	9701
1000	1840	1	RMS	1831	-48.75	-13	35.75	Pass	841
1840	1925	1	RMS	1878.038	24.19	60	35.81	Pass	401
1925	3000	1	RMS	2960	-45.88	-13	32.88	Pass	1076
3000	12000	1	RMS	11855	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19814	-29.02	-13	16.02	Pass	8001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	29.85	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	837.5	-59.44	-13	46.44	Pass	9701
1000	1840	1	RMS	1840	-48.68	-13	35.68	Pass	841
1840	1925	1	RMS	1905.45	25.03	60	34.97	Pass	401
1925	3000	1	RMS	2954	-45.94	-13	32.94	Pass	1076
3000	12000	1	RMS	11847	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19784	-29.1	-13	16.1	Pass	8001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-13	57.56	Pass	401
0.15	30	0.01	RMS	10.54	-68.93	-13	55.93	Pass	2986
30	1000	0.1	RMS	915.044	-59.64	-13	46.64	Pass	9701
1000	1840	1	RMS	1837	-48.92	-13	35.92	Pass	841
1840	1925	1	RMS	1905.45	24.16	60	35.84	Pass	401
1925	3000	1	RMS	2961	-45.92	-13	32.92	Pass	1076
3000	12000	1	RMS	11460	-36.67	-13	23.67	Pass	9002
12000	20000	1	RMS	19812	-29.16	-13	16.16	Pass	8001



4.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.094	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	29.09	-68.36	-13	55.36	Pass	2986
30	1000	0.1	RMS	878.92	-59.5	-13	46.5	Pass	9701
1000	1840	1	RMS	1840	-37.64	-13	24.64	Pass	841
1840	1925	1	RMS	1850.838	24.79	60	35.21	Pass	401
1925	3000	1	RMS	2929	-46	-13	33	Pass	1076
3000	12000	1	RMS	11489	-36.44	-13	23.44	Pass	9002
12000	20000	1	RMS	19794	-29.01	-13	16.01	Pass	8001



4.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.3	-68.06	-13	55.06	Pass	2986
30	1000	0.1	RMS	907.939	-59.46	-13	46.46	Pass	9701
1000	1840	1	RMS	1840	-39.39	-13	26.39	Pass	841
1840	1925	1	RMS	1850.625	23.95	60	36.05	Pass	401
1925	3000	1	RMS	2937	-45.95	-13	32.95	Pass	1076
3000	12000	1	RMS	11512	-36.67	-13	23.67	Pass	9002
12000	20000	1	RMS	19772	-29.23	-13	16.23	Pass	8001



4.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-13	55.07	Pass	2986
30	1000	0.1	RMS	858.506	-59.34	-13	46.34	Pass	9701
1000	1840	1	RMS	1817	-48.86	-13	35.86	Pass	841
1840	1925	1	RMS	1875.7	25.04	60	34.96	Pass	401
1925	3000	1	RMS	2948	-46.03	-13	33.03	Pass	1076
3000	12000	1	RMS	11861	-36.74	-13	23.74	Pass	9002
12000	20000	1	RMS	19820	-29.05	-13	16.05	Pass	8001



4.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-13	57.33	Pass	401
0.15	30	0.01	RMS	8.67	-68.57	-13	55.57	Pass	2986
30	1000	0.1	RMS	916.645	-59.33	-13	46.33	Pass	9701
1000	1840	1	RMS	1834	-48.68	-13	35.68	Pass	841
1840	1925	1	RMS	1875.7	24.16	60	35.84	Pass	401
1925	3000	1	RMS	2949	-45.82	-13	32.82	Pass	1076
3000	12000	1	RMS	11453	-36.47	-13	23.47	Pass	9002
12000	20000	1	RMS	19800	-28.99	-13	15.99	Pass	8001



4.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.77	-68.65	-13	55.65	Pass	2986
30	1000	0.1	RMS	860.608	-59.23	-13	46.23	Pass	9701
1000	1840	1	RMS	1821	-48.67	-13	35.67	Pass	841
1840	1925	1	RMS	1900.775	24.79	60	35.21	Pass	401
1925	3000	1	RMS	2969	-45.95	-13	32.95	Pass	1076
3000	12000	1	RMS	11481	-36.47	-13	23.47	Pass	9002
12000	20000	1	RMS	19798	-29.14	-13	16.14	Pass	8001



4.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	24.44	-68.69	-13	55.69	Pass	2986
30	1000	0.1	RMS	940.461	-59.36	-13	46.36	Pass	9701
1000	1840	1	RMS	1832	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1900.775	23.94	60	36.06	Pass	401
1925	3000	1	RMS	2960	-45.83	-13	32.83	Pass	1076
3000	12000	1	RMS	11490	-36.63	-13	23.63	Pass	9002
12000	20000	1	RMS	19778	-29.13	-13	16.13	Pass	8001



4.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	982.789	-59.59	-13	46.59	Pass	9701
1000	1840	1	RMS	1840	-38.61	-13	25.61	Pass	841
1840	1925	1	RMS	1851.05	24.78	60	35.22	Pass	401
1925	3000	1	RMS	2963	-45.95	-13	32.95	Pass	1076
3000	12000	1	RMS	11844	-36.69	-13	23.69	Pass	9002
12000	20000	1	RMS	19790	-29	-13	16	Pass	8001



4.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.03	-13	57.03	Pass	401
0.15	30	0.01	RMS	29.39	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	973.482	-59.56	-13	46.56	Pass	9701
1000	1840	1	RMS	1840	-40.38	-13	27.38	Pass	841
1840	1925	1	RMS	1851.05	24.08	60	35.92	Pass	401
1925	3000	1	RMS	2985	-45.91	-13	32.91	Pass	1076
3000	12000	1	RMS	11487	-36.48	-13	23.48	Pass	9002
12000	20000	1	RMS	19793	-28.99	-13	15.99	Pass	8001



4.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.19	-68.65	-13	55.65	Pass	2986
30	1000	0.1	RMS	852.502	-59.19	-13	46.19	Pass	9701
1000	1840	1	RMS	1838	-40.53	-13	27.53	Pass	841
1840	1925	1	RMS	1873.575	24.85	60	35.15	Pass	401
1925	3000	1	RMS	2935	-45.97	-13	32.97	Pass	1076
3000	12000	1	RMS	11504	-36.52	-13	23.52	Pass	9002
12000	20000	1	RMS	19794	-29.13	-13	16.13	Pass	8001



4.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	19.1	-68.88	-13	55.88	Pass	2986
30	1000	0.1	RMS	911.942	-59.59	-13	46.59	Pass	9701
1000	1840	1	RMS	1838	-41.09	-13	28.09	Pass	841
1840	1925	1	RMS	1873.575	24.06	60	35.94	Pass	401
1925	3000	1	RMS	2971	-46	-13	33	Pass	1076
3000	12000	1	RMS	11465	-36.57	-13	23.57	Pass	9002
12000	20000	1	RMS	19795	-29.21	-13	16.21	Pass	8001



4.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	17.4	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	880.521	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1825	-48.71	-13	35.71	Pass	841
1840	1925	1	RMS	1895.888	24.64	60	35.36	Pass	401
1925	3000	1	RMS	2948	-45.87	-13	32.87	Pass	1076
3000	12000	1	RMS	11496	-36.65	-13	23.65	Pass	9002
12000	20000	1	RMS	19819	-29.11	-13	16.11	Pass	8001



4.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.72	-13	57.72	Pass	401
0.15	30	0.01	RMS	0.43	-68.16	-13	55.16	Pass	2986
30	1000	0.1	RMS	876.918	-59.28	-13	46.28	Pass	9701
1000	1840	1	RMS	1792	-48.8	-13	35.8	Pass	841
1840	1925	1	RMS	1895.888	23.83	60	36.17	Pass	401
1925	3000	1	RMS	2957	-45.86	-13	32.86	Pass	1076
3000	12000	1	RMS	11497	-36.47	-13	23.47	Pass	9002
12000	20000	1	RMS	19788	-29.01	-13	16.01	Pass	8001



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.92	-68.65	-13	55.65	Pass	2986
30	814	0.1	RMS	480.5	-59.83	-13	46.83	Pass	7841
814	860	0.1	RMS	824.2	20.22	60	39.78	Pass	461
860	1000	0.1	RMS	915.1	-59.77	-13	46.77	Pass	1401
1000	3000	1	RMS	1648	-44.89	-13	31.89	Pass	2001
3000	10000	1	RMS	7163	-29.77	-13	16.77	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-72	-13	59	Pass	401
0.15	30	0.01	RMS	28.12	-68.91	-13	55.91	Pass	2986
30	814	0.1	RMS	615.4	-59.94	-13	46.94	Pass	7841
814	860	0.1	RMS	824.2	19.28	60	40.72	Pass	461
860	1000	0.1	RMS	899.2	-59.52	-13	46.52	Pass	1401
1000	3000	1	RMS	1648	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7097	-37.18	-13	24.18	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.42	-68.39	-13	55.39	Pass	2986
30	814	0.1	RMS	808.7	-60.01	-13	47.01	Pass	7841
814	860	0.1	RMS	836.1	20.22	60	39.78	Pass	461
860	1000	0.1	RMS	977.2	-59.57	-13	46.57	Pass	1401
1000	3000	1	RMS	2962	-46	-13	33	Pass	2001
3000	10000	1	RMS	7100	-36.95	-13	23.95	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.17	-68.25	-13	55.25	Pass	2986
30	814	0.1	RMS	469	-59.3	-13	46.3	Pass	7841
814	860	0.1	RMS	836.1	19.11	60	40.89	Pass	461
860	1000	0.1	RMS	969.5	-58.83	-13	45.83	Pass	1401
1000	3000	1	RMS	2959	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	7101	-36.94	-13	23.94	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	4.93	-69	-13	56	Pass	2986
30	814	0.1	RMS	764.6	-60.04	-13	47.04	Pass	7841
814	860	0.1	RMS	847.8	20.04	60	39.96	Pass	461
860	1000	0.1	RMS	908.9	-59.61	-13	46.61	Pass	1401
1000	3000	1	RMS	1695	-45.14	-13	32.14	Pass	2001
3000	10000	1	RMS	7099	-37.19	-13	24.19	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.4	-13	57.4	Pass	401
0.15	30	0.01	RMS	20.2	-69.29	-13	56.29	Pass	2986
30	814	0.1	RMS	486.7	-59.71	-13	46.71	Pass	7841
814	860	0.1	RMS	847.9	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	884.1	-59.7	-13	46.7	Pass	1401
1000	3000	1	RMS	1695	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7105	-36.95	-13	23.95	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	7.92	-68.6	-13	55.6	Pass	2986
30	814	0.1	RMS	813.5	-59.83	-13	46.83	Pass	7841
814	860	0.1	RMS	824.2	20.27	60	39.73	Pass	461
860	1000	0.1	RMS	922.7	-59.65	-13	46.65	Pass	1401
1000	3000	1	RMS	1648	-45.13	-13	32.13	Pass	2001
3000	10000	1	RMS	7125	-29.18	-13	16.18	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	1.17	-68.23	-13	55.23	Pass	2986
30	814	0.1	RMS	814	-59.53	-13	46.53	Pass	7841
814	860	0.1	RMS	824.2	19.41	60	40.59	Pass	461
860	1000	0.1	RMS	985.9	-59.7	-13	46.7	Pass	1401
1000	3000	1	RMS	1648	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7110	-36.99	-13	23.99	Pass	7001



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.11	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-13	55.5	Pass	2986
30	814	0.1	RMS	723.8	-59.99	-13	46.99	Pass	7841
814	860	0.1	RMS	835.2	20.26	60	39.74	Pass	461
860	1000	0.1	RMS	999	-59.68	-13	46.68	Pass	1401
1000	3000	1	RMS	1670	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7091	-37.14	-13	24.14	Pass	7001



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	20.17	-68.96	-13	55.96	Pass	2986
30	814	0.1	RMS	491.9	-59.79	-13	46.79	Pass	7841
814	860	0.1	RMS	835.2	19.22	60	40.78	Pass	461
860	1000	0.1	RMS	881.4	-59.57	-13	46.57	Pass	1401
1000	3000	1	RMS	2961	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7101	-36.83	-13	23.83	Pass	7001



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71	-13	58	Pass	401
0.15	30	0.01	RMS	10.73	-68.69	-13	55.69	Pass	2986
30	814	0.1	RMS	758.7	-59.4	-13	46.4	Pass	7841
814	860	0.1	RMS	846.2	20.2	60	39.8	Pass	461
860	1000	0.1	RMS	882.3	-58.82	-13	45.82	Pass	1401
1000	3000	1	RMS	1692	-44.74	-13	31.74	Pass	2001
3000	10000	1	RMS	7106	-37	-13	24	Pass	7001



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	16.9	-68.95	-13	55.95	Pass	2986
30	814	0.1	RMS	740.4	-60.06	-13	47.06	Pass	7841
814	860	0.1	RMS	846.2	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	895.8	-59.66	-13	46.66	Pass	1401
1000	3000	1	RMS	1692	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	7105	-36.9	-13	23.9	Pass	7001



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.98	-68.4	-13	55.4	Pass	2986
30	814	0.1	RMS	806.3	-59.84	-13	46.84	Pass	7841
814	860	0.1	RMS	824.3	20.6	60	39.4	Pass	461
860	1000	0.1	RMS	912.4	-59.83	-13	46.83	Pass	1401
1000	3000	1	RMS	1648	-45.11	-13	32.11	Pass	2001
3000	10000	1	RMS	7149	-29.3	-13	16.3	Pass	7001



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	29.12	-68.86	-13	55.86	Pass	2986
30	814	0.1	RMS	723.7	-60	-13	47	Pass	7841
814	860	0.1	RMS	824.3	19.63	60	40.37	Pass	461
860	1000	0.1	RMS	884.4	-59.54	-13	46.54	Pass	1401
1000	3000	1	RMS	1648	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	7101	-36.93	-13	23.93	Pass	7001



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	16.08	-69.03	-13	56.03	Pass	2986
30	814	0.1	RMS	478.5	-59.1	-13	46.1	Pass	7841
814	860	0.1	RMS	834.3	20.51	60	39.49	Pass	461
860	1000	0.1	RMS	861.7	-59.29	-13	46.29	Pass	1401
1000	3000	1	RMS	1668	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	7098	-36.93	-13	23.93	Pass	7001



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.19	-68.06	-13	55.06	Pass	2986
30	814	0.1	RMS	374.9	-59.98	-13	46.98	Pass	7841
814	860	0.1	RMS	834.3	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	881.8	-59.56	-13	46.56	Pass	1401
1000	3000	1	RMS	2961	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	7102	-36.9	-13	23.9	Pass	7001



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.135	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	29.79	-68.99	-13	55.99	Pass	2986
30	814	0.1	RMS	474.7	-59.89	-13	46.89	Pass	7841
814	860	0.1	RMS	844.3	20.53	60	39.47	Pass	461
860	1000	0.1	RMS	914.2	-59.6	-13	46.6	Pass	1401
1000	3000	1	RMS	1688	-44.96	-13	31.96	Pass	2001
3000	10000	1	RMS	7096	-37.27	-13	24.27	Pass	7001



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	13.67	-69.02	-13	56.02	Pass	2986
30	814	0.1	RMS	474.7	-59.8	-13	46.8	Pass	7841
814	860	0.1	RMS	844.3	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	872.2	-59.8	-13	46.8	Pass	1401
1000	3000	1	RMS	1688	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	7101	-37.03	-13	24.03	Pass	7001



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.28	-13	57.28	Pass	401
0.15	30	0.01	RMS	26.22	-68.47	-13	55.47	Pass	2986
30	814	0.1	RMS	814	-51.28	-13	38.28	Pass	7841
814	860	0.1	RMS	824.6	21.06	60	38.94	Pass	461
860	1000	0.1	RMS	881.6	-59.46	-13	46.46	Pass	1401
1000	3000	1	RMS	1649	-45.16	-13	32.16	Pass	2001
3000	10000	1	RMS	7121	-30.54	-13	17.54	Pass	7001



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.96	-13	56.96	Pass	401
0.15	30	0.01	RMS	25.79	-68.93	-13	55.93	Pass	2986
30	814	0.1	RMS	814	-51.56	-13	38.56	Pass	7841
814	860	0.1	RMS	824.6	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	898.4	-59.57	-13	46.57	Pass	1401
1000	3000	1	RMS	1649	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	7097	-36.98	-13	23.98	Pass	7001



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-13	55.64	Pass	2986
30	814	0.1	RMS	799.7	-59.68	-13	46.68	Pass	7841
814	860	0.1	RMS	832.1	21.08	60	38.92	Pass	461
860	1000	0.1	RMS	911.2	-59.47	-13	46.47	Pass	1401
1000	3000	1	RMS	1664	-45.37	-13	32.37	Pass	2001
3000	10000	1	RMS	7095	-37.09	-13	24.09	Pass	7001



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	26.03	-69.38	-13	56.38	Pass	2986
30	814	0.1	RMS	491.6	-60.05	-13	47.05	Pass	7841
814	860	0.1	RMS	832.1	20	60	40	Pass	461
860	1000	0.1	RMS	889.5	-59.4	-13	46.4	Pass	1401
1000	3000	1	RMS	2967	-46	-13	33	Pass	2001
3000	10000	1	RMS	7088	-37.18	-13	24.18	Pass	7001



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	10.25	-68.13	-13	55.13	Pass	2986
30	814	0.1	RMS	644	-59.43	-13	46.43	Pass	7841
814	860	0.1	RMS	839.6	20.96	60	39.04	Pass	461
860	1000	0.1	RMS	913.8	-59.62	-13	46.62	Pass	1401
1000	3000	1	RMS	1679	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	7101	-36.98	-13	23.98	Pass	7001



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	6.07	-68.7	-13	55.7	Pass	2986
30	814	0.1	RMS	491.7	-60	-13	47	Pass	7841
814	860	0.1	RMS	839.6	20	60	40	Pass	461
860	1000	0.1	RMS	880.7	-59.58	-13	46.58	Pass	1401
1000	3000	1	RMS	2954	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	7102	-36.96	-13	23.96	Pass	7001



14.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	28.27	-69.26	-13	56.26	Pass	2986
30	814	0.1	RMS	813.1	-49.04	-13	36.04	Pass	7841
814	860	0.1	RMS	824.8	20.55	60	39.45	Pass	461
860	1000	0.1	RMS	910.4	-59.61	-13	46.61	Pass	1401
1000	3000	1	RMS	1649	-45	-13	32	Pass	2001
3000	10000	1	RMS	7148	-29.12	-13	16.12	Pass	7001



14.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.16	-68.9	-13	55.9	Pass	2986
30	814	0.1	RMS	811.4	-50.65	-13	37.65	Pass	7841
814	860	0.1	RMS	824.8	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	921.2	-59.73	-13	46.73	Pass	1401
1000	3000	1	RMS	1649	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7090	-36.92	-13	23.92	Pass	7001



14.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	29.86	-68.54	-13	55.54	Pass	2986
30	814	0.1	RMS	813.5	-57.93	-13	44.93	Pass	7841
814	860	0.1	RMS	829.8	20.64	60	39.36	Pass	461
860	1000	0.1	RMS	946.3	-59.11	-13	46.11	Pass	1401
1000	3000	1	RMS	1659	-44.65	-13	31.65	Pass	2001
3000	10000	1	RMS	7100	-36.99	-13	23.99	Pass	7001



14.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	29.16	-69.05	-13	56.05	Pass	2986
30	814	0.1	RMS	813.4	-57.29	-13	44.29	Pass	7841
814	860	0.1	RMS	829.8	19.53	60	40.47	Pass	461
860	1000	0.1	RMS	884.5	-59.57	-13	46.57	Pass	1401
1000	3000	1	RMS	1659	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7112	-37.06	-13	24.06	Pass	7001



14.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.42	-68.34	-13	55.34	Pass	2986
30	814	0.1	RMS	811.8	-54.68	-13	41.68	Pass	7841
814	860	0.1	RMS	834.8	20.34	60	39.66	Pass	461
860	1000	0.1	RMS	910.1	-59.47	-13	46.47	Pass	1401
1000	3000	1	RMS	1669	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	7100	-36.84	-13	23.84	Pass	7001



14.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	14.23	-68.75	-13	55.75	Pass	2986
30	814	0.1	RMS	811.8	-55.53	-13	42.53	Pass	7841
814	860	0.1	RMS	834.8	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	914.6	-59.72	-13	46.72	Pass	1401
1000	3000	1	RMS	2972	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	7098	-36.75	-13	23.75	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.89	-13	51.89	Pass	401
0.15	30	0.01	Peak	4.78	-60.51	-13	47.51	Pass	2986
30	809	0.1	Peak	687.9	-48.06	-13	35.06	Pass	7791
809	829	0.1	Peak	814.3	25.7	60	34.3	Pass	401
829	1000	0.1	Peak	835.1	-47.44	-13	34.44	Pass	1711
1000	3000	1	Peak	2740	-31.57	-13	18.57	Pass	2001
3000	10000	1	Peak	7149	-18.36	-13	5.36	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.8	-13	51.8	Pass	401
0.15	30	0.01	Peak	25.17	-59.83	-13	46.83	Pass	2986
30	809	0.1	Peak	375.9	-46.9	-13	33.9	Pass	7791
809	829	0.1	Peak	814.2	26.01	60	33.99	Pass	401
829	1000	0.1	Peak	947	-47.43	-13	34.43	Pass	1711
1000	3000	1	Peak	2895	-32.09	-13	19.09	Pass	2001
3000	10000	1	Peak	8008	-23.18	-13	10.18	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.13	-13	51.13	Pass	401
0.15	30	0.01	Peak	1.37	-59.66	-13	46.66	Pass	2986
30	809	0.1	Peak	803	-47.71	-13	34.71	Pass	7791
809	829	0.1	Peak	818.55	26.04	60	33.96	Pass	401
829	1000	0.1	Peak	859.8	-47.24	-13	34.24	Pass	1711
1000	3000	1	Peak	2785	-32.17	-13	19.17	Pass	2001
3000	10000	1	Peak	7112	-23.37	-13	10.37	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-64.87	-13	51.87	Pass	401
0.15	30	0.01	Peak	3.22	-60.5	-13	47.5	Pass	2986
30	809	0.1	Peak	368	-46.07	-13	33.07	Pass	7791
809	829	0.1	Peak	818.6	25.71	60	34.29	Pass	401
829	1000	0.1	Peak	888	-47.68	-13	34.68	Pass	1711
1000	3000	1	Peak	2575	-32.05	-13	19.05	Pass	2001
3000	10000	1	Peak	7109	-22.76	-13	9.76	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-66.06	-13	53.06	Pass	401
0.15	30	0.01	Peak	28.28	-60.52	-13	47.52	Pass	2986
30	809	0.1	Peak	370.9	-48.01	-13	35.01	Pass	7791
809	829	0.1	Peak	822.85	25.72	60	34.28	Pass	401
829	1000	0.1	Peak	830.7	-46.22	-13	33.22	Pass	1711
1000	3000	1	Peak	2955	-32.36	-13	19.36	Pass	2001
3000	10000	1	Peak	7103	-23.54	-13	10.54	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.99	-13	49.99	Pass	401
0.15	30	0.01	Peak	16.1	-60.02	-13	47.02	Pass	2986
30	809	0.1	Peak	702.6	-48.26	-13	35.26	Pass	7791
809	829	0.1	Peak	822.85	25.98	60	34.02	Pass	401
829	1000	0.1	Peak	854.9	-47.99	-13	34.99	Pass	1711
1000	3000	1	Peak	2916	-32.33	-13	19.33	Pass	2001
3000	10000	1	Peak	7093	-22.71	-13	9.71	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.112	-65.36	-13	52.36	Pass	401
0.15	30	0.01	Peak	6.19	-60.42	-13	47.42	Pass	2986
30	809	0.1	Peak	809	-44.5	-13	31.5	Pass	7791
809	829	0.1	Peak	814.25	25.31	60	34.69	Pass	401
829	1000	0.1	Peak	982.3	-47.41	-13	34.41	Pass	1711
1000	3000	1	Peak	2975	-31.9	-13	18.9	Pass	2001
3000	10000	1	Peak	7738	-22.68	-13	9.68	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-63.85	-13	50.85	Pass	401
0.15	30	0.01	Peak	29.79	-60.44	-13	47.44	Pass	2986
30	809	0.1	Peak	808.9	-42.14	-13	29.14	Pass	7791
809	829	0.1	Peak	814.2	25.76	60	34.24	Pass	401
829	1000	0.1	Peak	954.1	-47.27	-13	34.27	Pass	1711
1000	3000	1	Peak	2941	-31.88	-13	18.88	Pass	2001
3000	10000	1	Peak	7139	-17.23	-13	4.23	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.79	-13	52.79	Pass	401
0.15	30	0.01	Peak	27.8	-60.5	-13	47.5	Pass	2986
30	809	0.1	Peak	492.3	-47.26	-13	34.26	Pass	7791
809	829	0.1	Peak	817.75	25.95	60	34.05	Pass	401
829	1000	0.1	Peak	830.8	-45.73	-13	32.73	Pass	1711
1000	3000	1	Peak	2960	-31.15	-13	18.15	Pass	2001
3000	10000	1	Peak	7094	-23	-13	10	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.67	-13	51.67	Pass	401
0.15	30	0.01	Peak	28.89	-60.2	-13	47.2	Pass	2986
30	809	0.1	Peak	483.1	-47.04	-13	34.04	Pass	7791
809	829	0.1	Peak	817.8	25.63	60	34.37	Pass	401
829	1000	0.1	Peak	830.8	-45.2	-13	32.2	Pass	1711
1000	3000	1	Peak	2764	-32.03	-13	19.03	Pass	2001
3000	10000	1	Peak	7105	-23.14	-13	10.14	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.66	-13	51.66	Pass	401
0.15	30	0.01	Peak	18.61	-59.84	-13	46.84	Pass	2986
30	809	0.1	Peak	404.8	-48.18	-13	35.18	Pass	7791
809	829	0.1	Peak	821.25	25.81	60	34.19	Pass	401
829	1000	0.1	Peak	834.3	-45.4	-13	32.4	Pass	1711
1000	3000	1	Peak	2948	-32.59	-13	19.59	Pass	2001
3000	10000	1	Peak	9799	-23.03	-13	10.03	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.71	-13	51.71	Pass	401
0.15	30	0.01	Peak	0.22	-60.3	-13	47.3	Pass	2986
30	809	0.1	Peak	791.3	-48.19	-13	35.19	Pass	7791
809	829	0.1	Peak	821.25	25.98	60	34.02	Pass	401
829	1000	0.1	Peak	829	-43.62	-13	30.62	Pass	1711
1000	3000	1	Peak	2950	-31.82	-13	18.82	Pass	2001
3000	10000	1	Peak	9666	-23.71	-13	10.71	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.65	-13	52.65	Pass	401
0.15	30	0.01	Peak	4.11	-59.58	-13	46.58	Pass	2986
30	809	0.1	Peak	809	-43.82	-13	30.82	Pass	7791
809	829	0.1	Peak	814.3	26.01	60	33.99	Pass	401
829	1000	0.1	Peak	849.9	-47.04	-13	34.04	Pass	1711
1000	3000	1	Peak	2977	-31.59	-13	18.59	Pass	2001
3000	10000	1	Peak	7463	-23.03	-13	10.03	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.56	-13	50.56	Pass	401
0.15	30	0.01	Peak	27.23	-59.48	-13	46.48	Pass	2986
30	809	0.1	Peak	809	-44.57	-13	31.57	Pass	7791
809	829	0.1	Peak	814.3	26.1	60	33.9	Pass	401
829	1000	0.1	Peak	995.6	-47.29	-13	34.29	Pass	1711
1000	3000	1	Peak	2949	-31.49	-13	18.49	Pass	2001
3000	10000	1	Peak	9931	-23.21	-13	10.21	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.53	-13	51.53	Pass	401
0.15	30	0.01	Peak	9.93	-59.2	-13	46.2	Pass	2986
30	809	0.1	Peak	452.1	-48	-13	35	Pass	7791
809	829	0.1	Peak	816.85	26.17	60	33.83	Pass	401
829	1000	0.1	Peak	928.1	-47.1	-13	34.1	Pass	1711
1000	3000	1	Peak	2814	-31.99	-13	18.99	Pass	2001
3000	10000	1	Peak	7140	-17.28	-13	4.28	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.134	-66.37	-13	53.37	Pass	401
0.15	30	0.01	Peak	0.76	-60.07	-13	47.07	Pass	2986
30	809	0.1	Peak	745.3	-48	-13	35	Pass	7791
809	829	0.1	Peak	816.8	26.11	60	33.89	Pass	401
829	1000	0.1	Peak	980.7	-47.9	-13	34.9	Pass	1711
1000	3000	1	Peak	2932	-31.67	-13	18.67	Pass	2001
3000	10000	1	Peak	7747	-23.04	-13	10.04	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.066	-65.65	-13	52.65	Pass	401
0.15	30	0.01	Peak	19.15	-60.18	-13	47.18	Pass	2986
30	809	0.1	Peak	780.1	-47.53	-13	34.53	Pass	7791
809	829	0.1	Peak	819.3	25.84	60	34.16	Pass	401
829	1000	0.1	Peak	829	-45.63	-13	32.63	Pass	1711
1000	3000	1	Peak	2935	-31.65	-13	18.65	Pass	2001
3000	10000	1	Peak	7450	-22.92	-13	9.92	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.59	-13	50.59	Pass	401
0.15	30	0.01	Peak	21.31	-59.6	-13	46.6	Pass	2986
30	809	0.1	Peak	733.9	-47.95	-13	34.95	Pass	7791
809	829	0.1	Peak	819.3	26.19	60	33.81	Pass	401
829	1000	0.1	Peak	870.4	-46.64	-13	33.64	Pass	1711
1000	3000	1	Peak	2806	-31.99	-13	18.99	Pass	2001
3000	10000	1	Peak	7098	-23.22	-13	10.22	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.34	-13	52.34	Pass	401
0.15	30	0.01	Peak	16.48	-60.29	-13	47.29	Pass	2986
30	809	0.1	Peak	808.6	-37.55	-13	24.55	Pass	7791
809	829	0.1	Peak	814.6	26.11	60	33.89	Pass	401
829	1000	0.1	Peak	830	-31.95	-13	18.95	Pass	1711
1000	3000	1	Peak	2981	-31.85	-13	18.85	Pass	2001
3000	10000	1	Peak	7071	-22.78	-13	9.78	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.17	-13	52.17	Pass	401
0.15	30	0.01	Peak	27.1	-59.71	-13	46.71	Pass	2986
30	809	0.1	Peak	807.9	-37.37	-13	24.37	Pass	7791
809	829	0.1	Peak	814.55	26.09	60	33.91	Pass	401
829	1000	0.1	Peak	830	-32.04	-13	19.04	Pass	1711
1000	3000	1	Peak	2490	-32.17	-13	19.17	Pass	2001
3000	10000	1	Peak	7400	-22.79	-13	9.79	Pass	7001



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	0.17	-69.05	-13	56.05	Pass	2986
30	1000	0.1	RMS	892.028	-59.5	-13	46.5	Pass	9701
1000	1700	1	RMS	1700	-48.71	-13	35.71	Pass	701
1700	1790	1	RMS	1710.125	24.45	60	35.55	Pass	401
1790	3000	1	RMS	2958	-45.94	-13	32.94	Pass	1211
3000	12000	1	RMS	11471	-36.57	-13	23.57	Pass	9002
12000	20000	1	RMS	19801	-29.07	-13	16.07	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	27.38	-68.81	-13	55.81	Pass	2986
30	1000	0.1	RMS	902.936	-59.74	-13	46.74	Pass	9701
1000	1700	1	RMS	1700	-48.93	-13	35.93	Pass	701
1700	1790	1	RMS	1710.125	23.45	60	36.55	Pass	401
1790	3000	1	RMS	2955	-45.98	-13	32.98	Pass	1211
3000	12000	1	RMS	11445	-36.74	-13	23.74	Pass	9002
12000	20000	1	RMS	19785	-29.15	-13	16.15	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	29.98	-68.51	-13	55.51	Pass	2986
30	1000	0.1	RMS	918.746	-59.71	-13	46.71	Pass	9701
1000	1700	1	RMS	1690	-49.14	-13	36.14	Pass	701
1700	1790	1	RMS	1744.55	24.4	60	35.6	Pass	401
1790	3000	1	RMS	2993	-45.94	-13	32.94	Pass	1211
3000	12000	1	RMS	11511	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19791	-29.06	-13	16.06	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.17	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	894.93	-59.52	-13	46.52	Pass	9701
1000	1700	1	RMS	1687	-49.12	-13	36.12	Pass	701
1700	1790	1	RMS	1744.325	23.54	60	36.46	Pass	401
1790	3000	1	RMS	2926	-46.1	-13	33.1	Pass	1211
3000	12000	1	RMS	11478	-36.54	-13	23.54	Pass	9002
12000	20000	1	RMS	19805	-29.09	-13	16.09	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-13	57.16	Pass	401
0.15	30	0.01	RMS	21.3	-69.24	-13	56.24	Pass	2986
30	1000	0.1	RMS	911.241	-59.47	-13	46.47	Pass	9701
1000	1700	1	RMS	1681	-49.3	-13	36.3	Pass	701
1700	1790	1	RMS	1778.75	24.49	60	35.51	Pass	401
1790	3000	1	RMS	2973	-46.01	-13	33.01	Pass	1211
3000	12000	1	RMS	11850	-36.71	-13	23.71	Pass	9002
12000	20000	1	RMS	19803	-29.19	-13	16.19	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	21.73	-69.04	-13	56.04	Pass	2986
30	1000	0.1	RMS	961.575	-59.73	-13	46.73	Pass	9701
1000	1700	1	RMS	1695	-49.14	-13	36.14	Pass	701
1700	1790	1	RMS	1778.75	23.68	60	36.32	Pass	401
1790	3000	1	RMS	2957	-45.99	-13	32.99	Pass	1211
3000	12000	1	RMS	11852	-36.61	-13	23.61	Pass	9002
12000	20000	1	RMS	19793	-29.08	-13	16.08	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	16.37	-68.32	-13	55.32	Pass	2986
30	1000	0.1	RMS	906.438	-59.5	-13	46.5	Pass	9701
1000	1700	1	RMS	1700	-48.73	-13	35.73	Pass	701
1700	1790	1	RMS	1710.125	24.27	60	35.73	Pass	401
1790	3000	1	RMS	2960	-45.96	-13	32.96	Pass	1211
3000	12000	1	RMS	11503	-36.64	-13	23.64	Pass	9002
12000	20000	1	RMS	19788	-29.06	-13	16.06	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	0.48	-68.32	-13	55.32	Pass	2986
30	1000	0.1	RMS	894.83	-59.68	-13	46.68	Pass	9701
1000	1700	1	RMS	1700	-48.61	-13	35.61	Pass	701
1700	1790	1	RMS	1710.125	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2993	-46.11	-13	33.11	Pass	1211
3000	12000	1	RMS	11470	-36.62	-13	23.62	Pass	9002
12000	20000	1	RMS	19811	-29.28	-13	16.28	Pass	8001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.16	-68.53	-13	55.53	Pass	2986
30	1000	0.1	RMS	877.819	-59.52	-13	46.52	Pass	9701
1000	1700	1	RMS	1671	-49.3	-13	36.3	Pass	701
1700	1790	1	RMS	1743.65	24.36	60	35.64	Pass	401
1790	3000	1	RMS	2982	-46.01	-13	33.01	Pass	1211
3000	12000	1	RMS	11499	-36.55	-13	23.55	Pass	9002
12000	20000	1	RMS	19776	-29.3	-13	16.3	Pass	8001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.34	-13	57.34	Pass	401
0.15	30	0.01	RMS	23.7	-68.9	-13	55.9	Pass	2986
30	1000	0.1	RMS	899.233	-59.54	-13	46.54	Pass	9701
1000	1700	1	RMS	1685	-49.17	-13	36.17	Pass	701
1700	1790	1	RMS	1743.65	23.51	60	36.49	Pass	401
1790	3000	1	RMS	2964	-45.94	-13	32.94	Pass	1211
3000	12000	1	RMS	11854	-36.45	-13	23.45	Pass	9002
12000	20000	1	RMS	19792	-29	-13	16	Pass	8001

