




100%







Power: 5V === 4000mA FCC ID: 2AJ5V-SS-SCSB1 IC: 22074-SSSCSB1

Contains:

FCC ID: QOQBT121

IC: 5123A-BGTBT121

conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

SN: BG49000001

Mettler-Toledo Rainin, LLC www.mt.com/rainin

Made in the USA

ISEDC RSP-100

30266632 Rev-C

This device complies with part 15 of the FCC Rules. Operation is subject to the following two

200%

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF RAININ INSTRUMENT, LLG AND ITS RECEIPT OR POSSESSION DOES NOT CONVEY ANY RIGHTS TO REPRODUCE, DISCLOSE ITS CONTENTS, OR TO MANUFACTURE, USE, OR SELL ANYTHING IT MAY DESCRIBE.

## RAININ

Pinetting 360°

## METTLER TOLEDO

REPRODUCTION, DISCLOSURE, OR USE WITHOUT SPECIFIC WRITTEN ATHURIZATION OF RAININ INSTRUMENT, LLC IS STRICTLY FORBIDDEN.			Pipeliling 300	CONSTRUCTION TO ATTRICTOR AND ACCOUNT AND			
APPROVALS		DATE	AW Label SmartStand				
DRAWN	RGCleto	11/01/2016	Prod W/ Bluetooth SCS-B				
CHECKED	MO THE CONTRACTOR	r	SIZE MT Item No.	30266632	DWG No,/ARTWORK No.		REV C
APPROVED .		•	SCALE 1:1		SHEET	1 OF 1	