

# RF Exposure Evaluation Report

Product Name : Waterproof Bluetooth Speaker

Model No. : VIBROX SE

FCC ID : 2AJAAVIBROXSE

Applicant : Dongguan Meiloon Acoustic Equipments Co., Ltd.

Address : 77, Yuanlin Road Fenghuanggang Ind Estate, Tangxia Town,  
523727 Dongguan City, Guangdong Province, China.

Date of Receipt : Aug. 31, 2017

Date of Declaration : Oct. 16, 2017

Report No. : 1780551R-RFUSP02V00

The test results relate only to the samples tested.

The test results shown in the test report are traceable to the national/international standard through the calibration report of the equipment and evaluated measurement uncertainty herein.

This report must not be used to claim product endorsement by TAF or any agency of the government.

The test report shall not be reproduced without the written approval of DEKRA Testing and Certification Co., Ltd.

Issued Date: Oct. 16, 2017  
Report No.: 1780551R-RFUSP02V00



Product Name	Waterproof Bluetooth Speaker
Applicant	Dongguan Meiloon Acoustic Equipments Co., Ltd.
Address	77, Yuanlin Road Fenghuanggang Ind Estate, Tangxia Town, 523727 Dongguan City, Guangdong Province, China.
Manufacturer	Vibes Audio, LLC
Model No.	VIBROX SE
FCC ID.	2AJAAVIBROXSE
EUT Rated Voltage	DC 3.3V(Power by USB)
EUT Test Voltage	DC 3.3V(Power by USB)
Trade Name	VIBES
Applicable Standard	FCC 47 CFR 1.1310
Test Result	Complied

Documented By : Jinn Chen  
( Senior Adm. Specialist / Jinn Chen )

Tested By : Bill Lin  
( Engineer / Bill Lin )

Approved By : Vincent Lin  
( Director / Vincent Lin )

## **1. Standard Applicable**

According to 1.1307 (b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

## **2. Measurement Result:**

According to KDB 447498 D01 Mobile Portable RF Exposure v06,  
Operation frequency = 2450MHz and antenna separation distance = 5mm,  
SAR Test Exclusion Threshold = 10mW

The Device max peak output power = 8.28dBm, Equivalent to 6.7297mW and less than 10mW

The SAR measurement is not necessary.