









































































AppendixD:Band edge measurements

Test Result

TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
	Ant2	Low	5180	-46.85	<=-27	PASS
	Ant1	High	5240	-45.99	<=-27	PASS
	Ant2	High	5240	-46.3	<=-27	PASS
11N20SIS O	Ant1	Low	5180	-46.73	<=-27	PASS
	Ant2	Low	5180	-46.21	<=-27	PASS
	Ant1	High	5240	-46.73	<=-27	PASS
	Ant2	High	5240	-47.68	<=-27	PASS
11N40SIS O	Ant1	Low	5190	-46.82	<=-27	PASS
	Ant2	Low	5190	-46.56	<=-27	PASS
	Ant1	High	5230	-46.92	<=-27	PASS
	Ant2	High	5230	-46.93	<=-27	PASS
11AC20SI SO	Ant1	Low	5180	-46.91	<=-27	PASS
	Ant2	Low	5180	-46.4	<=-27	PASS
	Ant1	High	5240	-46.79	<=-27	PASS
	Ant2	High	5240	-47.15	<=-27	PASS
11AC40SI SO	Ant1	Low	5190	-46.33	<=-27	PASS
	Ant2	Low	5190	-45.67	<=-27	PASS
	Ant1	High	5230	-47.14	<=-27	PASS
	Ant2	High	5230	-47.2	<=-27	PASS
11AC80SI SO	Ant1	Low	5210	-46.79	<=-27	PASS
	Ant2	Low	5210	-46.56	<=-27	PASS
	Ant1	High	5210	-47.55	<=-27	PASS
	Ant2	High	5210	-46.8	<=-27	PASS
11N20MI MO	Ant1	Low	5180	-45.6	<=-27	PASS
	Ant2	Low	5180	-46.71	<=-27	PASS
	Ant1	High	5240	-46.95	<=-27	PASS
	Ant2	High	5240	-47.32	<=-27	PASS
11N40MI MO	Ant1	Low	5190	-46.73	<=-27	PASS
	Ant2	Low	5190	-46.67	<=-27	PASS
	Ant1	High	5230	-47.4	<=-27	PASS
	Ant2	High	5230	-46.88	<=-27	PASS
11AC20M IMO	Ant1	Low	5180	-46.44	<=-27	PASS
	Ant2	Low	5180	-46.88	<=-27	PASS

	Ant1	High	5240	-47.45	<=-27	PASS
	Ant2	High	5240	-47.84	<=-27	PASS
11AC40M IMO	Ant1	Low	5190	-46.49	<=-27	PASS
	Ant2	Low	5190	-47.09	<=-27	PASS
	Ant1	High	5230	-47.64	<=-27	PASS
	Ant2	High	5230	-46.66	<=-27	PASS
11AC80M IMO	Ant1	Low	5210	-46.61	<=-27	PASS
	Ant2	Low	5210	-46.44	<=-27	PASS
	Ant1	High	5210	-47.21	<=-27	PASS
	Ant2	High	5210	-47.92	<=-27	PASS

TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
				5700~5720	-47.08	<=15.08	PASS
				5720~5725	-46.52	<=17.65	PASS
				5760~5650	-47.23	<=-27	PASS
	Ant2	Low	5745	5650~5700	-46.9	<=6.06	PASS
				5700~5720	-46.69	<=14.44	PASS
				5720~5725	-47.46	<=23.94	PASS
				5760~5650	-46.48	<=-27	PASS
	Ant1	High	5825	5850~5855	-48.28	<=22.87	PASS
				5855~5875	-47.01	<=11.46	PASS
				5875~5925	-47.1	<=-10.57	PASS
				5925~5935	-47.23	<=-27	PASS
	Ant2	High	5825	5850~5855	-47.37	<=21.64	PASS
				5855~5875	-46.48	<=13.65	PASS
				5875~5925	-46.99	<=-5.18	PASS
				5925~5935	-47.89	<=-27	PASS
11N20SI SO	Ant1	Low	5745	5650~5700	-46.38	<=-5.85	PASS
				5700~5720	-47.26	<=12.31	PASS
				5720~5725	-46.18	<=26.57	PASS
				5760~5650	-47.26	<=-27	PASS
	Ant2	Low	5745	5650~5700	-46.69	<=-0.40	PASS
				5700~5720	-46.53	<=13.21	PASS
				5720~5725	-46.64	<=24.47	PASS
				5760~5650	-47.54	<=-27	PASS
	Ant1	High	5825	5850~5855	-47.48	<=16.10	PASS
				5855~5875	-47.35	<=13.88	PASS


	Ant2	High	5825	5875~5925	-47.42	<=-18.96	PASS
				5925~5935	-48.14	<=-27	PASS
				5850~5855	-48.78	<=25.95	PASS
				5855~5875	-48.03	<=13.73	PASS
				5875~5925	-46.98	<=-9.37	PASS
				5925~5935	-47.33	<=-27	PASS
11N40SI SO	Ant1	Low	5755	5650~5700	-46.2	<=0.67	PASS
				5700~5720	-46.14	<=15.39	PASS
				5720~5725	-43.39	<=23.12	PASS
				5780~5650	-47.77	<=-27	PASS
	Ant2	Low	5755	5650~5700	-45.68	<=-22.31	PASS
				5700~5720	-46.95	<=14.48	PASS
				5720~5725	-47.44	<=22.51	PASS
				5780~5650	-47.18	<=-27	PASS
	Ant1	High	5795	5850~5855	-48.09	<=17.54	PASS
				5855~5875	-47.39	<=12.81	PASS
				5875~5925	-47.97	<=-20.70	PASS
				5925~5935	-48.07	<=-27	PASS
11AC20S ISO	Ant1	Low	5745	5650~5700	-46.8	<=-5.68	PASS
				5700~5720	-47.28	<=14.44	PASS
				5720~5725	-47.48	<=21.32	PASS
				5760~5650	-47.13	<=-27	PASS
	Ant2	Low	5745	5650~5700	-46.95	<=7.08	PASS
				5700~5720	-46.55	<=12.12	PASS
				5720~5725	-46.17	<=17.13	PASS
				5760~5650	-47.79	<=-27	PASS
	Ant1	High	5825	5850~5855	-48.08	<=21.64	PASS
				5855~5875	-47.65	<=11.01	PASS
				5875~5925	-47.33	<=2.81	PASS
				5925~5935	-48.25	<=-27	PASS
	Ant2	High	5825	5850~5855	-46.95	<=21.03	PASS
				5855~5875	-47.51	<=11.91	PASS
				5875~5925	-47.47	<=3.81	PASS
				5925~5935	-47.44	<=-27	PASS
11AC40S	Ant1	Low	5755	5650~5700	-47.17	<=-8.12	PASS


ISO				5700~5720	-46.93	<=13.20	PASS
				5720~5725	-46.24	<=26.20	PASS
				5780~5650	-48.17	<=-27	PASS
				5650~5700	-46.98	<=-16.31	PASS
	Ant2	Low	5755	5700~5720	-46.97	<=13.95	PASS
				5720~5725	-47.25	<=18.20	PASS
				5780~5650	-47.43	<=-27	PASS
	Ant1	High	5795	5850~5855	-47.74	<=20.55	PASS
				5855~5875	-46.69	<=14.10	PASS
				5875~5925	-47.39	<=0.31	PASS
				5925~5935	-48.09	<=-27	PASS
	Ant2	High	5795	5850~5855	-47.51	<=22.80	PASS
				5855~5875	-47.48	<=13.18	PASS
				5875~5925	-46.88	<=-15.81	PASS
				5925~5935	-47.32	<=-27	PASS
11AC80S ISO	Ant1	Low	5775	5650~5700	-46.83	<=3.71	PASS
				5700~5720	-46.54	<=11.27	PASS
				5720~5725	-48.18	<=19.89	PASS
				5800~5650	-46.63	<=-27	PASS
		High	5775	5850~5855	-47.27	<=21.28	PASS
				5855~5875	-47.97	<=10.33	PASS
				5875~5925	-47.62	<=4.81	PASS
				5925~5935	-47.9	<=-27	PASS
	Ant2	Low	5775	5650~5700	-46.58	<=-7.53	PASS
				5700~5720	-47.38	<=12.91	PASS
				5720~5725	-47.64	<=18.47	PASS
				5800~5650	-48.37	<=-27	PASS
		High	5775	5850~5855	-49.43	<=22.96	PASS
				5855~5875	-48.2	<=15.10	PASS
				5875~5925	-48.34	<=-17.10	PASS
				5925~5935	-47.81	<=-27	PASS
11N20MI MO	Ant1	Low	5745	5650~5700	-46.59	<=-5.51	PASS
				5700~5720	-47.45	<=11.22	PASS
				5720~5725	-47.82	<=26.04	PASS
				5760~5650	-47.46	<=-27	PASS
	Ant2	Low	5745	5650~5700	-46.48	<=-3.64	PASS
				5700~5720	-47.51	<=13.15	PASS
				5720~5725	-46.57	<=16.08	PASS
				5760~5650	-47.53	<=-27	PASS


	Ant1	High	5825	5850~5855	-47.98	<=25.34	PASS
				5855~5875	-47	<=10.10	PASS
				5875~5925	-47.32	<=-0.98	PASS
				5925~5935	-48.1	<=-27	PASS
	Ant2	High	5825	5850~5855	-48.19	<=19.18	PASS
				5855~5875	-47.66	<=14.86	PASS
				5875~5925	-46.89	<=-14.57	PASS
				5925~5935	-48.04	<=-27	PASS
11N40MI MO	Ant1	Low	5755	5650~5700	-46.06	<=-21.51	PASS
				5700~5720	-46.73	<=13.35	PASS
				5720~5725	-46.74	<=26.82	PASS
				5780~5650	-48.13	<=-27	PASS
	Ant2	Low	5755	5650~5700	-47.23	<=-9.72	PASS
				5700~5720	-46.4	<=13.58	PASS
				5720~5725	-47.66	<=19.43	PASS
				5780~5650	-47.23	<=-27	PASS
	Ant1	High	5795	5850~5855	-47.73	<=24.31	PASS
				5855~5875	-47.79	<=10.41	PASS
				5875~5925	-47.51	<=5.68	PASS
				5925~5935	-48.38	<=-27	PASS
	Ant2	High	5795	5850~5855	-48.32	<=25.06	PASS
				5855~5875	-47.81	<=14.01	PASS
				5875~5925	-47.6	<=-10.44	PASS
				5925~5935	-48.53	<=-27	PASS
11AC20M IMO	Ant1	Low	5745	5650~5700	-46.62	<=-6.02	PASS
				5700~5720	-47.29	<=10.57	PASS
				5720~5725	-46.76	<=22.37	PASS
				5760~5650	-47.74	<=-27	PASS
	Ant2	Low	5745	5650~5700	-46.82	<=-22.53	PASS
				5700~5720	-46.29	<=15.21	PASS
				5720~5725	-47.53	<=21.32	PASS
				5760~5650	-47.08	<=-27	PASS
	Ant1	High	5825	5850~5855	-48.12	<=19.18	PASS
				5855~5875	-47.88	<=10.55	PASS
				5875~5925	-47.22	<=-19.76	PASS
				5925~5935	-48.19	<=-27	PASS
	Ant2	High	5825	5850~5855	-46.81	<=25.95	PASS
				5855~5875	-47.46	<=14.33	PASS
				5875~5925	-47.55	<=-15.17	PASS


11AC40M IMO	Ant1	Low	5755	5925~5935	-48.44	<=-27	PASS
				5650~5700	-46.83	<=-15.12	PASS
				5700~5720	-46.15	<=12.52	PASS
				5720~5725	-47.68	<=17.58	PASS
	Ant2	Low	5755	5780~5650	-47.29	<=-27	PASS
				5650~5700	-46.03	<=6.06	PASS
				5700~5720	-47	<=14.79	PASS
				5720~5725	-48.34	<=24.36	PASS
	Ant1	High	5795	5780~5650	-46.87	<=-27	PASS
				5850~5855	-48.2	<=20.55	PASS
				5855~5875	-47.86	<=11.06	PASS
				5875~5925	-47.9	<=-25.58	PASS
	Ant2	High	5795	5925~5935	-48.2	<=-27	PASS
				5850~5855	-49.33	<=22.80	PASS
				5855~5875	-47.23	<=13.46	PASS
				5875~5925	-47.72	<=-5.07	PASS
11AC80M IMO	Ant1	Low	5775	5925~5935	-47.76	<=-27	PASS
				5650~5700	-46.65	<=8.99	PASS
				5700~5720	-47.46	<=12.57	PASS
				5720~5725	-48.42	<=19.18	PASS
	Ant1	High	5775	5800~5650	-47.76	<=-27	PASS
				5850~5855	-48.32	<=16.22	PASS
				5855~5875	-47.92	<=14.06	PASS
				5875~5925	-47.33	<=-25.86	PASS
	Ant2	Low	5775	5925~5935	-48.46	<=-27	PASS
				5650~5700	-47.47	<=-3.17	PASS
				5700~5720	-45.71	<=13.09	PASS
				5720~5725	-47.39	<=25.54	PASS
		High	5775	5800~5650	-48.14	<=-27	PASS
				5850~5855	-47.96	<=19.59	PASS
				5855~5875	-47.46	<=11.89	PASS
				5875~5925	-46.83	<=-19.56	PASS
	Ant2	Low	5775	5925~5935	-47.55	<=-27	PASS
				5650~5700	-47.47	<=-3.17	PASS
				5700~5720	-45.71	<=13.09	PASS
				5720~5725	-47.39	<=25.54	PASS


Test Graphs


































































































































































































































































































































Appendix E: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
				AV	5150.000	-53.15	<=-41.2 0	PASS
				Peak	4500.000	-43.05	<=-21.2 0	PASS
				Peak	5150.000	-41.31	<=-21.2 0	PASS
	Ant2	Low	5180	AV	4500.000	-54.33	<=-41.2 0	PASS
				AV	5150.000	-53	<=-41.2 0	PASS
				Peak	4500.000	-42.76	<=-21.2 0	PASS
				Peak	5150.000	-41.63	<=-21.2 0	PASS
	Ant1	High	5240	AV	5350.000	-55.22	<=-41.2 0	PASS
				AV	5460.000	-54.77	<=-41.2 0	PASS
				Peak	5350.000	-44.09	<=-21.2 0	PASS
				Peak	5460.000	-42.23	<=-21.2 0	PASS
	Ant2	High	5240	AV	5350.000	-55.08	<=-41.2 0	PASS
				AV	5460.000	-54.83	<=-41.2 0	PASS
				Peak	5350.000	-43.34	<=-21.2 0	PASS
				Peak	5460.000	-43.05	<=-21.2 0	PASS
	Ant1	Low	5745	Peak	5650.000	-40.9	<=-27.0 0	PASS
				Peak	5700.000	-41.14	<=10.0 0	PASS

11N20SIS O	Ant2	Low	5745	Peak	5720.000	-40.68	≤ 15.6 0	PASS
				Peak	5725.000	-32.94	≤ 27.0 0	PASS
				Peak	5650.000	-41.28	≤ -27.0 0	PASS
				Peak	5700.000	-40.59	≤ 10.0 0	PASS
				Peak	5720.000	-40.44	≤ 15.6 0	PASS
				Peak	5725.000	-36.28	≤ 27.0 0	PASS
	Ant1	High	5825	Peak	5850.000	-40.49	≤ 15.6 0	PASS
				Peak	5855.000	-42.01	≤ 27.0 0	PASS
				Peak	5875.000	-41.94	≤ 15.6 0	PASS
				Peak	5925.000	-42.45	≤ 10.0 0	PASS
	Ant2	High	5825	Peak	5850.000	-41.68	≤ 15.6 0	PASS
				Peak	5855.000	-40.85	≤ 27.0 0	PASS
				Peak	5875.000	-42.11	≤ 15.6 0	PASS
				Peak	5925.000	-42.3	≤ 10.0 0	PASS
	Ant1	Low	5180	AV	4500.000	-54.18	≤ -41.2 0	PASS
				AV	5150.000	-53.4	≤ -41.2 0	PASS
				Peak	4500.000	-42.57	≤ -21.2 0	PASS
				Peak	5150.000	-41.17	≤ -21.2 0	PASS
	Ant2	Low	5180	AV	4500.000	-54.3	≤ -41.2 0	PASS
				AV	5150.000	-53.56	≤ -41.2 0	PASS

	Ant1	High	5240	Peak	4500.000	-43.09	≤ -21.2 0	PASS
				Peak	5150.000	-41.14	≤ -21.2 0	PASS
				AV	5350.000	-55.3	≤ -41.2 0	PASS
				AV	5460.000	-54.7	≤ -41.2 0	PASS
				Peak	5350.000	-43.13	≤ -21.2 0	PASS
				Peak	5460.000	-43.07	≤ -21.2 0	PASS
	Ant2	High	5240	AV	5350.000	-55.34	≤ -41.2 0	PASS
				AV	5460.000	-54.83	≤ -41.2 0	PASS
				Peak	5350.000	-44.07	≤ -21.2 0	PASS
				Peak	5460.000	-42.81	≤ -21.2 0	PASS
	Ant1	Low	5745	Peak	5650.000	-40.38	≤ -27.0 0	PASS
				Peak	5700.000	-40.44	≤ 10.0 0	PASS
				Peak	5720.000	-40.75	≤ 15.6 0	PASS
				Peak	5725.000	-33.03	≤ 27.0 0	PASS
	Ant2	Low	5745	Peak	5650.000	-41.27	≤ -27.0 0	PASS
				Peak	5700.000	-41.21	≤ 10.0 0	PASS
				Peak	5720.000	-41.04	≤ 15.6 0	PASS
				Peak	5725.000	-35.71	≤ 27.0 0	PASS
	Ant1	High	5825	Peak	5850.000	-40.11	≤ 15.6 0	PASS
				Peak	5855.000	-41.77	≤ 27.0 0	PASS

	Ant2	High	5825	Peak	5875.000	-42.78	≤ 15.6 0	PASS
				Peak	5925.000	-42.61	≤ 10.0 0	PASS
				Peak	5850.000	-41.83	≤ 15.6 0	PASS
				Peak	5855.000	-42.14	≤ 27.0 0	PASS
				Peak	5875.000	-42.61	≤ 15.6 0	PASS
				Peak	5925.000	-43.28	≤ 10.0 0	PASS
11N40SIS O	Ant1	Low	5190	AV	4500.000	-53.62	≤ -41.2 0	PASS
				AV	5150.000	-51.98	≤ -41.2 0	PASS
				Peak	4500.000	-43.01	≤ -21.2 0	PASS
				Peak	5150.000	-36.91	≤ -21.2 0	PASS
	Ant2	Low	5190	AV	4500.000	-54.04	≤ -41.2 0	PASS
				AV	5150.000	-52.51	≤ -41.2 0	PASS
				Peak	4500.000	-43.49	≤ -21.2 0	PASS
				Peak	5150.000	-41.43	≤ -21.2 0	PASS
	Ant1	High	5230	AV	5350.000	-55.16	≤ -41.2 0	PASS
				AV	5460.000	-54.12	≤ -41.2 0	PASS
				Peak	5350.000	-42.25	≤ -21.2 0	PASS
				Peak	5460.000	-42.77	≤ -21.2 0	PASS
	Ant2	High	5230	AV	5350.000	-55.26	≤ -41.2 0	PASS
				AV	5460.000	-54.45	≤ -41.2 0	PASS

	Ant1	Low	5755	Peak	5350.000	-44.33	≤ -21.2 0	PASS
				Peak	5460.000	-42.69	≤ -21.2 0	PASS
				Peak	5650.000	-41.6	≤ -27.0 0	PASS
				Peak	5700.000	-41.03	≤ 10.0 0	PASS
				Peak	5720.000	-30.12	≤ 15.6 0	PASS
				Peak	5725.000	-29.28	≤ 27.0 0	PASS
	Ant2	Low	5755	Peak	5650.000	-42.15	≤ -27.0 0	PASS
				Peak	5700.000	-41.67	≤ 10.0 0	PASS
				Peak	5720.000	-40.76	≤ 15.6 0	PASS
				Peak	5725.000	-40.79	≤ 27.0 0	PASS
	Ant1	High	5795	Peak	5850.000	-42.93	≤ 15.6 0	PASS
				Peak	5855.000	-42.68	≤ 27.0 0	PASS
				Peak	5875.000	-43.26	≤ 15.6 0	PASS
				Peak	5925.000	-42.1	≤ 10.0 0	PASS
	Ant2	High	5795	Peak	5850.000	-42.21	≤ 15.6 0	PASS
				Peak	5855.000	-43.21	≤ 27.0 0	PASS
				Peak	5875.000	-43.35	≤ 15.6 0	PASS
				Peak	5925.000	-43.51	≤ 10.0 0	PASS
11AC20SI SO	Ant1	Low	5180	AV	4500.000	-54.14	≤ -41.2 0	PASS
				AV	5150.000	-53.8	≤ -41.2 0	PASS

	Ant2	Low	5180	Peak	4500.000	-42.81	≤ -21.2 0	PASS
				Peak	5150.000	-42.15	≤ -21.2 0	PASS
				AV	4500.000	-54.48	≤ -41.2 0	PASS
				AV	5150.000	-54.1	≤ -41.2 0	PASS
				Peak	4500.000	-43.33	≤ -21.2 0	PASS
				Peak	5150.000	-42.61	≤ -21.2 0	PASS
	Ant1	High	5240	AV	5350.000	-55.47	≤ -41.2 0	PASS
				AV	5460.000	-54.68	≤ -41.2 0	PASS
				Peak	5350.000	-41.45	≤ -21.2 0	PASS
				Peak	5460.000	-42.94	≤ -21.2 0	PASS
	Ant2	High	5240	AV	5350.000	-55.75	≤ -41.2 0	PASS
				AV	5460.000	-55.1	≤ -41.2 0	PASS
				Peak	5350.000	-43.71	≤ -21.2 0	PASS
				Peak	5460.000	-43.34	≤ -21.2 0	PASS
	Ant1	Low	5745	Peak	5650.000	-41.45	≤ -27.0 0	PASS
				Peak	5700.000	-40.28	≤ 10.0 0	PASS
				Peak	5720.000	-41.14	≤ 15.6 0	PASS
				Peak	5725.000	-36.62	≤ 27.0 0	PASS
	Ant2	Low	5745	Peak	5650.000	-41.56	≤ -27.0 0	PASS
				Peak	5700.000	-41.17	≤ 10.0 0	PASS

11AC40SI SO	Ant1	High	5825	Peak	5720.000	-40.95	≤ 15.6 0	PASS
				Peak	5725.000	-40.54	≤ 27.0 0	PASS
				Peak	5850.000	-42.71	≤ 15.6 0	PASS
				Peak	5855.000	-42.95	≤ 27.0 0	PASS
				Peak	5875.000	-43.06	≤ 15.6 0	PASS
				Peak	5925.000	-42.72	≤ 10.0 0	PASS
	Ant2	High	5825	Peak	5850.000	-42.39	≤ 15.6 0	PASS
				Peak	5855.000	-43.14	≤ 27.0 0	PASS
				Peak	5875.000	-43.52	≤ 15.6 0	PASS
				Peak	5925.000	-43.76	≤ 10.0 0	PASS
	Ant1	Low	5190	AV	4500.000	-53.77	≤ -41.2 0	PASS
				AV	5150.000	-53.22	≤ -41.2 0	PASS
				Peak	4500.000	-42.86	≤ -21.2 0	PASS
				Peak	5150.000	-42.44	≤ -21.2 0	PASS
11AC40SI SO	Ant2	Low	5190	AV	4500.000	-53.94	≤ -41.2 0	PASS
				AV	5150.000	-53.59	≤ -41.2 0	PASS
				Peak	4500.000	-43.11	≤ -21.2 0	PASS
				Peak	5150.000	-42.25	≤ -21.2 0	PASS
	Ant1	High	5230	AV	5350.000	-55.2	≤ -41.2 0	PASS
				AV	5460.000	-54.4	≤ -41.2 0	PASS

				Peak	5350.000	-43.28	≤ -21.2 0	PASS
				Peak	5460.000	-43.24	≤ -21.2 0	PASS
	Ant2	High	5230	AV	5350.000	-55.19	≤ -41.2 0	PASS
				AV	5460.000	-54.49	≤ -41.2 0	PASS
				Peak	5350.000	-44.13	≤ -21.2 0	PASS
				Peak	5460.000	-42.93	≤ -21.2 0	PASS
	Ant1	Low	5755	Peak	5650.000	-41.9	≤ -27.0 0	PASS
				Peak	5700.000	-42.28	≤ 10.0 0	PASS
				Peak	5720.000	-38.05	≤ 15.6 0	PASS
				Peak	5725.000	-37.75	≤ 27.0 0	PASS
	Ant2	Low	5755	Peak	5650.000	-41.31	≤ -27.0 0	PASS
				Peak	5700.000	-41.9	≤ 10.0 0	PASS
				Peak	5720.000	-42.15	≤ 15.6 0	PASS
				Peak	5725.000	-41.48	≤ 27.0 0	PASS
	Ant1	High	5795	Peak	5850.000	-42.82	≤ 15.6 0	PASS
				Peak	5855.000	-42.99	≤ 27.0 0	PASS
				Peak	5875.000	-41.78	≤ 15.6 0	PASS
				Peak	5925.000	-41.94	≤ 10.0 0	PASS
	Ant2	High	5795	Peak	5850.000	-42.44	≤ 15.6 0	PASS
				Peak	5855.000	-42.06	≤ 27.0 0	PASS

11AC80SI SO	Ant1	Low	5210	Peak	5875.000	-43.33	≤ 15.6 0	PASS
				Peak	5925.000	-43.55	≤ 10.0 0	PASS
				AV	4500.000	-54.32	≤ -41.2 0	PASS
				AV	5150.000	-53.42	≤ -41.2 0	PASS
	Ant2	Low	5210	Peak	4500.000	-41.88	≤ -21.2 0	PASS
				Peak	5150.000	-40.32	≤ -21.2 0	PASS
				AV	4500.000	-54.46	≤ -41.2 0	PASS
				AV	5150.000	-53.79	≤ -41.2 0	PASS
	Ant1	High	5210	Peak	4500.000	-42.8	≤ -21.2 0	PASS
				Peak	5150.000	-42.77	≤ -21.2 0	PASS
				AV	5350.000	-55.39	≤ -41.2 0	PASS
				AV	5460.000	-54.79	≤ -41.2 0	PASS
	Ant2	High	5210	Peak	5350.000	-43.81	≤ -21.2 0	PASS
				Peak	5460.000	-42.96	≤ -21.2 0	PASS
				AV	5350.000	-55.77	≤ -41.2 0	PASS
				AV	5460.000	-54.98	≤ -41.2 0	PASS
	Ant1	Low	5775	Peak	5650.000	-41.54	≤ -27.0 0	PASS
				Peak	5700.000	-41.57	≤ 10.0 0	PASS

11N20MI MO	Ant2	Low	5775	Peak	5720.000	-41.35	≤ 15.6 0	PASS
				Peak	5725.000	-39.96	≤ 27.0 0	PASS
				Peak	5650.000	-41.54	≤ -27.0 0	PASS
				Peak	5700.000	-42.2	≤ 10.0 0	PASS
				Peak	5720.000	-41.87	≤ 15.6 0	PASS
				Peak	5725.000	-41.09	≤ 27.0 0	PASS
	Ant1	High	5775	Peak	5850.000	-41.78	≤ 15.6 0	PASS
				Peak	5855.000	-42.6	≤ 27.0 0	PASS
				Peak	5875.000	-43.5	≤ 15.6 0	PASS
				Peak	5925.000	-43.27	≤ 10.0 0	PASS
	Ant2	High	5775	Peak	5850.000	-43.45	≤ 15.6 0	PASS
				Peak	5855.000	-42.95	≤ 27.0 0	PASS
				Peak	5875.000	-43.57	≤ 15.6 0	PASS
				Peak	5925.000	-42.6	≤ 10.0 0	PASS
	Ant1	Low	5180	AV	4500.000	-54.53	≤ -41.2 0	PASS
				AV	5150.000	-53.76	≤ -41.2 0	PASS
				Peak	4500.000	-42.59	≤ -21.2 0	PASS
				Peak	5150.000	-42.04	≤ -21.2 0	PASS
	Ant2	Low	5180	AV	4500.000	-54.46	≤ -41.2 0	PASS
				AV	5150.000	-54.04	≤ -41.2 0	PASS

	Ant1	High	5240	Peak	4500.000	-43.38	≤ -21.2 0	PASS
				Peak	5150.000	-42.2	≤ -21.2 0	PASS
				AV	5350.000	-55.38	≤ -41.2 0	PASS
				AV	5460.000	-54.89	≤ -41.2 0	PASS
				Peak	5350.000	-44.4	≤ -21.2 0	PASS
				Peak	5460.000	-42.4	≤ -21.2 0	PASS
	Ant2	High	5240	AV	5350.000	-55.62	≤ -41.2 0	PASS
				AV	5460.000	-54.85	≤ -41.2 0	PASS
				Peak	5350.000	-43.41	≤ -21.2 0	PASS
				Peak	5460.000	-42.71	≤ -21.2 0	PASS
	Ant1	Low	5745	Peak	5650.000	-41.06	≤ -27.0 0	PASS
				Peak	5700.000	-41.48	≤ 10.0 0	PASS
				Peak	5720.000	-40.67	≤ 15.6 0	PASS
				Peak	5725.000	-37.65	≤ 27.0 0	PASS
	Ant2	Low	5745	Peak	5650.000	-41.11	≤ -27.0 0	PASS
				Peak	5700.000	-40.6	≤ 10.0 0	PASS
				Peak	5720.000	-41.06	≤ 15.6 0	PASS
				Peak	5725.000	-40.74	≤ 27.0 0	PASS
	Ant1	High	5825	Peak	5850.000	-42.06	≤ 15.6 0	PASS
				Peak	5855.000	-41.66	≤ 27.0 0	PASS

	Ant2	High	5825	Peak	5875.000	-43.26	≤ 15.6 0	PASS
				Peak	5925.000	-43.87	≤ 10.0 0	PASS
				Peak	5850.000	-42.16	≤ 15.6 0	PASS
				Peak	5855.000	-42.12	≤ 27.0 0	PASS
				Peak	5875.000	-43.39	≤ 15.6 0	PASS
				Peak	5925.000	-42.95	≤ 10.0 0	PASS
11N40MI MO	Ant1	Low	5190	AV	4500.000	-53.86	≤ -41.2 0	PASS
				AV	5150.000	-52.38	≤ -41.2 0	PASS
				Peak	4500.000	-42.44	≤ -21.2 0	PASS
				Peak	5150.000	-40.7	≤ -21.2 0	PASS
	Ant2	Low	5190	AV	4500.000	-53.77	≤ -41.2 0	PASS
				AV	5150.000	-53.33	≤ -41.2 0	PASS
				Peak	4500.000	-42.87	≤ -21.2 0	PASS
				Peak	5150.000	-42.38	≤ -21.2 0	PASS
	Ant1	High	5230	AV	5350.000	-54.86	≤ -41.2 0	PASS
				AV	5460.000	-54.29	≤ -41.2 0	PASS
				Peak	5350.000	-44.2	≤ -21.2 0	PASS
				Peak	5460.000	-42.45	≤ -21.2 0	PASS
	Ant2	High	5230	AV	5350.000	-55.02	≤ -41.2 0	PASS
				AV	5460.000	-54.52	≤ -41.2 0	PASS

	Ant1	Low	5755	Peak	5350.000	-42.87	≤ -21.2 0	PASS
				Peak	5460.000	-41.13	≤ -21.2 0	PASS
				Peak	5650.000	-41.59	≤ -27.0 0	PASS
				Peak	5700.000	-41.34	≤ 10.0 0	PASS
				Peak	5720.000	-36.63	≤ 15.6 0	PASS
				Peak	5725.000	-36.34	≤ 27.0 0	PASS
	Ant2	Low	5755	Peak	5650.000	-41.26	≤ -27.0 0	PASS
				Peak	5700.000	-40.49	≤ 10.0 0	PASS
				Peak	5720.000	-41.74	≤ 15.6 0	PASS
				Peak	5725.000	-41.29	≤ 27.0 0	PASS
	Ant1	High	5795	Peak	5850.000	-42.43	≤ 15.6 0	PASS
				Peak	5855.000	-42.94	≤ 27.0 0	PASS
				Peak	5875.000	-43.35	≤ 15.6 0	PASS
				Peak	5925.000	-42.91	≤ 10.0 0	PASS
	Ant2	High	5795	Peak	5850.000	-43.16	≤ 15.6 0	PASS
				Peak	5855.000	-42.9	≤ 27.0 0	PASS
				Peak	5875.000	-43.46	≤ 15.6 0	PASS
				Peak	5925.000	-43.24	≤ 10.0 0	PASS
11AC20M IMO	Ant1	Low	5180	AV	4500.000	-54.31	≤ -41.2 0	PASS
				AV	5150.000	-53.55	≤ -41.2 0	PASS

	Ant2	Low	5180	Peak	4500.000	-42.44	≤ -21.2 0	PASS
				Peak	5150.000	-41.96	≤ -21.2 0	PASS
				AV	4500.000	-54.18	≤ -41.2 0	PASS
				AV	5150.000	-53.97	≤ -41.2 0	PASS
				Peak	4500.000	-42.61	≤ -21.2 0	PASS
				Peak	5150.000	-42.73	≤ -21.2 0	PASS
	Ant1	High	5240	AV	5350.000	-55.44	≤ -41.2 0	PASS
				AV	5460.000	-54.7	≤ -41.2 0	PASS
				Peak	5350.000	-44.14	≤ -21.2 0	PASS
				Peak	5460.000	-42.44	≤ -21.2 0	PASS
	Ant2	High	5240	AV	5350.000	-55.46	≤ -41.2 0	PASS
				AV	5460.000	-54.7	≤ -41.2 0	PASS
				Peak	5350.000	-43.32	≤ -21.2 0	PASS
				Peak	5460.000	-43.44	≤ -21.2 0	PASS
	Ant1	Low	5745	Peak	5650.000	-40.37	≤ -27.0 0	PASS
				Peak	5700.000	-40.91	≤ 10.0 0	PASS
				Peak	5720.000	-40.38	≤ 15.6 0	PASS
				Peak	5725.000	-38.57	≤ 27.0 0	PASS
	Ant2	Low	5745	Peak	5650.000	-41.53	≤ -27.0 0	PASS
				Peak	5700.000	-41.34	≤ 10.0 0	PASS

11AC40M IMO	Ant1	High	5825	Peak	5720.000	-41.13	≤ 15.6 0	PASS
				Peak	5725.000	-41.36	≤ 27.0 0	PASS
				Peak	5850.000	-43.12	≤ 15.6 0	PASS
				Peak	5855.000	-43.26	≤ 27.0 0	PASS
				Peak	5875.000	-42.1	≤ 15.6 0	PASS
				Peak	5925.000	-43.55	≤ 10.0 0	PASS
	Ant2	High	5825	Peak	5850.000	-43.5	≤ 15.6 0	PASS
				Peak	5855.000	-41.91	≤ 27.0 0	PASS
				Peak	5875.000	-43.37	≤ 15.6 0	PASS
				Peak	5925.000	-44.23	≤ 10.0 0	PASS
	Ant1	Low	5190	AV	4500.000	-53.89	≤ -41.2 0	PASS
				AV	5150.000	-52.97	≤ -41.2 0	PASS
				Peak	4500.000	-42.79	≤ -21.2 0	PASS
				Peak	5150.000	-41.25	≤ -21.2 0	PASS
11AC40M IMO	Ant2	Low	5190	AV	4500.000	-53.68	≤ -41.2 0	PASS
				AV	5150.000	-53.45	≤ -41.2 0	PASS
				Peak	4500.000	-42.54	≤ -21.2 0	PASS
				Peak	5150.000	-42.79	≤ -21.2 0	PASS
	Ant1	High	5230	AV	5350.000	-55.35	≤ -41.2 0	PASS
				AV	5460.000	-54.63	≤ -41.2 0	PASS

				Peak	5350.000	-43.4	≤ -21.2 0	PASS
				Peak	5460.000	-43.02	≤ -21.2 0	PASS
	Ant2	High	5230	AV	5350.000	-55.13	≤ -41.2 0	PASS
				AV	5460.000	-54.5	≤ -41.2 0	PASS
				Peak	5350.000	-43.93	≤ -21.2 0	PASS
				Peak	5460.000	-43.08	≤ -21.2 0	PASS
	Ant1	Low	5755	Peak	5650.000	-41.59	≤ -27.0 0	PASS
				Peak	5700.000	-40.5	≤ 10.0 0	PASS
				Peak	5720.000	-38.91	≤ 15.6 0	PASS
				Peak	5725.000	-38.34	≤ 27.0 0	PASS
	Ant2	Low	5755	Peak	5650.000	-41.49	≤ -27.0 0	PASS
				Peak	5700.000	-41.61	≤ 10.0 0	PASS
				Peak	5720.000	-42.18	≤ 15.6 0	PASS
				Peak	5725.000	-41.32	≤ 27.0 0	PASS
	Ant1	High	5795	Peak	5850.000	-42.6	≤ 15.6 0	PASS
				Peak	5855.000	-43.32	≤ 27.0 0	PASS
				Peak	5875.000	-43.04	≤ 15.6 0	PASS
				Peak	5925.000	-42.57	≤ 10.0 0	PASS
	Ant2	High	5795	Peak	5850.000	-43.31	≤ 15.6 0	PASS
				Peak	5855.000	-42.55	≤ 27.0 0	PASS

11AC80M IMO	Ant1	Low	5210	Peak	5875.000	-43.68	≤ 15.6 0	PASS
				Peak	5925.000	-42.37	≤ 10.0 0	PASS
				AV	4500.000	-54.27	≤ -41.2 0	PASS
				AV	5150.000	-53.41	≤ -41.2 0	PASS
	Ant2	Low	5210	Peak	4500.000	-41.75	≤ -21.2 0	PASS
				Peak	5150.000	-38.71	≤ -21.2 0	PASS
				AV	4500.000	-54.25	≤ -41.2 0	PASS
				AV	5150.000	-53.97	≤ -41.2 0	PASS
	Ant1	High	5210	Peak	4500.000	-41.91	≤ -21.2 0	PASS
				Peak	5150.000	-41.65	≤ -21.2 0	PASS
				AV	5350.000	-55.6	≤ -41.2 0	PASS
				AV	5460.000	-54.94	≤ -41.2 0	PASS
	Ant2	High	5210	Peak	5350.000	-43.82	≤ -21.2 0	PASS
				Peak	5460.000	-42.88	≤ -21.2 0	PASS
				AV	5350.000	-55.66	≤ -41.2 0	PASS
				AV	5460.000	-55.02	≤ -41.2 0	PASS
	Ant1	Low	5775	Peak	5650.000	-41.76	≤ -27.0 0	PASS
				Peak	5700.000	-41.93	≤ 10.0 0	PASS

	Ant2	Low	5775	Peak	5720.000	-42.13	≤ 15.6 0	PASS
				Peak	5725.000	-41.5	≤ 27.0 0	PASS
				Peak	5650.000	-41.15	≤ -27.0 0	PASS
				Peak	5700.000	-42.13	≤ 10.0 0	PASS
				Peak	5720.000	-40.61	≤ 15.6 0	PASS
				Peak	5725.000	-39.83	≤ 27.0 0	PASS
	Ant1	High	5775	Peak	5850.000	-42.44	≤ 15.6 0	PASS
				Peak	5855.000	-43.04	≤ 27.0 0	PASS
				Peak	5875.000	-42.94	≤ 15.6 0	PASS
				Peak	5925.000	-42.74	≤ 10.0 0	PASS
	Ant2	High	5775	Peak	5850.000	-41.69	≤ 15.6 0	PASS
				Peak	5855.000	-42.98	≤ 27.0 0	PASS
				Peak	5875.000	-43.49	≤ 15.6 0	PASS
				Peak	5925.000	-43.33	≤ 10.0 0	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

