





Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak



Restrict Band NVNT n40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Ant1 Peak



Restrict Band NVNT n40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Ant1 Peak



Restrict Band NVNT ac20 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Ant1 Peak



Restrict Band NVNT ac20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Ant1 Peak



Restrict Band NVNT ac40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5230MHz Ant1 Peak



Restrict Band NVNT ac40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-48.76	3.62	-	50.09	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-57.42	3.62	0.24	41.67	Average	54	Pass
NVNT	a	5180	Ant2	5149.6	-43.17	3.62	-	55.68	Peak	68.2	Pass
NVNT	a	5180	Ant2	5149.6	-54.59	3.62	0.24	44.50	Average	54	Pass
NVNT	a	5180	Ant2	5150	-42.75	3.62	-	56.10	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-54.55	3.62	0.24	44.54	Average	54	Pass
NVNT	a	5240	Ant2	5350	-48.97	3.62	-	49.88	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-57.12	3.62	0.24	41.97	Average	54	Pass
NVNT	a	5240	Ant2	5378.64	-46.22	3.62	-	52.63	Peak	68.2	Pass
NVNT	a	5240	Ant2	5369.28	-56.01	3.62	0.24	43.08	Average	54	Pass
NVNT	a	5240	Ant2	5460	-49.23	3.62	-	49.62	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-57.65	3.62	0.24	41.44	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-48.96	3.62	-	49.89	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-57.46	3.62	0.12	41.51	Average	54	Pass
NVNT	n20	5180	Ant2	5148.2	-42.75	3.62	-	56.10	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5149.6	-54.44	3.62	0.12	44.53	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-43.04	3.62	-	55.81	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-54.03	3.62	0.12	44.94	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-48.85	3.62	-	50.00	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-56.83	3.62	0.12	42.14	Average	54	Pass
NVNT	n20	5240	Ant2	5404.8	-46.65	3.62	-	52.20	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5376.24	-56.19	3.62	0.12	42.78	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-49.57	3.62	-	49.28	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-56.94	3.62	0.12	42.03	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-49.73	3.62	-	49.12	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-57.3	3.62	0.24	41.79	Average	54	Pass
NVNT	n40	5190	Ant2	5148.24	-43.1	3.62	-	55.75	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5149.7	-53.38	3.62	0.24	45.71	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-43.94	3.62	-	54.91	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-53.38	3.62	0.24	45.71	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-48.14	3.62	-	50.71	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-56.97	3.62	0.24	42.12	Average	54	Pass
NVNT	n40	5230	Ant2	5454.87	-45.62	3.62	-	53.23	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5381.16	-55.98	3.62	0.24	43.11	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-48.61	3.62	-	50.24	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-57.36	3.62	0.24	41.73	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-48.38	3.62	-	50.47	Peak	68.2	Pass





NVNT	ac20	5180	Ant2	4500	-57.44	3.62	0.12	41.53	Average	54	Pass
NVNT	ac20	5180	Ant2	5149.6	-40.92	3.62	-	57.93	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5148.9	-53.72	3.62	0.12	45.25	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-44.81	3.62	-	54.04	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-53.71	3.62	0.12	45.26	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-48.08	3.62	-	50.77	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-57.17	3.62	0.12	41.80	Average	54	Pass
NVNT	ac20	5240	Ant2	5359.44	-45.75	3.62	-	53.10	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5368.08	-56.19	3.62	0.12	42.78	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-50.04	3.62	-	48.81	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-57.07	3.62	0.12	41.90	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-49.91	3.62	-	48.94	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-56.93	3.62	0.24	42.16	Average	54	Pass
NVNT	ac40	5190	Ant2	5146.05	-41.09	3.62	-	57.76	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5149.7	-52.98	3.62	0.24	46.11	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-46.6	3.62	-	52.25	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-52.98	3.62	0.24	46.11	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-47.69	3.62	-	51.16	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-57.39	3.62	0.24	41.70	Average	54	Pass
NVNT	ac40	5230	Ant2	5421.39	-45.73	3.62	-	53.12	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5371.44	-56.07	3.62	0.24	43.02	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-49.64	3.62	-	49.21	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-56.88	3.62	0.24	42.21	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-48.59	3.62	-	50.26	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-55.67	3.62	0.25	43.43	Average	54	Pass
NVNT	ac80	5210	Ant2	5454.06	-45.45	3.62	-	53.40	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5357.37	-55.27	3.62	0.25	43.83	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-48.57	3.62	-	50.28	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-57.23	3.62	0.25	41.87	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-48.39	3.62	-	50.46	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-57.29	3.62	0.25	41.81	Average	54	Pass
NVNT	ac80	5210	Ant2	5147.8	-42.6	3.62	-	56.25	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5149.38	-53.55	3.62	0.25	45.55	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-43.09	3.62	-	55.76	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-53.76	3.62	0.25	45.34	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant2 Peak



Restrict Band NVNT a 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5240MHz Ant2 Peak



Restrict Band NVNT a 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant2 Peak



Restrict Band NVNT n20 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5240MHz Ant2 Peak



Restrict Band NVNT n20 5240MHz Ant2 Average





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Ant2 Peak



Restrict Band NVNT n40 5230MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Ant2 Peak



Restrict Band NVNT ac20 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Ant2 Peak



Restrict Band NVNT ac20 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Ant2 Peak



Restrict Band NVNT ac40 5190MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5230MHz Ant2 Peak



Restrict Band NVNT ac40 5230MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant2 Peak



Restrict Band NVNT ac80 5210MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant2 Peak



Restrict Band NVNT ac80 5210MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	SUM	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-49.38	-48.96	-46.15	6.79	55.86	Peak	68.2	Pass
NVNT	n20	5180	-57.42	-57.46	-54.43	6.79	47.59	Average	54	Pass
NVNT	n20	5180	-44.17	-42.75	-40.39	6.79	61.63	Peak	68.2	Pass
NVNT	n20	5180	-53.69	-54.44	-51.04	6.79	50.98	Average	54	Pass
NVNT	n20	5180	-43.2	-43.04	-40.11	6.79	61.91	Peak	68.2	Pass
NVNT	n20	5180	-54.33	-54.03	-51.17	6.79	50.85	Average	54	Pass
NVNT	n20	5240	-49.03	-48.85	-45.93	6.79	56.09	Peak	68.2	Pass
NVNT	n20	5240	-56.71	-56.83	-53.76	6.79	48.26	Average	54	Pass
NVNT	n20	5240	-45.8	-46.65	-43.19	6.79	58.82	Peak	68.2	Pass
NVNT	n20	5240	-56.13	-56.19	-53.15	6.79	48.87	Average	54	Pass
NVNT	n20	5240	-48.52	-49.57	-46.00	6.79	56.01	Peak	68.2	Pass
NVNT	n20	5240	-56.77	-56.94	-53.84	6.79	48.17	Average	54	Pass
NVNT	n40	5190	-49.21	-49.73	-46.45	6.79	55.57	Peak	68.2	Pass
NVNT	n40	5190	-57	-57.3	-54.14	6.79	47.88	Average	54	Pass
NVNT	n40	5190	-37.45	-43.1	-36.40	6.79	65.61	Peak	68.2	Pass
NVNT	n40	5190	-51.57	-53.38	-49.37	6.79	52.65	Average	54	Pass
NVNT	n40	5190	-38.72	-43.94	-37.58	6.79	64.44	Peak	68.2	Pass
NVNT	n40	5190	-51.57	-53.38	-49.37	6.79	52.65	Average	54	Pass
NVNT	n40	5230	-48.42	-48.14	-45.27	6.79	56.75	Peak	68.2	Pass
NVNT	n40	5230	-57.2	-56.97	-54.07	6.79	47.94	Average	54	Pass
NVNT	n40	5230	-46.06	-45.62	-42.82	6.79	59.19	Peak	68.2	Pass
NVNT	n40	5230	-56.11	-55.98	-53.03	6.79	48.98	Average	54	Pass
NVNT	n40	5230	-50.17	-48.61	-46.31	6.79	55.71	Peak	68.2	Pass
NVNT	n40	5230	-56.67	-57.36	-53.99	6.79	48.03	Average	54	Pass
NVNT	ac20	5180	-49.02	-48.38	-45.68	6.79	56.34	Peak	68.2	Pass
NVNT	ac20	5180	-57.56	-57.44	-54.49	6.79	47.53	Average	54	Pass
NVNT	ac20	5180	-43.01	-40.92	-38.83	6.79	63.19	Peak	68.2	Pass
NVNT	ac20	5180	-53.66	-53.72	-50.68	6.79	51.34	Average	54	Pass
NVNT	ac20	5180	-45.61	-44.81	-42.18	6.79	59.84	Peak	68.2	Pass
NVNT	ac20	5180	-54.62	-53.71	-51.13	6.79	50.89	Average	54	Pass
NVNT	ac20	5240	-49.27	-48.08	-45.62	6.79	56.39	Peak	68.2	Pass
NVNT	ac20	5240	-56.98	-57.17	-54.06	6.79	47.95	Average	54	Pass
NVNT	ac20	5240	-45.12	-45.75	-42.41	6.79	59.60	Peak	68.2	Pass
NVNT	ac20	5240	-56.17	-56.19	-53.17	6.79	48.85	Average	54	Pass
NVNT	ac20	5240	-48.82	-50.04	-46.38	6.79	55.64	Peak	68.2	Pass
NVNT	ac20	5240	-57.15	-57.07	-54.10	6.79	47.92	Average	54	Pass
NVNT	ac40	5190	-47.84	-49.91	-45.74	6.79	56.28	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5190	-57.58	-56.93	-54.23	6.79	47.79	Average	54	Pass
NVNT	ac40	5190	-39.86	-41.09	-37.42	6.79	64.60	Peak	68.2	Pass
NVNT	ac40	5190	-52.45	-52.98	-49.70	6.79	52.32	Average	54	Pass
NVNT	ac40	5190	-45.33	-46.6	-42.91	6.79	59.11	Peak	68.2	Pass
NVNT	ac40	5190	-52.45	-52.98	-49.70	6.79	52.32	Average	54	Pass
NVNT	ac40	5230	-50.04	-47.69	-45.70	6.79	56.32	Peak	68.2	Pass
NVNT	ac40	5230	-57.02	-57.39	-54.19	6.79	47.83	Average	54	Pass
NVNT	ac40	5230	-45.45	-45.73	-42.58	6.79	59.44	Peak	68.2	Pass
NVNT	ac40	5230	-56.14	-56.07	-53.09	6.79	48.92	Average	54	Pass
NVNT	ac40	5230	-48.79	-49.64	-46.18	6.79	55.83	Peak	68.2	Pass
NVNT	ac40	5230	-57.26	-56.88	-54.06	6.79	47.96	Average	54	Pass
NVNT	ac80	5210	-47.7	-48.59	-45.11	6.79	56.91	Peak	68.2	Pass
NVNT	ac80	5210	-55.12	-55.67	-52.38	6.79	49.64	Average	54	Pass
NVNT	ac80	5210	-44.5	-45.45	-41.94	6.79	60.08	Peak	68.2	Pass
NVNT	ac80	5210	-55.12	-55.27	-52.18	6.79	49.83	Average	54	Pass
NVNT	ac80	5210	-48.87	-48.57	-45.71	6.79	56.31	Peak	68.2	Pass
NVNT	ac80	5210	-56.7	-57.23	-53.95	6.79	48.07	Average	54	Pass
NVNT	ac80	5210	-50.28	-48.39	-46.22	6.79	55.79	Peak	68.2	Pass
NVNT	ac80	5210	-57.15	-57.29	-54.21	6.79	47.81	Average	54	Pass
NVNT	ac80	5210	-41.81	-42.6	-39.18	6.79	62.84	Peak	68.2	Pass
NVNT	ac80	5210	-53.05	-53.55	-50.28	6.79	51.74	Average	54	Pass
NVNT	ac80	5210	-41.55	-43.09	-39.24	6.79	62.78	Peak	68.2	Pass
NVNT	ac80	5210	-53.06	-53.76	-50.39	6.79	51.63	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	a	5200	Ant1	5200	0	0	25	Pass
NVNT	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	n20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	n20	5240	Ant1	5240	0	0	25	Pass
NVNT	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac20	5180	Ant1	5180	0	0	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5180MHz Ant1



Freq. Stability NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT a 5240MHz Ant1



Freq. Stability NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT n20 5200MHz Ant1



Freq. Stability NVNT n20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT n40 5190MHz Ant1



Freq. Stability NVNT n40 5230MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT ac20 5180MHz Ant1



Freq. Stability NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT ac20 5240MHz Ant1



Freq. Stability NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
NVNT	a	5200	Ant2	5200	0	0	25	Pass
NVNT	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
NVNT	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
NVNT	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
NVNT	n20	5240	Ant2	5240	0	0	25	Pass
NVNT	n40	5190	Ant2	5190	0	0	25	Pass
NVNT	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant2	5190	0	0	25	Pass
NVNT	ac40	5230	Ant2	5230	0	0	25	Pass
NVNT	ac80	5210	Ant2	5210	0	0	25	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5180MHz Ant2



Freq. Stability NVNT a 5200MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity