

Richmat 豪江


HANDSET
HJT53B Ble



1. Remark:

1. Radio frequency handset
2. DC5V power supply
3. Effective distance: within 5m
4. Frequency range: 2.402GHz–2.48GHz.

2. Dimension:(mm)



3. Remote control button diagram



4. Remote control function description

Button label	function
1	The head motor extends.
2	Head motor retracted
3	FLAT one-key reset, all motors retract to the minimum stroke position.
4	The foot motor extends.
5	Foot motor retracted
6	The motor runs to the M1 position with one key (initial value is 0). Multiplexing function: press M1 within 2s, the buzzer will sound 3 times, and record the current motor position to M1. (Not cleared after power failure)
7	The motor runs to the M2 position with one key (initial value is 0). Multiplexing function: press M1 within 2s, the buzzer will sound 3 times, and record the current motor position to M1. (Not cleared after power failure)

Coding method: Keep pressing the head up and foot down buttons (4, 9) until the backlight flashes to clear the remote control code matching information; power on the control box , Press the code key of the control box, Keep pressing the head down and foot up buttons (2, 4) of the remote control until you hear the buzzer sound and the backlight flashes, indicating that the code pairing is successful.

Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.