EUT Internal Photos

EUT:SZR012500022-1





Rechargeable Li-ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!


Rechargeable Li-ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!








SUB_SQ372_V1.1



Rechargeable Li-ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified itel charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!
2024/12/20
0502311084C20002490


AEF18
55A0


DND97V1
DH2422
TW2445
LHCY
08V1
TH123






SPREADTRUM
SC9863 T
M4N612.00
CHNA52.1
TGAABAD8442


CXDBBCCBM
MKB 2437
AP415469500A0
SPREADTRUM
SC9863T
M4N612.00
GHNA52.1
TGAABAD8442


PCB_MAIN_S0372_V1.1
HAC19-2560BSAC
Y500PP02 2432
0000CE07CD04
TX
RX


MAIN_SQ372_V1.1
TX
RX
SPRD
SC2721G
GHGU61.1
DSCF31435
VBAT
GND
BAT_ID
SPRD
5627Y
KFNPM
BD321
5596Y
PSA01


5596Y
PSA01
BD421
5627Y
KFNPM
BD321
SPRD
SR3595D
C4JC7
GGCBMA437
SPRD
SC2721G
GHGU61.1
DSCF31435
VBAT
GND
BAT_ID


SC2721G
GHGU61.1
DSCF31435
GND
VBAT
BAT_ID
5627Y
KFNPM
BD321
5596Y
PSADI
BD421


5627Y
KFNPM
BD321
5596Y
PSADI
BD421


BT&2.4GWIFI ANT

GSM&WCDMA&LTE
Diversity ANT