EXHIBIT C - EUT INTERNAL PHOTOGRAPHS

WWAN DIV Antenna

WWAN Main Antenna

Bluetooth/WiFi Antenna



itel
Rechargeable Li-Ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified Itel charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!
2022/02/18
6802044083214000970

itel
Rechargeable Li-Ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified Itel charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!
2022/02/18
6802044083214000970
FPC6605-5
110900800
10 2 1520
C001

itel
Rechargeable Li-ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified itel charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!
2023/02/14
050204408321400097 0

itel
Rechargeable Li-ion Polymer Battery
Model:BL-49NI
1ICP5/65/95
Rated Voltage:3.85V
Rated Capacity:4900mAh/18.86Wh
Typical Capacity:5000mAh/19.25Wh
Limited Charge Voltage:4.4V
Guangdong Fenghua New Energy Co.,Ltd.
Made in China
WARNING
Use specified itel charger only!
May explode if disposed of in fire!
Keep the battery out of reach of children!
Do not short-circuit!
Do not squeeze or shock!
Do not disassemble!
2023/02/14
050204408321400097 0


FPC6605-5
110900800
CDOT
PCB_MAIN_SR370_V1.0


FPC6605-5
110900800
CDOT


PCB_SUB_SU370_V1.0
0 30 20 10 mm
10 20 30 40


MIC
SPK
SU370 DB V1.01
0 30 20 10 mm
10 20 30 40


PCB_MAIN_SR370_V1.0
LTE
REC+
10 20 30 40 50 60 70
0 10 20 30 40 50
mm


PCB_MAIN_SR370_V1.0
LTE
REC+
10 20 30 40 50 60 70
60 50 40 30 20 10 mm


SPRD
SR3595D
CAWM1
GGCB06233
RTM7316-51
CH3887538
SKAE 2226
K202
26.0
T244


PCB_MAIN_SR3170_V1.0
SPRD
SC2721G
GF1V71-1
DGCF05219
FORESEE®
FEMDNN128G-A3A56
Z22120097012249
000


SL-M
GZSL
0523.
2
94V-0
E234156
10 20 30 40 50 60 70
60 50 40 30 20 10 mm


SL-M
GZSL
0523.
2
94V-0
E234156
10 20 30 40 50 60 70
60 50 40 30 20 10 mm

SPREADTRUM®
SC98 3A1
TKWS03.00
GFPC20.1
AGAABA02241
VTAC J0470A2
SK hynix
H5AG56CYRB
X247 243Y
VOL+
VOL-
TXD0