


Feature

- ※ High gain
- ※ Omani-directional
- ※ Wide bandwidth

Application

- ※ GSM850/GSM900/DCS1800/PCS1900communication applications



Dimensions


CUSTOMER' S P/N	传音		DRAWING NO	it5608N 南美版
PREPARED BY	CHECKEDBY	APPROVAL BY	S.R.NO	
			DATE:	2025-07-29

Electric Specifications


TYPE	MagicX
Transmitter Frequency	GSM 850: 824 - 894 MHz
	GSM 900: 880 - 915 MHz
	DCS 1800: 1710 - 1785 MHz
	PCS 1900: 1850 - 1910 MHz
	BT: 2400-2480MHz
Receiver Frequency	GSM 850: 869 - 894 MHz
	GSM 900: 925 - 960 MHz
	DCS 1800: 1805 - 1880 MHz
	PCS 1900: 1930 - 1990 MHz
	BT: 2400-2480MHz
RF-Output Power (E.I.R.P)	GSM850: 33+/-2dBm
	GSM900: 33+/-2dBm
	DCS1800:30+/-2dBm
	PCS1900:30+/-2dBm
Antenna Gain	GSM850: -2.25dBi
	GSM900: -2.38dBi
	DCS1800: 0.18dBi
	PCS1900: 0.25dBi
	BT: 0.15dBi
Type of Modulation	GMSK

※ Antenn

※ VSWR



BT VSWR



CUSTOMER' S P/N	传音		DRAWING NO	it5608N 南美版
PREPARED BY	CHECKEDBY	APPROVAL BY	S.R.NO	
			DATE:	2025-07-29