






802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Note 2: All antenna were tested, but only the worst case has been reported in this report.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-37.79	7.49	-12.51	Pass
High	-48.46	8.41	-11.59	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-24.52	5.37	-14.63	Pass
High	-33.99	5.59	-14.41	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-27.67	3.89	-16.11	Pass
High	-36.86	4.31	-15.69	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.200	46.18	9.78	63.61	17.43	Peak	L	Pass
1**	0.200	33.99	9.78	53.61	19.62	AV	L	Pass
2	0.464	47.96	9.77	56.62	8.66	Peak	L	Pass
2**	0.464	33.14	9.77	46.62	13.48	AV	L	Pass
3	0.664	48.65	9.72	56.00	7.35	Peak	L	Pass
3**	0.664	31.03	9.72	46.00	14.97	AV	L	Pass
4	1.310	45.54	9.74	56.00	10.46	Peak	L	Pass
4**	1.310	26.02	9.74	46.00	19.98	AV	L	Pass
5	3.046	42.20	9.63	56.00	13.80	Peak	L	Pass
5**	3.046	21.86	9.63	46.00	24.14	AV	L	Pass
6	13.932	41.27	8.98	60.00	18.73	Peak	L	Pass
6**	13.932	28.45	8.98	50.00	21.55	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.194	43.61	9.74	63.86	20.25	Peak	N	Pass
1**	0.194	32.32	9.74	53.86	21.54	AV	N	Pass
2	0.258	42.94	9.73	61.50	18.56	Peak	N	Pass
2**	0.258	26.57	9.73	51.50	24.93	AV	N	Pass
3	0.580	44.26	9.74	56.00	11.74	Peak	N	Pass
3**	0.580	32.36	9.74	46.00	13.64	AV	N	Pass
4	1.568	42.65	9.75	56.00	13.35	Peak	N	Pass
4**	1.568	28.39	9.75	46.00	17.61	AV	N	Pass
5	3.596	37.34	9.67	56.00	18.66	Peak	N	Pass
5**	3.596	23.38	9.67	46.00	22.62	AV	N	Pass
6	13.966	41.36	9.02	60.00	18.64	Peak	N	Pass
6**	13.966	27.75	9.02	50.00	22.25	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.097	29.79	-28.90	40.0	10.21	Peak	58.00	100	Horizontal	Pass
2	51.679	23.09	-24.68	40.0	16.91	Peak	360.00	100	Horizontal	Pass
3	85.290	27.39	-29.65	40.0	12.61	Peak	157.00	100	Horizontal	Pass
4	172.639	30.55	-28.31	43.5	12.95	Peak	258.00	200	Horizontal	Pass
5	235.786	30.12	-24.69	46.0	15.88	Peak	258.00	100	Horizontal	Pass
6	410.434	26.79	-20.18	46.0	19.21	Peak	246.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.776	37.58	-29.05	40.0	2.42	Peak	88.00	100	Vertical	Pass
2	52.116	35.51	-24.70	40.0	4.49	Peak	235.00	100	Vertical	Pass
3	85.193	33.32	-29.68	40.0	6.68	Peak	271.00	100	Vertical	Pass
4	193.978	24.49	-25.70	43.5	19.01	Peak	160.00	100	Vertical	Pass
5	252.324	28.09	-24.01	46.0	17.91	Peak	148.00	100	Vertical	Pass
6	649.490	26.11	-14.44	46.0	19.89	Peak	359.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note 2: The spurious above 18G is noise only, do not show on the report.

Note 3: All antenna were pre tested, but only the worst case has been reported in this report.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1035.000	39.38	-15.35	74.0	34.62	Peak	130.00	150	Horizontal	Pass
1**	1035.000	28.44	-15.35	54.0	25.56	AV	130.00	150	Horizontal	Pass
2	2067.000	41.74	-13.78	74.0	32.26	Peak	84.00	150	Horizontal	Pass
2**	2067.000	30.95	-13.78	54.0	23.05	AV	84.00	150	Horizontal	Pass
3	2435.250	101.09	-12.29	74.0	-27.09	Peak	0.00	150	Horizontal	N/A
3**	2435.250	98.21	-12.29	54.0	-44.21	AV	0.00	150	Horizontal	N/A
4	4532.000	47.57	-2.55	74.0	26.43	Peak	355.00	150	Horizontal	Pass
4**	4532.000	36.68	-2.55	54.0	17.32	AV	355.00	150	Horizontal	Pass
5	7160.000	53.13	-0.08	74.0	20.87	Peak	309.00	150	Horizontal	Pass
5**	7160.000	41.47	-0.08	54.0	12.53	AV	309.00	150	Horizontal	Pass
6	12686.000	48.06	-3.09	74.0	25.94	Peak	360.00	150	Horizontal	Pass
6**	12686.000	36.79	-3.09	54.0	17.21	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1140.500	40.03	-15.59	74.0	33.97	Peak	100.00	150	Vertical	Pass
1**	1140.500	28.57	-15.59	54.0	25.43	AV	100.00	150	Vertical	Pass
2	2038.500	43.02	-13.27	74.0	30.98	Peak	353.00	150	Vertical	Pass
2**	2038.500	31.40	-13.27	54.0	22.60	AV	353.00	150	Vertical	Pass
3	2435.250	98.61	-12.29	74.0	-24.61	Peak	51.00	150	Vertical	N/A
3**	2435.250	95.70	-12.29	54.0	-41.70	AV	51.00	150	Vertical	N/A
4	4497.500	48.00	-3.23	74.0	26.00	Peak	99.00	150	Vertical	Pass
4**	4497.500	36.10	-3.23	54.0	17.90	AV	99.00	150	Vertical	Pass
5	7309.000	51.39	0.60	74.0	22.61	Peak	208.00	150	Vertical	Pass
5**	7309.000	43.72	0.60	54.0	10.28	AV	208.00	150	Vertical	Pass
6	12465.000	47.67	-2.25	74.0	26.33	Peak	276.00	150	Vertical	Pass
6**	12465.000	37.16	-2.25	54.0	16.84	AV	276.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.750	40.21	-15.58	74.0	33.79	Peak	319.00	150	Horizontal	Pass
1**	1156.750	28.49	-15.58	54.0	25.51	AV	319.00	150	Horizontal	Pass
2	2038.500	42.86	-13.27	74.0	31.14	Peak	360.00	150	Horizontal	Pass
2**	2038.500	31.62	-13.27	54.0	22.38	AV	360.00	150	Horizontal	Pass
3	2430.750	105.46	-12.27	74.0	-31.46	Peak	350.00	150	Horizontal	N/A
3**	2430.750	97.63	-12.27	54.0	-43.63	AV	350.00	150	Horizontal	N/A
4	4674.500	48.05	-3.62	74.0	25.95	Peak	181.00	150	Horizontal	Pass
4**	4674.500	36.57	-3.62	54.0	17.43	AV	181.00	150	Horizontal	Pass
5	7934.000	53.47	2.09	74.0	20.53	Peak	0.00	150	Horizontal	Pass
5**	7934.000	42.90	2.09	54.0	11.10	AV	0.00	150	Horizontal	Pass
6	12401.500	47.70	-2.27	74.0	26.30	Peak	360.00	150	Horizontal	Pass
6**	12401.500	37.34	-2.27	54.0	16.66	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1209.000	40.99	-15.85	74.0	33.01	Peak	5.00	150	Vertical	Pass
1**	1209.000	28.62	-15.85	54.0	25.38	AV	5.00	150	Vertical	Pass
2	1951.750	41.69	-14.84	74.0	32.31	Peak	0.00	150	Vertical	Pass
2**	1951.750	29.95	-14.84	54.0	24.05	AV	0.00	150	Vertical	Pass
3	2430.250	100.63	-12.26	74.0	-26.63	Peak	47.00	150	Vertical	N/A
3**	2430.250	92.74	-12.26	54.0	-38.74	AV	47.00	150	Vertical	N/A
4	4822.500	47.93	-2.55	74.0	26.07	Peak	166.00	150	Vertical	Pass
4**	4822.500	37.46	-2.55	54.0	16.54	AV	166.00	150	Vertical	Pass
5	7316.500	52.92	0.68	74.0	21.08	Peak	6.00	150	Vertical	Pass
5**	7316.500	41.88	0.68	54.0	12.12	AV	6.00	150	Vertical	Pass
6	12370.000	47.72	-2.12	74.0	26.28	Peak	270.00	150	Vertical	Pass
6**	12370.000	37.56	-2.12	54.0	16.44	AV	270.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1052.250	39.73	-15.42	74.0	34.27	Peak	137.00	150	Horizontal	Pass
1**	1052.250	28.48	-15.42	54.0	25.52	AV	137.00	150	Horizontal	Pass
2	1974.750	41.20	-14.77	74.0	32.80	Peak	68.00	150	Horizontal	Pass
2**	1974.750	30.59	-14.77	54.0	23.41	AV	68.00	150	Horizontal	Pass
3	2429.250	104.41	-12.25	74.0	-30.41	Peak	358.00	150	Horizontal	N/A
3**	2429.250	96.10	-12.25	54.0	-42.10	AV	358.00	150	Horizontal	N/A
4	4461.500	47.79	-3.58	74.0	26.21	Peak	181.00	150	Horizontal	Pass
4**	4461.500	36.05	-3.58	54.0	17.95	AV	181.00	150	Horizontal	Pass
5	7903.000	53.18	1.60	74.0	20.82	Peak	181.00	150	Horizontal	Pass
5**	7903.000	42.58	1.60	54.0	11.42	AV	181.00	150	Horizontal	Pass
6	14149.000	48.53	-1.29	74.0	25.47	Peak	211.00	150	Horizontal	Pass
6**	14149.000	37.76	-1.29	54.0	16.24	AV	211.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.000	40.55	-15.64	74.0	33.45	Peak	157.00	150	Vertical	Pass
1**	1175.000	28.37	-15.64	54.0	25.63	AV	157.00	150	Vertical	Pass
2	2023.500	42.14	-14.06	74.0	31.86	Peak	356.00	150	Vertical	Pass
2**	2023.500	31.02	-14.06	54.0	22.98	AV	356.00	150	Vertical	Pass
3	2431.000	100.59	-12.27	74.0	-26.59	Peak	52.00	150	Vertical	N/A
3**	2431.000	91.92	-12.27	54.0	-37.92	AV	52.00	150	Vertical	N/A
4	4243.000	46.76	-3.40	74.0	27.24	Peak	70.00	150	Vertical	Pass
4**	4243.000	36.09	-3.40	54.0	17.91	AV	70.00	150	Vertical	Pass
5	7116.500	52.43	0.09	74.0	21.57	Peak	344.00	150	Vertical	Pass
5**	7116.500	41.67	0.09	54.0	12.33	AV	344.00	150	Vertical	Pass
6	11941.000	48.04	-3.68	74.0	25.96	Peak	90.00	150	Vertical	Pass
6**	11941.000	36.72	-3.68	54.0	17.28	AV	90.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: All antenna were pre tested, but only the worst case has been reported in this report.


Test Data and Plots

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.85	-4.87	74.0	22.15	Peak	152.26	150	Horizontal	Pass
1**	2390.000	40.94	-4.87	54.0	13.06	AV	152.26	150	Horizontal	Pass
2	2369.700	52.84	-4.04	74.0	21.16	Peak	360.00	150	Horizontal	Pass
2**	2369.700	41.04	-4.04	54.0	12.96	AV	360.00	150	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.39	-3.78	74.0	21.61	Peak	24.00	150	Horizontal	Pass
1**	2483.500	42.12	-3.78	54.0	11.88	AV	24.00	150	Horizontal	Pass
2	2484.010	53.52	-3.78	74.0	20.48	Peak	297.00	150	Horizontal	Pass
2**	2484.010	42.19	-3.78	54.0	11.81	AV	297.00	150	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.95	-4.87	74.0	12.05	Peak	353.99	150	Horizontal	Pass
1**	2390.000	47.90	-4.87	54.0	6.10	AV	353.99	150	Horizontal	Pass
2	2389.600	64.46	-4.85	74.0	9.54	Peak	348.00	150	Horizontal	Pass
2**	2389.600	46.56	-4.85	54.0	7.44	AV	348.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.23	-3.78	74.0	5.77	Peak	360.00	150	Horizontal	Pass
1**	2483.500	53.83	-3.78	54.0	0.17	AV	360.00	150	Horizontal	Pass
2	2483.770	71.13	-3.78	74.0	2.87	Peak	360.00	150	Horizontal	Pass
2**	2483.770	53.29	-3.78	54.0	0.71	AV	360.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.95	-4.87	74.0	15.05	Peak	359.99	150	Horizontal	Pass
1**	2390.000	44.68	-4.87	54.0	9.32	AV	359.99	150	Horizontal	Pass
2	2389.600	57.74	-4.85	74.0	16.26	Peak	243.00	150	Horizontal	Pass
2**	2389.600	43.61	-4.85	54.0	10.39	AV	243.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.22	-3.78	74.0	5.78	Peak	354.00	150	Horizontal	Pass
1**	2483.500	52.24	-3.78	54.0	1.76	AV	354.00	150	Horizontal	Pass
2	2483.620	68.65	-3.78	74.0	5.35	Peak	354.00	150	Horizontal	Pass
2**	2483.620	52.14	-3.78	54.0	1.86	AV	354.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.04	8
Middle	-4.32	8
High	-5.11	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.82	8
Middle	-7.43	8
High	-9.29	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.01	8
Middle	-9.43	8
High	-10.02	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2530337-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2530337-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2530337-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--