

Appendix B

Test Information:

Serial No.:	34EN-2	Test Date:	2025/07/08~2025/07/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.5~28.3	Relative Humidity: (%)	55~72	ATM Pressure: (kPa)	99.8~100.6
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
All-sun	Multimeter	EM305A	8348897	2024/08/16	2025/08/15
R&S	Spectrum Analyzer	FSV40	101947	2024/09/05	2025/09/04
R&S	Wideband Radio Communication Tester	CMW500	149216	2024/09/05	2025/09/04
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2024/09/06	2025/09/05
Minl-Circuits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2025/02/25	2026/02/24
Micro-Coax	Coaxial Cable	UFB205A	323308-015	2025/06/01	2026/05/31
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM502	2025/06/07	2026/06/06
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability vs. temperature &Frequency stability vs. voltage Compliance

FCC Part 22H

WCDMA Band 5

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
R99_Middle_TN/VN	836.6	-1.0	-0.0012	±2.5	Pass
R99_Middle_T1/VN	836.6	-0.4	-0.0004	±2.5	Pass
R99_Middle_T2/VN	836.6	0.5	0.0006	±2.5	Pass
R99_Middle_T3/VN	836.6	-1.4	-0.0017	±2.5	Pass
R99_Middle_T4/VN	836.6	1.1	0.0013	±2.5	Pass
R99_Middle_T5/VN	836.6	-1.0	-0.0012	±2.5	Pass
R99_Middle_T6/VN	836.6	0	0.0000	±2.5	Pass
R99_Middle_T7/VN	836.6	0.6	0.0007	±2.5	Pass
R99_Middle_T8/VN	836.6	-0.2	-0.0003	±2.5	Pass
R99_Middle_TN/VH	836.6	-0.7	-0.0008	±2.5	Pass
R99_Middle_TN/VL	836.6	0.7	0.0009	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E

WCDMA Band 2

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1850.345	1850	Pass
R99_Low_T1/VN	1850.345	1850	Pass
R99_Low_T2/VN	1850.315	1850	Pass
R99_Low_T3/VN	1850.325	1850	Pass
R99_Low_T4/VN	1850.325	1850	Pass
R99_Low_T5/VN	1850.325	1850	Pass
R99_Low_T6/VN	1850.315	1850	Pass
R99_Low_T7/VN	1850.345	1850	Pass
R99_Low_T8/VN	1850.315	1850	Pass
R99_Low_TN/VH	1850.315	1850	Pass
R99_Low_TN/VL	1850.355	1850	Pass
R99_High_TN/VN	1909.685	1910	Pass
R99_High_T1/VN	1909.675	1910	Pass
R99_High_T2/VN	1909.665	1910	Pass
R99_High_T3/VN	1909.655	1910	Pass
R99_High_T4/VN	1909.685	1910	Pass
R99_High_T5/VN	1909.675	1910	Pass
R99_High_T6/VN	1909.665	1910	Pass
R99_High_T7/VN	1909.675	1910	Pass
R99_High_T8/VN	1909.685	1910	Pass
R99_High_TN/VH	1909.675	1910	Pass
R99_High_TN/VL	1909.695	1910	Pass

Note:
TN: 20°C; **T1:** -30°C; **T2:** -20°C; **T3:** -10°C; **T4:** 0°C; **T5:** 10°C; **T6:** 30°C; **T7:** 40°C; **T8:** 50°C.
VN: Normal Voltage; **VL:** Low Voltage; **VH:** High Voltage.

FCC Part 27

WCDMA Band 4

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1710.325	1710	Pass
R99_Low_T1/VN	1710.335	1710	Pass
R99_Low_T2/VN	1710.325	1710	Pass
R99_Low_T3/VN	1710.315	1710	Pass
R99_Low_T4/VN	1710.315	1710	Pass
R99_Low_T5/VN	1710.325	1710	Pass
R99_Low_T6/VN	1710.315	1710	Pass
R99_Low_T7/VN	1710.335	1710	Pass
R99_Low_T8/VN	1710.335	1710	Pass
R99_Low_TN/VH	1710.315	1710	Pass
R99_Low_TN/VL	1710.325	1710	Pass
R99_High_TN/VN	1754.685	1755	Pass
R99_High_T1/VN	1754.675	1755	Pass
R99_High_T2/VN	1754.685	1755	Pass
R99_High_T3/VN	1754.675	1755	Pass
R99_High_T4/VN	1754.695	1755	Pass
R99_High_T5/VN	1754.695	1755	Pass
R99_High_T6/VN	1754.685	1755	Pass
R99_High_T7/VN	1754.665	1755	Pass
R99_High_T8/VN	1754.685	1755	Pass
R99_High_TN/VH	1754.685	1755	Pass
R99_High_TN/VL	1754.705	1755	Pass

Note:
TN: 20°C; **T1:** -30°C; **T2:** -20°C; **T3:** -10°C; **T4:** 0°C; **T5:** 10°C; **T6:** 30°C; **T7:** 40°C; **T8:** 50°C.
VN: Normal Voltage; **VL:** Low Voltage; **VH:** High Voltage.

Occupied Bandwidth


FCC Part 22H

WCDMA Band 5, Normal


Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.170	4.695
R99_Middle	4.160	4.675
R99_High	4.170	4.665
HSDPA_Low_Subtest1	4.160	4.695
HSDPA_Middle_Subtest1	4.160	4.685
HSDPA_High_Subtest1	4.150	4.695
HSUPA_Low_Subtest1	4.150	4.675
HSUPA_Middle_Subtest1	4.160	4.685
HSUPA_High_Subtest1	4.140	4.685

WCDMA Band 5, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1




HSDPA_High_Subtest1




HSUPA_Low_Subtest1



HSUPA_Middle_Subtest1



HSUPA_High_Subtest1




FCC Part 24E

WCDMA Band 2, Normal


Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.180	4.695
R99_Middle	4.160	4.685
R99_High	4.150	4.695
HSDPA_Low_Subtest1	4.140	4.685
HSDPA_Middle_Subtest1	4.150	4.695
HSDPA_High_Subtest1	4.150	4.705
HSUPA_Low_Subtest1	4.160	4.695
HSUPA_Middle_Subtest1	4.160	4.675
HSUPA_High_Subtest1	4.170	4.675

WCDMA Band 2, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1




HSDPA_High_Subtest1




HSUPA_Low_Subtest1



HSUPA_Middle_Subtest1



HSUPA_High_Subtest1




FCC Part 27

WCDMA Band 4, Normal


Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.170	4.685
R99_Middle	4.120	4.685
R99_High	4.150	4.675
HSDPA_Low_Subtest1	4.180	4.695
HSDPA_Middle_Subtest1	4.140	4.695
HSDPA_High_Subtest1	4.180	4.705
HSUPA_Low_Subtest1	4.150	4.675
HSUPA_Middle_Subtest1	4.190	4.705
HSUPA_High_Subtest1	4.180	4.675

WCDMA Band 4, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1




HSDPA_High_Subtest1




HSUPA_Low_Subtest1



HSUPA_Middle_Subtest1



HSUPA_High_Subtest1



RF Output Power**FCC Part 22H****WCDMA Band 5, Normal**

Mode	Conducted Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
R99_Low	19.70	12.24	38.45	Pass
R99_Middle	20.06	12.60	38.45	Pass
R99_High	19.93	12.47	38.45	Pass
HSDPA_Low_Subtest1	20.02	12.56	38.45	Pass
HSDPA_Low_Subtest2	20.14	12.68	38.45	Pass
HSDPA_Low_Subtest3	20.08	12.62	38.45	Pass
HSDPA_Low_Subtest4	19.88	12.42	38.45	Pass
HSDPA_Middle_Subtest1	20.59	13.13	38.45	Pass
HSDPA_Middle_Subtest2	20.41	12.95	38.45	Pass
HSDPA_Middle_Subtest3	20.41	12.95	38.45	Pass
HSDPA_Middle_Subtest4	20.14	12.68	38.45	Pass
HSDPA_High_Subtest1	20.23	12.77	38.45	Pass
HSDPA_High_Subtest2	20.06	12.60	38.45	Pass
HSDPA_High_Subtest3	20.09	12.63	38.45	Pass
HSDPA_High_Subtest4	19.76	12.30	38.45	Pass
HSUPA_Low_Subtest1	20.14	12.68	38.45	Pass
HSUPA_Low_Subtest2	20.13	12.67	38.45	Pass
HSUPA_Low_Subtest3	20.13	12.67	38.45	Pass
HSUPA_Low_Subtest4	20.15	12.69	38.45	Pass
HSUPA_Low_Subtest5	20.15	12.69	38.45	Pass
HSUPA_Middle_Subtest1	20.49	13.03	38.45	Pass
HSUPA_Middle_Subtest2	20.49	13.03	38.45	Pass
HSUPA_Middle_Subtest3	20.50	13.04	38.45	Pass
HSUPA_Middle_Subtest4	20.47	13.01	38.45	Pass
HSUPA_Middle_Subtest5	20.51	13.05	38.45	Pass
HSUPA_High_Subtest1	20.12	12.66	38.45	Pass
HSUPA_High_Subtest2	20.13	12.67	38.45	Pass
HSUPA_High_Subtest3	20.13	12.67	38.45	Pass
HSUPA_High_Subtest4	20.13	12.67	38.45	Pass
HSUPA_High_Subtest5	20.13	12.67	38.45	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	20.23	12.77	38.45	Pass
HSPA+_Middle_Subtest1	20.16	12.70	38.45	Pass
HSPA+_High_Subtest1	20.41	12.95	38.45	Pass
DC-HSDPA_Low_Subtest1	20.35	12.89	38.45	Pass
DC-HSDPA_Low_Subtest2	20.22	12.76	38.45	Pass
DC-HSDPA_Low_Subtest3	20.13	12.67	38.45	Pass
DC-HSDPA_Low_Subtest4	20.35	12.89	38.45	Pass
DC-HSDPA_Middle_Subtest1	20.36	12.90	38.45	Pass
DC-HSDPA_Middle_Subtest2	20.17	12.71	38.45	Pass
DC-HSDPA_Middle_Subtest3	20.19	12.73	38.45	Pass
DC-HSDPA_Middle_Subtest4	20.45	12.99	38.45	Pass
DC-HSDPA_High_Subtest1	20.28	12.82	38.45	Pass
DC-HSDPA_High_Subtest2	20.24	12.78	38.45	Pass
DC-HSDPA_High_Subtest3	20.36	12.90	38.45	Pass
DC-HSDPA_High_Subtest4	20.46	13.00	38.45	Pass

Note:

ERP = Conducted Power(dBm) + Antenna Gain(dBd) - Cable Loss(dB)

Antenna Gain(dBd) = Antenna Gain(dBi) - 2.15

1.Antenna Gain = -5.21dBi;

2.Cable Loss = 0.1dB.

FCC Part 24E**WCDMA Band 2, Normal**

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	17.57	14.94	33	Pass
R99_Middle	17.34	14.71	33	Pass
R99_High	17.69	15.06	33	Pass
HSDPA_Low_Subtest1	17.52	14.89	33	Pass
HSDPA_Low_Subtest2	17.48	14.85	33	Pass
HSDPA_Low_Subtest3	17.44	14.81	33	Pass
HSDPA_Low_Subtest4	17.50	14.87	33	Pass
HSDPA_Middle_Subtest1	17.43	14.80	33	Pass
HSDPA_Middle_Subtest2	17.37	14.74	33	Pass
HSDPA_Middle_Subtest3	17.36	14.73	33	Pass
HSDPA_Middle_Subtest4	17.48	14.85	33	Pass
HSDPA_High_Subtest1	17.49	14.86	33	Pass
HSDPA_High_Subtest2	17.48	14.85	33	Pass
HSDPA_High_Subtest3	17.51	14.88	33	Pass
HSDPA_High_Subtest4	17.49	14.86	33	Pass
HSUPA_Low_Subtest1	17.55	14.92	33	Pass
HSUPA_Low_Subtest2	17.55	14.92	33	Pass
HSUPA_Low_Subtest3	17.54	14.91	33	Pass
HSUPA_Low_Subtest4	17.54	14.91	33	Pass
HSUPA_Low_Subtest5	17.55	14.92	33	Pass
HSUPA_Middle_Subtest1	17.42	14.79	33	Pass
HSUPA_Middle_Subtest2	17.46	14.83	33	Pass
HSUPA_Middle_Subtest3	17.41	14.78	33	Pass
HSUPA_Middle_Subtest4	17.45	14.82	33	Pass
HSUPA_Middle_Subtest5	17.49	14.86	33	Pass
HSUPA_High_Subtest1	17.65	15.02	33	Pass
HSUPA_High_Subtest2	17.66	15.03	33	Pass
HSUPA_High_Subtest3	17.65	15.02	33	Pass
HSUPA_High_Subtest4	17.63	15.00	33	Pass
HSUPA_High_Subtest5	17.68	15.05	33	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	17.52	14.89	33	Pass
HSPA+_Middle_Subtest1	17.45	14.82	33	Pass
HSPA+_High_Subtest1	17.53	14.90	33	Pass
DC-HSDPA_Low_Subtest1	17.52	14.89	33	Pass
DC-HSDPA_Low_Subtest2	17.50	14.87	33	Pass
DC-HSDPA_Low_Subtest3	17.51	14.88	33	Pass
DC-HSDPA_Low_Subtest4	17.51	14.88	33	Pass
DC-HSDPA_Middle_Subtest1	17.46	14.83	33	Pass
DC-HSDPA_Middle_Subtest2	17.49	14.86	33	Pass
DC-HSDPA_Middle_Subtest3	17.47	14.84	33	Pass
DC-HSDPA_Middle_Subtest4	17.45	14.82	33	Pass
DC-HSDPA_High_Subtest1	17.61	14.98	33	Pass
DC-HSDPA_High_Subtest2	17.59	14.96	33	Pass
DC-HSDPA_High_Subtest3	17.60	14.97	33	Pass
DC-HSDPA_High_Subtest4	17.48	14.85	33	Pass

Note:

EIRP = Conducted Power(dBm) + Antenna Gain(dBi) - Cable Loss(dB)

1.Antenna Gain = -2.43dBi;

2.Cable Loss = 0.2dB.

FCC Part 27

WCDMA Band 4, Normal

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	17.14	15.69	30	Pass
R99_Middle	17.64	16.19	30	Pass
R99_High	17.57	16.12	30	Pass
HSDPA_Low_Subtest1	17.32	15.87	30	Pass
HSDPA_Low_Subtest2	17.27	15.82	30	Pass
HSDPA_Low_Subtest3	17.23	15.78	30	Pass
HSDPA_Low_Subtest4	17.25	15.80	30	Pass
HSDPA_Middle_Subtest1	17.70	16.25	30	Pass
HSDPA_Middle_Subtest2	17.67	16.22	30	Pass
HSDPA_Middle_Subtest3	17.68	16.23	30	Pass
HSDPA_Middle_Subtest4	17.70	16.25	30	Pass
HSDPA_High_Subtest1	17.57	16.12	30	Pass
HSDPA_High_Subtest2	17.69	16.24	30	Pass
HSDPA_High_Subtest3	17.62	16.17	30	Pass
HSDPA_High_Subtest4	17.60	16.15	30	Pass
HSUPA_Low_Subtest1	17.24	15.79	30	Pass
HSUPA_Low_Subtest2	17.26	15.81	30	Pass
HSUPA_Low_Subtest3	17.25	15.80	30	Pass
HSUPA_Low_Subtest4	17.23	15.78	30	Pass
HSUPA_Low_Subtest5	17.23	15.78	30	Pass
HSUPA_Middle_Subtest1	17.72	16.27	30	Pass
HSUPA_Middle_Subtest2	17.71	16.26	30	Pass
HSUPA_Middle_Subtest3	17.71	16.26	30	Pass
HSUPA_Middle_Subtest4	17.69	16.24	30	Pass
HSUPA_Middle_Subtest5	17.73	16.28	30	Pass
HSUPA_High_Subtest1	17.72	16.27	30	Pass
HSUPA_High_Subtest2	17.69	16.24	30	Pass
HSUPA_High_Subtest3	17.69	16.24	30	Pass
HSUPA_High_Subtest4	17.71	16.26	30	Pass
HSUPA_High_Subtest5	17.67	16.22	30	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	17.46	16.01	30	Pass
HSPA+_Middle_Subtest1	17.62	16.17	30	Pass
HSPA+_High_Subtest1	17.55	16.10	30	Pass
DC-HSDPA_Low_Subtest1	17.53	16.08	30	Pass
DC-HSDPA_Low_Subtest2	17.52	16.07	30	Pass
DC-HSDPA_Low_Subtest3	17.56	16.11	30	Pass
DC-HSDPA_Low_Subtest4	17.55	16.10	30	Pass
DC-HSDPA_Middle_Subtest1	17.62	16.17	30	Pass
DC-HSDPA_Middle_Subtest2	17.64	16.19	30	Pass
DC-HSDPA_Middle_Subtest3	17.61	16.16	30	Pass
DC-HSDPA_Middle_Subtest4	17.64	16.19	30	Pass
DC-HSDPA_High_Subtest1	17.64	16.19	30	Pass
DC-HSDPA_High_Subtest2	17.63	16.18	30	Pass
DC-HSDPA_High_Subtest3	17.64	16.19	30	Pass
DC-HSDPA_High_Subtest4	17.61	16.16	30	Pass

Note:

EIRP = Conducted Power(dBm) + Antenna Gain(dBi) - Cable Loss(dB)

1.Antenna Gain = -1.25dBi;

2.Cable Loss = 0.2dB.

Peak-to-average Ratio(PAR)


FCC Part 22H

WCDMA Band 5, Normal


Mode	Result (dB)	Limit (dB)
R99_Low	3.19	13
R99_Middle	3.13	13
R99_High	3.22	13
HSDPA_Low_Subtest1	3.80	13
HSDPA_Middle_Subtest2	3.48	13
HSDPA_High_Subtest1	3.91	13
HSUPA_Low_Subtest1	5.04	13
HSUPA_Middle_Subtest1	5.07	13
HSUPA_High_Subtest1	5.04	13

WCDMA Band 5, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest2



HSDPA_High_Subtest1




HSUPA_Low_Subtest1




ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 15:10:08

HSUPA_Middle_Subtest1



ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 15:05:32

HSUPA_High_Subtest1



ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 15:06:11


FCC Part 24E

WCDMA Band 2, Normal


Mode	Result (dB)	Limit (dB)
R99_Low	3.19	13
R99_Middle	3.25	13
R99_High	3.22	13
HSDPA_Low_Subtest1	3.91	13
HSDPA_Middle_Subtest1	3.88	13
HSDPA_High_Subtest1	3.94	13
HSUPA_Low_Subtest1	5.10	13
HSUPA_Middle_Subtest1	5.22	13
HSUPA_High_Subtest1	4.78	13

WCDMA Band 2, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1



HSDPA_High_Subtest1




HSUPA_Low_Subtest1




ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 16:29:23

HSUPA_Middle_Subtest1



ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 16:44:17

HSUPA_High_Subtest1



ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 16:31:06


FCC Part 27

WCDMA Band 4, Normal


Mode	Result (dB)	Limit (dB)
R99_Low	3.30	13
R99_Middle	3.22	13
R99_High	3.28	13
HSDPA_Low_Subtest1	3.80	13
HSDPA_Middle_Subtest1	3.71	13
HSDPA_High_Subtest1	3.33	13
HSUPA_Low_Subtest1	5.13	13
HSUPA_Middle_Subtest1	5.04	13
HSUPA_High_Subtest1	5.19	13

WCDMA Band 4, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1



HSDPA_High_Subtest1




HSUPA_Low_Subtest1




ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 16:49:58

HSUPA_Middle_Subtest1



ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 16:40:59

HSUPA_High_Subtest1




ProjectNo.:2502U36006E-RF Tester:Loge Long
Date: 15.JUL.2025 16:41:47

Out of band emission,Band Edge


FCC Part 22H

WCDMA Band 5, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1




HSUPA_High_Subtest1




FCC Part 24E

WCDMA Band 2, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1




HSUPA_High_Subtest1




FCC Part 27

WCDMA Band 4, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1





HSUPA_High_Subtest1





Spurious Emissions at Antenna Terminal

FCC Part 22H
WCDMA Band 5, Normal
Worst case



R99_Low



R99_Middle



R99_High





FCC Part 24E



WCDMA Band 2, Normal

Worst case



R99_Low



R99_Middle



R99_High




FCC Part 27


WCDMA Band 4, Normal

Worst case


R99_Low



R99_Middle



R99_High



***** END *****