







<Co-Location>

		25																																																																																																														
Mode	Band Edge - R																																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																															
ANT	ANT 1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.92</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>43.11</td><td>32.82</td><td>6.74</td><td>32.61</td><td>6.00</td><td>170</td><td>60</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.92	56.06	74.00	-17.94	43.11	32.82	6.74	32.61	6.00	170	60	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2418.00</td><td>90.02</td><td>-----</td><td>-----</td><td>77.87</td><td>32.31</td><td>6.64</td><td>32.80</td><td>6.00</td><td>170</td><td>60</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>98.76</td><td>-----</td><td>-----</td><td>85.92</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>170</td><td>60</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2418.00	90.02	-----	-----	77.87	32.31	6.64	32.80	6.00	170	60	Peak	2	2480.00	98.76	-----	-----	85.92	32.74	6.73	32.63	6.00	170	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2489.92	56.06	74.00	-17.94	43.11	32.82	6.74	32.61	6.00	170	60	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2418.00	90.02	-----	-----	77.87	32.31	6.64	32.80	6.00	170	60	Peak																																																																																																				
2	2480.00	98.76	-----	-----	85.92	32.74	6.73	32.63	6.00	170	60	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>46.25</td><td>54.00</td><td>-7.75</td><td>33.38</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>170</td><td>60</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	46.25	54.00	-7.75	33.38	32.77	6.73	32.63	6.00	170	60	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2418.00</td><td>81.38</td><td>-----</td><td>-----</td><td>69.23</td><td>32.31</td><td>6.64</td><td>32.80</td><td>6.00</td><td>170</td><td>60</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>96.32</td><td>-----</td><td>-----</td><td>83.48</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>170</td><td>60</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2418.00	81.38	-----	-----	69.23	32.31	6.64	32.80	6.00	170	60	Average	2	2480.00	96.32	-----	-----	83.48	32.74	6.73	32.63	6.00	170	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.68	46.25	54.00	-7.75	33.38	32.77	6.73	32.63	6.00	170	60	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2418.00	81.38	-----	-----	69.23	32.31	6.64	32.80	6.00	170	60	Average																																																																																																				
2	2480.00	96.32	-----	-----	83.48	32.74	6.73	32.63	6.00	170	60	AVERAGE																																																																																																				







		25																																																																																																													
Mode	Band Edge - R																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																														
ANT	ANT 1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.20</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>43.75</td><td>32.79</td><td>6.74</td><td>32.62</td><td>6.00</td><td>100</td><td>30</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.20	56.66	74.00	-17.34	43.75	32.79	6.74	32.62	6.00	100	30	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2420.00</td><td>92.15</td><td>-----</td><td>-----</td><td>79.97</td><td>32.32</td><td>6.65</td><td>32.79</td><td>6.00</td><td>100</td><td>30</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>96.86</td><td>-----</td><td>-----</td><td>84.02</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>30</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2420.00	92.15	-----	-----	79.97	32.32	6.65	32.79	6.00	100	30	Peak	2	2480.00	96.86	-----	-----	84.02	32.74	6.73	32.63	6.00	100	30
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2486.20	56.66	74.00	-17.34	43.75	32.79	6.74	32.62	6.00	100	30	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2420.00	92.15	-----	-----	79.97	32.32	6.65	32.79	6.00	100	30	Peak																																																																																																			
2	2480.00	96.86	-----	-----	84.02	32.74	6.73	32.63	6.00	100	30	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2497.18</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>33.22</td><td>32.88</td><td>6.75</td><td>32.59</td><td>6.00</td><td>100</td><td>30</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.18	46.26	54.00	-7.74	33.22	32.88	6.75	32.59	6.00	100	30	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2418.00</td><td>83.31</td><td>-----</td><td>-----</td><td>71.16</td><td>32.31</td><td>6.64</td><td>32.80</td><td>6.00</td><td>100</td><td>30</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>94.50</td><td>-----</td><td>-----</td><td>81.66</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>30</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2418.00	83.31	-----	-----	71.16	32.31	6.64	32.80	6.00	100	30	Average	2	2480.00	94.50	-----	-----	81.66	32.74	6.73	32.63	6.00	100	30
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2497.18	46.26	54.00	-7.74	33.22	32.88	6.75	32.59	6.00	100	30	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2418.00	83.31	-----	-----	71.16	32.31	6.64	32.80	6.00	100	30	Average																																																																																																			
2	2480.00	94.50	-----	-----	81.66	32.74	6.73	32.63	6.00	100	30	AVERAGE																																																																																																			







Mode	25																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																								
ANT	ANT 1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.11</td><td>74.00</td><td>-32.89</td><td>58.12</td><td>34.18</td><td>9.61</td><td>60.80</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>57.21</td><td>35.70</td><td>11.77</td><td>60.62</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.11	74.00	-32.89	58.12	34.18	9.61	60.80	0.00	---	--- PEAK	2	7440.00	44.06	74.00	-29.94	57.21	35.70	11.77	60.62	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>57.86</td><td>34.18</td><td>9.61</td><td>60.80</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>57.10</td><td>35.70</td><td>11.77</td><td>60.62</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.85	74.00	-33.15	57.86	34.18	9.61	60.80	0.00	---	--- PEAK	2	7440.00	43.95	74.00	-30.05	57.10	35.70	11.77	60.62	0.00	---	--- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	41.11	74.00	-32.89	58.12	34.18	9.61	60.80	0.00	---	--- PEAK																																																																																																														
2	7440.00	44.06	74.00	-29.94	57.21	35.70	11.77	60.62	0.00	---	--- PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	40.85	74.00	-33.15	57.86	34.18	9.61	60.80	0.00	---	--- PEAK																																																																																																														
2	7440.00	43.95	74.00	-30.05	57.10	35.70	11.77	60.62	0.00	---	--- PEAK																																																																																																														





		25																																																																
Mode	Band Edge - L																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																	
ANT		ANT 2																																																																
Pol.	Fundamental																																																																	
Peak																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>43.22</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>101</td><td>115 PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	55.02	74.00	-18.98	43.22	32.06	6.60	32.86	6.00	101	115 PEAK									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2389.82	55.02	74.00	-18.98	43.22	32.06	6.60	32.86	6.00	101	115 PEAK																																																							
Avg																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2358.23</td><td>47.00</td><td>54.00</td><td>-6.92</td><td>35.82</td><td>31.62</td><td>6.55</td><td>32.91</td><td>6.00</td><td>101</td><td>115 AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2358.23	47.00	54.00	-6.92	35.82	31.62	6.55	32.91	6.00	101	115 AVERAGE									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2358.23	47.00	54.00	-6.92	35.82	31.62	6.55	32.91	6.00	101	115 AVERAGE																																																							
Peak																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.99</td><td>-----</td><td>89.88</td><td>32.28</td><td>6.64</td><td>32.81</td><td>6.00</td><td>101</td><td>115 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.46</td><td>-----</td><td>71.62</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>101</td><td>115 Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	101.99	-----	89.88	32.28	6.64	32.81	6.00	101	115 PEAK	2	2480.00	84.46	-----	71.62	32.74	6.73	32.63	6.00	101
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2412.00	101.99	-----	89.88	32.28	6.64	32.81	6.00	101	115 PEAK																																																								
2	2480.00	84.46	-----	71.62	32.74	6.73	32.63	6.00	101	115 Peak																																																								
Avg																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.86</td><td>-----</td><td>80.75</td><td>32.28</td><td>6.64</td><td>32.81</td><td>6.00</td><td>101</td><td>115 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>80.03</td><td>-----</td><td>67.19</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>101</td><td>115 Average</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	92.86	-----	80.75	32.28	6.64	32.81	6.00	101	115 AVERAGE	2	2480.00	80.03	-----	67.19	32.74	6.73	32.63	6.00	101
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2412.00	92.86	-----	80.75	32.28	6.64	32.81	6.00	101	115 AVERAGE																																																								
2	2480.00	80.03	-----	67.19	32.74	6.73	32.63	6.00	101	115 Average																																																								



		25																																																																																																															
Mode	Band Edge - L																																																																																																																
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																
ANT	ANT 2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.92</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>43.29</td><td>32.00</td><td>6.60</td><td>32.87</td><td>6.00</td><td>100</td><td>159</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	55.02	74.00	-18.98	43.29	32.00	6.60	32.87	6.00	100	159	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>98.53</td><td>-----</td><td>-----</td><td>86.35</td><td>32.32</td><td>6.65</td><td>32.79</td><td>6.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>89.70</td><td>-----</td><td>-----</td><td>76.86</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>159</td><td>Peak</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.53	-----	-----	86.35	32.32	6.65	32.79	6.00	100	159	PEAK	2	2480.00	89.70	-----	-----	76.86	32.74	6.73	32.63	6.00	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2385.92	55.02	74.00	-18.98	43.29	32.00	6.60	32.87	6.00	100	159	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2412.00	98.53	-----	-----	86.35	32.32	6.65	32.79	6.00	100	159	PEAK																																																																																																					
2	2480.00	89.70	-----	-----	76.86	32.74	6.73	32.63	6.00	100	159	Peak																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>30.71</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	42.51	54.00	-11.49	30.71	32.06	6.60	32.86	6.00	100	159	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>89.30</td><td>-----</td><td>-----</td><td>77.15</td><td>32.31</td><td>6.64</td><td>32.80</td><td>6.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>85.36</td><td>-----</td><td>-----</td><td>72.52</td><td>32.74</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>159</td><td>Average</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	89.30	-----	-----	77.15	32.31	6.64	32.80	6.00	100	159	AVERAGE	2	2480.00	85.36	-----	-----	72.52	32.74	6.73	32.63	6.00	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2389.95	42.51	54.00	-11.49	30.71	32.06	6.60	32.86	6.00	100	159	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2412.00	89.30	-----	-----	77.15	32.31	6.64	32.80	6.00	100	159	AVERAGE																																																																																																					
2	2480.00	85.36	-----	-----	72.52	32.74	6.73	32.63	6.00	100	159	Average																																																																																																					




Mode	25																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																													
ANT	ANT 2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>58.15</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7236.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>57.09</td><td>35.74</td><td>11.66</td><td>60.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.91	74.00	-33.09	58.15	34.20	9.47	60.91	0.00	---	---	PEAK	2	7236.00	44.33	74.00	-29.67	57.09	35.74	11.66	60.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.92</td><td>74.00</td><td>-32.08</td><td>59.16</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7236.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>57.73</td><td>35.74</td><td>11.66</td><td>60.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.92	74.00	-32.08	59.16	34.20	9.47	60.91	0.00	---	---	PEAK	2	7236.00	44.97	74.00	-29.03	57.73	35.74	11.66	60.16	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4824.00	40.91	74.00	-33.09	58.15	34.20	9.47	60.91	0.00	---	---	PEAK																																																																																																																		
2	7236.00	44.33	74.00	-29.67	57.09	35.74	11.66	60.16	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4824.00	41.92	74.00	-32.08	59.16	34.20	9.47	60.91	0.00	---	---	PEAK																																																																																																																		
2	7236.00	44.97	74.00	-29.03	57.73	35.74	11.66	60.16	0.00	---	---	PEAK																																																																																																																		


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz


802.11b



802.11g




802.11n HT20






802.11n HT40




802.11ax HE20






802.11ax HE40




802.11ax HE20 RU26





802.11ax HE20 RU52



802.11ax HE20 RU106

