



30MHz~3GHz_Band17_5MHz_QPSK_1_0_LowCH23755-706.5




3GHz~10GHz_Band17_5MHz_QPSK_1_0_MidCH23790-710




3GHz~10GHz_Band17_5MHz_QPSK_1_0_LowCH23755-706.5




30MHz~3GHz_Band17_5MHz_QPSK_1_0_HighCH23825-713.5



30MHz~3GHz_Band17_5MHz_QPSK_1_0_MidCH23790-710



3GHz~10GHz_Band17_5MHz_QPSK_1_0_HighCH23825-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz_Band17_10MHz_QPSK_1_0_LowCH23780-709




3GHz~10GHz_Band17_10MHz_QPSK_1_0_MidCH23790-710




3GHz~10GHz_Band17_10MHz_QPSK_1_0_LowCH23780-709




30MHz~3GHz_Band17_10MHz_QPSK_1_0_HighCH23800-711



30MHz~3GHz_Band17_10MHz_QPSK_1_0_MidCH23790-710



3GHz~10GHz_Band17_10MHz_QPSK_1_0_HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz_Band38_5MHz_QPSK_1_0_LowCH37775-2572.5




3GHz~10GHz_Band38_5MHz_QPSK_1_0_MidCH38000-2595




3GHz~10GHz_Band38_5MHz_QPSK_1_0_LowCH37775-2572.5




30MHz~3GHz_Band38_5MHz_QPSK_1_0_HighCH38225-2617.5



30MHz~3GHz_Band38_5MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_5MHz_QPSK_1_0_HighCH38225-2617.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


30MHz~3GHz_Band38_10MHz_QPSK_1_0_LowCH37800-2575




3GHz~10GHz_Band38_10MHz_QPSK_1_0_MidCH38000-2595




3GHz~10GHz_Band38_10MHz_QPSK_1_0_LowCH37800-2575




30MHz~3GHz_Band38_10MHz_QPSK_1_0_HighCH38200-2615



30MHz~3GHz_Band38_10MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_10MHz_QPSK_1_0_HighCH38200-2615



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


30MHz~3GHz_Band38_15MHz_QPSK_1_0_LowCH37825-2577.5




3GHz~10GHz_Band38_15MHz_QPSK_1_0_MidCH38000-2595




3GHz~10GHz_Band38_15MHz_QPSK_1_0_LowCH37825-2577.5




30MHz~3GHz_Band38_15MHz_QPSK_1_0_HighCH38175-2612.5



30MHz~3GHz_Band38_15MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_15MHz_QPSK_1_0_HighCH38175-2612.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz_Band38_20MHz_QPSK_1_0_LowCH37850-2580




3GHz~10GHz_Band38_20MHz_QPSK_1_0_MidCH38000-2595




3GHz~10GHz_Band38_20MHz_QPSK_1_0_LowCH37850-2580




30MHz~3GHz_Band38_20MHz_QPSK_1_0_HighCH38150-2610



30MHz~3GHz_Band38_20MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_20MHz_QPSK_1_0_HighCH38150-2610



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band Edge
GSM_850MHz_LowCH128-824.2



GPRS_850MHz_HighCH251-848.8



GSM_850MHz_HighCH251-848.8



EDGE_850MHz_LowCH128-824.2



GPRS_850MHz_LowCH128-824.2



EDGE_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM_1900MHz_LowCH512-1850.2



GPRS_1900MHz_HighCH810-1909.8



GSM_1900MHz_HighCH810-1909.8



EDGE_1900MHz_LowCH512-1850.2



GPRS_1900MHz_LowCH512-1850.2



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA_B2_LowCH9262-1852.4



HSDPA_B2_HighCH9538-1907.6



WCDMA_B2_HighCH9538-1907.6



HSUPA_B2_LowCH9262-1852.4



HSDPA_B2_LowCH9262-1852.4



HSUPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA_B4_LowCH1312-1712.4



HSDPA_B4_HighCH1513-1752.6



WCDMA_B4_HighCH1513-1752.6



HSUPA_B4_LowCH1312-1712.4



HSDPA_B4_LowCH1312-1712.4



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B5_LowCH4132-826.4



HSDPA_B5_HighCH4233-846.6




WCDMA_B5_HighCH4233-846.6



HSUPA_B5_LowCH4132-826.4



HSDPA_B5_LowCH4132-826.4



HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band2_1_4MHz_QPSK_1_0_LowCH18607-1850.7



Band2_1_4MHz_QPSK_6_0_HighCH19193-1909.3



Band2_1_4MHz_QPSK_1_5_HighCH19193-1909.3



Band2_3MHz_QPSK_1_0_LowCH18615-1851.5



Band2_1_4MHz_QPSK_6_0_LowCH18607-1850.7



Band2_3MHz_QPSK_1_14_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band2_3MHz_QPSK_15_0_LowCH18615-1851.5



Band2_5MHz_QPSK_1_24_HighCH19175-1907.5




Band2_3MHz_QPSK_15_0_HighCH19185-1908.5



Band2_5MHz_QPSK_25_0_LowCH18625-1852.5



Band2_5MHz_QPSK_1_0_LowCH18625-1852.5



Band2_5MHz_QPSK_25_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band2_10MHz_QPSK_1_0_LowCH18650-1855



Band2_10MHz_QPSK_50_0_HighCH19150-1905



Band2_10MHz_QPSK_1_49_HighCH19150-1905



Band2_15MHz_QPSK_1_0_LowCH18675-1857.5



Band2_10MHz_QPSK_50_0_LowCH18650-1855



Band2_15MHz_QPSK_1_74_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band2_15MHz_QPSK_75_0_LowCH18675-1857.5



Band2_20MHz_QPSK_1_99_HighCH19100-1900




Band2_15MHz_QPSK_75_0_HighCH19125-1902.5



Band2_20MHz_QPSK_100_0_LowCH18700-1860



Band2_20MHz_QPSK_1_0_LowCH18700-1860



Band2_20MHz_QPSK_100_0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7



Band4_1_4MHz_QPSK_6_0_HighCH20393-1754.3



Band4_1_4MHz_QPSK_1_5_HighCH20393-1754.3




Band4_3MHz_QPSK_1_0_LowCH19965-1711.5



Band4_1_4MHz_QPSK_6_0_LowCH19957-1710.7



Band4_3MHz_QPSK_1_14_HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_3MHz_QPSK_15_0_LowCH19965-1711.5



Band4_5MHz_QPSK_1_24_HighCH20375-1752.5



Band4_3MHz_QPSK_15_0_HighCH20385-1753.5



Band4_5MHz_QPSK_25_0_LowCH19975-1712.5



Band4_5MHz_QPSK_1_0_LowCH19975-1712.5




Band4_5MHz_QPSK_25_0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_10MHz_QPSK_1_0_LowCH20000-1715



Band4_10MHz_QPSK_50_0_HighCH20350-1750




Band4_10MHz_QPSK_1_49_HighCH20350-1750



Band4_15MHz_QPSK_1_0_LowCH20025-1717.5



Band4_10MHz_QPSK_50_0_LowCH20000-1715



Band4_15MHz_QPSK_1_74_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_15MHz_QPSK_75_0_LowCH20025-1717.5



Band4_20MHz_QPSK_1_99_HighCH20300-1745




Band4_15MHz_QPSK_75_0_HighCH20325-1747.5



Band4_20MHz_QPSK_100_0_LowCH20050-1720



Band4_20MHz_QPSK_1_0_LowCH20050-1720



Band4_20MHz_QPSK_100_0_HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7



Band12_1_4MHz_QPSK_6_0_HighCH23173-715.3



Band12_1_4MHz_QPSK_1_5_HighCH23173-715.3



Band12_3MHz_QPSK_1_0_LowCH23025-700.5



Band12_1_4MHz_QPSK_6_0_LowCH23017-699.7



Band12_3MHz_QPSK_1_14_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_3MHz_QPSK_15_0_LowCH23025-700.5



Band12_5MHz_QPSK_1_24_HighCH23155-713.5



Band12_3MHz_QPSK_15_0_HighCH23165-714.5



Band12_5MHz_QPSK_25_0_LowCH23035-701.5



Band12_5MHz_QPSK_1_0_LowCH23035-701.5




Band12_5MHz_QPSK_25_0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_10MHz_QPSK_1_0_LowCH23060-704



Band12_10MHz_QPSK_50_0_HighCH23130-711



Band12_10MHz_QPSK_1_49_HighCH23130-711



Band17_5MHz_QPSK_1_0_LowCH23755-706.5



Band12_10MHz_QPSK_50_0_LowCH23060-704



Band17_5MHz_QPSK_1_24_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band17_5MHz_QPSK_25_0_LowCH23755-706.5



Band17_10MHz_QPSK_1_49_HighCH23800-711



Band17_5MHz_QPSK_25_0_HighCH23825-713.5



Band17_10MHz_QPSK_50_0_LowCH23780-709



Band17_10MHz_QPSK_1_0_LowCH23780-709



Band17_10MHz_QPSK_50_0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a) , §24.238(a) , §27.53(g)(h) , the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than $43 + 10 \log_{10}(p)$ (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

FCC §27.53 (m) (4) shall not be less than $55 + 10 \log_{10}(p)$ dBc below the mean power output outside a license's frequency block (-25dBm).

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber Equipment

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)$ ^{Note}
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)$ ^{Note}
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 5.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$\text{ERP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBd)} + \text{Cable Loss(dB)}$$

$$\text{EIRP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBi)} + \text{Cable Loss(dB)}$$

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10.4. Measurement Equipment Used:

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017
Pre-Amplifier	Agilent	8447D	2944A07676	01/05/2017	01/04/2018
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/05/2017	01/04/2018
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode (The Worst Case)

Operation Band :GPRS 850 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :824.2 MHz Engineer :Tin
 Operation Mode :Tx CH LOW
 EUT Pol. :E2 Plane Measurement Pol. Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG	Antenna	Cable	Limit	Margin
			Output Level dBm	Gain dBd	Loss dB	dBm	dB
54.25	S	-64.52	-53.27	-10.18	-1.06	-13.00	-51.52
91.11	S	-64.33	-62.54	-0.57	-1.21	-13.00	-51.33
202.66	S	-68.00	-69.57	3.22	-1.65	-13.00	-55.00
332.64	S	-69.49	-71.37	3.78	-1.91	-13.00	-56.49
553.80	S	-65.40	-66.22	3.56	-2.74	-13.00	-52.40
691.54	S	-64.15	-64.42	3.09	-2.83	-13.00	-51.15
1648.40	H	-65.10	-67.99	7.11	-4.22	-13.00	-52.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 850
 Fundamental Frequency :824.2 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-64.77	-61.46	-61.46	-2.04	-1.27	-13.00	-51.77
199.75	S	-67.84	-69.30	-69.30	3.09	-1.63	-13.00	-54.84
403.45	S	-70.25	-71.66	-71.66	3.81	-2.40	-13.00	-57.25
527.61	S	-68.61	-69.85	-69.85	3.71	-2.47	-13.00	-55.61
694.45	S	-66.00	-66.21	-66.21	3.09	-2.88	-13.00	-53.00
773.99	S	-63.50	-63.84	-63.84	3.26	-2.93	-13.00	-50.50
1648.40	H	-65.64	-68.53	-68.53	7.11	-4.22	-13.00	-52.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 850
 Fundamental Frequency :836.6 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-63.87	-52.62	-10.18	-1.06	-13.00	-50.87	
92.08	S	-64.45	-62.54	-0.69	-1.22	-13.00	-51.45	
238.55	S	-70.28	-71.80	3.26	-1.74	-13.00	-57.28	
473.29	S	-67.93	-69.45	3.75	-2.23	-13.00	-54.93	
587.75	S	-65.52	-66.05	3.32	-2.79	-13.00	-52.52	
772.05	S	-62.59	-62.91	3.25	-2.94	-13.00	-49.59	
1673.20	H	-65.07	-67.97	7.20	-4.29	-13.00	-52.07	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 850
 Fundamental Frequency :836.6 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-64.84	-61.53	-2.04	-1.27	-13.00	-51.84	
202.66	S	-67.83	-69.40	3.22	-1.65	-13.00	-54.83	
343.31	S	-71.25	-73.09	3.83	-1.99	-13.00	-58.25	
482.99	S	-69.58	-71.12	3.79	-2.25	-13.00	-56.58	
641.10	S	-67.21	-67.93	3.16	-2.43	-13.00	-54.21	
773.99	S	-64.01	-64.34	3.26	-2.93	-13.00	-51.01	
1673.20	H	-64.77	-67.68	7.20	-4.29	-13.00	-51.77	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 850
 Fundamental Frequency :848.8 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL
 Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
94.99	S	-64.17	-61.90	-61.90	-1.04	-1.23	-13.00	-51.17
172.59	S	-69.90	-67.93	-67.93	-0.44	-1.53	-13.00	-56.90
333.61	S	-69.60	-71.47	-71.47	3.79	-1.92	-13.00	-56.60
516.94	S	-65.79	-67.19	-67.19	3.76	-2.37	-13.00	-52.79
683.78	S	-64.30	-64.71	-64.71	3.10	-2.69	-13.00	-51.30
775.93	S	-63.08	-63.43	-63.43	3.27	-2.92	-13.00	-50.08
1697.60	H	-64.95	-67.93	-67.93	7.28	-4.31	-13.00	-51.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 850
 Fundamental Frequency :848.8 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
103.72	S	-66.55	-63.33	-1.95	-1.26	-13.00	-53.55	
327.79	S	-70.27	-72.12	3.76	-1.92	-13.00	-57.27	
435.46	S	-68.20	-69.67	3.69	-2.23	-13.00	-55.20	
526.64	S	-68.18	-69.43	3.71	-2.46	-13.00	-55.18	
681.84	S	-66.19	-66.64	3.10	-2.65	-13.00	-53.19	
773.99	S	-63.86	-64.19	3.26	-2.93	-13.00	-50.86	
1697.60	H	-64.16	-67.14	7.28	-4.31	-13.00	-51.16	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode (The Worst Case)

Operation Band :GPRS 1900 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :1850.2 MHz Engineer :Tin
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	Antenna Gain dBi				
57.16	S	-62.42	-54.05	-7.29	-1.07	-13.00	-49.42	
159.01	S	-67.98	-66.98	0.47	-1.47	-13.00	-54.98	
364.65	S	-66.45	-70.29	6.00	-2.16	-13.00	-53.45	
522.76	S	-63.16	-66.62	5.88	-2.42	-13.00	-50.16	
686.69	S	-61.03	-63.54	5.25	-2.74	-13.00	-48.03	
807.94	S	-59.78	-62.36	5.48	-2.89	-13.00	-46.78	
3700.40	H	-53.29	-59.15	12.44	-6.58	-13.00	-40.29	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :GPRS 1900
 Fundamental Frequency :1850.2 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
103.72	S	-64.42	-63.35	-63.35	0.20	-1.26	-13.00	-51.42
221.09	S	-64.24	-67.98	-67.98	5.45	-1.71	-13.00	-51.24
364.65	S	-68.36	-72.20	-72.20	6.00	-2.16	-13.00	-55.36
587.75	S	-65.18	-67.86	-67.86	5.47	-2.79	-13.00	-52.18
744.89	S	-62.92	-65.13	-65.13	5.32	-3.11	-13.00	-49.92
807.94	S	-61.71	-64.29	-64.29	5.48	-2.89	-13.00	-48.71
3700.40	H	-54.20	-60.06	-60.06	12.44	-6.58	-13.00	-41.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :GPRS 1900
 Fundamental Frequency :1880 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL
 Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
94.99	S	-61.40	-61.28	-61.28	1.11	-1.23	-13.00	-48.40
173.56	S	-69.10	-69.45	-69.45	1.89	-1.53	-13.00	-56.10
332.64	S	-67.94	-71.96	-71.96	5.93	-1.91	-13.00	-54.94
482.99	S	-65.91	-69.60	-69.60	5.94	-2.25	-13.00	-52.91
582.90	S	-62.38	-65.10	-65.10	5.51	-2.79	-13.00	-49.38
726.46	S	-61.57	-63.76	-63.76	5.29	-3.10	-13.00	-48.57
3760.00	H	-54.11	-59.96	-59.96	12.45	-6.60	-13.00	-41.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 1900
 Fundamental Frequency :1880 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-64.63	-63.47	-63.47	0.11	-1.27	-13.00	-51.63
216.24	S	-64.61	-68.47	-68.47	5.55	-1.69	-13.00	-51.61
337.49	S	-66.49	-70.50	-70.50	5.95	-1.95	-13.00	-53.49
410.24	S	-66.58	-70.12	-70.12	5.93	-2.40	-13.00	-53.58
626.55	S	-65.32	-68.16	-68.16	5.34	-2.49	-13.00	-52.32
745.86	S	-61.81	-64.03	-64.03	5.32	-3.10	-13.00	-48.81
3760.00	H	-53.82	-59.68	-59.68	12.45	-6.60	-13.00	-40.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :GPRS 1900
 Fundamental Frequency :1909.8 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL



Operation Band :GPRS 1900
 Fundamental Frequency :1909.8 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-66.10	-64.94	-64.94	0.11	-1.27	-13.00	-53.10
325.85	S	-69.57	-73.55	-73.55	5.90	-1.92	-13.00	-56.57
447.10	S	-67.37	-70.98	-70.98	5.80	-2.19	-13.00	-54.37
515.00	S	-66.44	-70.00	-70.00	5.92	-2.36	-13.00	-53.44
631.40	S	-64.62	-67.48	-67.48	5.33	-2.46	-13.00	-51.62
762.35	S	-61.76	-64.13	-64.13	5.37	-3.00	-13.00	-48.76
3819.60	H	-53.01	-58.83	-58.83	12.47	-6.65	-13.00	-40.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode (The Worst Case)

Operation Band :HSDPA B2 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :1852.4 MHz Engineer :Tin
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
57.16	S	-61.79	-53.42	-7.29	-1.07	-13.00	-48.79	
236.61	S	-67.50	-71.14	5.38	-1.73	-13.00	-54.50	
367.56	S	-67.12	-70.94	6.00	-2.18	-13.00	-54.12	
531.49	S	-64.09	-67.41	5.84	-2.51	-13.00	-51.09	
623.64	S	-62.08	-64.90	5.34	-2.52	-13.00	-49.08	
774.96	S	-60.45	-62.94	5.41	-2.92	-13.00	-47.45	
3704.80	H	-56.70	-62.56	12.44	-6.58	-13.00	-43.70	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :HSDPA B2
 Fundamental Frequency :1852.4 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-64.54	-63.38	0.11	-1.27	-13.00	-51.54	
212.36	S	-64.68	-68.63	5.63	-1.68	-13.00	-51.68	
337.49	S	-66.04	-70.05	5.95	-1.95	-13.00	-53.04	
531.49	S	-66.34	-69.67	5.84	-2.51	-13.00	-53.34	
625.58	S	-65.27	-68.11	5.34	-2.50	-13.00	-52.27	
808.91	S	-60.83	-63.41	5.48	-2.89	-13.00	-47.83	
3704.80	H	-54.69	-60.55	12.44	-6.58	-13.00	-41.69	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B2
 Fundamental Frequency :1880 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
41.64	S	-62.58	-50.89	-10.68	-1.00	-13.00	-49.58	
165.80	S	-67.73	-67.17	0.94	-1.50	-13.00	-54.73	
294.81	S	-67.57	-71.30	5.67	-1.94	-13.00	-54.57	
515.00	S	-64.99	-68.55	5.92	-2.36	-13.00	-51.99	
629.46	S	-61.69	-64.55	5.33	-2.47	-13.00	-48.69	
750.71	S	-59.50	-61.77	5.33	-3.07	-13.00	-46.50	
3760.00	H	-57.12	-62.97	12.45	-6.60	-13.00	-44.12	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B2
 Fundamental Frequency :1880 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
103.72	S	-64.51	-63.45	-63.45	0.20	-1.26	-13.00	-51.51
413.15	S	-67.50	-71.04	-71.04	5.92	-2.38	-13.00	-54.50
435.46	S	-67.15	-70.76	-70.76	5.84	-2.23	-13.00	-54.15
585.81	S	-65.76	-68.45	-68.45	5.49	-2.79	-13.00	-52.76
629.46	S	-65.63	-68.49	-68.49	5.33	-2.47	-13.00	-52.63
741.01	S	-62.08	-64.26	-64.26	5.31	-3.13	-13.00	-49.08
3760.00	H	-54.96	-60.82	-60.82	12.45	-6.60	-13.00	-41.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :HSDPA B2
 Fundamental Frequency :1907.6 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL
 Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
93.05	S	-61.25	-61.37	-61.37	1.34	-1.22	-13.00	-48.25
226.91	S	-68.87	-72.48	-72.48	5.33	-1.72	-13.00	-55.87
376.29	S	-67.54	-71.29	-71.29	5.99	-2.24	-13.00	-54.54
534.40	S	-63.22	-66.50	-66.50	5.82	-2.54	-13.00	-50.22
634.31	S	-61.71	-64.57	-64.57	5.32	-2.45	-13.00	-48.71
767.20	S	-61.67	-64.08	-64.08	5.39	-2.97	-13.00	-48.67
3815.20	H	-56.81	-62.64	-62.64	12.46	-6.63	-13.00	-43.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B2
 Fundamental Frequency :1907.6 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-63.80	-62.65	0.11	-1.27	-13.00	-50.80	
214.30	S	-64.90	-68.80	5.59	-1.68	-13.00	-51.90	
340.40	S	-67.30	-71.30	5.97	-1.97	-13.00	-54.30	
526.64	S	-66.69	-70.09	5.86	-2.46	-13.00	-53.69	
631.40	S	-65.07	-67.94	5.33	-2.46	-13.00	-52.07	
773.99	S	-61.76	-64.24	5.41	-2.93	-13.00	-48.76	
3815.20	H	-53.50	-59.33	12.46	-6.63	-13.00	-40.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: WCDMA Band 4 Mode (The Worst Case)

Operation Band :HSDPA B4 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :1712.4 MHz Engineer :Tin
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
57.16	S	-61.80	-53.44	-53.44	-7.29	-1.07	-13.00	-48.80
163.86	S	-67.64	-66.95	-66.95	0.80	-1.49	-13.00	-54.64
362.71	S	-67.82	-71.68	-71.68	6.00	-2.15	-13.00	-54.82
624.61	S	-62.21	-65.04	-65.04	5.34	-2.51	-13.00	-49.21
681.84	S	-60.94	-63.54	-63.54	5.25	-2.65	-13.00	-47.94
818.61	S	-60.58	-63.14	-63.14	5.46	-2.91	-13.00	-47.58
3424.80	H	-60.13	-66.17	-66.17	12.27	-6.23	-13.00	-47.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :HSDPA B4
 Fundamental Frequency :1712.4 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-64.90	-63.74	-63.74	0.11	-1.27	-13.00	-51.90
214.30	S	-63.50	-67.40	-67.40	5.59	-1.68	-13.00	-50.50
371.44	S	-68.03	-71.81	-71.81	5.99	-2.21	-13.00	-55.03
550.89	S	-66.13	-69.16	-69.16	5.73	-2.71	-13.00	-53.13
738.10	S	-61.44	-63.61	-63.61	5.31	-3.13	-13.00	-48.44
817.64	S	-61.12	-63.68	-63.68	5.47	-2.90	-13.00	-48.12
3424.80	H	-57.19	-63.23	-63.23	12.27	-6.23	-13.00	-44.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B4
 Fundamental Frequency :1732.6 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
91.11	S	-62.35	-62.71	1.58	-1.21	-13.00	-49.35	
165.80	S	-68.89	-68.33	0.94	-1.50	-13.00	-55.89	
248.25	S	-67.86	-71.67	5.56	-1.75	-13.00	-54.86	
366.59	S	-66.56	-70.38	6.00	-2.17	-13.00	-53.56	
536.34	S	-62.88	-66.12	5.81	-2.56	-13.00	-49.88	
626.55	S	-61.92	-64.77	5.34	-2.49	-13.00	-48.92	
3465.20	H	-59.71	-65.81	12.34	-6.25	-13.00	-46.71	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B4
 Fundamental Frequency :1732.6 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-65.00	-63.84	-63.84	0.11	-1.27	-13.00	-52.00
222.06	S	-65.24	-68.97	-68.97	5.43	-1.71	-13.00	-52.24
362.71	S	-67.32	-71.18	-71.18	6.00	-2.15	-13.00	-54.32
521.79	S	-65.58	-69.06	-69.06	5.89	-2.41	-13.00	-52.58
631.40	S	-65.22	-68.08	-68.08	5.33	-2.46	-13.00	-52.22
750.71	S	-63.25	-65.51	-65.51	5.33	-3.07	-13.00	-50.25
3465.20	H	-56.84	-62.94	-62.94	12.34	-6.25	-13.00	-43.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B4
 Fundamental Frequency :1752.6 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
103.72	S	-63.30	-62.23	-62.23	0.20	-1.26	-13.00	-50.30
248.25	S	-67.62	-71.43	-71.43	5.56	-1.75	-13.00	-54.62
359.80	S	-67.96	-71.84	-71.84	6.00	-2.12	-13.00	-54.96
473.29	S	-66.14	-69.81	-69.81	5.90	-2.23	-13.00	-53.14
631.40	S	-60.57	-63.43	-63.43	5.33	-2.46	-13.00	-47.57
744.89	S	-61.44	-63.65	-63.65	5.32	-3.11	-13.00	-48.44
3505.20	H	-58.73	-64.67	-64.67	12.40	-6.47	-13.00	-45.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :HSDPA B4
 Fundamental Frequency :1752.6 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
37.76	S	-63.12	-50.97	-50.97	-11.17	-0.98	-13.00	-50.12
224.00	S	-64.41	-68.09	-68.09	5.39	-1.71	-13.00	-51.41
335.55	S	-69.01	-73.02	-73.02	5.95	-1.93	-13.00	-56.01
410.24	S	-67.26	-70.80	-70.80	5.93	-2.40	-13.00	-54.26
658.56	S	-64.57	-67.47	-67.47	5.28	-2.38	-13.00	-51.57
772.05	S	-61.86	-64.33	-64.33	5.40	-2.94	-13.00	-48.86
3505.20	H	-56.87	-62.80	-62.80	12.40	-6.47	-13.00	-43.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode (The Worst Case)

Operation Band :HSDPA B5 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :826.4 MHz Engineer :Tin
 Operation Mode :Tx CH LOW
 EUT Pol. :E2 Plane Measurement Pol. Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG	Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
93.05	S	-61.83	-59.80	-0.81	-1.22	-13.00	-48.83
168.71	S	-70.41	-67.89	-1.00	-1.51	-13.00	-57.41
243.40	S	-68.22	-69.81	3.34	-1.75	-13.00	-55.22
342.34	S	-69.42	-71.26	3.83	-1.99	-13.00	-56.42
542.16	S	-66.09	-67.10	3.63	-2.62	-13.00	-53.09
757.50	S	-62.16	-62.33	3.21	-3.03	-13.00	-49.16
1652.80	H	-65.97	-68.86	7.12	-4.24	-13.00	-52.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B5
 Fundamental Frequency :826.4 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	Antenna Gain dBd				
30.00	S	-60.84	-45.10	-14.78	-0.96	-13.00	-47.84	
217.21	S	-64.92	-66.60	3.38	-1.69	-13.00	-51.92	
249.22	S	-72.26	-73.93	3.43	-1.76	-13.00	-59.26	
400.54	S	-69.58	-71.02	3.82	-2.38	-13.00	-56.58	
522.76	S	-68.52	-69.83	3.73	-2.42	-13.00	-55.52	
757.50	S	-64.04	-64.22	3.21	-3.03	-13.00	-51.04	
1652.80	H	-65.89	-68.77	7.12	-4.24	-13.00	-52.89	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B5
 Fundamental Frequency :836.6 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-64.96	-53.72	-53.72	-10.18	-1.06	-13.00	-51.96
158.04	S	-70.77	-67.57	-67.57	-1.73	-1.47	-13.00	-57.77
239.52	S	-69.21	-70.74	-70.74	3.28	-1.74	-13.00	-56.21
411.21	S	-69.86	-71.25	-71.25	3.78	-2.39	-13.00	-56.86
548.95	S	-65.15	-66.06	-66.06	3.59	-2.69	-13.00	-52.15
769.14	S	-62.09	-62.38	-62.38	3.24	-2.96	-13.00	-49.09
1673.20	H	-65.68	-68.59	-68.59	7.20	-4.29	-13.00	-52.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B5
 Fundamental Frequency :836.6 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-62.19	-46.45	-14.78	-0.96	-13.00	-49.19	
202.66	S	-67.38	-68.95	3.22	-1.65	-13.00	-54.38	
248.25	S	-70.64	-72.30	3.41	-1.75	-13.00	-57.64	
408.30	S	-69.10	-70.48	3.79	-2.41	-13.00	-56.10	
517.91	S	-68.60	-69.99	3.76	-2.37	-13.00	-55.60	
773.99	S	-63.89	-64.22	3.26	-2.93	-13.00	-50.89	
1673.20	H	-65.98	-68.89	7.20	-4.29	-13.00	-52.98	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B5
 Fundamental Frequency :846.6 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-65.05	-53.80	-10.18	-1.06	-13.00	-52.05	
159.98	S	-70.15	-67.03	-1.64	-1.48	-13.00	-57.15	
248.25	S	-68.98	-70.64	3.41	-1.75	-13.00	-55.98	
403.45	S	-68.84	-70.25	3.81	-2.40	-13.00	-55.84	
541.19	S	-65.92	-66.94	3.63	-2.61	-13.00	-52.92	
745.86	S	-62.56	-62.63	3.17	-3.10	-13.00	-49.56	
1693.20	H	-65.12	-68.09	7.27	-4.30	-13.00	-52.12	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :HSDPA B5
 Fundamental Frequency :846.6 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Measurement Pol. :Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-61.49	-45.76	-14.78	-0.96	-13.00	-48.49	
216.24	S	-67.06	-68.77	3.40	-1.69	-13.00	-54.06	
250.19	S	-71.44	-73.13	3.44	-1.76	-13.00	-58.44	
371.44	S	-69.58	-71.22	3.84	-2.21	-13.00	-56.58	
529.55	S	-67.90	-69.10	3.70	-2.49	-13.00	-54.90	
744.89	S	-62.80	-62.86	3.17	-3.11	-13.00	-49.80	
1693.20	H	-64.39	-67.35	7.27	-4.30	-13.00	-51.39	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Operation Band :LTE B2 Temp./Humi. :23 deg_C / 62 RH
 Fundamental Frequency :1855.0 MHz Engineer :Tin
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane Measurement Pol. Antenna :VERTICAL



Operation Band	:LTE B2	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1855.0 MHz	Engineer	:Tin
Operation Mode	:Tx CH LOW	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL




Freq.	Note	EIRP	SG		Antenna	Cable	Limit	Margin
			Output Level					
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
30.00	S	-62.39	-48.80	-12.63	-0.96	-13.00	-49.39	
207.51	S	-63.59	-67.50	5.57	-1.66	-13.00	-50.59	
246.31	S	-69.12	-72.91	5.53	-1.75	-13.00	-56.12	
410.24	S	-67.35	-70.88	5.93	-2.40	-13.00	-54.35	
516.94	S	-66.22	-69.77	5.91	-2.37	-13.00	-53.22	
764.29	S	-61.49	-63.88	5.38	-2.99	-13.00	-48.49	
3710.00	H	-53.22	-59.09	12.44	-6.58	-13.00	-40.22	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B2	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1880.0 MHz	Engineer	:Tin
Operation Mode	:Tx CH MID	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output	Level				
54.25	S	-58.63	-49.53	-8.03	-1.06	-13.00	-45.63	
168.71	S	-68.09	-67.72	1.15	-1.51	-13.00	-55.09	
282.20	S	-66.02	-69.71	5.57	-1.89	-13.00	-53.02	
361.74	S	-66.72	-70.59	6.00	-2.14	-13.00	-53.72	
517.91	S	-63.35	-66.89	5.91	-2.37	-13.00	-50.35	
755.56	S	-59.67	-61.97	5.35	-3.04	-13.00	-46.67	
3760.00	H	-57.35	-63.20	12.45	-6.60	-13.00	-44.35	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B2	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1880.0 MHz	Engineer	:Tin
Operation Mode	:Tx CH MID	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-60.47	-46.88	-46.88	-12.63	-0.96	-13.00	-47.47
219.15	S	-63.37	-67.17	-67.17	5.49	-1.70	-13.00	-50.37
240.49	S	-68.01	-71.71	-71.71	5.44	-1.74	-13.00	-55.01
406.36	S	-66.99	-70.52	-70.52	5.95	-2.42	-13.00	-53.99
539.25	S	-66.46	-69.66	-69.66	5.79	-2.59	-13.00	-53.46
770.11	S	-59.96	-62.40	-62.40	5.40	-2.95	-13.00	-46.96
3760.00	H	-53.72	-59.58	-59.58	12.45	-6.60	-13.00	-40.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :LTE B2
 Fundamental Frequency :1905.0 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane

Temp./Humi. :23 deg_C / 62 RH
 Engineer :Tin
 Mode: 10M QPSK RB 1,0
 Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-59.35	-50.25	-50.25	-8.03	-1.06	-13.00	-46.35
159.01	S	-67.50	-66.50	-66.50	0.47	-1.47	-13.00	-54.50
248.25	S	-66.91	-70.72	-70.72	5.56	-1.75	-13.00	-53.91
376.29	S	-67.48	-71.23	-71.23	5.99	-2.24	-13.00	-54.48
527.61	S	-63.64	-67.02	-67.02	5.86	-2.47	-13.00	-50.64
769.14	S	-59.40	-61.83	-61.83	5.39	-2.96	-13.00	-46.40
3810.00	H	-56.10	-61.95	-61.95	12.46	-6.62	-13.00	-43.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :LTE B2
 Fundamental Frequency :1905.0 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane
 Temp./Humi. :23 deg_C / 62 RH
 Engineer :Tin
 Mode: 10M QPSK RB 1,0
 Measurement Pol. Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-62.84	-53.75	-8.03	-1.06	-13.00	-49.84	
207.51	S	-63.52	-67.43	5.57	-1.66	-13.00	-50.52	
246.31	S	-69.22	-73.00	5.53	-1.75	-13.00	-56.22	
366.59	S	-67.08	-70.90	6.00	-2.17	-13.00	-54.08	
517.91	S	-66.18	-69.72	5.91	-2.37	-13.00	-53.18	
773.99	S	-58.35	-60.83	5.41	-2.93	-13.00	-45.35	
3810.00	H	-53.50	-59.34	12.46	-6.62	-13.00	-40.50	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

Operation Band :LTE B4 Temp./Humi. :23 deg_C / 62 RH
 Fundamental Frequency :1715 MHz Engineer :Tin
 Operation Mode :Tx CH LOW Mode: 10M QPSK RB 1,0
 EUT Pol. :H Plane Measurement Antenna :VERTICAL
 Pol.



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-57.97	-48.87	-48.87	-8.03	-1.06	-13.00	-44.97
154.16	S	-67.57	-66.36	-66.36	0.25	-1.45	-13.00	-54.57
296.75	S	-66.54	-70.30	-70.30	5.71	-1.95	-13.00	-53.54
337.49	S	-67.69	-71.69	-71.69	5.95	-1.95	-13.00	-54.69
537.31	S	-62.85	-66.08	-66.08	5.80	-2.57	-13.00	-49.85
773.99	S	-60.54	-63.02	-63.02	5.41	-2.93	-13.00	-47.54
3440.00	H	-60.50	-66.58	-66.58	12.30	-6.22	-13.00	-47.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band	:LTE B4	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1715 MHz	Engineer	:Tin
Operation Mode	:Tx CH LOW	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-59.57	-45.98	-45.98	-12.63	-0.96	-13.00	-46.57
220.12	S	-63.85	-67.62	-67.62	5.48	-1.70	-13.00	-50.85
239.52	S	-68.59	-72.28	-72.28	5.43	-1.74	-13.00	-55.59
335.55	S	-66.62	-70.63	-70.63	5.95	-1.93	-13.00	-53.62
519.85	S	-66.00	-69.50	-69.50	5.90	-2.39	-13.00	-53.00
733.25	S	-61.17	-63.35	-63.35	5.30	-3.12	-13.00	-48.17
3440.00	H	-56.93	-63.01	-63.01	12.30	-6.22	-13.00	-43.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :LTE B4
 Fundamental Frequency :1732.5 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane

Temp./Humi. :23 deg_C / 62 RH
 Engineer :Tin
 Mode: 10M QPSK RB 1,0
 Measurement Pol. Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-58.11	-49.02	-49.02	-8.03	-1.06	-13.00	-45.11
212.36	S	-67.34	-71.29	-71.29	5.63	-1.68	-13.00	-54.34
285.11	S	-66.45	-70.13	-70.13	5.58	-1.90	-13.00	-53.45
400.54	S	-67.52	-71.10	-71.10	5.97	-2.38	-13.00	-54.52
527.61	S	-63.75	-67.14	-67.14	5.86	-2.47	-13.00	-50.75
624.61	S	-61.08	-63.92	-63.92	5.34	-2.51	-13.00	-48.08
3465.00	H	-59.88	-65.98	-65.98	12.34	-6.25	-13.00	-46.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B4	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1732.5 MHz	Engineer	:Tin
Operation Mode	:Tx CH MID	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-59.41	-45.82	-45.82	-12.63	-0.96	-13.00	-46.41
219.15	S	-63.89	-67.69	-67.69	5.49	-1.70	-13.00	-50.89
251.16	S	-68.57	-72.43	-72.43	5.62	-1.76	-13.00	-55.57
410.24	S	-67.45	-70.99	-70.99	5.93	-2.40	-13.00	-54.45
519.85	S	-65.41	-68.92	-68.92	5.90	-2.39	-13.00	-52.41
770.11	S	-61.15	-63.60	-63.60	5.40	-2.95	-13.00	-48.15
3465.00	H	-56.10	-62.20	-62.20	12.34	-6.25	-13.00	-43.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band	:LTE B4	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1750 MHz	Engineer	:Tin
Operation Mode	:Tx CH HIGH	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output	Level				
95.96	S	-58.99	-58.75	0.99	-1.23	-13.00	-45.99	
165.80	S	-68.51	-67.95	0.94	-1.50	-13.00	-55.51	
294.81	S	-66.26	-69.99	5.67	-1.94	-13.00	-53.26	
369.50	S	-67.25	-71.05	6.00	-2.20	-13.00	-54.25	
542.16	S	-63.87	-67.03	5.78	-2.62	-13.00	-50.87	
774.96	S	-61.14	-63.63	5.41	-2.92	-13.00	-48.14	
3490.00	H	-59.03	-65.06	12.38	-6.35	-13.00	-46.03	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B4	Temp./Humi.	:23 deg_C / 62 RH
Fundamental Frequency	:1750 MHz	Engineer	:Tin
Operation Mode	:Tx CH HIGH	Mode:	10M QPSK RB 1,0
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output	Level				
54.25	S	-58.84	-49.75	-49.75	-8.03	-1.06	-13.00	-45.84
154.16	S	-67.88	-66.68	-66.68	0.25	-1.45	-13.00	-54.88
239.52	S	-66.66	-70.35	-70.35	5.43	-1.74	-13.00	-53.66
415.09	S	-67.15	-70.70	-70.70	5.92	-2.37	-13.00	-54.15
519.85	S	-64.29	-67.79	-67.79	5.90	-2.39	-13.00	-51.29
769.14	S	-59.44	-61.87	-61.87	5.39	-2.96	-13.00	-46.44
3490.00	H	-56.78	-62.81	-62.81	12.38	-6.35	-13.00	-43.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

Operation Band :LTE B7 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :2507.5 MHz Engineer :Tin
 Operation Mode :Tx CH LOW Mode: 15M 16QAM RB
 1,74
 EUT Pol. :H Plane Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG	Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
94.99	S	-58.75	-58.63	1.11	-1.23	-25.00	-33.75
158.04	S	-67.59	-66.55	0.42	-1.47	-25.00	-42.59
294.81	S	-66.91	-70.63	5.67	-1.94	-25.00	-41.91
419.94	S	-67.37	-70.94	5.90	-2.33	-25.00	-42.37
537.31	S	-63.71	-66.95	5.80	-2.57	-25.00	-38.71
772.05	S	-58.53	-60.99	5.40	-2.94	-25.00	-33.53
5015.00	H	-55.26	-60.15	12.71	-7.81	-25.00	-30.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

Operation Band :LTE B7
 Fundamental Frequency :2507.5 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :H Plane

Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 15M 16QAM RB 1,74
 Measurement Pol. Antenna :HORIZONTAL



Operation Band	:LTE B7	Temp./Humi.	:21 deg_C / 62 RH		
Fundamental Frequency	:2535.0 MHz	Engineer	:Tin		
Operation Mode	:Tx CH MID	Mode:	15M	16QAM	RB 1,74
EUT Pol.	:H Plane	Measurement Pol.	Antenna	:VERTICAL	



Freq. MHz	Note F/H/E/S	EIRP dBm	SG	Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
53.28	S	-58.51	-49.16	-8.29	-1.06	-25.00	-33.51
153.19	S	-68.00	-66.76	0.20	-1.44	-25.00	-43.00
241.46	S	-66.93	-70.65	5.46	-1.74	-25.00	-41.93
390.84	S	-66.67	-70.32	5.98	-2.33	-25.00	-41.67
529.55	S	-63.90	-67.26	5.85	-2.49	-25.00	-38.90
769.14	S	-58.88	-61.32	5.39	-2.96	-25.00	-33.88
5070.00	H	-54.29	-59.16	12.73	-7.86	-25.00	-29.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B7
 Fundamental Frequency :2535.0 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :H Plane

Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 15M 16QAM RB 1,74
 Measurement Pol. Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG	Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
30.00	S	-60.50	-46.91	-12.63	-0.96	-25.00	-35.50
216.24	S	-63.59	-67.45	5.55	-1.69	-25.00	-38.59
240.49	S	-69.17	-72.87	5.44	-1.74	-25.00	-44.17
335.55	S	-65.81	-69.83	5.95	-1.93	-25.00	-40.81
516.94	S	-66.10	-69.65	5.91	-2.37	-25.00	-41.10
769.14	S	-59.40	-61.84	5.39	-2.96	-25.00	-34.40
5070.00	H	-51.09	-55.96	12.73	-7.86	-25.00	-26.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B7
 Fundamental Frequency :2562.5 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane

Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 15M 16QAM RB 1,74
 Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			SG Output Level dBm	Antenna Gain dBi				
52.31	S	-59.17	-49.56	-8.55	-1.05	-25.00	-34.17	
178.41	S	-68.14	-69.34	2.76	-1.55	-25.00	-43.14	
288.99	S	-67.51	-71.17	5.58	-1.92	-25.00	-42.51	
396.66	S	-67.16	-70.77	5.97	-2.36	-25.00	-42.16	
512.09	S	-63.50	-67.09	5.94	-2.35	-25.00	-38.50	
773.99	S	-58.07	-60.56	5.41	-2.93	-25.00	-33.07	
5125.00	H	-54.96	-59.81	12.75	-7.91	-25.00	-29.96	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B7
 Fundamental Frequency :2562.5 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :H Plane

Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 15M 16QAM RB 1,74
 Measurement Pol. Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG	Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
30.00	S	-58.71	-45.12	-12.63	-0.96	-25.00	-33.71
220.12	S	-64.14	-67.91	5.48	-1.70	-25.00	-39.14
243.40	S	-69.11	-72.85	5.49	-1.75	-25.00	-44.11
340.40	S	-67.07	-71.07	5.97	-1.97	-25.00	-42.07
513.06	S	-64.80	-68.38	5.94	-2.35	-25.00	-39.80
772.05	S	-59.82	-62.28	5.40	-2.94	-25.00	-34.82
5125.00	H	-52.17	-57.02	12.75	-7.91	-25.00	-27.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Operation Band :LTE B12 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :700.5 MHz Engineer :Tin
 Operation Mode :Tx CH LOW Mode: 3M QPSK RB 1,14
 EUT Pol. :E2 Plane Measurement Antenna :VERTICAL
 Pol.




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
55.22	S	-61.23	-50.23	-9.93	-1.06	-13.00	-48.23	
94.99	S	-62.21	-59.94	-1.04	-1.23	-13.00	-49.21	
236.61	S	-67.70	-69.19	3.23	-1.73	-13.00	-54.70	
379.20	S	-69.91	-71.49	3.84	-2.26	-13.00	-56.91	
522.76	S	-66.34	-67.66	3.73	-2.42	-13.00	-53.34	
621.70	S	-63.60	-64.26	3.20	-2.53	-13.00	-50.60	
1401.00	H	-59.60	-63.98	8.28	-3.89	-13.00	-46.60	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B12
 Fundamental Frequency :700.5 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 3M QPSK RB 1,14
 Measurement Pol. Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-62.42	-46.69	-14.78	-0.96	-13.00	-49.42	
54.25	S	-64.94	-53.69	-10.18	-1.06	-13.00	-51.94	
102.75	S	-66.78	-63.65	-1.87	-1.26	-13.00	-53.78	
219.15	S	-65.80	-67.44	3.34	-1.70	-13.00	-52.80	
337.49	S	-68.91	-70.77	3.80	-1.95	-13.00	-55.91	
529.55	S	-66.87	-68.07	3.70	-2.49	-13.00	-53.87	
1401.00	H	-59.18	-63.57	8.28	-3.89	-13.00	-46.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B12
 Fundamental Frequency :707.5 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 3M QPSK RB 1,14
 Measurement Pol. Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
55.22	S	-61.18	-50.19	-9.93	-1.06	-13.00	-48.18	
94.99	S	-61.74	-59.47	-1.04	-1.23	-13.00	-48.74	
236.61	S	-66.94	-68.44	3.23	-1.73	-13.00	-53.94	
408.30	S	-69.48	-70.86	3.79	-2.41	-13.00	-56.48	
578.05	S	-65.73	-66.34	3.39	-2.78	-13.00	-52.73	
634.31	S	-64.41	-65.12	3.17	-2.45	-13.00	-51.41	
1415.00	H	-60.23	-64.66	8.34	-3.91	-13.00	-47.23	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B12	Temp./Humi.	:21 deg_C / 62 RH
Fundamental Frequency	:707.5 MHz	Engineer	:Tin
Operation Mode	:Tx CH MID	Mode:	3M QPSK RB 1,14
EUT Pol.	:E2 Plane	Measurement Pol.	Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG	Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
54.25	S	-65.82	-54.57	-10.18	-1.06	-13.00	-52.82
102.75	S	-66.36	-63.23	-1.87	-1.26	-13.00	-53.36
204.60	S	-68.08	-69.72	3.30	-1.65	-13.00	-55.08
222.06	S	-65.61	-67.18	3.28	-1.71	-13.00	-52.61
338.46	S	-69.80	-71.65	3.81	-1.95	-13.00	-56.80
585.81	S	-68.11	-68.65	3.34	-2.79	-13.00	-55.11
1415.00	H	-58.78	-63.21	8.34	-3.91	-13.00	-45.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B12
 Fundamental Frequency :714.5 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 3M QPSK RB 1,14
 Measurement Pol. Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
51.34	S	-60.45	-48.44	-10.97	-1.05	-13.00	-47.45	
94.99	S	-61.62	-59.35	-1.04	-1.23	-13.00	-48.62	
240.49	S	-67.65	-69.21	3.29	-1.74	-13.00	-54.65	
473.29	S	-67.13	-68.65	3.75	-2.23	-13.00	-54.13	
578.05	S	-65.01	-65.62	3.39	-2.78	-13.00	-52.01	
634.31	S	-63.81	-64.53	3.17	-2.45	-13.00	-50.81	
1429.00	H	-61.09	-65.56	8.40	-3.94	-13.00	-48.09	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B12
 Fundamental Frequency :714.5 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 3M QPSK RB 1,14
 Measurement Pol. Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG	Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
30.00	S	-61.07	-45.34	-14.78	-0.96	-13.00	-48.07
103.72	S	-64.68	-61.46	-1.95	-1.26	-13.00	-51.68
160.95	S	-69.66	-66.61	-1.57	-1.48	-13.00	-56.66
219.15	S	-66.20	-67.84	3.34	-1.70	-13.00	-53.20
362.71	S	-70.29	-72.00	3.85	-2.15	-13.00	-57.29
517.91	S	-68.47	-69.86	3.76	-2.37	-13.00	-55.47
1429.00	H	-60.49	-64.95	8.40	-3.94	-13.00	-47.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

Operation Band :LTE B17 Temp./Humi. :21 deg_C / 62 RH
 Fundamental Frequency :706.5 MHz Engineer :Tin
 Operation Mode :Tx CH LOW Mode: 5M 16QAM RB 1,24
 EUT Pol. :E2 Plane Measurement Antenna :VERTICAL
 Pol.




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
53.28	S	-61.15	-49.65	-10.44	-1.06	-13.00	-48.15	
94.99	S	-61.98	-59.71	-1.04	-1.23	-13.00	-48.98	
233.70	S	-68.20	-69.64	3.18	-1.73	-13.00	-55.20	
356.89	S	-70.61	-72.36	3.86	-2.10	-13.00	-57.61	
519.85	S	-65.55	-66.91	3.75	-2.39	-13.00	-52.55	
633.34	S	-62.40	-63.12	3.17	-2.46	-13.00	-49.40	
1413.00	H	-59.93	-64.35	8.33	-3.91	-13.00	-46.93	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B17
 Fundamental Frequency :706.5 MHz
 Operation Mode :Tx CH LOW
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 5M 16QAM RB 1,24
 Measurement Pol. Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG	Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm				
30.00	S	-63.35	-47.62	-14.78	-0.96	-13.00	-50.35
104.69	S	-66.07	-62.76	-2.04	-1.27	-13.00	-53.07
222.06	S	-65.93	-67.50	3.28	-1.71	-13.00	-52.93
357.86	S	-68.67	-70.42	3.85	-2.11	-13.00	-55.67
594.54	S	-68.45	-68.95	3.28	-2.78	-13.00	-55.45
686.69	S	-67.08	-67.43	3.10	-2.74	-13.00	-54.08
1413.00	H	-59.46	-63.88	8.33	-3.91	-13.00	-46.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B17
 Fundamental Frequency :710.0 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane

Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 5M 16QAM RB 1,24
 Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
54.25	S	-62.11	-50.86	-10.18	-1.06	-13.00	-49.11	
95.96	S	-61.28	-58.89	-1.16	-1.23	-13.00	-48.28	
172.59	S	-71.30	-69.33	-0.44	-1.53	-13.00	-58.30	
245.34	S	-67.76	-69.38	3.37	-1.75	-13.00	-54.76	
447.10	S	-68.36	-69.83	3.65	-2.19	-13.00	-55.36	
626.55	S	-63.03	-63.73	3.19	-2.49	-13.00	-50.03	
1420.00	H	-61.29	-65.73	8.36	-3.92	-13.00	-48.29	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B17
 Fundamental Frequency :710.0 MHz
 Operation Mode :Tx CH MID
 EUT Pol. :E2 Plane

Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 5M 16QAM RB 1,24
 Measurement Pol. Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
104.69	S	-65.32	-62.02	-2.04	-1.27	-13.00	-52.32	
231.76	S	-65.93	-67.35	3.14	-1.73	-13.00	-52.93	
308.39	S	-73.39	-75.12	3.67	-1.94	-13.00	-60.39	
410.24	S	-70.00	-71.39	3.78	-2.40	-13.00	-57.00	
519.85	S	-67.53	-68.89	3.75	-2.39	-13.00	-54.53	
696.39	S	-66.32	-66.49	3.09	-2.91	-13.00	-53.32	
1420.00	H	-59.15	-63.58	8.36	-3.92	-13.00	-46.15	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :LTE B17
 Fundamental Frequency :713.5 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 5M 16QAM RB 1,24
 Measurement Pol. Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
95.96	S	-60.95	-58.56	-1.16	-1.23	-13.00	-47.95	
165.80	S	-70.57	-67.86	-1.21	-1.50	-13.00	-57.57	
243.40	S	-67.53	-69.12	3.34	-1.75	-13.00	-54.53	
395.69	S	-69.63	-71.10	3.82	-2.35	-13.00	-56.63	
555.74	S	-64.96	-65.76	3.55	-2.75	-13.00	-51.96	
684.75	S	-63.74	-64.13	3.10	-2.70	-13.00	-50.74	
1427.00	H	-61.21	-65.66	8.39	-3.93	-13.00	-48.21	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band :LTE B17
 Fundamental Frequency :713.5 MHz
 Operation Mode :Tx CH HIGH
 EUT Pol. :E2 Plane
 Temp./Humi. :21 deg_C / 62 RH
 Engineer :Tin
 Mode: 5M 16QAM RB 1,24
 Measurement Pol. Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	ERP dBm	SG Output Level dBm		Antenna Gain dBd	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
46.49	S	-65.50	-52.43	-52.43	-12.04	-1.03	-13.00	-52.50
154.16	S	-70.39	-67.04	-67.04	-1.90	-1.45	-13.00	-57.39
224.00	S	-64.75	-66.28	-66.28	3.24	-1.71	-13.00	-51.75
335.55	S	-69.42	-71.29	-71.29	3.80	-1.93	-13.00	-56.42
531.49	S	-67.79	-68.96	-68.96	3.69	-2.51	-13.00	-54.79
660.50	S	-66.53	-67.28	-67.28	3.13	-2.38	-13.00	-53.53
1427.00	H	-59.68	-64.14	-64.14	8.39	-3.93	-13.00	-46.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 38 (The Worst Case)

Operation Band	:LTE B38	Temp./Humi.	:22 deg_C / 61 RH
Fundamental Frequency	:2575 MHz	Engineer	:Tin
Operation Mode	:Tx CH LOW	Mode	:10M QPSK RB 1,49
EUT Pol.	:H Plane	Measurement Pol.	Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
53.28	S	-58.93	-49.58	-49.58	-8.29	-1.06	-25.00	-33.93
177.44	S	-67.11	-68.15	-68.15	2.59	-1.55	-25.00	-42.11
245.34	S	-66.80	-70.56	-70.56	5.52	-1.75	-25.00	-41.80
377.26	S	-67.07	-70.82	-70.82	5.99	-2.24	-25.00	-42.07
527.61	S	-63.94	-67.32	-67.32	5.86	-2.47	-25.00	-38.94
749.74	S	-60.01	-62.26	-62.26	5.33	-3.08	-25.00	-35.01
5150.00	H	-54.81	-59.63	-59.63	12.76	-7.94	-25.00	-29.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B38	Temp./Humi.	:22 deg_C / 61 RH
Fundamental Frequency	:2575 MHz	Engineer	:Tin
Operation Mode	:Tx CH LOW	Mode	:10M QPSK RB 1,49
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-60.68	-47.10	-47.10	-12.63	-0.96	-25.00	-35.68
217.21	S	-64.38	-68.21	-68.21	5.53	-1.69	-25.00	-39.38
239.52	S	-69.25	-72.93	-72.93	5.43	-1.74	-25.00	-44.25
337.49	S	-65.51	-69.52	-69.52	5.95	-1.95	-25.00	-40.51
485.90	S	-65.34	-69.04	-69.04	5.95	-2.26	-25.00	-40.34
800.18	S	-62.39	-64.98	-64.98	5.49	-2.90	-25.00	-37.39
5150.00	H	-53.17	-57.99	-57.99	12.76	-7.94	-25.00	-28.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B38	Temp./Humi.	:22 deg_C / 61 RH
Fundamental Frequency	:2595.0 MHz	Engineer	:Tin
Operation Mode	:Tx CH MID	Mode	:10M QPSK RB 1,49
EUT Pol.	:H Plane	Measurement Pol.	Antenna :VERTICAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
55.22	S	-58.95	-50.10	-50.10	-7.78	-1.06	-25.00	-33.95
173.56	S	-68.13	-68.48	-68.48	1.89	-1.53	-25.00	-43.13
239.52	S	-66.34	-70.03	-70.03	5.43	-1.74	-25.00	-41.34
362.71	S	-67.67	-71.53	-71.53	6.00	-2.15	-25.00	-42.67
529.55	S	-62.87	-66.22	-66.22	5.85	-2.49	-25.00	-37.87
631.40	S	-60.44	-63.30	-63.30	5.33	-2.46	-25.00	-35.44
5190.00	H	-55.95	-60.78	-60.78	12.78	-7.95	-25.00	-30.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B38	Temp./Humi.	:22 deg_C / 61 RH
Fundamental Frequency	:2595.0 MHz	Engineer	:Tin
Operation Mode	:Tx CH MID	Mode	:10M QPSK RB 1,49
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL




Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-62.12	-48.54	-48.54	-12.63	-0.96	-25.00	-37.12
219.15	S	-63.51	-67.31	-67.31	5.49	-1.70	-25.00	-38.51
240.49	S	-68.78	-72.48	-72.48	5.44	-1.74	-25.00	-43.78
395.69	S	-67.70	-71.32	-71.32	5.97	-2.35	-25.00	-42.70
516.94	S	-65.25	-68.80	-68.80	5.91	-2.37	-25.00	-40.25
773.99	S	-60.50	-62.98	-62.98	5.41	-2.93	-25.00	-35.50
5190.00	H	-52.94	-57.77	-57.77	12.78	-7.95	-25.00	-27.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band	:LTE B38	Temp./Humi.	:22 deg_C / 61 RH
Fundamental Frequency	:2615 MHz	Engineer	:Tin
Operation Mode	:Tx CH HIGH	Mode	:10M QPSK RB 1,49
EUT Pol.	:H Plane	Measurement Pol.	Antenna :VERTICAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
52.31	S	-58.47	-48.87	-48.87	-8.55	-1.05	-25.00	-33.47
216.24	S	-68.82	-72.68	-72.68	5.55	-1.69	-25.00	-43.82
249.22	S	-67.11	-70.93	-70.93	5.58	-1.76	-25.00	-42.11
350.10	S	-68.03	-72.00	-72.00	6.01	-2.05	-25.00	-43.03
527.61	S	-63.79	-67.18	-67.18	5.86	-2.47	-25.00	-38.79
772.05	S	-60.53	-62.99	-62.99	5.40	-2.94	-25.00	-35.53
5230.00	H	-54.64	-59.44	-59.44	12.79	-8.00	-25.00	-29.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Band	:LTE B38	Temp./Humi.	:22 deg_C / 61 RH
Fundamental Frequency	:2615 MHz	Engineer	:Tin
Operation Mode	:Tx CH HIGH	Mode	:10M QPSK RB 1,49
EUT Pol.	:H Plane	Measurement Pol.	Antenna :HORIZONTAL



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm		Antenna Gain dBi	Cable Loss dB	Limit dBm	Margin dB
			Output Level dBm	SG Output Level dBm				
30.00	S	-59.28	-45.69	-45.69	-12.63	-0.96	-25.00	-34.28
219.15	S	-63.72	-67.52	-67.52	5.49	-1.70	-25.00	-38.72
240.49	S	-68.04	-71.75	-71.75	5.44	-1.74	-25.00	-43.04
406.36	S	-67.53	-71.06	-71.06	5.95	-2.42	-25.00	-42.53
513.06	S	-66.56	-70.14	-70.14	5.94	-2.35	-25.00	-41.56
769.14	S	-60.39	-62.83	-62.83	5.39	-2.96	-25.00	-35.39
5230.00	H	-53.06	-57.86	-57.86	12.79	-8.00	-25.00	-28.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:

Temperature Chamber



Note: Measurement setup for testing on Antenna connector

11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

11.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017

11.5. Measurement Result:

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temp. ()	(MHz)		
FREQUENCY ERROR vs. VOLTAGE				
4.4	20	836600017	6	2091
3.85	20	836600011	0	2091
3.5	20	836600002	-9	2091
2.5 (End point)	20	836600026	15	2091
FREQUENCY ERROR vs. Temp.				
3.85	50	836600014	3	2091
3.85	40	836600006	-5	2091
3.85	30	836600007	-4	2091
3.85	20	836600110	0	2091
3.85	10	836600003	-8	2091
3.85	0	836600016	5	2091
3.85	-10	836600014	3	2091
3.85	-20	836600015	4	2091
3.85	-30	836600006	-5	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temp. ()	(MHz)		
FREQUENCY ERROR vs. VOLTAGE				
4.4	20	1879999995	1	4700
3.85	20	1879999994	0	4700
3.5	20	1880000005	11	4700
2.5 (End point)	20	1880000003	9	4700
FREQUENCY ERROR vs. Temp.				
3.85	50	1880000006	12	4700
3.85	40	1879999998	4	4700
3.85	30	1880000006	12	4700
3.85	20	1879999994	0	4700
3.85	10	1879999989	-5	4700
3.85	0	1880000015	21	4700
3.85	-10	1880000022	28	4700
3.85	-20	1880000014	20	4700
3.85	-30	1880000006	12	4700
Reference Frequency: WCDMA II Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temp. ()	(MHz)		
FREQUENCY ERROR vs. VOLTAGE				
4.4	20	1879999994	-1	4700
3.85	20	1879999995	0	4700
3.5	20	1880000002	7	4700
2.5 (End point)	20	1879999994	-1	4700
FREQUENCY ERROR vs. Temp.				
3.85	50	1879999989	3	4700
3.85	40	1879999996	17	4700
3.85	30	1880000002	-3	4700
3.85	20	1879999995	0	4700
3.85	10	1880000006	21	4700
3.85	0	1880000008	-6	4700
3.85	-10	1879999989	20	4700
3.85	-20	1880000022	22	4700
3.85	-30	1880000004	4	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temp. ()	(MHz)		
FREQUENCY ERROR vs. VOLTAGE				
4.4	20	1732600000	6	4331
3.85	20	1732599994	0	4331
3.5	20	1732600006	12	4331
2.5 (End point)	20	1732599995	1	4331
FREQUENCY ERROR vs. Temp.				
3.85	50	1732600006	12	4331
3.85	40	1732600005	11	4331
3.85	30	1732599997	3	4331
3.85	20	1732599994	0	4331
3.85	10	1732599995	1	4331
3.85	0	1732600006	12	4331
3.85	-10	1732599995	1	4331
3.85	-20	1732600012	18	4331
3.85	-30	1732600001	7	4331

Reference Frequency: WCDMA V Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temp. ()	(MHz)		
FREQUENCY ERROR vs. VOLTAGE				
4.4	20	83659999	-2	2091
3.85	20	83659992	0	2091
3.5	20	83660006	14	2091
2.5 (End point)	20	83660003	11	2091
FREQUENCY ERROR vs. Temp.				
3.85	50	83660006	14	2091
3.85	40	83660005	13	2091
3.85	30	83660004	12	2091
3.85	20	83659992	0	2091
3.85	10	83660002	10	2091
3.85	0	83660006	14	2091
3.85	-10	83660005	13	2091
3.85	-20	83660008	16	2091
3.85	-30	83660003	11	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Reference Freq.:		LTE B2 Mid Channel		1880 MHz 20M QPSK	CH 18900
Power Supply Vdc	Temp. ()	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4.4	25	1880.00003	67.7	4700	
3.85	25	1879.99996	0	4700	
3.5	25	1880.00002	56.7	4700	
2.5 (End Point)	25	1880.00002	63.7	4700	
Freq. ERROR vs. Temp.					
3.85	-30	1879.99996	-57.4	4700	
3.85	-20	1879.99997	-46.1	4700	
3.85	-10	1880.00002	3	4700	
3.85	0	1879.99998	-39	4700	
3.85	10	1879.99996	-50.7	4700	
3.85	20	1880.00002	0	4700	
3.85	30	1879.99997	-42.9	4700	
3.85	40	1880.00002	8	4700	
3.85	50	1879.99998	-32.6	4700	

Reference Freq.:		LTE B4 Mid Channel		1732.5 MHz 20M QPSK	CH 20175
Power Supply Vdc	Temp. ()	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4.4	25	1732.49996	-10.1	4331	
3.85	25	1732.49997	0	4331	
3.5	25	1732.50000	33.1	4331	
2.5 (End Point)	25	1732.49997	-0.2	4331	
Freq. ERROR vs. Temp.					
3.85	-30	1732.49996	-56.7	4331	
3.85	-20	1732.50004	15	4331	
3.85	-10	1732.49997	-52.9	4331	
3.85	0	1732.50000	-16.8	4331	
3.85	10	1732.49997	-54.4	4331	
3.85	20	1732.50002	0	4331	
3.85	30	1732.49997	-55.9	4331	
3.85	40	1732.50001	-9.1	4331	
3.85	50	1732.50002	-5.7	4331	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Reference Freq.:		LTE B7 Mid Channel		MHz 2535	10M QPSK CH 21100
Power Supply Vdc	Temp. ()	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4.4	25	2534.99997	-29.83	6338	
3.85	25	2535.00000	0	6338	
3.5	25	2535.00001	3.82	6338	
2.5 (End Point)	25	2535.00001	6.27	6338	
Freq. ERROR vs. Temp.					
3.85	-30	2535.00001	29.5	6338	
3.85	-20	2535.00001	30.1	6338	
3.85	-10	2534.99999	5.3	6338	
3.85	0	2534.99998	0.5	6338	
3.85	10	2535.00001	22.7	6338	
3.85	20	2534.99998	0	6338	
3.85	30	2534.99999	4.3	6338	
3.85	40	2534.99998	0.8	6338	
3.85	50	2535.00000	16.07	6338	

Reference Freq.:		LTE B12 Mid Channel		707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. ()	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4.4	25	707.50001	-6.7	1769	
3.85	25	707.50001	0	1769	
3.5	25	707.50000	-9.2	1769	
2.5 (End Point)	25	707.49998	-27.7	1769	
Freq. ERROR vs. Temp.					
3.85	-30	707.49999	-21.1	1769	
3.85	-20	707.50000	-6.4	1769	
3.85	-10	707.49999	-16.2	1769	
3.85	0	707.50000	-12.5	1769	
3.85	10	707.50001	-2.1	1769	
3.85	20	707.50001	0	1769	
3.85	30	707.50000	-2.9	1769	
3.85	40	707.50000	-11.3	1769	
3.85	50	707.50000	-9.8	1769	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Reference Freq.:		LTE B17 Mid Channel		MHz 10M QPSK CH
Power Supply Vdc	Temp. ()	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.4	25	710.00000	36.9	1775
3.85	25	709.99997	0	1775
3.5	25	710.00001	44.6	1775
2.5 (End Point)	25	709.99997	4.9	1775
Freq. ERROR vs. Temp.				
3.85	-30	709.99997	-34.5	1775
3.85	-20	709.99997	-34.8	1775
3.85	-10	710.00001	2.1	1775
3.85	0	709.99998	-27.9	1775
3.85	10	709.99996	-42.1	1775
3.85	20	710.00001	0	1775
3.85	30	710.00000	-0.9	1775
3.85	40	709.99998	-22.5	1775
3.85	50	709.99998	-22.8	1775

Reference Freq.:		LTE B38 Mid Channel		MHz 10M QPSK CH
Power Supply Vdc	Temp. ()	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.4	25	2594.99999	-18.7	6488
3.85	25	2595.00001	0	6488
3.5	25	2594.99998	-24.9	6488
2.5 (End Point)	25	2594.99998	-23.2	6488
Freq. ERROR vs. Temp.				
3.85	-30	2595.00002	54.7	6488
3.85	-20	2595.00002	50	6488
3.85	-10	2594.99997	4.8	6488
3.85	0	2595.00001	37.4	6488
3.85	10	2594.99997	0.4	6488
3.85	20	2594.99997	0	6488
3.85	30	2595.00001	37.06	6488
3.85	40	2594.99998	9.9	6488
3.85	50	2595.00001	43.6	6488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal =1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12.5. Measurement Result

Tabular Results:

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		GSM 850	GPRS 850	EDGE 850
824.2	128	8.94	8.89	11.58
836.6	190	9.68	10.24	11.62
848.8	251	9.22	9.89	11.81

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		GSM 1900	GPRS 1900	EDGE 1900
1850.2	512	9.51	7.97	11.73
1880	661	9.08	9.28	11.16
1909.8	810	8.87	9.17	11.58

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA II	HSDPA II	HSUPA II
1852.4	9262	2.85	3.61	3.38
1880	9400	3.00	3.69	3.76
1907.6	9538	2.87	3.51	3.54

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	3.33	4.27	3.95
1732.6	1413	3.29	4.05	4.02
1752.6	1513	3.33	3.92	3.92

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA V	HSDPA V	HSUPA V
826.4	4132	3.07	3.93	3.87
836.6	4183	3.03	4.01	4.18
846.6	4233	2.91	3.87	3.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
1850.7	18607	6.35	13	1851.5	18615	6.25	13
1880.0	18900	6.61	13	1880.0	18900	6.56	13
1909.3	19193	6.06	13	1908.5	19185	6.20	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
1852.5	18625	6.19	13	1855.0	18650	6.01	13
1880.0	18900	6.50	13	1880.0	18900	6.34	13
1907.5	19175	6.22	13	1905.0	19150	6.20	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
1857.5	18675	6.20	13	1860.0	18700	6.59	13
1880.0	18900	6.37	13	1880.0	18900	6.72	13
1902.5	19125	6.41	13	1900.0	19100	6.76	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
1710.7	19957	6.10	13	1711.5	19965	6.18	13
1732.5	20175	6.09	13	1732.5	20175	6.12	13
1754.3	20393	6.13	13	1753.5	20385	6.17	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
1712.5	19957	6.05	13	1715.0	20000	5.98	13
1732.5	20175	6.01	13	1732.5	20175	6.02	13
1752.5	20375	6.16	13	1750.0	20350	6.12	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
1717.5	20025	6.13	13	1720.0	20050	6.61	13
1732.5	20175	6.18	13	1732.5	20175	6.58	13
1747.5	20325	6.14	13	1745.0	20300	6.59	13

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
2502.5	20775	5.64	13	2505.0	20800	5.84	13
2535.0	21100	5.58	13	2535.0	21100	5.63	13
2567.5	21375	5.62	13	2565.0	21350	5.88	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
2507.5	20825	6.16	13	2510	20850	6.65	13
2535	21100	6.02	13	2535	21100	6.64	13
2562.5	21375	6.15	13	2560	21350	6.71	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 17							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
706.5	23755	6.01	13	709	23780	6.22	13
710	23790	6.00	13	710	23790	6.03	13
713.5	23825	6.76	13	711	23780	5.97	13

LTE BAND 38							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
2572.5	37775	9.01	13	2575	37800	8.27	13
2595	38000	9.05	13	2595	38000	8.66	13
2617.5	38225	8.12	13	2615	38200	10.16	13

LTE BAND 38							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	Peak-to-Average		Freq. (MHz)	CH	Peak-to-Average	
		16QAM	Limit			16QAM	Limit
2577.5	37825	7.65	13	2580.0	37850	8.77	13
2595	38000	8.29	13	2595.0	38000	8.64	13
2612.5	38175	8.52	13	2610.0	38150	9.68	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

GSM_850MHz_LowCH128-824.2




GPRS_850MHz_LowCH128-824.2



GSM_850MHz_MidCH190-836.6



GPRS_850MHz_MidCH190-836.6



GSM_850MHz_HighCH251-848.8



GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EDGE_850MHz_LowCH128-824.2




GSM_1900MHz_LowCH512-1850.2



EDGE_850MHz_MidCH190-836.6




GSM_1900MHz_MidCH661-1880



EDGE_850MHz_HighCH251-848.8



GSM_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GPRS_1900MHz_LowCH512-1850.2



EDGE_1900MHz_LowCH512-1850.2



GPRS_1900MHz_MidCH661-1880




EDGE_1900MHz_MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



EDGE_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B2_LowCH9262-1852.4



HSDPA_B2_LowCH9262-1852.4



WCDMA_B2_MidCH9400-1880



HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSUPA_B2_LowCH9262-1852.4



WCDMA_B4_LowCH1312-1712.4



HSUPA_B2_MidCH9400-1880




WCDMA_B4_MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA_B4_MidCH1413-1732.6



HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA_B5_LowCH4132-826.4




HSDPA_B5_LowCH4132-826.4



WCDMA_B5_MidCH4183-836.6




HSDPA_B5_MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSUPA_B5_LowCH4132-826.4




LTE_Band2_1_4MHz_16QAM_6_0_LowCH18607-1850.7



HSUPA_B5_MidCH4183-836.6




LTE_Band2_1_4MHz_16QAM_6_0_MidCH18900-1880



HSUPA_B5_HighCH4233-846.6



LTE_Band2_1_4MHz_16QAM_6_0_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE_Band2_3MHz_16QAM_15_0_LowCH18615-1851.5




LTE_Band2_5MHz_16QAM_25_0_LowCH18625-1852.5



LTE_Band2_3MHz_16QAM_15_0_MidCH18900-1880



LTE_Band2_5MHz_16QAM_25_0_MidCH18900-1880



LTE_Band2_3MHz_16QAM_15_0_HighCH19185-1908.5



LTE_Band2_5MHz_16QAM_25_0_HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE_Band2_10MHz_16QAM_50_0_LowCH18650-1855




LTE_Band2_15MHz_16QAM_75_0_LowCH18675-1857.5



LTE_Band2_10MHz_16QAM_50_0_MidCH18900-1880




LTE_Band2_15MHz_16QAM_75_0_MidCH18900-1880



LTE_Band2_10MHz_16QAM_50_0_HighCH19150-1905



LTE_Band2_15MHz_16QAM_75_0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE_Band2_20MHz_16QAM_100_0_LowCH18700-1860




LTE_Band4_1_4MHz_16QAM_6_0_LowCH19957-1710.7



LTE_Band2_20MHz_16QAM_100_0_MidCH18900-1880



LTE_Band4_1_4MHz_16QAM_6_0_MidCH20175-1732.5



LTE_Band2_20MHz_16QAM_100_0_HighCH19100-1900



LTE_Band4_1_4MHz_16QAM_6_0_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE_Band4_3MHz_16QAM_15_0_LowCH19965-1711.5




LTE_Band4_5MHz_16QAM_25_0_LowCH19975-1712.5



LTE_Band4_3MHz_16QAM_15_0_MidCH20175-1732.5




LTE_Band4_5MHz_16QAM_25_0_MidCH20175-1732.5



LTE_Band4_3MHz_16QAM_15_0_HighCH20385-1753.5



LTE_Band4_5MHz_16QAM_25_0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band4_10MHz_16QAM_50_0_LowCH20000-1715



LTE_Band4_15MHz_16QAM_75_0_LowCH20025-1717.5



LTE_Band4_10MHz_16QAM_50_0_MidCH20175-1732.5



LTE_Band4_15MHz_16QAM_75_0_MidCH20175-1732.5



LTE_Band4_10MHz_16QAM_50_0_HighCH20350-1750



LTE_Band4_15MHz_16QAM_75_0_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.