



# FCC RF Test Report

**APPLICANT** : HMD Global Oy  
**EQUIPMENT** : Mobile Phone  
**BRAND NAME** : Nokia  
**MODEL NAME** : TA-1196  
**FCC ID** : 2AJOTTA-1196  
**STANDARD** : FCC Part 15 Subpart C §15.247  
**CLASSIFICATION** : (DTS) Digital Transmission System

This is a data re-used report which is only valid together with the original test report. We, Sporton International (Kunshan) Inc., would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Kunshan) Inc., the test report shall not be reproduced except in full.

Reviewed by: Jason Jia / Supervisor

Approved by: James Huang / Manager



**Sportun International (Kunshan) Inc.**  
No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300  
People's Republic of China



## TABLE OF CONTENTS

1 GENERAL DESCRIPTION.....	4
1.1 Applicant .....	4
1.2 Product Feature of Equipment Under Test.....	4
1.3 Product Specification of Equipment Under Test.....	4
1.4 Modification of EUT .....	4
1.5 Re-use of Measured Data .....	5

## APPENDIX A. REFERENCE REPORT



# REVISION HISTORY



## 1 General Description

### 1.1 Applicant

HMD Global Oy

Bertel Jungin aukio 9,02600 ESPOO. FINLAND

### 1.2 Product Feature of Equipment Under Test

Product Feature	
<b>Equipment</b>	Mobile Phone
<b>Brand Name</b>	Nokia
<b>Model Name</b>	TA-1196
<b>FCC ID</b>	2AJOTTA-1196
<b>EUT supports Radios application</b>	GSM/GPRS/EGPRS/WCDMA/HSPA/ DC-HSDPA/HSPA+(16QAM uplink is not supported) LTE/FM Receiver/GNSS/NFC WLAN 2.4GHz 802.11b/g/n HT20 WLAN 5GHz 802.11a/n HT20/HT40 WLAN 5GHz 802.11ac VHT20/VHT40/VHT80 Bluetooth BR/EDR/LE
<b>HW Version</b>	LLDM690A
<b>SW Version</b>	LLDB701
<b>EUT Stage</b>	Identical Prototype

**Remark:** The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

### 1.3 Product Specification of Equipment Under Test

Standards-related Product Specification	
<b>Tx/Rx Channel Frequency Range</b>	2412 MHz ~ 2462 MHz
<b>Antenna Type / Gain</b>	IFA Antenna with gain -1.00 dBi
<b>Type of Modulation</b>	802.11b : DSSS (DBPSK / DQPSK / CCK) 802.11g/n : OFDM (BPSK / QPSK / 16QAM / 64QAM)

### 1.4 Modification of EUT

No modifications are made to the EUT during all test items.



## 1.5 Re-use of Measured Data

### 1.5.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: TA-1196, FCC ID: 2AJOTTA-1196) is electrically identical to the reference device (Model: TA-1178, FCC ID: 2AJOTTA-1178) for the portions of the circuitry corresponding to the data being re-used, as treated by KDB Publication 484596 D01.

### 1.5.2 Difference Section

For details concerning the similarity with respect to component placement, mechanical/electrical design etc., please refer to the Product Equality Declaration.

The re-used RF data includes the following bands provided in Appendix A (Sportun RF Report No. FR952704C for the reference device Model: TA-1178, FCC ID: 2AJOTTA-1178).

### 1.5.3 Reference detail Section:

Equipment Class	Reference FCC ID	Folder Test	Report Title/Section
DSS (BR/EDR)	2AJOTTA-1178	Part15C (FR952704A)	All sections applicable
DTS (BLE)	2AJOTTA-1178	Part15C (FR952704B)	All sections applicable
DTS (WLAN)	2AJOTTA-1178	Part15C (FR952704C)	All sections applicable
DXX (NFC)	2AJOTTA-1178	Part15C (FR952704D)	All sections applicable



#### 1.5.4 Spot Check Verification Data Section

In order to confirm hardware similarity of the subject device with the reference device, spot check measurements were performed on the subject device for the radiated spurious emission, the test result were consistent with FCC ID: 2AJOTTA-1178.

Assertions concerning the similarity of these devices are based on representations by the applicant. The applicant accepts full responsibility for the validity of the similarity claim, and for the determination that verification test data are sufficient to support it.

Test Item	Mode	2AJOTTA-1178 Worst Result	2AJOTTA-1196 Worst Result	Difference (dB)
Radiated Spurious Emission (dBuV/m)	BT (BR/EDR)	59.15	59.26	0.11
	BT (LE4.2)	44.69	45.24	0.55
	BT (LE5.0)	46.59	47.54	0.95
	802.11g	50.75	50.53	0.22
	NFC	52.51	55.33	2.82



## **Appendix A. Reference Report**

Please refer to Sporton report number FR952704C which is issued separately.