

10672	AAA	IEEE 802.11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAA	IEEE 802.11ax (20MHz, MCS2, 90pc dc)	WLAN	8.78	± 9.6 %
10674	AAA	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAA	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAA	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAA	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAA	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAA	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAA	IEEE 802.11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAA	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	± 9.6 %
10682	AAA	IEEE 802.11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAA	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10686	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAA	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAA	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAA	IEEE 802.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAA	IEEE 802.11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAA	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc dc)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %
10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc dc)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc dc)	WLAN	8.69	± 9.6 %
10706	AAA	IEEE 802.11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAA	IEEE 802.11ax (40MHz, MCS0, 99pc dc)	WLAN	8.32	± 9.6 %
10708	AAA	IEEE 802.11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAA	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAA	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAA	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAA	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 %
10713	AAA	IEEE 802.11ax (40MHz, MCS6, 99pc dc)	WLAN	8.33	± 9.6 %
10714	AAA	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 %
10715	AAA	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6 %
10716	AAA	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	± 9.6 %
10717	AAA	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8.48	± 9.6 %
10718	AAA	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAA	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 %
10720	AAA	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9.6 %
10721	AAA	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 %
10722	AAA	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 %
10723	AAA	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10724	AAA	IEEE 802.11ax (80MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6 %
10725	AAA	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10726	AAA	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 %
10727	AAA	IEEE 802.11ax (80MHz, MCS8, 90pc dc)	WLAN	8.66	± 9.6 %
10728	AAA	IEEE 802.11ax (80MHz, MCS9, 90pc dc)	WLAN	8.65	± 9.6 %
10729	AAA	IEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAA	IEEE 802.11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAA	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAA	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAA	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAA	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAA	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %

10736	AAA	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAA	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAA	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAA	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAA	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAA	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAA	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAA	IEEE 802.11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10744	AAA	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9.16	± 9.6 %
10745	AAA	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10746	AAA	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10747	AAA	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	AAA	IEEE 802.11ax (160MHz, MCS5, 90pc dc)	WLAN	8.93	± 9.6 %
10749	AAA	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAA	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	± 9.6 %
10751	AAA	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAA	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10753	AAA	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	± 9.6 %
10754	AAA	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	± 9.6 %
10755	AAA	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAA	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAA	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAA	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAA	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAA	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAA	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAA	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAA	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAA	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAA	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAA	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAB	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAB	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAC	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %

10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAC	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAC	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAC	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAC	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAC	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %

10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAA	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAA	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10899	AAA	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAA	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAA	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAA	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAA	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAA	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAA	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAA	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAA	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAA	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAA	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAA	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAA	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAA	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAA	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAA	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAA	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAA	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAA	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAA	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAA	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAA	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAA	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAA	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAA	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAA	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAA	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAA	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAA	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAA	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAA	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAA	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAA	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAA	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAA	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAA	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAA	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAA	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAA	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAA	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAA	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAA	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAA	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %

10954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAA	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Appendix E. Conducted RF Output Power Table

The detailed power table are shown as follows.

GSM850		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
TX Channel		128	189	251		128	189	251	
Frequency (MHz)		824.2	836.4	848.8		824.2	836.4	848.8	
GSM 1 Tx slot		32.85	32.80	33.10	34.00	23.85	23.90	24.10	25.00
GPRS 1 Tx slot		32.84	32.89	33.09	34.00	23.84	23.89	24.09	25.00
GPRS 2 Tx slots		30.21	30.28	30.43	31.00	24.21	24.28	24.43	25.00
GPRS 3 Tx slots		28.48	28.43	28.43	29.50	24.22	24.17	24.17	25.24
GPRS 4 Tx slots		27.14	27.18	27.17	28.50	24.14	24.18	24.17	25.50
EDGE 1 Tx slot		26.43	26.43	26.48	28.00	17.43	17.43	17.48	19.00
EDGE 2 Tx slots		23.84	23.78	23.79	25.00	17.84	17.78	17.79	19.00
EDGE 3 Tx slots		23.11	23.05	23.03	24.50	18.85	18.79	18.77	20.24
EDGE 4 Tx slots		21.79	21.80	21.82	23.50	18.79	18.80	18.82	20.50

GSM1900		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
TX Channel		512	661	810		512	661	810	
Frequency (MHz)		1850.2	1880	1909.8		1850.2	1880	1909.8	
GSM 1 Tx slot		30.55	30.43	30.15	31.00	21.55	21.43	21.15	22.00
GPRS 1 Tx slot		30.54	30.41	30.13	31.00	21.54	21.41	21.13	22.00
GPRS 2 Tx slots		28.53	28.56	28.24	29.00	22.53	22.56	22.24	23.00
GPRS 3 Tx slots		27.21	27.07	26.72	27.50	22.95	22.81	22.46	23.24
GPRS 4 Tx slots		25.92	25.85	25.50	26.50	22.92	22.85	22.59	23.50
EDGE 1 Tx slot		25.51	25.38	25.07	26.50	16.51	16.38	16.07	17.50
EDGE 2 Tx slots		23.41	23.26	23.01	24.00	17.41	17.26	17.01	18.00
EDGE 3 Tx slots		22.18	22.07	21.70	23.00	17.82	17.81	17.44	18.74
EDGE 4 Tx slots		20.91	20.76	20.44	22.00	17.91	17.76	17.44	19.00

Band		WCDMA II			Tune-up Limit (dBm)	WCDMA V			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		4132	4182	4233	
Rx Channel		9662	9800	9938		4357	4407	4458	
Frequency (MHz)		1852.4	1880	1907.6		826.4	836.4	846.6	
3GPP Rel 99	AMR 12.2Kbps	23.65	23.43	23.51	25.00	24.20	24.01	24.17	25.00
	RMC 12.2Kbps	23.66	23.44	23.55	25.00	24.23	24.02	24.19	25.00
3GPP Rel 6	HSDPA Subtest-1	22.42	22.41	22.27	24.00	23.31	23.05	23.13	24.50
3GPP Rel 6	HSDPA Subtest-2	22.53	22.51	22.53	24.00	23.26	23.07	23.11	24.50
3GPP Rel 6	HSDPA Subtest-3	21.97	21.98	22.04	23.50	22.78	22.58	22.64	24.00
3GPP Rel 6	HSDPA Subtest-4	22.05	21.99	21.94	23.50	22.78	22.59	22.63	24.00
3GPP Rel 8	DC-HSDPA Subtest-1	22.37	22.39	22.23	23.50	23.28	23.04	23.09	24.00
3GPP Rel 8	DC-HSDPA Subtest-2	22.48	22.49	22.40	23.50	23.23	23.06	23.07	24.00
3GPP Rel 8	DC-HSDPA Subtest-3	21.82	21.96	22.00	23.00	22.75	22.57	22.60	23.50
3GPP Rel 8	DC-HSDPA Subtest-4	22.00	21.97	21.90	23.00	22.75	22.58	22.59	23.50
3GPP Rel 6	HSUPA Subtest-1	22.35	22.20	22.42	24.00	23.00	23.04	23.15	24.50
3GPP Rel 6	HSUPA Subtest-2	20.44	20.32	20.39	22.00	21.25	21.20	21.13	22.50
3GPP Rel 6	HSUPA Subtest-3	21.42	21.29	21.46	23.00	22.24	22.21	22.15	23.50
3GPP Rel 6	HSUPA Subtest-4	20.42	20.41	20.28	22.00	21.31	21.23	21.21	22.50
3GPP Rel 6	HSUPA Subtest-5	22.30	22.30	22.30	24.00	23.20	22.90	23.10	24.50

Band 5 (Cellular Band) Part 22H(only on channel required)									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				20450	20525	20600	24.5	0	
Frequency (MHz)				829	836.5	844			
10	QPSK	1	0	23.54	23.68	23.45			
10	QPSK	1	25	23.67	23.66	23.57			
10	QPSK	1	49	23.24	23.25	23.44	23.5	1	
10	QPSK	25	0	22.67	22.71	22.59			
10	QPSK	25	12	22.70	22.63	22.56			
10	QPSK	25	25	22.63	22.64	22.59			
10	QPSK	50	0	22.61	22.70	22.62	23.5	1	
10	16QAM	1	0	22.59	22.42	22.56			
10	16QAM	1	25	22.55	22.50	22.53			
10	16QAM	1	49	22.30	22.51	22.29			
10	16QAM	25	0	21.76	21.61	21.66	22.5	2	
10	16QAM	25	12	21.60	21.61	21.54			
10	16QAM	25	25	21.52	21.56	21.67			
10	16QAM	50	0	21.68	21.62	21.70			
Channel				20425	20525	20625	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				826.5	836.5	846.5	24.5	0	
5	QPSK	1	0	23.23	23.29	23.32			
5	QPSK	1	12	23.45	23.63	23.44			
5	QPSK	1	24	23.33	23.39	23.30			
5	QPSK	12	0	22.53	22.62	22.56	23.5	1	
5	QPSK	12	7	22.66	22.65	22.60			
5	QPSK	12	13	22.63	22.61	22.52			
5	QPSK	25	0	22.64	22.63	22.58			
5	16QAM	1	0	22.47	22.26	22.40	23.5	1	
5	16QAM	1	12	22.55	22.50	22.56			
5	16QAM	1	24	22.41	22.32	22.31			
5	16QAM	12	0	21.70	21.49	21.52			
5	16QAM	12	7	21.72	21.64	21.68	22.5	2	
5	16QAM	12	13	21.54	21.66	21.66			
5	16QAM	25	0	21.72	21.71	21.49			
Channel				20415	20525	20635			
Frequency (MHz)				825.5	836.5	847.5	24.5	0	
3	QPSK	1	0	23.22	23.24	23.35			
3	QPSK	1	8	23.23	23.23	23.49			
3	QPSK	1	14	23.56	23.35	23.35			
3	QPSK	8	0	22.69	22.71	22.49	23.5	1	
3	QPSK	8	4	22.70	22.75	22.62			
3	QPSK	8	7	22.63	22.71	22.53			
3	QPSK	15	0	22.61	22.67	22.46			
3	16QAM	1	0	22.47	22.37	22.59	23.5	1	
3	16QAM	1	8	22.42	22.38	22.33			
3	16QAM	1	14	22.69	22.50	22.53			
3	16QAM	8	0	21.78	21.64	21.70			
3	16QAM	8	4	21.68	21.54	21.66	22.5	2	
3	16QAM	8	7	21.70	21.71	21.74			
3	16QAM	15	0	21.57	21.43	21.45			
Channel				20407	20525	20643			
Frequency (MHz)				824.7	836.5	848.3	24.5	0	
1.4	QPSK	1	0	23.22	23.30	23.36			
1.4	QPSK	1	3	23.22	23.22	23.24			
1.4	QPSK	1	5	23.40	23.56	23.41			
1.4	QPSK	3	0	23.55	23.65	23.57	23.5	1	
1.4	QPSK	3	1	23.20	23.50	23.50			
1.4	QPSK	3	3	23.65	23.58	23.54			
1.4	QPSK	6	0	22.64	22.58	22.47			
1.4	16QAM	1	0	22.48	22.43	22.36	23.5	1	
1.4	16QAM	1	3	22.86	22.54	22.82			
1.4	16QAM	1	5	22.58	22.54	22.62			
1.4	16QAM	3	0	22.60	22.57	22.52			
1.4	16QAM	3	1	22.60	22.65	22.44	22.5	2	
1.4	16QAM	3	3	22.49	22.67	22.48			
1.4	16QAM	6	0	21.66	21.72	21.34			

Band 7 (2600MHz Band) Part 27									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Time-up limit (dBm)	MPR (dB)	
Channel				20850	21100	21350	23	0	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	0	22.72	22.74	22.71			
20	QPSK	1	49	22.67	22.51	22.53			
20	QPSK	1	99	22.33	22.66	22.32	22	1	
20	QPSK	50	0	21.60	21.70	21.55			
20	QPSK	50	24	21.51	21.55	21.52			
20	QPSK	50	50	21.50	21.55	21.54			
20	QPSK	100	0	21.53	21.54	21.50	22	1	
20	16QAM	1	0	21.29	21.33	21.34			
20	16QAM	1	49	21.64	21.45	21.42			
20	16QAM	1	99	21.43	21.51	21.40			
20	16QAM	50	0	20.69	20.59	20.68	21	2	
20	16QAM	50	24	20.62	20.57	20.57			
20	16QAM	50	50	20.61	20.56	20.68			
20	16QAM	100	0	20.65	20.64	20.53			
Channel				20825	21100	21375	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5	23	0	
15	QPSK	1	0	22.67	22.54	22.52			
15	QPSK	1	37	22.72	22.71	22.69			
15	QPSK	1	74	22.51	22.73	22.65	22	1	
15	QPSK	36	0	21.81	21.62	21.53			
15	QPSK	36	20	21.74	21.65	21.52			
15	QPSK	36	39	21.66	21.63	21.56			
15	QPSK	75	0	21.77	21.59	21.47	22	1	
15	16QAM	1	0	21.64	21.49	21.55			
15	16QAM	1	37	21.82	21.92	21.42			
15	16QAM	1	74	21.58	21.59	21.42			
15	16QAM	36	0	20.88	20.65	20.96	21	2	
15	16QAM	36	20	20.82	20.86	20.63			
15	16QAM	36	39	20.70	20.71	20.67			
15	16QAM	75	0	20.78	20.69	20.62			
Channel				20800	21100	21400	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2505	2535	2565	23	0	
10	QPSK	1	0	22.39	22.37	22.42			
10	QPSK	1	25	22.71	22.73	22.69			
10	QPSK	1	49	22.40	22.51	22.62	22	1	
10	QPSK	25	0	21.69	21.56	21.55			
10	QPSK	25	12	21.74	21.57	21.54			
10	QPSK	25	25	21.47	21.50	21.51			
10	QPSK	50	0	21.71	21.54	21.56	22	1	
10	16QAM	1	0	21.49	21.35	21.40			
10	16QAM	1	25	21.61	21.39	21.39			
10	16QAM	1	49	21.32	21.54	21.47			
10	16QAM	25	0	20.82	20.63	20.69	21	2	
10	16QAM	25	12	20.79	20.58	20.72			
10	16QAM	25	25	20.53	20.58	20.72			
10	16QAM	50	0	20.71	20.66	20.77			
Channel				20775	21100	21425	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5	23	0	
5	QPSK	1	0	22.35	22.35	22.37			
5	QPSK	1	12	22.68	22.71	22.72			
5	QPSK	1	24	22.42	22.35	22.36	22	1	
5	QPSK	12	0	21.63	21.58	21.45			
5	QPSK	12	7	21.74	21.48	21.48			
5	QPSK	12	13	21.67	21.55	21.48			
5	QPSK	25	0	21.71	21.52	21.53	22	1	
5	16QAM	1	0	21.41	21.32	21.32			
5	16QAM	1	12	21.57	21.76	21.37			
5	16QAM	1	24	21.59	21.28	21.39			
5	16QAM	12	0	20.73	20.59	20.56	21	2	
5	16QAM	12	7	20.75	20.77	20.53			
5	16QAM	12	13	20.67	20.69	20.49			
5	16QAM	25	0	20.78	20.80	20.64			

Band 38(only on channel required)									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				37850	38000	38150	24.5	0	
Frequency (MHz)				2580	2595	2610			
20	QPSK	1	0	22.76	23.04	23.01			
20	QPSK	1	49	22.88	22.87	23.01	23.5	1	
20	QPSK	1	99	22.89	22.96	22.98			
20	QPSK	50	0	21.61	21.86	21.84			
20	QPSK	50	24	21.60	21.75	21.85			
20	QPSK	50	50	21.60	21.78	21.82			
20	QPSK	100	0	21.67	21.69	21.86	23.5	1	
20	16QAM	1	0	21.78	21.87	21.88			
20	16QAM	1	49	21.70	21.88	21.81			
20	16QAM	1	99	21.62	21.84	21.83			
20	16QAM	50	0	20.67	20.58	20.97			
20	16QAM	50	24	20.58	20.76	20.72	22.5	2	
20	16QAM	50	50	20.81	20.66	21.04			
20	16QAM	100	0	20.76	20.81	20.88			
Channel				37825	38000	38175	24.5	0	
Frequency (MHz)				2577.5	2595	2612.5			
15	QPSK	1	0	22.70	22.98	22.89			
15	QPSK	1	37	22.57	22.70	22.78	23.5	1	
15	QPSK	1	74	22.67	22.55	22.76			
15	QPSK	36	0	21.68	21.65	21.74			
15	QPSK	36	20	21.52	21.66	21.80			
15	QPSK	36	39	21.64	21.50	21.79			
15	QPSK	75	0	21.52	21.56	21.63	23.5	1	
15	16QAM	1	0	21.65	21.63	21.56			
15	16QAM	1	37	21.56	21.56	21.70			
15	16QAM	1	74	21.78	21.59	21.58			
15	16QAM	36	0	20.73	20.53	20.51			
15	16QAM	36	20	20.62	20.65	20.61	22.5	2	
15	16QAM	36	39	20.65	20.55	20.77			
15	16QAM	75	0	20.87	20.61	20.73			
Channel				37800	38000	38200	24.5	0	
Frequency (MHz)				2575	2595	2615			
10	QPSK	1	0	22.69	23.01	22.98			
10	QPSK	1	25	22.70	22.80	22.82	23.5	1	
10	QPSK	1	49	22.61	22.88	22.83			
10	QPSK	25	0	21.79	21.74	21.78			
10	QPSK	25	12	21.75	21.73	21.70			
10	QPSK	25	25	21.57	21.67	21.73			
10	QPSK	50	0	21.66	21.68	21.69	23.5	1	
10	16QAM	1	0	21.56	21.88	21.83			
10	16QAM	1	25	21.71	21.72	21.82			
10	16QAM	1	49	21.78	21.54	21.80			
10	16QAM	25	0	21.06	20.78	20.89			
10	16QAM	25	12	20.84	21.05	20.85	22.5	2	
10	16QAM	25	25	21.02	20.91	20.92			
10	16QAM	50	0	20.84	20.75	20.81			
Channel				37775	38000	38225	24.5	0	
Frequency (MHz)				2572.5	2595	2617.5			
5	QPSK	1	0	22.68	22.52	22.65			
5	QPSK	1	12	22.87	22.76	22.78	23.5	1	
5	QPSK	1	24	22.74	22.61	22.74			
5	QPSK	12	0	21.83	21.65	21.68			
5	QPSK	12	7	21.87	21.73	21.81			
5	QPSK	12	13	21.69	21.71	22.00			
5	QPSK	25	0	21.52	21.69	21.90	23.5	1	
5	16QAM	1	0	21.88	21.89	21.57			
5	16QAM	1	12	21.65	21.57	21.78			
5	16QAM	1	24	21.60	21.76	21.77			
5	16QAM	12	0	20.71	20.57	20.80			
5	16QAM	12	7	20.90	20.82	20.70	22.5	2	
5	16QAM	12	13	20.80	20.64	20.81			
5	16QAM	25	0	21.05	20.79	20.80			

Band 41 (2.6G Band)									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Low Ch. / Freq.	Power Middle High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				40140	40400	40670	41140	24.5	0
Frequency (MHz)				2545	2571	2598	2645		
20	QPSK	1	0	23.32	23.30	23.42	23.25		
20	QPSK	1	49	23.30	23.34	22.95	23.27		
20	QPSK	1	99	23.12	23.22	23.32	23.14		
20	QPSK	50	0	22.20	22.23	22.25	22.20	23.5	1
20	QPSK	50	24	22.24	22.21	22.12	22.17		
20	QPSK	50	50	22.09	21.87	21.86	22.18		
20	QPSK	100	0	22.22	21.89	22.23	22.16		
20	16QAM	1	0	21.99	21.76	21.74	21.61		
20	16QAM	1	49	21.87	21.98	21.74	21.79	23.5	1
20	16QAM	1	99	21.88	21.53	21.86	21.77		
20	16QAM	50	0	21.03	20.91	20.82	21.22		
20	16QAM	50	24	21.21	21.08	21.00	21.14	22.5	2
20	16QAM	50	50	21.09	20.85	20.85	21.12		
20	16QAM	100	0	21.37	21.03	20.89	21.10		
Channel				40115	40395	40685	41165	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2542.5	2570.5	2599.5	2647.5	24.5	0
15	QPSK	1	0	23.39	23.14	23.10	23.25		
15	QPSK	1	37	23.41	23.35	23.24	23.34		
15	QPSK	1	74	23.23	23.12	23.34	23.22		
15	QPSK	36	0	22.33	22.06	21.98	22.19		
15	QPSK	36	20	22.34	22.01	22.11	22.26	23.5	1
15	QPSK	36	39	22.28	21.84	22.01	22.24		
15	QPSK	75	0	22.32	22.02	21.97	22.27		
15	16QAM	1	0	22.10	21.86	21.79	22.08		
15	16QAM	1	37	22.12	21.82	21.85	22.04		
15	16QAM	1	74	22.09	21.87	21.68	22.01	23.5	1
15	16QAM	36	0	21.12	20.96	20.87	21.23		
15	16QAM	36	20	21.21	21.01	21.02	21.20		
15	16QAM	36	39	21.22	20.95	20.94	21.32	22.5	2
15	16QAM	75	0	21.39	21.07	21.03	21.44		
Channel				40090	40390	40690	41190	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2540	2570	2600	2650	24.5	0
10	QPSK	1	0	23.31	23.09	22.99	23.18		
10	QPSK	1	25	23.23	23.14	23.09	23.20		
10	QPSK	1	49	23.22	23.09	22.98	23.19		
10	QPSK	25	0	22.16	22.08	22.10	22.24		
10	QPSK	25	12	22.21	22.08	22.08	22.23	23.5	1
10	QPSK	25	25	22.18	21.92	22.03	22.21		
10	QPSK	50	0	22.24	22.10	22.11	22.27		
10	16QAM	1	0	21.75	21.82	22.04	22.01		
10	16QAM	1	25	22.01	21.76	22.08	22.09		
10	16QAM	1	49	22.05	21.72	21.96	22.05	23.5	1
10	16QAM	25	0	21.28	20.97	21.25	21.31		
10	16QAM	25	12	21.12	20.96	21.23	21.28		
10	16QAM	25	25	21.21	20.89	21.18	21.22	22.5	2
10	16QAM	50	0	21.40	21.09	21.28	21.39		
Channel				40065	40385	40705	41215	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2537.5	2569.5	2601.5	2652.5	24.5	0
5	QPSK	1	0	23.01	22.80	22.89	23.17		
5	QPSK	1	12	23.12	23.01	23.09	23.12		
5	QPSK	1	24	23.09	22.82	22.70	23.16		
5	QPSK	12	0	22.29	21.94	21.90	22.35		
5	QPSK	12	7	22.28	22.00	21.97	22.22	23.5	1
5	QPSK	12	13	22.17	21.95	21.98	22.17		
5	QPSK	25	0	22.13	21.92	21.92	22.19		
5	16QAM	1	0	21.57	21.87	21.78	21.80		
5	16QAM	1	12	21.78	21.91	21.88	21.67		
5	16QAM	1	24	21.97	21.64	21.70	21.59	23.5	1
5	16QAM	12	0	21.29	20.87	21.11	21.16		
5	16QAM	12	7	21.28	20.84	21.09	21.20		
5	16QAM	12	13	21.34	20.88	21.07	21.21	22.5	2
5	16QAM	25	0	21.12	20.89	21.26	21.23		

2.4GHz WLAN	Ant 1					
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	802.11b 1Mbps	1	2412	17.02	18.00	100.00
		6	2437	17.08	18.00	
		11	2462	16.94	18.00	
	802.11g 6Mbps	1	2412	15.87	17.00	97.92
		6	2437	15.98	17.00	
		11	2462	15.91	17.00	
	802.11n-HT20 MCS0	1	2412	15.15	16.00	97.78
		6	2437	15.12	16.00	
		11	2462	14.98	16.00	
	802.11n-HT40 MCS0	3	2422	15.68	17.00	94.89
		6	2437	15.78	17.00	
		9	2452	15.85	17.00	

BT BR/EDR

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	6.74	4.82	4.75
	CH 39	2441	7.32	5.74	5.52
	CH 78	2480	6.81	5.37	5.04
Tune-up Limit			8.00	6.00	6.00

BT LE 4.0

Mode	Channel	Frequency (MHz)	Average power (dBm)
			GFSK
LE	CH 00	2402	0.70
	CH 19	2440	0.58
	CH 39	2480	-0.54
Tune-up Limit			1.00