

Appendix B

GSM 850 & 1900



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

CONTENT

	Page
1. EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	4
1.1. Test Result	4
2. PEAK-TO-AVERAGE RATIO	6
2.1. Test Result	6
2.2. Part II - Test Plots	7
3. MODULATION CHARACTERISTICS	13
3.1. For GSM	13
3.1.1. Test Band = GSM 850	13
3.1.1.1. Test Mode = GSM/TM1	13
3.1.1.1.1. Test Channel = MCH	13
3.1.1.2. Test Mode = GSM/TM2	14
3.1.1.2.1. Test Channel = MCH	14
3.1.2. Test Band = GSM 1900	15
3.1.2.1. Test Mode = GSM/TM1	15
3.1.2.1.1. Test Channel = MCH	15
3.1.2.2. Test Mode = GSM/TM2	16
3.1.2.2.1. Test Channel = MCH	16
4. 26dB BANDWIDTH AND OCCUPIED BANDWIDTH	17
4.1. Test Result	17
4.2. Test Plots	17
5. BAND EDGE COMPLIANCE	24
5.1. Test Plots	24
6. SPURIOUS EMISSION AT ANTENNA TERMINAL	29
6.1. Test Plots	29
7. FIELD STRENGTH OF SPURIOUS RADIATION	42
7.1. Test Band = GSM 1900	42
7.1.1. Test Channel = LCH	42
7.1.2. Test Channel = MCH	42
7.1.3. Test Channel = HCH	43
7.2. Test Band = GSM 850	44
7.2.1. Test Channel = LCH	44
7.2.2. Test Channel = MCH	44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



7.2.3. Test Channel = HCH.....	45
8. FREQUENCY STABILITY	46
8.1. Frequency Error Vs Voltage.....	46
8.2. Frequency Error Vs Temperature.....	47



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



1. Effective (Isotropic) Radiated Power Output Data

1.1. Test Result

2. Band	Channel	Slot	Conducted Power (dBm)	ERP (dBm)	Limit(dBm)	Verdict
GSM850	128	---	32.64	23.49	38.45	PASS
GSM850	190	---	32.60	23.45	38.45	PASS
GSM850	251	---	32.31	23.16	38.45	PASS
EGPRS850	128	1	26.45	17.3	38.45	PASS
EGPRS850	128	2	24.10	14.95	38.45	PASS
EGPRS850	128	3	23.48	14.33	38.45	PASS
EGPRS850	128	4	22.31	13.16	38.45	PASS
EGPRS850	190	1	26.46	17.31	38.45	PASS
EGPRS850	190	2	24.06	14.91	38.45	PASS
EGPRS850	190	3	23.40	14.25	38.45	PASS
EGPRS850	190	4	22.24	13.09	38.45	PASS
EGPRS850	251	1	26.38	17.23	38.45	PASS
EGPRS850	251	2	23.94	14.79	38.45	PASS
EGPRS850	251	3	23.29	14.14	38.45	PASS
EGPRS850	251	4	22.10	12.95	38.45	PASS

Band	Channel	Slot	Conducted Power (dBm)	EIRP (dBm)	Limit(dBm)	Verdict
GSM1900	512	---	29.39	23.39	33.00	PASS
GSM1900	661	---	29.92	23.92	33.00	PASS
GSM1900	810	---	30.02	24.02	33.00	PASS
EGPRS1900	512	1	24.73	18.73	33.00	PASS
EGPRS1900	512	2	22.61	16.61	33.00	PASS
EGPRS1900	512	3	21.47	15.47	33.00	PASS
EGPRS1900	512	4	20.36	14.36	33.00	PASS
EGPRS1900	661	1	25.32	19.32	33.00	PASS
EGPRS1900	661	2	23.15	17.15	33.00	PASS
EGPRS1900	661	3	22.02	16.02	33.00	PASS
EGPRS1900	661	4	20.91	14.91	33.00	PASS
EGPRS1900	810	1	25.59	19.59	33.00	PASS
EGPRS1900	810	2	23.41	17.41	33.00	PASS
EGPRS1900	810	3	22.30	16.3	33.00	PASS
EGPRS1900	810	4	21.14	15.14	33.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057
中国·深圳·科技园中区M-10栋一号厂房

t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CCC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2. Peak-to-Average Ratio


2.1. Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	8.99	13	PASS
GSM850	190	8.93	13	PASS
GSM850	251	8.99	13	PASS
EGPRS850	128	11.88	13	PASS
EGPRS850	190	12	13	PASS
EGPRS850	251	11.74	13	PASS
GSM1900	512	8.93	13	PASS
GSM1900	661	8.96	13	PASS
GSM1900	810	8.96	13	PASS
EGPRS1900	512	11.94	13	PASS
EGPRS1900	661	12.72	13	PASS
EGPRS1900	810	12.03	13	PASS




2.2.Part II - Test Plots

GSM850-128



Date: 16.OCT.2020 19:33:09


GSM850-190



Date: 16.OCT.2020 19:33:19




GSM850-251



Date: 16.OCT.2020 19:33:28


EGPRS850-128



Date: 16.OCT.2020 19:39:00




EGPRS850-190



Date: 16.OCT.2020 19:39:11


EGPRS850-251



Date: 16.OCT.2020 19:39:21




GSM1900-512



Date: 16.OCT.2020 19:21:17


GSM1900-661



Date: 16.OCT.2020 19:21:26




GSM1900-810



Date: 16.OCT.2020 19:21:36


EGPRS1900-512



Date: 16.OCT.2020 19:27:18




EGPRS1900-661



Date: 16.OCT.2020 19:27:28

EGPRS1900-810



Date: 16.OCT.2020 19:27:39




3. Modulation Characteristics

3.1. For GSM

3.1.1. Test Band = GSM 850


3.1.1.1. Test Mode = GSM/TM1

3.1.1.1.1. Test Channel = MCH



3.1.1.2. Test Mode = GSM/TM2


3.1.1.2.1. Test Channel = MCH



3.1.2. Test Band = GSM 1900

3.1.2.1. Test Mode = GSM/TM1

3.1.2.1.1. Test Channel = MCH




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3.1.2.2. Test Mode = GSM/TM2

3.1.2.2.1. Test Channel = MCH



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




4. 26dB Bandwidth and Occupied Bandwidth

4.1. Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	128	0.247	0.323	---	PASS
GSM850	190	0.248	0.323	---	PASS
GSM850	251	0.247	0.323	---	PASS
EGPRS850	128	0.246	0.320	---	PASS
EGPRS850	190	0.245	0.318	---	PASS
EGPRS850	251	0.245	0.317	---	PASS
GSM1900	512	0.247	0.323	---	PASS
GSM1900	661	0.247	0.322	---	PASS
GSM1900	810	0.249	0.323	---	PASS
EGPRS1900	512	0.243	0.315	---	PASS
EGPRS1900	661	0.244	0.317	---	PASS
EGPRS1900	810	0.245	0.318	---	PASS


4.2. Test Plots



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

GSM850-190



Date: 16.OCT.2020 19:35:36


GSM850-251



Date: 16.OCT.2020 19:35:54




EGPRS850-128



Date: 16.OCT.2020 19:41:15


EGPRS850-190



Date: 16.OCT.2020 19:41:34




EGPRS850-251



Date: 16.OCT.2020 19:41:53


GSM1900-512



Date: 16.OCT.2020 19:23:26




GSM1900-661



Date: 16.OCT.2020 19:23:45


GSM1900-810



Date: 16.OCT.2020 19:24:03




EGPRS1900-512



Date: 16.OCT.2020 19:29:32


EGPRS1900-661



Date: 16.OCT.2020 19:29:51



EGPRS1900-810




Date: 16.OCT.2020 19:30:10




5. Band Edge Compliance

5.1. Test Plots




GSM850-251



Date: 16.OCT.2020 19:36:15


EGPRS850-128



Date: 16.OCT.2020 19:42:04




EGPRS850-251



Date: 16.OCT.2020 19:42:15

GSM1900-512



Date: 16.OCT.2020 19:24:14




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

GSM1900-810




Date: 16.OCT.2020 19:24:24

EGPRS1900-512



Date: 16.OCT.2020 19:30:21





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.

6.1. Test Plots




GSM850-128-1000~10000MHz



Date: 16.OCT.2020 19:36:48

GSM850-190-30~1000MHz



Date: 16.OCT.2020 19:36:58




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CCC Laboratory)


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

GSM850-190-1000~10000MHz



Date: 16.OCT.2020 19:37:20


GSM850-251-30~1000MHz



Date: 16.OCT.2020 19:37:30




GSM850-251-1000~10000MHz



Date: 16.OCT.2020 19:37:53

EGPRS850-128-30~1000MHz




Date: 16.OCT.2020 19:42:26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

EGPRS850-128-1000~10000MHz



Date: 16.OCT.2020 19:42:49


EGPRS850-190-30~1000MHz



Date: 16.OCT.2020 19:42:59




EGPRS850-190-1000~10000MHz



Date: 16.OCT.2020 19:43:22


EGPRS850-251-30~1000MHz



Date: 16.OCT.2020 19:43:34




EGPRS850-251-1000~10000MHz



Date: 16.OCT.2020 19:43:57


GSM1900-512-30~1000MHz



Date: 16.OCT.2020 19:24:33




GSM1900-512-1000~20000MHz



Date: 16.OCT.2020 19:25:39


GSM1900-661-30~1000MHz



Date: 16.OCT.2020 19:25:48




GSM1900-661-1000~20000MHz



Date: 16.OCT.2020 19:26:12


GSM1900-810-30~1000MHz



Date: 16.OCT.2020 19:26:20




GSM1900-810-1000~20000MHz



Date: 16.OCT.2020 19:26:44


EGPRS1900-512-30~1000MHz



Date: 16.OCT.2020 19:30:42




EGPRS1900-512-1000~20000MHz



Date: 16.OCT.2020 19:31:06


EGPRS1900-661-30~1000MHz



Date: 16.OCT.2020 19:31:15




EGPRS1900-661-1000~20000MHz



Date: 16.OCT.2020 19:31:39


EGPRS1900-810-30~1000MHz



Date: 16.OCT.2020 19:31:51



EGPRS1900-810-1000~20000MHz



Date: 16.OCT.2020 19:32:15



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center CCC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



7. Field Strength of Spurious Radiation

7.1. Test Band = GSM 1900

7.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.8245	-66.69	-13.00	53.69	Vertical
116.5768	-64.95	-13.00	51.95	Vertical
596.5083	-64.15	-13.00	51.15	Vertical
3886.0295	-61.80	-13.00	48.80	Vertical
7365.1455	-56.01	-13.00	43.01	Vertical
17998.5000	-40.32	-13.00	27.32	Vertical
44.1627	-64.53	-13.00	51.53	Horizontal
85.6808	-75.73	-13.00	62.73	Horizontal
232.2066	-67.64	-13.00	54.64	Horizontal
3593.0198	-60.71	-13.00	47.71	Horizontal
7360.1453	-56.66	-13.00	43.66	Horizontal
16399.4466	-43.91	-13.00	30.91	Horizontal

7.1.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.8730	-67.30	-13.00	54.30	Vertical
111.8236	-64.89	-13.00	51.89	Vertical
603.6867	-63.84	-13.00	50.84	Vertical
3757.0252	-62.08	-13.00	49.08	Vertical
7382.1461	-55.57	-13.00	42.57	Vertical
17994.9998	-39.84	-13.00	26.84	Vertical
41.7861	-64.01	-13.00	51.01	Horizontal
102.5111	-74.13	-13.00	61.13	Horizontal
232.7886	-67.84	-13.00	54.84	Horizontal
3632.0211	-60.94	-13.00	47.94	Horizontal
7477.1492	-56.52	-13.00	43.52	Horizontal
16401.4467	-43.17	-13.00	30.17	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.6305	-69.91	-13.00	56.91	Vertical
115.5583	-65.06	-13.00	52.06	Vertical
478.9384	-66.24	-13.00	53.24	Vertical
5051.5684	-62.20	-13.00	49.20	Vertical
7356.6452	-55.60	-13.00	42.60	Vertical
17999.5000	-40.29	-13.00	27.29	Vertical
41.6891	-63.79	-13.00	50.79	Horizontal
98.7764	-75.49	-13.00	62.49	Horizontal
233.5647	-67.67	-13.00	54.67	Horizontal
3623.0208	-61.56	-13.00	48.56	Horizontal
7483.6495	-56.75	-13.00	43.75	Horizontal
16398.4466	-43.95	-13.00	30.95	Horizontal



7.2. Test Band = GSM 850

7.2.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.7760	-64.97	-13.00	51.97	Vertical
110.9020	-63.81	-13.00	50.81	Vertical
337.6024	-67.49	-13.00	54.49	Vertical
1764.1528	-62.19	-13.00	49.19	Vertical
3000.0000	-55.50	-13.00	42.50	Vertical
9893.5965	-52.29	-13.00	39.29	Vertical
44.7932	-61.97	-13.00	48.97	Horizontal
97.2729	-74.51	-13.00	61.51	Horizontal
241.8101	-67.56	-13.00	54.56	Horizontal
1779.3559	-60.38	-13.00	47.38	Horizontal
2699.9400	-55.15	-13.00	42.15	Horizontal
9331.7111	-52.69	-13.00	39.69	Horizontal

7.2.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
31.1156	-66.08	-13.00	53.08	Vertical
109.8350	-64.09	-13.00	51.09	Vertical
372.3786	-66.90	-13.00	53.90	Vertical
1777.3555	-61.20	-13.00	48.20	Vertical
2473.4947	-56.41	-13.00	43.41	Vertical
9871.1957	-51.91	-13.00	38.91	Vertical
42.9016	-63.86	-13.00	50.86	Horizontal
98.4369	-74.72	-13.00	61.72	Horizontal
232.2066	-67.57	-13.00	54.57	Horizontal
1779.3559	-61.23	-13.00	48.23	Horizontal
2693.9388	-55.39	-13.00	42.39	Horizontal
9305.5769	-52.75	-13.00	39.75	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CMAA) Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.2.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
31.1641	-67.26	-13.00	54.26	Vertical
111.3386	-64.20	-13.00	51.20	Vertical
383.8737	-65.91	-13.00	52.91	Vertical
1773.3547	-61.22	-13.00	48.22	Vertical
2687.9376	-56.33	-13.00	43.33	Vertical
9795.8265	-52.22	-13.00	39.22	Vertical
43.6292	-63.66	-13.00	50.66	Horizontal
82.7706	-74.35	-13.00	61.35	Horizontal
233.6132	-67.29	-13.00	54.29	Horizontal
1779.3559	-61.48	-13.00	48.48	Horizontal
2699.9400	-55.25	-13.00	42.25	Horizontal
9340.8114	-52.87	-13.00	39.87	Horizontal

Remark:

- 1) According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2) The disturbance above 12.75GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.





8. Frequency Stability

8.1. Frequency Error Vs Voltage

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VL	NT	19.24	0.023344	±2.5	PASS
GSM850	128	VN	NT	19.08	0.023150	±2.5	PASS
GSM850	128	VH	NT	16.63	0.020177	±2.5	PASS
GSM850	190	VL	NT	19.82	0.023691	±2.5	PASS
GSM850	190	VN	NT	18.50	0.022113	±2.5	PASS
GSM850	190	VH	NT	16.63	0.019878	±2.5	PASS
GSM850	251	VL	NT	20.24	0.023845	±2.5	PASS
GSM850	251	VN	NT	20.79	0.024493	±2.5	PASS
GSM850	251	VH	NT	18.98	0.022361	±2.5	PASS
EGPRS850	128	VL	NT	31.77	0.038546	±2.5	PASS
EGPRS850	128	VN	NT	31.19	0.037843	±2.5	PASS
EGPRS850	128	VH	NT	29.96	0.036350	±2.5	PASS
EGPRS850	190	VL	NT	29.06	0.034736	±2.5	PASS
EGPRS850	190	VN	NT	29.77	0.035585	±2.5	PASS
EGPRS850	190	VH	NT	29.41	0.035154	±2.5	PASS
EGPRS850	251	VL	NT	27.96	0.032941	±2.5	PASS
EGPRS850	251	VN	NT	29.41	0.034649	±2.5	PASS
EGPRS850	251	VH	NT	33.25	0.039173	±2.5	PASS
GSM1900	512	VL	NT	5.59	0.003021	±2.5	PASS
GSM1900	512	VN	NT	7.97	0.004308	±2.5	PASS
GSM1900	512	VH	NT	12.69	0.006859	±2.5	PASS
GSM1900	661	VL	NT	7.33	0.003899	±2.5	PASS
GSM1900	661	VN	NT	8.65	0.004601	±2.5	PASS
GSM1900	661	VH	NT	6.78	0.003606	±2.5	PASS
GSM1900	810	VL	NT	12.91	0.006760	±2.5	PASS
GSM1900	810	VN	NT	10.49	0.005493	±2.5	PASS
GSM1900	810	VH	NT	11.95	0.006257	±2.5	PASS
EGPRS1900	512	VL	NT	19.37	0.010469	±2.5	PASS
EGPRS1900	512	VN	NT	20.18	0.010907	±2.5	PASS
EGPRS1900	512	VH	NT	25.76	0.013923	±2.5	PASS
EGPRS1900	661	VL	NT	20.24	0.010766	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



EGPRS1900	661	VN	NT	16.56	0.008809	±2.5	PASS
EGPRS1900	661	VH	NT	23.76	0.012638	±2.5	PASS
EGPRS1900	810	VL	NT	22.37	0.011713	±2.5	PASS
EGPRS1900	810	VN	NT	23.15	0.012122	±2.5	PASS
EGPRS1900	810	VH	NT	22.86	0.011970	±2.5	PASS

8.2. Frequency Error Vs Temperature

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	14.79	0.017945	±2.5	PASS
GSM850	128	NV	-20	18.79	0.022798	±2.5	PASS
GSM850	128	NV	-10	19.37	0.023502	±2.5	PASS
GSM850	128	NV	0	19.86	0.024096	±2.5	PASS
GSM850	128	NV	10	14.69	0.017823	±2.5	PASS
GSM850	128	NV	20	15.11	0.018333	±2.5	PASS
GSM850	128	NV	30	16.82	0.020408	±2.5	PASS
GSM850	128	NV	40	17.60	0.021354	±2.5	PASS
GSM850	128	NV	50	16.27	0.019740	±2.5	PASS
GSM850	190	NV	-30	18.27	0.021838	±2.5	PASS
GSM850	190	NV	-20	18.21	0.021767	±2.5	PASS
GSM850	190	NV	-10	18.69	0.022340	±2.5	PASS
GSM850	190	NV	0	19.24	0.022998	±2.5	PASS
GSM850	190	NV	10	17.95	0.021456	±2.5	PASS
GSM850	190	NV	20	16.92	0.020225	±2.5	PASS
GSM850	190	NV	30	19.21	0.022962	±2.5	PASS
GSM850	190	NV	40	16.59	0.019830	±2.5	PASS
GSM850	190	NV	50	15.72	0.018790	±2.5	PASS
GSM850	251	NV	-30	21.99	0.025907	±2.5	PASS
GSM850	251	NV	-20	19.18	0.022597	±2.5	PASS
GSM850	251	NV	-10	16.53	0.019475	±2.5	PASS
GSM850	251	NV	0	16.18	0.019062	±2.5	PASS
GSM850	251	NV	10	22.47	0.026473	±2.5	PASS
GSM850	251	NV	20	19.79	0.023315	±2.5	PASS
GSM850	251	NV	30	19.63	0.023127	±2.5	PASS
GSM850	251	NV	40	19.31	0.022750	±2.5	PASS
GSM850	251	NV	50	22.44	0.026437	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

EGPRS850	128	NV	-30	31.28	0.037952	±2.5	PASS
EGPRS850	128	NV	-20	26.99	0.032747	±2.5	PASS
EGPRS850	128	NV	-10	28.96	0.035137	±2.5	PASS
EGPRS850	128	NV	0	30.41	0.036896	±2.5	PASS
EGPRS850	128	NV	10	30.96	0.037564	±2.5	PASS
EGPRS850	128	NV	20	30.93	0.037527	±2.5	PASS
EGPRS850	128	NV	30	31.06	0.037685	±2.5	PASS
EGPRS850	128	NV	40	31.93	0.038741	±2.5	PASS
EGPRS850	128	NV	50	29.09	0.035295	±2.5	PASS
EGPRS850	190	NV	-30	29.67	0.035465	±2.5	PASS
EGPRS850	190	NV	-20	30.74	0.036744	±2.5	PASS
EGPRS850	190	NV	-10	29.15	0.034843	±2.5	PASS
EGPRS850	190	NV	0	29.93	0.035776	±2.5	PASS
EGPRS850	190	NV	10	27.96	0.033421	±2.5	PASS
EGPRS850	190	NV	20	30.12	0.036003	±2.5	PASS
EGPRS850	190	NV	30	27.73	0.033146	±2.5	PASS
EGPRS850	190	NV	40	29.12	0.034808	±2.5	PASS
EGPRS850	190	NV	50	28.31	0.033839	±2.5	PASS
EGPRS850	251	NV	-30	30.61	0.036063	±2.5	PASS
EGPRS850	251	NV	-20	31.19	0.036746	±2.5	PASS
EGPRS850	251	NV	-10	29.57	0.034837	±2.5	PASS
EGPRS850	251	NV	0	30.70	0.036169	±2.5	PASS
EGPRS850	251	NV	10	30.12	0.035485	±2.5	PASS
EGPRS850	251	NV	20	32.32	0.038077	±2.5	PASS
EGPRS850	251	NV	30	29.44	0.034684	±2.5	PASS
EGPRS850	251	NV	40	30.06	0.035415	±2.5	PASS
EGPRS850	251	NV	50	32.38	0.038148	±2.5	PASS
GSM1900	512	NV	-30	11.11	0.006005	±2.5	PASS
GSM1900	512	NV	-20	7.33	0.003962	±2.5	PASS
GSM1900	512	NV	-10	3.42	0.001848	±2.5	PASS
GSM1900	512	NV	0	11.56	0.006248	±2.5	PASS
GSM1900	512	NV	10	9.65	0.005216	±2.5	PASS
GSM1900	512	NV	20	6.84	0.003697	±2.5	PASS
GSM1900	512	NV	30	10.62	0.005740	±2.5	PASS
GSM1900	512	NV	40	5.23	0.002827	±2.5	PASS
GSM1900	512	NV	50	12.72	0.006875	±2.5	PASS
GSM1900	661	NV	-30	3.81	0.002027	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

GSM1900	661	NV	-20	7.81	0.004154	±2.5	PASS
GSM1900	661	NV	-10	5.59	0.002973	±2.5	PASS
GSM1900	661	NV	0	-0.03	-0.000016	±2.5	PASS
GSM1900	661	NV	10	3.33	0.001771	±2.5	PASS
GSM1900	661	NV	20	4.16	0.002213	±2.5	PASS
GSM1900	661	NV	30	6.97	0.003707	±2.5	PASS
GSM1900	661	NV	40	5.10	0.002713	±2.5	PASS
GSM1900	661	NV	50	3.68	0.001957	±2.5	PASS
GSM1900	810	NV	-30	9.14	0.004786	±2.5	PASS
GSM1900	810	NV	-20	10.07	0.005273	±2.5	PASS
GSM1900	810	NV	-10	13.53	0.007085	±2.5	PASS
GSM1900	810	NV	0	16.82	0.008807	±2.5	PASS
GSM1900	810	NV	10	10.78	0.005645	±2.5	PASS
GSM1900	810	NV	20	16.40	0.008587	±2.5	PASS
GSM1900	810	NV	30	15.21	0.007964	±2.5	PASS
GSM1900	810	NV	40	12.07	0.006320	±2.5	PASS
GSM1900	810	NV	50	11.14	0.005833	±2.5	PASS
EGPRS1900	512	NV	-30	23.12	0.012496	±2.5	PASS
EGPRS1900	512	NV	-20	22.99	0.012426	±2.5	PASS
EGPRS1900	512	NV	-10	23.54	0.012723	±2.5	PASS
EGPRS1900	512	NV	0	24.21	0.013085	±2.5	PASS
EGPRS1900	512	NV	10	21.63	0.011691	±2.5	PASS
EGPRS1900	512	NV	20	24.15	0.013053	±2.5	PASS
EGPRS1900	512	NV	30	22.99	0.012426	±2.5	PASS
EGPRS1900	512	NV	40	21.37	0.011550	±2.5	PASS
EGPRS1900	512	NV	50	19.50	0.010539	±2.5	PASS
EGPRS1900	661	NV	-30	21.05	0.011197	±2.5	PASS
EGPRS1900	661	NV	-20	21.83	0.011612	±2.5	PASS
EGPRS1900	661	NV	-10	22.83	0.012144	±2.5	PASS
EGPRS1900	661	NV	0	20.11	0.010697	±2.5	PASS
EGPRS1900	661	NV	10	24.76	0.013170	±2.5	PASS
EGPRS1900	661	NV	20	20.95	0.011144	±2.5	PASS
EGPRS1900	661	NV	30	23.28	0.012383	±2.5	PASS
EGPRS1900	661	NV	40	21.76	0.011574	±2.5	PASS
EGPRS1900	661	NV	50	19.82	0.010543	±2.5	PASS
EGPRS1900	810	NV	-30	26.89	0.014080	±2.5	PASS
EGPRS1900	810	NV	-20	22.37	0.011713	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



EGPRS1900	810	NV	-10	24.63	0.012897	±2.5	PASS
EGPRS1900	810	NV	0	24.89	0.013033	±2.5	PASS
EGPRS1900	810	NV	10	22.96	0.012022	±2.5	PASS
EGPRS1900	810	NV	20	23.47	0.012289	±2.5	PASS
EGPRS1900	810	NV	30	20.34	0.010650	±2.5	PASS
EGPRS1900	810	NV	40	22.63	0.011849	±2.5	PASS
EGPRS1900	810	NV	50	25.47	0.013336	±2.5	PASS

The End

