



Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	9.96	0.01	-2.5 to 2.5	Pass
					3.85	8.41	0.01	-2.5 to 2.5	Pass
					4.43	7.64	0.01	-2.5 to 2.5	Pass
				-30	3.85	10.34	0.01	-2.5 to 2.5	Pass
				-20	3.85	8.76	0.01	-2.5 to 2.5	Pass
				-10	3.85	5.64	0.01	-2.5 to 2.5	Pass
				0	3.85	4.06	0.00	-2.5 to 2.5	Pass
				10	3.85	1.07	0.00	-2.5 to 2.5	Pass
				30	3.85	-2.48	-0.00	-2.5 to 2.5	Pass
				40	3.85	-7.75	-0.01	-2.5 to 2.5	Pass
				50	3.85	-11.37	-0.01	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	2.85	0.00	-2.5 to 2.5	Pass
					3.85	2.32	0.00	-2.5 to 2.5	Pass
					4.43	-0.13	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-0.59	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-4.92	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-7.02	-0.01	-2.5 to 2.5	Pass
				0	3.85	-12.29	-0.01	-2.5 to 2.5	Pass
				10	3.85	-14.92	-0.02	-2.5 to 2.5	Pass
				30	3.85	-15.79	-0.02	-2.5 to 2.5	Pass
				40	3.85	-16.84	-0.02	-2.5 to 2.5	Pass
				50	3.85	-18.55	-0.02	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-4.62	-0.01	-2.5 to 2.5	Pass
					3.85	-8.30	-0.01	-2.5 to 2.5	Pass
					4.43	-12.60	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-14.13	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-16.81	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-23.12	-0.03	-2.5 to 2.5	Pass
				0	3.85	-29.71	-0.04	-2.5 to 2.5	Pass
				10	3.85	-31.57	-0.04	-2.5 to 2.5	Pass
				30	3.85	-36.74	-0.04	-2.5 to 2.5	Pass
				40	3.85	-42.46	-0.05	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	-13.15	-0.02	-2.5 to 2.5	Pass
					3.85	-15.96	-0.02	-2.5 to 2.5	Pass
					4.43	-16.07	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-17.71	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-15.79	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-16.02	-0.02	-2.5 to 2.5	Pass
				0	3.85	-16.41	-0.02	-2.5 to 2.5	Pass
				10	3.85	-14.16	-0.02	-2.5 to 2.5	Pass
				30	3.85	-9.94	-0.01	-2.5 to 2.5	Pass
				40	3.85	-8.44	-0.01	-2.5 to 2.5	Pass
				50	3.85	-6.85	-0.01	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-20.77	-0.02	-2.5 to 2.5	Pass
					3.85	-22.55	-0.03	-2.5 to 2.5	Pass
					4.43	-19.87	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-20.31	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-21.37	-0.03	-2.5 to 2.5	Pass
				-10	3.85	-20.80	-0.02	-2.5 to 2.5	Pass
				0	3.85	-21.16	-0.03	-2.5 to 2.5	Pass
				10	3.85	-19.51	-0.02	-2.5 to 2.5	Pass
				30	3.85	-18.27	-0.02	-2.5 to 2.5	Pass
				40	3.85	-16.09	-0.02	-2.5 to 2.5	Pass
				50	3.85	-14.75	-0.02	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-10.53	-0.01	-2.5 to 2.5	Pass
					3.85	-14.06	-0.02	-2.5 to 2.5	Pass
					4.43	-15.54	-0.02	-2.5 to 2.5	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P21100018-1RF04

64QAM	826.5	25	0	-30	3.85	-13.83	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-13.52	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-16.32	-0.02	-2.5 to 2.5	Pass
				0	3.85	-12.60	-0.01	-2.5 to 2.5	Pass
				10	3.85	-14.83	-0.02	-2.5 to 2.5	Pass
				30	3.85	-13.46	-0.02	-2.5 to 2.5	Pass
				40	3.85	-13.33	-0.02	-2.5 to 2.5	Pass
				50	3.85	-11.62	-0.01	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-5.95	-0.01	-2.5 to 2.5	Pass
					3.85	-4.33	-0.01	-2.5 to 2.5	Pass
					4.43	-6.55	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-0.99	-0.00	-2.5 to 2.5	Pass
				-20	3.85	0.01	0.00	-2.5 to 2.5	Pass
				-10	3.85	1.02	0.00	-2.5 to 2.5	Pass
				0	3.85	6.47	0.01	-2.5 to 2.5	Pass
				10	3.85	9.46	0.01	-2.5 to 2.5	Pass
				30	3.85	8.35	0.01	-2.5 to 2.5	Pass
				40	3.85	11.29	0.01	-2.5 to 2.5	Pass
				50	3.85	12.43	0.01	-2.5 to 2.5	Pass
				20	3.27	-11.14	-0.01	-2.5 to 2.5	Pass
					3.85	-9.08	-0.01	-2.5 to 2.5	Pass
					4.43	-7.61	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-2.98	-0.00	-2.5 to 2.5	Pass
				-20	3.85	2.20	0.00	-2.5 to 2.5	Pass
				-10	3.85	6.87	0.01	-2.5 to 2.5	Pass
				0	3.85	5.82	0.01	-2.5 to 2.5	Pass
				10	3.85	9.74	0.01	-2.5 to 2.5	Pass
				30	3.85	14.28	0.02	-2.5 to 2.5	Pass
				40	3.85	15.11	0.02	-2.5 to 2.5	Pass
				50	3.85	18.47	0.02	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-7.51	-0.01	-2.5 to 2.5	Pass
					3.85	-7.35	-0.01	-2.5 to 2.5	Pass
					4.43	-6.29	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-4.63	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-0.79	-0.00	-2.5 to 2.5	Pass
				-10	3.85	1.50	0.00	-2.5 to 2.5	Pass
				0	3.85	2.12	0.00	-2.5 to 2.5	Pass
				10	3.85	5.94	0.01	-2.5 to 2.5	Pass
				30	3.85	8.37	0.01	-2.5 to 2.5	Pass
				40	3.85	9.63	0.01	-2.5 to 2.5	Pass
				50	3.85	13.16	0.02	-2.5 to 2.5	Pass



Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	8.84	0.01	-2.5 to 2.5	Pass
					3.85	9.81	0.01	-2.5 to 2.5	Pass
					4.43	7.77	0.01	-2.5 to 2.5	Pass
				-30	3.85	2.02	0.00	-2.5 to 2.5	Pass
				-20	3.85	-1.06	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-5.98	-0.01	-2.5 to 2.5	Pass
				0	3.85	-10.79	-0.01	-2.5 to 2.5	Pass
				10	3.85	-17.05	-0.02	-2.5 to 2.5	Pass
				30	3.85	-21.03	-0.03	-2.5 to 2.5	Pass
				40	3.85	-27.81	-0.03	-2.5 to 2.5	Pass
				50	3.85	-27.24	-0.03	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-1.43	-0.00	-2.5 to 2.5	Pass
					3.85	-4.49	-0.01	-2.5 to 2.5	Pass
					4.43	-9.33	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-13.03	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-16.58	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-24.29	-0.03	-2.5 to 2.5	Pass
				0	3.85	-32.13	-0.04	-2.5 to 2.5	Pass
				10	3.85	-36.53	-0.04	-2.5 to 2.5	Pass
				30	3.85	-39.91	-0.05	-2.5 to 2.5	Pass
				40	3.85	-45.80	-0.05	-2.5 to 2.5	Pass
				50	3.85	-3.40	-0.00	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-1.39	-0.00	-2.5 to 2.5	Pass
					3.85	-5.75	-0.01	-2.5 to 2.5	Pass
					4.43	-13.15	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-21.47	-0.03	-2.5 to 2.5	Pass
				-20	3.85	-29.53	-0.04	-2.5 to 2.5	Pass
				-10	3.85	-35.46	-0.04	-2.5 to 2.5	Pass
				0	3.85	-41.84	-0.05	-2.5 to 2.5	Pass
				10	3.85	0.63	0.00	-2.5 to 2.5	Pass
				30	3.85	-11.43	-0.01	-2.5 to 2.5	Pass
				40	3.85	-21.79	-0.03	-2.5 to 2.5	Pass
				50	3.85	-30.86	-0.04	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	-25.39	-0.03	-2.5 to 2.5	Pass
					3.85	-20.48	-0.02	-2.5 to 2.5	Pass
					4.43	-11.14	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-7.50	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-1.89	-0.00	-2.5 to 2.5	Pass
				-10	3.85	3.62	0.00	-2.5 to 2.5	Pass
				0	3.85	10.23	0.01	-2.5 to 2.5	Pass
				10	3.85	16.84	0.02	-2.5 to 2.5	Pass
				30	3.85	22.76	0.03	-2.5 to 2.5	Pass
				40	3.85	26.16	0.03	-2.5 to 2.5	Pass
				50	3.85	30.17	0.04	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-7.01	-0.01	-2.5 to 2.5	Pass
					3.85	-8.24	-0.01	-2.5 to 2.5	Pass
					4.43	-4.58	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-3.56	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-2.70	-0.00	-2.5 to 2.5	Pass
				-10	3.85	2.66	0.00	-2.5 to 2.5	Pass
				0	3.85	8.05	0.01	-2.5 to 2.5	Pass
				10	3.85	10.33	0.01	-2.5 to 2.5	Pass
				30	3.85	14.52	0.02	-2.5 to 2.5	Pass
				40	3.85	16.91	0.02	-2.5 to 2.5	Pass
				50	3.85	18.62	0.02	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-40.71	-0.05	-2.5 to 2.5	Pass
					3.85	-40.54	-0.05	-2.5 to 2.5	Pass
					4.43	-41.21	-0.05	-2.5 to 2.5	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P21100018-1RF04


64QAM				-30	3.85	-41.33	-0.05	-2.5 to 2.5	Pass
				-20	3.85	-38.30	-0.05	-2.5 to 2.5	Pass
				-10	3.85	-35.52	-0.04	-2.5 to 2.5	Pass
				0	3.85	-30.67	-0.04	-2.5 to 2.5	Pass
				10	3.85	-27.07	-0.03	-2.5 to 2.5	Pass
				30	3.85	-24.42	-0.03	-2.5 to 2.5	Pass
				40	3.85	-20.39	-0.02	-2.5 to 2.5	Pass
				50	3.85	-18.10	-0.02	-2.5 to 2.5	Pass
	829	50	0	20	3.27	35.66	0.04	-2.5 to 2.5	Pass
					3.85	36.25	0.04	-2.5 to 2.5	Pass
					4.43	3.36	0.00	-2.5 to 2.5	Pass
				-30	3.85	10.51	0.01	-2.5 to 2.5	Pass
				-20	3.85	16.21	0.02	-2.5 to 2.5	Pass
				-10	3.85	23.25	0.03	-2.5 to 2.5	Pass
				0	3.85	28.60	0.03	-2.5 to 2.5	Pass
				10	3.85	35.72	0.04	-2.5 to 2.5	Pass
				30	3.85	42.04	0.05	-2.5 to 2.5	Pass
				40	3.85	15.39	0.02	-2.5 to 2.5	Pass
				50	3.85	6.61	0.01	-2.5 to 2.5	Pass
		836.5	50	20	3.27	23.09	0.03	-2.5 to 2.5	Pass
					3.85	24.33	0.03	-2.5 to 2.5	Pass
					4.43	28.87	0.03	-2.5 to 2.5	Pass
				-30	3.85	38.12	0.05	-2.5 to 2.5	Pass
				-20	3.85	45.53	0.05	-2.5 to 2.5	Pass
				-10	3.85	0.74	0.00	-2.5 to 2.5	Pass
				0	3.85	3.98	0.00	-2.5 to 2.5	Pass
				10	3.85	8.94	0.01	-2.5 to 2.5	Pass
				30	3.85	12.16	0.01	-2.5 to 2.5	Pass
				40	3.85	17.75	0.02	-2.5 to 2.5	Pass
				50	3.85	22.24	0.03	-2.5 to 2.5	Pass
		844	50	20	3.27	-14.26	-0.02	-2.5 to 2.5	Pass
					3.85	-12.32	-0.01	-2.5 to 2.5	Pass
					4.43	-8.43	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-5.12	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-4.22	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-2.20	-0.00	-2.5 to 2.5	Pass
				0	3.85	-0.10	-0.00	-2.5 to 2.5	Pass
				10	3.85	3.75	0.00	-2.5 to 2.5	Pass
				30	3.85	0.33	0.00	-2.5 to 2.5	Pass
				40	3.85	2.39	0.00	-2.5 to 2.5	Pass
				50	3.85	2.07	0.00	-2.5 to 2.5	Pass




99% & 26dB Bandwidth 99%_OBW Test Result

Band: 5 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset		
1.4	QPSK	824.7	6	0	1.113	Pass
		836.5	6	0	1.118	Pass
		848.3	6	0	1.111	Pass
	16QAM	824.7	6	0	1.104	Pass
		836.5	6	0	1.119	Pass
		848.3	6	0	1.119	Pass
	64QAM	824.7	6	0	1.112	Pass
		836.5	6	0	1.111	Pass
		848.3	6	0	1.110	Pass
3	QPSK	825.5	15	0	2.773	Pass
		836.5	15	0	2.757	Pass
		847.5	15	0	2.752	Pass
	16QAM	825.5	15	0	2.761	Pass
		836.5	15	0	2.768	Pass
		847.5	15	0	2.752	Pass
	64QAM	825.5	15	0	2.768	Pass
		836.5	15	0	2.773	Pass
		847.5	15	0	2.735	Pass
5	QPSK	826.5	25	0	4.565	Pass
		836.5	25	0	4.578	Pass
		846.5	25	0	4.548	Pass
	16QAM	826.5	25	0	4.562	Pass
		836.5	25	0	4.568	Pass
		846.5	25	0	4.561	Pass
	64QAM	826.5	25	0	4.558	Pass
		836.5	25	0	4.545	Pass
		846.5	25	0	4.547	Pass
10	QPSK	829	50	0	9.073	Pass
		836.5	50	0	9.078	Pass
		844	50	0	9.101	Pass
	16QAM	829	50	0	9.068	Pass
		836.5	50	0	9.047	Pass
		844	50	0	9.076	Pass
	64QAM	829	50	0	9.068	Pass
		836.5	50	0	9.067	Pass
		844	50	0	9.071	Pass


Test Graph




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band5 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band5 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 64QAM HCH 848.3MHz RB 6 0 NTNV




Band5 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band5 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV







Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV







Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV







Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV



Band5 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV



Band5 10MHz 64QAM HCH 844MHz RB 50 0 NTNV







26DB_OBW Test Result

Band: 5 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.289	Pass
		836.5	6	0	1.287	Pass
		848.3	6	0	1.276	Pass
	16QAM	824.7	6	0	1.262	Pass
		836.5	6	0	1.278	Pass
		848.3	6	0	1.272	Pass
	64QAM	824.7	6	0	1.272	Pass
		836.5	6	0	1.269	Pass
		848.3	6	0	1.261	Pass
3	QPSK	825.5	15	0	3.096	Pass
		836.5	15	0	3.125	Pass
		847.5	15	0	3.098	Pass
	16QAM	825.5	15	0	3.088	Pass
		836.5	15	0	3.099	Pass
		847.5	15	0	3.093	Pass
	64QAM	825.5	15	0	3.113	Pass
		836.5	15	0	3.104	Pass
		847.5	15	0	3.112	Pass
5	QPSK	826.5	25	0	5.045	Pass
		836.5	25	0	5.054	Pass
		846.5	25	0	5.072	Pass
	16QAM	826.5	25	0	5.047	Pass
		836.5	25	0	5.080	Pass
		846.5	25	0	5.058	Pass
	64QAM	826.5	25	0	5.082	Pass
		836.5	25	0	5.051	Pass
		846.5	25	0	5.042	Pass
10	QPSK	829	50	0	10.067	Pass
		836.5	50	0	10.076	Pass
		844	50	0	10.082	Pass
	16QAM	829	50	0	10.060	Pass
		836.5	50	0	10.100	Pass
		844	50	0	10.046	Pass
	64QAM	829	50	0	10.018	Pass
		836.5	50	0	9.978	Pass
		844	50	0	10.035	Pass


Test Graph




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band5 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band5 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 64QAM HCH 848.3MHz RB 6 0 NTNV




Band5 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band5 3MHz QPSK MCH 836.5MHz RB 15 0 NTV




Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Band5_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV

