



LTE Band 12+NR n66 n66,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.575	28.612

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)




LTE Band 12+NR n66 n66,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.652	38.773

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)



A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n25


n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	5.035	5.005

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.770	9.770

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.386	14.386

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.181	19.181

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	24.201	24.351

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	30.030	30.030

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	41.120	41.360

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.421	19.361

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.322	28.501

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.480	38.600

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	48.550	48.700

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.780	60.780

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	67.340	67.130

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.480	82.480

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	92.250	91.980

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

