


TEST GRAPHS B4


11A_Ant8_5745

6 dB Bandwidth




11A_Ant11_5745

6 dB Bandwidth




11A_Ant8_5785

6 dB Bandwidth




11A_Ant11_5785

6 dB Bandwidth




11A_Ant8_5825

6 dB Bandwidth




11A_Ant11_5825

6 dB Bandwidth




11N20-MIMO_Ant8_5745

6 dB Bandwidth




11N20-MIMO_Ant11_5745

6 dB Bandwidth




11N20-MIMO_Ant8_5785

6 dB Bandwidth




11N20-MIMO_Ant11_5785

6 dB Bandwidth




11N20-MIMO_Ant8_5825

6 dB Bandwidth




11N20-MIMO_Ant11_5825

6 dB Bandwidth




11N40-MIMO_Ant8_5755

6 dB Bandwidth




11N40-MIMO_Ant11_5755

6 dB Bandwidth




11N40-MIMO_Ant8_5795

6 dB Bandwidth




11N40-MIMO_Ant11_5795

6 dB Bandwidth




11AC80-MIMO_Ant8_5775


6 dB Bandwidth




11AC80-MIMO_Ant11_5775




11AX20-MIMO_Ant8_5745




11AX20-MIMO_Ant11_5745




11AX20-MIMO_Ant8_5785



11AX20-MIMO_Ant11_5785




11AX20-MIMO_Ant8_5825




11AX20-MIMO_Ant11_5825

6 dB Bandwidth




11AX40-MIMO_Ant8_5755

6 dB Bandwidth




11AX40-MIMO_Ant11_5755

6 dB Bandwidth




11AX40-MIMO_Ant8_5795

6 dB Bandwidth




11AX40-MIMO Ant11 5795

6 dB Bandwidth




11AX80-MIMO Ant8_5775

6 dB Bandwidth



11AX80-MIMO Ant11 5775



20M

RBW 100.000 kHz

VBW 300.000 kHz

40M

RBW 100.000 kHz

VBW 300.000 kHz

80M

RBW 100.000 kHz


VBW 300.000 kHz

DUTY CYCLE TEST RESULT


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	dutycycle factor
11A	Ant8	5180	1.505	2.023	89.03%	0.5
	Ant8	5745	1.502	2.018	87.74%	0.57
11N20-MIMO	Ant8	5180	1.825	2.455	89.38%	0.49
	Ant8	5745	1.830	2.442	89.64%	0.47
11N20-MIMO	Ant8	5180	1.825	2.455	89.12%	0.5
	Ant8	5745	1.835	2.455	89.72%	0.47
11N40-MIMO	Ant8	5190	0.899	1.211	86.21%	0.64
	Ant8	5755	0.901	1.207	88.60%	0.53
11N40-MIMO	Ant8	5190	0.899	1.211	89.02%	0.51
	Ant8	5755	0.901	1.212	88.97%	0.51
11AC80-MIMO	Ant8	5210	0.529	0.723	88.50%	0.53
	Ant8	5775	0.533	0.721	88.34%	0.54
11AX20-MIMO	Ant8	5180	1.409	1.895	88.17%	0.55
	Ant8	5745	1.411	1.887	89.33%	0.49
11AX40-MIMO	Ant8	5190	0.727	0.987	88.15%	0.55
	Ant8	5755	0.731	0.982	88.66%	0.52
11AX80-MIMO	Ant8	5210	0.547	0.747	88.51%	0.53
	Ant8	5775	0.551	0.748	88.31%	0.54

TEST GRAPHS

11A-MIMO_Ant8_5180



Band4-11A-MIMO_Ant8_5745



11N20-MIMO_Ant8_5180




Reference No.: PSU-NQN2403180115RF03







Reference No.: PSU-NQN2403180115RF03




Band4-11N20-MIMO_Ant8_5745



11N40-MIMO_Ant8_5190



Band4-11N40-MIMO_Ant8_5755




11N40-MIMO_Ant8_5190




BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03



Band4-11N40-MIMO_Ant8_5755




11AC80-MIMO_Ant8_5210




BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03



Band4-11AC80-MIMO_Ant8_5775




11Ax20-MIMO_Ant8_5180




BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF03




Band4-11Ax20-MIMO_Ant8_5745



11Ax40-MIMO_Ant8_5190



Band4-11Ax40-MIMO_Ant8_5755




11Ax80-MIMO_Ant8_5210




BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03



Band4-11Ax80-MIMO_Ant8_5775



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

BV Power Table For U-NII-1							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5180	ANT8	11.54	≤24.00	Pass	13
			ANT11	11.40	≤24.00	Pass	13
			Total	14.48	≤24.00	Pass	13
		5200	ANT8	11.67	≤24.00	Pass	13
			ANT11	10.52	≤24.00	Pass	13
			Total	14.14	≤24.00	Pass	13
		5240	ANT8	12.47	≤24.00	Pass	13
			ANT11	11.67	≤24.00	Pass	13
			Total	15.10	≤24.00	Pass	13
11N20	MIMO	5180	ANT8	11.00	≤24.00	Pass	13
			ANT11	11.31	≤24.00	Pass	13
			Total	14.17	≤24.00	Pass	13
		5200	ANT8	11.17	≤24.00	Pass	13
			ANT11	10.28	≤24.00	Pass	13
			Total	13.76	≤24.00	Pass	13
		5240	ANT8	12.08	≤24.00	Pass	13
			ANT11	11.34	≤24.00	Pass	13
			Total	14.73	≤24.00	Pass	13
11N40	MIMO	5190	ANT8	11.28	≤24.00	Pass	12.5
			ANT11	10.73	≤24.00	Pass	12.5
			Total	14.02	≤24.00	Pass	12.5
		5230	ANT8	12.20	≤24.00	Pass	12.5
			ANT11	11.20	≤24.00	Pass	12.5
			Total	14.74	≤24.00	Pass	12.5
11AC20	MIMO	5180	ANT8	9.74	≤24.00	Pass	12
			ANT11	9.84	≤24.00	Pass	12
			Total	12.80	≤24.00	Pass	12
		5200	ANT8	9.88	≤24.00	Pass	12
			ANT11	8.81	≤24.00	Pass	12
			Total	12.39	≤24.00	Pass	12
		5240	ANT8	11.08	≤24.00	Pass	12
			ANT11	10.12	≤24.00	Pass	12
			Total	13.63	≤24.00	Pass	12
11AC40	MIMO	5190	ANT8	10.20	≤24.00	Pass	11.5
			ANT11	9.62	≤24.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

		5230	Total	12.93	≤24.00	Pass	11.5
			ANT8	10.90	≤24.00	Pass	11.5
			ANT11	10.08	≤24.00	Pass	11.5
			Total	13.52	≤24.00	Pass	11.5
11AC80	MIMO	5210	ANT8	10.69	≤24.00	Pass	11
			ANT11	9.60	≤24.00	Pass	11
			Total	13.19	≤24.00	Pass	11
11AX20	MIMO	5180	ANT8	10.28	≤24.00	Pass	12
			ANT11	9.96	≤24.00	Pass	12
			Total	13.13	≤24.00	Pass	12
		5200	ANT8	10.23	≤24.00	Pass	12
			ANT11	9.01	≤24.00	Pass	12
			Total	12.67	≤24.00	Pass	12
		5240	ANT8	11.58	≤24.00	Pass	12
			ANT11	10.18	≤24.00	Pass	12
			Total	13.94	≤24.00	Pass	12
		11AX40	MIMO	5190	ANT8	10.20	≤24.00
ANT11	9.16				≤24.00	Pass	11.5
Total	12.72				≤24.00	Pass	11.5
5230	ANT8			10.69	≤24.00	Pass	11.5
	ANT11			9.68	≤24.00	Pass	11.5
	Total			13.22	≤24.00	Pass	11.5
11AX80	MIMO	5210	ANT8	10.46	≤24.00	Pass	11
			ANT11	9.26	≤24.00	Pass	11
			Total	12.91	≤24.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-2A							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5260	ANT8	11.53	≤24.00	Pass	13
			ANT11	9.67	≤24.00	Pass	13
			Total	13.71	≤24.00	Pass	13
		5300	ANT8	11.17	≤24.00	Pass	13
			ANT11	11.48	≤24.00	Pass	13
			Total	14.34	≤24.00	Pass	13
		5320	ANT8	11.24	≤24.00	Pass	13
			ANT11	12.27	≤24.00	Pass	13
			Total	14.80	≤24.00	Pass	13
11N20	MIMO	5260	ANT8	10.94	≤24.00	Pass	13
			ANT11	10.70	≤24.00	Pass	13
			Total	13.83	≤24.00	Pass	13
		5300	ANT8	10.79	≤24.00	Pass	13
			ANT11	11.17	≤24.00	Pass	13
			Total	13.99	≤24.00	Pass	13
		5320	ANT8	10.84	≤24.00	Pass	13
			ANT11	10.77	≤24.00	Pass	13
			Total	13.82	≤24.00	Pass	13
11N40	MIMO	5270	ANT8	11.18	≤24.00	Pass	12.5
			ANT11	10.05	≤24.00	Pass	12.5
			Total	13.66	≤24.00	Pass	12.5
		5310	ANT8	10.87	≤24.00	Pass	12.5
			ANT11	11.10	≤24.00	Pass	12.5
			Total	13.99	≤24.00	Pass	12.5
11AC20	MIMO	5260	ANT8	9.83	≤24.00	Pass	12
			ANT11	8.23	≤24.00	Pass	12
			Total	12.12	≤24.00	Pass	12
		5300	ANT8	9.55	≤24.00	Pass	12
			ANT11	9.90	≤24.00	Pass	12
			Total	12.74	≤24.00	Pass	12
		5320	ANT8	9.63	≤24.00	Pass	12
			ANT11	9.34	≤24.00	Pass	12
			Total	12.49	≤24.00	Pass	12
11AC40	MIMO	5270	ANT8	9.74	≤24.00	Pass	11.5
			ANT11	9.22	≤24.00	Pass	11.5
			Total	12.50	≤24.00	Pass	11.5
		5310	ANT8	9.78	≤24.00	Pass	11.5
			ANT11	10.07	≤24.00	Pass	11.5
			Total	12.94	≤24.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

11AC80	MIMO	5210	ANT8	10.25	≤ 24.00	Pass	11
			ANT11	9.76	≤ 24.00	Pass	11
			Total	13.02	≤ 24.00	Pass	11
11AX20	MIMO	5260	ANT8	10.10	≤ 24.00	Pass	12
			ANT11	8.52	≤ 24.00	Pass	12
			Total	12.39	≤ 24.00	Pass	12
		5300	ANT8	9.93	≤ 24.00	Pass	12
			ANT11	10.17	≤ 24.00	Pass	12
			Total	13.06	≤ 24.00	Pass	12
		5320	ANT8	10.10	≤ 24.00	Pass	12
			ANT11	9.40	≤ 24.00	Pass	12
			Total	12.77	≤ 24.00	Pass	12
11AX40	MIMO	5270	ANT8	9.80	≤ 24.00	Pass	11.5
			ANT11	8.49	≤ 24.00	Pass	11.5
			Total	12.20	≤ 24.00	Pass	11.5
		5310	ANT8	9.80	≤ 24.00	Pass	11.5
			ANT11	8.49	≤ 24.00	Pass	11.5
			Total	12.66	≤ 24.00	Pass	11.5
11AX80	MIMO	5290	ANT8	10.14	≤ 24.00	Pass	11
			ANT11	9.34	≤ 24.00	Pass	11
			Total	12.77	≤ 24.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-2C							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5500	ANT8	10.85	≤24.00	Pass	13
			ANT11	13.09	≤24.00	Pass	13
			Total	15.12	≤24.00	Pass	13
		5580	ANT8	10.70	≤24.00	Pass	13
			ANT11	11.57	≤24.00	Pass	13
			Total	14.17	≤24.00	Pass	13
		5700	ANT8	11.69	≤24.00	Pass	13
			ANT11	11.17	≤24.00	Pass	13
			Total	14.45	≤24.00	Pass	13
		5720	ANT8	11.21	≤24.00	Pass	13
			ANT11	11.05	≤24.00	Pass	13
			Total	14.14	≤24.00	Pass	13
11N20	MIMO	5500	ANT8	10.34	≤24.00	Pass	13
			ANT11	12.79	≤24.00	Pass	13
			Total	14.74	≤24.00	Pass	13
		5580	ANT8	10.40	≤24.00	Pass	13
			ANT11	12.42	≤24.00	Pass	13
			Total	14.53	≤24.00	Pass	13
		5700	ANT8	11.37	≤24.00	Pass	13
			ANT11	10.70	≤24.00	Pass	13
			Total	14.05	≤24.00	Pass	13
		5720	ANT8	10.97	≤24.00	Pass	13
			ANT11	10.62	≤24.00	Pass	13
			Total	13.81	≤24.00	Pass	13
11N40	MIMO	5510	ANT8	10.65	≤24.00	Pass	12.5
			ANT11	12.85	≤24.00	Pass	12.5
			Total	14.90	≤24.00	Pass	12.5
		5550	ANT8	11.61	≤24.00	Pass	12.5
			ANT11	12.16	≤24.00	Pass	12.5
			Total	14.90	≤24.00	Pass	12.5
		5670	ANT8	10.44	≤24.00	Pass	12.5
			ANT11	11.86	≤24.00	Pass	12.5
			Total	14.22	≤24.00	Pass	12.5
		5710	ANT8	11.49	≤24.00	Pass	12.5
			ANT11	10.81	≤24.00	Pass	12.5
			Total	14.17	≤24.00	Pass	12.5
11AC20	MIMO	5500	ANT8	9.23	≤24.00	Pass	12
			ANT11	11.59	≤24.00	Pass	12
			Total	13.58	≤24.00	Pass	12

		5580	ANT8	9.16	≤24.00	Pass	12
			ANT11	10.20	≤24.00	Pass	12
			Total	12.72	≤24.00	Pass	12
		5700	ANT8	10.30	≤24.00	Pass	12
			ANT11	9.67	≤24.00	Pass	12
			Total	13.00	≤24.00	Pass	12
		5720	ANT8	9.87	≤24.00	Pass	12
			ANT11	9.58	≤24.00	Pass	12
			Total	12.74	≤24.00	Pass	12
11AC40	MIMO	5510	ANT8	9.48	≤24.00	Pass	11.5
			ANT11	11.69	≤24.00	Pass	11.5
			Total	13.74	≤24.00	Pass	11.5
		5550	ANT8	10.41	≤24.00	Pass	11.5
			ANT11	11.01	≤24.00	Pass	11.5
			Total	13.73	≤24.00	Pass	11.5
		5670	ANT8	9.37	≤24.00	Pass	11.5
			ANT11	10.69	≤24.00	Pass	11.5
			Total	13.09	≤24.00	Pass	11.5
		5710	ANT8	10.25	≤24.00	Pass	11.5
			ANT11	9.68	≤24.00	Pass	11.5
			Total	12.98	≤24.00	Pass	11.5
11AC80	MIMO	5530	ANT8	10.35	≤24.00	Pass	11
			ANT11	11.39	≤24.00	Pass	11
			Total	13.91	≤24.00	Pass	11
		5610	ANT8	10.40	≤24.00	Pass	11
			ANT11	10.60	≤24.00	Pass	11
			Total	13.51	≤24.00	Pass	11
		5690	ANT8	10.26	≤24.00	Pass	11
			ANT11	10.26	≤24.00	Pass	11
			Total	13.27	≤24.00	Pass	11
11AX20	MIMO	5500	ANT8	9.70	≤24.00	Pass	12
			ANT11	11.66	≤24.00	Pass	12
			Total	13.80	≤24.00	Pass	12
		5580	ANT8	9.48	≤24.00	Pass	12
			ANT11	10.37	≤24.00	Pass	12
			Total	12.96	≤24.00	Pass	12
		5700	ANT8	10.63	≤24.00	Pass	12
			ANT11	9.84	≤24.00	Pass	12
			Total	13.26	≤24.00	Pass	12
		5720	ANT8	10.16	≤24.00	Pass	12
			ANT11	9.73	≤24.00	Pass	12
			Total	12.96	≤24.00	Pass	12
11AX40	MIMO	5510	ANT8	9.22	≤24.00	Pass	11.5
			ANT11	11.33	≤24.00	Pass	11.5
			Total	13.41	≤24.00	Pass	11.5
		5550	ANT8	10.35	≤24.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			ANT11	10.60	≤ 24.00	Pass	11.5
			Total	13.48	≤ 24.00	Pass	11.5
		5670	ANT8	9.26	≤ 24.00	Pass	11.5
			ANT11	10.25	≤ 24.00	Pass	11.5
			Total	12.74	≤ 24.00	Pass	11.5
		5710	ANT8	10.05	≤ 24.00	Pass	11.5
			ANT11	9.39	≤ 24.00	Pass	11.5
			Total	12.74	≤ 24.00	Pass	11.5
	11AX80	5530	ANT8	9.91	≤ 24.00	Pass	11
			ANT11	11.18	≤ 24.00	Pass	11
			Total	13.60	≤ 24.00	Pass	11
		5690	ANT8	10.20	≤ 24.00	Pass	11
			ANT11	10.26	≤ 24.00	Pass	11
			Total	13.24	≤ 24.00	Pass	11
		5690	ANT8	10.03	≤ 24.00	Pass	11
			ANT11	9.82	≤ 24.00	Pass	11
			Total	12.94	≤ 24.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-3							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5745	ANT8	7.01	≤30.00	Pass	9
			ANT11	7.72	≤30.00	Pass	9
			Total	10.39	≤30.00	Pass	9
		5785	ANT8	6.40	≤30.00	Pass	9
			ANT11	6.75	≤30.00	Pass	9
			Total	9.59	≤30.00	Pass	9
		5825	ANT8	7.32	≤30.00	Pass	9
			ANT11	6.09	≤30.00	Pass	9
			Total	9.76	≤30.00	Pass	9
11N20	MIMO	5745	ANT8	6.56	≤30.00	Pass	9
			ANT11	7.13	≤30.00	Pass	9
			Total	9.86	≤30.00	Pass	9
		5785	ANT8	6.05	≤30.00	Pass	9
			ANT11	6.09	≤30.00	Pass	9
			Total	9.08	≤30.00	Pass	9
		5825	ANT8	6.86	≤30.00	Pass	9
			ANT11	5.61	≤30.00	Pass	9
			Total	9.29	≤30.00	Pass	9
11N40	MIMO	5755	ANT8	7.60	≤30.00	Pass	9
			ANT11	7.43	≤30.00	Pass	9
			Total	10.52	≤30.00	Pass	9
		5795	ANT8	6.67	≤30.00	Pass	9
			ANT11	7.09	≤30.00	Pass	9
			Total	9.90	≤30.00	Pass	9
11AC20	MIMO	5745	ANT8	6.50	≤30.00	Pass	9
			ANT11	7.10	≤30.00	Pass	9
			Total	9.82	≤30.00	Pass	9
		5785	ANT8	6.01	≤30.00	Pass	9
			ANT11	6.08	≤30.00	Pass	9
			Total	9.06	≤30.00	Pass	9
		5825	ANT8	6.84	≤30.00	Pass	9
			ANT11	5.26	≤30.00	Pass	9
			Total	9.13	≤30.00	Pass	9
11AC40	MIMO	5755	ANT8	7.30	≤30.00	Pass	9
			ANT11	7.56	≤30.00	Pass	9
			Total	10.45	≤30.00	Pass	9
		5795	ANT8	6.58	≤30.00	Pass	9
			ANT11	7.05	≤30.00	Pass	9
			Total	9.83	≤30.00	Pass	9

11AC80	MIMO	5775	ANT8	8.35	≤30.00	Pass	9
			ANT11	7.70	≤30.00	Pass	9
			Total	11.05	≤30.00	Pass	9
11AX20	MIMO	5745	ANT8	6.76	≤30.00	Pass	9
			ANT11	7.47	≤30.00	Pass	9
			Total	7.68	≤30.00	Pass	9
		5785	ANT8	6.43	≤30.00	Pass	9
			ANT11	6.29	≤30.00	Pass	9
			Total	9.37	≤30.00	Pass	9
		5825	ANT8	7.02	≤30.00	Pass	9
			ANT11	5.97	≤30.00	Pass	9
			Total	9.54	≤30.00	Pass	9
11AX40	MIMO	5755	ANT8	7.33	≤30.00	Pass	9
			ANT11	6.81	≤30.00	Pass	9
			Total	10.09	≤30.00	Pass	9
		5795	ANT8	6.52	≤30.00	Pass	9
			ANT11	6.65	≤30.00	Pass	9
			Total	9.60	≤30.00	Pass	9
11AX80	MIMO	5775	ANT8	8.11	≤30.00	Pass	9
			ANT11	7.71	≤30.00	Pass	9
			Total	10.92	≤30.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.							

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency [MHZ]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	ANT8	5180	1.108	≤11.00	PASS
	ANT11	5180	0.975	≤11.00	PASS
	total	5180	4.052	≤11.00	PASS
	ANT8	5200	1.501	≤11.00	PASS
	ANT11	5200	0.172	≤11.00	PASS
	total	5200	3.897	≤11.00	PASS
	ANT8	5240	2.383	≤11.00	PASS
	ANT11	5240	1.54	≤11.00	PASS
	total	5240	4.992	≤11.00	PASS
	ANT8	5260	1.607	≤11.00	PASS
	ANT11	5260	0.113	≤11.00	PASS
	total	5260	3.934	≤11.00	PASS
	ANT8	5300	1.615	≤11.00	PASS
	ANT11	5300	0.669	≤11.00	PASS
	total	5300	4.178	≤11.00	PASS
	ANT8	5320	1.475	≤11.00	PASS
	ANT11	5320	1.758	≤11.00	PASS
	total	5320	4.629	≤11.00	PASS
	ANT8	5500	0.756	≤11.00	PASS
	ANT11	5500	3.364	≤11.00	PASS
	total	5500	5.263	≤11.00	PASS
	ANT8	5580	1.079	≤11.00	PASS
	ANT11	5580	2.256	≤11.00	PASS
	total	5580	4.718	≤11.00	PASS
	ANT8	5700	0.499	≤11.00	PASS
	ANT11	5700	2.707	≤11.00	PASS
	total	5700	4.752	≤11.00	PASS
	ANT8	5720	0.002	≤11.00	PASS
	ANT11	5720	1.745	≤11.00	PASS
	total	5720	3.971	≤11.00	PASS
11N20MIMO	ANT8	5180	0.784	≤11.00	PASS
	ANT11	5180	0.623	≤11.00	PASS

	total	5180	3.715	≤11.00	PASS
	ANT8	5200	1.046	≤11.00	PASS
	ANT11	5200	-0.33	≤11.00	PASS
	total	5200	3.423	≤11.00	PASS
	ANT8	5240	2.056	≤11.00	PASS
	ANT11	5240	1.027	≤11.00	PASS
	total	5240	4.582	≤11.00	PASS
	ANT8	5260	1.116	≤11.00	PASS
	ANT11	5260	-0.166	≤11.00	PASS
	total	5260	3.532	≤11.00	PASS
	ANT8	5300	1.056	≤11.00	PASS
	ANT11	5300	0.129	≤11.00	PASS
	total	5300	3.627	≤11.00	PASS
	ANT8	5320	0.918	≤11.00	PASS
	ANT11	5320	1.151	≤11.00	PASS
	total	5320	4.046	≤11.00	PASS
	ANT8	5500	0.262	≤11.00	PASS
	ANT11	5500	2.778	≤11.00	PASS
	total	5500	4.71	≤11.00	PASS
	ANT8	5580	0.527	≤11.00	PASS
	ANT11	5580	1.738	≤11.00	PASS
	total	5580	4.185	≤11.00	PASS
	ANT8	5700	-0.079	≤11.00	PASS
	ANT11	5700	2.336	≤11.00	PASS
	total	5700	4.305	≤11.00	PASS
	ANT8	5720	-0.728	≤11.00	PASS
	ANT11	5720	1.09	≤11.00	PASS
	total	5720	3.286	≤11.00	PASS
11N40MIMO	ANT8	5190	-1.697	≤11.00	PASS
	ANT11	5190	-2.632	≤11.00	PASS
	total	5190	0.871	≤11.00	PASS
	ANT8	5230	-1.212	≤11.00	PASS
	ANT11	5230	-1.889	≤11.00	PASS
	total	5230	1.473	≤11.00	PASS
	ANT8	5270	-1.814	≤11.00	PASS
	ANT11	5270	-3.061	≤11.00	PASS
	total	5270	0.617	≤11.00	PASS
	ANT8	5310	-1.499	≤11.00	PASS
	ANT11	5310	-1.822	≤11.00	PASS
	total	5310	1.353	≤11.00	PASS
	Ant8	5510	-2.248	≤11.00	PASS
	ANT8	5510	0.296	≤11.00	PASS
	total	5510	2.218	≤11.00	PASS

	Ant8	5550	-1.162	≤11.00	PASS
	ANT8	5550	0.043	≤11.00	PASS
	total	5550	2.492	≤11.00	PASS
	Ant8	5670	-3.498	≤11.00	PASS
	ANT8	5670	-0.584	≤11.00	PASS
	total	5670	1.209	≤11.00	PASS
	Ant8	5710	-2.801	≤11.00	PASS
	ANT8	5710	-0.955	≤11.00	PASS
	total	5710	1.23	≤11.00	PASS
11AC80MIMO	ANT8	5210	-5.389	≤11.00	PASS
	ANT11	5210	-6.93	≤11.00	PASS
	total	5210	-3.081	≤11.00	PASS
	ANT8	5290	-5.515	≤11.00	PASS
	ANT11	5290	-6.403	≤11.00	PASS
	total	5290	-2.926	≤11.00	PASS
	ANT8	5530	-5.386	≤11.00	PASS
	ANT11	5530	-3.881	≤11.00	PASS
	total	5530	-1.558	≤11.00	PASS
	ANT8	5610	-4.987	≤11.00	PASS
	ANT11	5610	-4.351	≤11.00	PASS
	total	5610	-1.647	≤11.00	PASS
	ANT8	5690	-5.356	≤11.00	PASS
	ANT11	5690	-4.457	≤11.00	PASS
	total	5690	-1.873	≤11.00	PASS
11AX20MIMO	ANT8	5180	-0.198	≤11.00	PASS
	ANT11	5180	-0.657	≤11.00	PASS
	total	5180	2.589	≤11.00	PASS
	ANT8	5200	0.035	≤11.00	PASS
	ANT11	5200	-1.341	≤11.00	PASS
	total	5200	2.412	≤11.00	PASS
	ANT8	5240	1.004	≤11.00	PASS
	ANT11	5240	-0.004	≤11.00	PASS
	total	5240	3.539	≤11.00	PASS
	ANT8	5260	0.082	≤11.00	PASS
	ANT11	5260	-1.071	≤11.00	PASS
	total	5260	2.554	≤11.00	PASS
	ANT8	5300	-0.017	≤11.00	PASS
	ANT11	5300	-0.953	≤11.00	PASS
	total	5300	2.55	≤11.00	PASS
	ANT8	5320	0.104	≤11.00	PASS
	ANT11	5320	-0.043	≤11.00	PASS
	total	5320	3.041	≤11.00	PASS
	ANT8	5500	-0.258	≤11.00	PASS

	ANT11	5500	2.027	≤11.00	PASS
	total	5500	4.043	≤11.00	PASS
	ANT8	5580	-1.88	≤11.00	PASS
	ANT11	5580	0.98	≤11.00	PASS
	total	5580	2.792	≤11.00	PASS
	ANT8	5700	-1.183	≤11.00	PASS
	ANT11	5700	1.497	≤11.00	PASS
	total	5700	3.371	≤11.00	PASS
	ANT8	5720	-1.785	≤11.00	PASS
	ANT11	5720	0.511	≤11.00	PASS
11AX40MIMO	total	5720	2.523	≤11.00	PASS
	ANT8	5190	-4.311	≤11.00	PASS
	ANT11	5190	-4.028	≤11.00	PASS
	total	5190	-1.157	≤11.00	PASS
	ANT8	5230	-3.558	≤11.00	PASS
	ANT11	5230	-3.759	≤11.00	PASS
	total	5230	-0.647	≤11.00	PASS
	ANT8	5270	-4.316	≤11.00	PASS
	ANT11	5270	-4.496	≤11.00	PASS
	total	5270	-1.395	≤11.00	PASS
	ANT8	5310	-4.282	≤11.00	PASS
	ANT11	5310	-3.363	≤11.00	PASS
	total	5310	-0.788	≤11.00	PASS
	Ant8	5510	-4.66	≤11.00	PASS
	ANT8	5510	-1.253	≤11.00	PASS
	total	5510	0.38	≤11.00	PASS
	Ant8	5550	-3.897	≤11.00	PASS
	ANT8	5550	-1.379	≤11.00	PASS
	total	5550	0.552	≤11.00	PASS
	Ant8	5670	-5.253	≤11.00	PASS
	ANT8	5670	-2.216	≤11.00	PASS
	total	5670	-0.464	≤11.00	PASS
	Ant8	5710	-4.519	≤11.00	PASS
11AX80MIMO	ANT8	5710	-2.426	≤11.00	PASS
	total	5710	-0.337	≤11.00	PASS
	ANT8	5210	-6.813	≤11.00	PASS
	ANT11	5210	-6.946	≤11.00	PASS
	total	5210	-3.869	≤11.00	PASS
	ANT8	5290	-6.873	≤11.00	PASS
	ANT11	5290	-6.961	≤11.00	PASS
	total	5290	-3.906	≤11.00	PASS
	ANT8	5530	-6.805	≤11.00	PASS
	ANT11	5530	-3.967	≤11.00	PASS

	total	5530	-2.148	≤11.00	PASS
	ANT8	5610	-6.612	≤11.00	PASS
	ANT11	5610	-4.489	≤11.00	PASS
	total	5610	-2.412	≤11.00	PASS
	ANT8	5690	-7.15	≤11.00	PASS
	ANT11	5690	-4.687	≤11.00	PASS
	total	5690	-2.736	≤11.00	PASS

TestMode	Antenna	Frequency [MHZ]	Result [dBm/MHz]	Limit [dBm/500K Hz]	Verdict
11A	ANT8	5745	-6.874	≤30.00	PASS
	ANT11	5745	-1.240	≤30.00	PASS
	total	5745	-0.191	≤30.00	PASS
	ANT8	5785	-6.890	≤30.00	PASS
	ANT11	5785	-0.823	≤30.00	PASS
	total	5785	0.137	≤30.00	PASS
	ANT8	5825	-6.512	≤30.00	PASS
	ANT11	5825	-1.927	≤30.00	PASS
	total	5825	-0.630	≤30.00	PASS
11N20MIMO	ANT8	5745	-7.393	≤30.00	PASS
	ANT11	5745	-1.758	≤30.00	PASS
	total	5745	-0.709	≤30.00	PASS
	ANT8	5785	-7.546	≤30.00	PASS
	ANT11	5785	-1.400	≤30.00	PASS
	total	5785	-0.456	≤30.00	PASS
	ANT8	5825	-6.941	≤30.00	PASS
	ANT11	5825	-2.357	≤30.00	PASS
	total	5825	-1.060	≤30.00	PASS
11N40MIMO	ANT8	5755	-9.028	≤30.00	PASS
	ANT11	5755	-7.233	≤30.00	PASS
	total	5755	-5.028	≤30.00	PASS
	ANT8	5795	-9.516	≤30.00	PASS
	ANT11	5795	-8.438	≤30.00	PASS
	total	5795	-5.933	≤30.00	PASS
11AC80MIMO	ANT8	5775	-10.323	≤30.00	PASS
	ANT11	5775	-9.495	≤30.00	PASS
	total	5775	-6.879	≤30.00	PASS
11AX20MIMO	ANT8	5745	-7.791	≤30.00	PASS


	ANT11	5745	-5.693	≤30.00	PASS
	total	5745	-3.606	≤30.00	PASS
	ANT8	5785	-8.242	≤30.00	PASS
	ANT11	5785	-5.576	≤30.00	PASS
	total	5785	-3.697	≤30.00	PASS
	ANT8	5825	-7.438	≤30.00	PASS
	ANT11	5825	-6.477	≤30.00	PASS
	total	5825	-3.921	≤30.00	PASS
11AX40MIMO	ANT8	5755	-10.338	≤30.00	PASS
	ANT11	5755	-7.798	≤30.00	PASS
	total	5755	-5.875	≤30.00	PASS
	ANT8	5795	-10.776	≤30.00	PASS
	ANT11	5795	-8.718	≤30.00	PASS
	total	5795	-6.616	≤30.00	PASS
11AX80MIMO	ANT8	5775	-11.777	≤30.00	PASS
	ANT11	5775	-10.007	≤30.00	PASS
	total	5775	-7.792	≤30.00	PASS

Note : 1.PPSD is EIRP PSD

TEST GRAPHS


11A_Ant8_5180

Power Spectral Density (SA-1)




11A_Ant11_5180

Power Spectral Density (SA-1)




11A_Ant8_5200

Power Spectral Density (SA-1)




11A_Ant11_5200

Power Spectral Density (SA-1)




11A_Ant8_5240

Power Spectral Density (SA-1)




11A_Ant11_5240

Power Spectral Density (SA-1)




11A_Ant8_5260

Power Spectral Density (SA-1)




11A_Ant11_5260

Power Spectral Density (SA-1)




11A_Ant8_5300

Power Spectral Density (SA-1)




11A_Ant11_5300

Power Spectral Density (SA-1)




11A_Ant8_5320

Power Spectral Density (SA-1)




11A_Ant11_5320

Power Spectral Density (SA-1)




11A_Ant8_5500

Power Spectral Density (SA-1)




11A_Ant11_5500

Power Spectral Density (SA-1)




11A_Ant8_5580

Power Spectral Density (SA-1)




11A_Ant11_5580

Power Spectral Density (SA-1)




11A_Ant8_5700

Power Spectral Density (SA-1)




11A_Ant11_5700

Power Spectral Density (SA-1)




11A_Ant8_5720

Power Spectral Density (SA-1)




11A_Ant11_5720

Power Spectral Density (SA-1)




11A_Ant8_5745

Power Spectral Density (SA-1)




11A_Ant11_5745

Power Spectral Density (SA-1)




11A_Ant8_5785

Power Spectral Density (SA-1)




11A_Ant11_5785

Power Spectral Density (SA-1)




11A Ant8 5825

Power Spectral Density (SA-1)




11A Ant11 5825

Power Spectral Density (SA-1)




11N20 Ant8 5180

Power Spectral Density (SA-1)




11N20_Ant11_5180

Power Spectral Density (SA-1)




11N20_Ant8_5200

Power Spectral Density (SA-1)




11N20_Ant11_5200

Power Spectral Density (SA-1)




11N20_Ant8_5240

Power Spectral Density (SA-1)




11N20_Ant11_5240

Power Spectral Density (SA-1)




11N20_Ant8_5260

Power Spectral Density (SA-1)




11N20_Ant11_5260

Power Spectral Density (SA-1)





11N20_Ant8_5300

Power Spectral Density (SA-1)




11N20_Ant11_5300






Power Spectral Density (SA-1)




11N20_Ant8_5700

Power Spectral Density (SA-1)




11N20_Ant11_5700

Power Spectral Density (SA-1)




11N20_Ant8_5720

Power Spectral Density (SA-1)




11N20_Ant11_5720

Power Spectral Density (SA-1)




11N20_Ant8_5745

Power Spectral Density (SA-1)




11N20_Ant11_5745

Power Spectral Density (SA-1)




11N20_Ant8_5785

Power Spectral Density (SA-1)




11N20_Ant11_5785

Power Spectral Density (SA-1)




11N20_Ant8_5825

Power Spectral Density (SA-1)




11N20_Ant11_5825

Power Spectral Density (SA-1)




11N40_Ant8_5190


Power Spectral Density (SA-1)



11N40_Ant11_5190




11N40_Ant8_5230




11N40_Ant11_5230

Power Spectral Density (SA-1)




11N40_Ant8_5270

Power Spectral Density (SA-1)



11N40_Ant11_5270

Power Spectral Density (SA-1)



11N40_Ant8_5310