






CHANNEL		TX Channel 64		DETECTOR FUNCTION		Peak (PK) Average (AV)		
FREQUENCY RANGE		1GHz ~ 40GHz						
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	105.99			16.47	H	1	2.00
6	5,350.000	63.48	74.00	10.52	16.73	H	1	1.00
6	5,356.000	63.64	74.00	10.36	16.77	H	6.5	2.00

The graph shows the spectrum level in dB μ V/m on the y-axis (ranging from 20 to 120) against frequency in Hz on the x-axis (ranging from 5.31 GHz to 5.39 GHz). A blue line represents the spectrum level, which peaks at approximately 106 dB μ V/m at 5.318.800 GHz. A horizontal brown line represents the PK+ Limit at 74.00 dB μ V/m. Two vertical dashed blue lines mark the critical points at 5.318.800 GHz and 5.356.000 GHz. Blue circles indicate the PK+ Level at these critical points.







REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




802.11n (20MHz)										
CHANNEL		TX Channel 52		DETECTOR FUNCTION		Peak (PK)				
FREQUENCY RANGE		1GHz ~ 40GHz				Average (AV)				
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M										
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]		
4	5,261.280	106.04			16.39	H	359	1.00		
4	5,350.000	53.19	74.00	20.81	16.73	H	261.2	1.00		
4	5,356.275	55.17	74.00	18.83	16.77	H	262.5	2.00		

Level in dB μ V/m

Frequency in Hz

Legend: ○PK+ Level @CriticalPoint ^PK+ Level @Spectrum Overview ▼PK+ Limit @5G WiFi 20M B2 CH52






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	103.25			16.39	V	248.2	1.00
4	5,350.000	53.80	74.00	20.20	16.73	V	359.1	1.00
4	5,372.425	54.88	74.00	19.12	16.88	V	248.2	1.00

Level in dB μ V/m

Frequency in Hz

PK+ Level @CriticalPoint PK+ Level @Spectrum Overview PK+ Limit @5G WiFi 20M-B2_CH52



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





CHANNEL		TX Channel 60		DETECTOR FUNCTION		Peak (PK) Average (AV)		
FREQUENCY RANGE		1GHz ~ 40GHz						
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.900	105.94			16.30	H	345.8	1.00
5	5,350.000	54.86	74.00	19.14	16.73	H	1	1.00
5	5,351.300	57.55	74.00	16.45	16.74	H	359	1.00

Level in dB μ V/m

Frequency in Hz

PK+ Level @CriticalPoint PK+ Level @Spectrum Overview PK+ Limit @5G WiFi 20M-B2_CH60







ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	91.25			16.32	V	78.4	2.00
5	5,350.000	40.58	54.00	13.42	16.73	V	128.6	2.00
5	5,356.400	40.92	54.00	13.08	16.78	V	128.6	2.00

REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.




CHANNEL		TX Channel 64		DETECTOR FUNCTION		Peak (PK) Average (AV)		
FREQUENCY RANGE		1GHz ~ 40GHz						
=ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	104.43			16.49	H	359	2.00
6	5,350.000	58.70	74.00	15.30	16.73	H	299.6	1.00
6	5,350.400	59.33	74.00	14.67	16.74	H	1	1.00

Level in dB μ V/m

Frequency in Hz

Legend: ○ PK+ Level @CriticalPoint ^ PK+ Level @Spectrum Overview | PK+ Limit @5G WiFi 20M-B2_CH64





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,324.400	102.79			16.52	V	46.1	1.00
6	5,350.000	55.14	74.00	18.86	16.73	V	97.6	1.00
6	5,359.200	58.12	74.00	15.88	16.79	V	46.1	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,324.800	89.93			16.52	V	46.2	1.00
6	5,350.000	41.77	54.00	12.23	16.73	V	114.3	2.00
6	5,350.400	41.63	54.00	12.37	16.74	V	114.3	2.00

REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




802.11n (40MHz)								
CHANNEL		TX Channel 54		DETECTOR FUNCTION		Peak (PK) Average (AV)		
FREQUENCY RANGE		1GHz ~ 40GHz						
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,259.430	102.29			16.39	H	355	2.00
3	5,350.000	54.19	74.00	19.81	16.73	H	30.7	2.00
3	5,455.600	56.48	74.00	17.52	18.32	H	81.5	2.00

Level in dB μ V/m

Frequency in Hz


Legend: PK+ Level @CriticalPoint (blue circle), PK+ Level @Spectrum Overview (orange line), PK+ Limit @5G WiFi 40M-B1_CH54 (blue dashed line)





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,271.533	97.52			16.36	V	77.9	1.00
3	5,350.000	53.66	74.00	20.34	16.73	V	52.2	1.00
3	5,422.600	55.47	74.00	18.53	17.54	V	332.8	2.00

The graph plots Level in dB μ V/m on the y-axis (ranging from 20 to 120) against Frequency in Hz on the x-axis (ranging from 5.24 GHz to 5.46 GHz). A blue line represents the spectrum overview, showing a peak at 5.27 GHz. A horizontal orange line at 74 dB μ V/m represents the PK+ Limit. Vertical dashed lines mark the critical points at 5.27 GHz and 5.35 GHz. A legend at the bottom identifies the data series: PK+ Level @CriticalPoint (blue circle), PK+ Level @Spectrum Overview (blue line), and PK+ Limit @5G WiFi 40M-B1_CH54 (orange line).





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		









ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,312.500	86.12			16.42	V	103	1.00
4	5,350.000	40.92	54.00	13.08	16.73	V	103	1.00
4	5,351.000	40.90	54.00	13.10	16.74	V	79	2.00

Level in dB μ V/m

Frequency in Hz

Legend: ○ AVG Level @CriticalPoint ^ AVG Level @Spectrum Overview ■ AVG Limit @5G WiFi 40M-B2_CH62

REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.



802.11ac (20MHz)										
CHANNEL		TX Channel 52		DETECTOR FUNCTION		Peak (PK)				
FREQUENCY RANGE		1GHz ~ 40GHz				Average (AV)				
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M										
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]		
4	5,261.750	106.32			16.39	H	359.1	1.00		
4	5,350.000	53.88	74.00	20.12	16.73	H	1	1.00		
4	5,355.325	54.66	74.00	19.34	16.77	H	359.1	1.00		


Level in dB μ V/m

Frequency in Hz

○ PK+ Level @CriticalPoint

▲ PK+ Level @Spectrum Overview

▼ PK+ Limit @5G WiFi 20M-B2_CH52





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.800	101.36			16.39	V	101.1	1.00
4	5,350.000	53.57	74.00	20.43	16.73	V	5	1.00
4	5,371.950	53.95	74.00	20.05	16.88	V	48.4	1.00


Level in dB μ V/m

Frequency in Hz

PK+ Level @CriticalPoint

PK+ Level @Spectrum Overview

PK+ Limit @5G WiFi 20M-B2_CH52



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.




CHANNEL		TX Channel 60		DETECTOR FUNCTION		Peak (PK) Average (AV)		
FREQUENCY RANGE		1GHz ~ 40GHz						
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.400	104.95			16.30	H	359	1.00
5	5,350.000	55.75	74.00	18.25	16.73	H	359	1.00
5	5,350.400	58.08	74.00	15.92	16.74	H	359	1.00

Level in dB μ V/m

Frequency in Hz

PK+ Level @CriticalPoint PK+ Level @Spectrum Overview PK+ Limit @5G WiFi 20M-B2_CH60





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.800	103.76			16.32	V	101.1	1.00
5	5,350.000	54.79	74.00	19.21	16.73	V	101.1	1.00
5	5,350.400	56.27	74.00	17.73	16.74	V	48.5	1.00

Level in dB μ V/m

Frequency in Hz

PK+ Level @CriticalPoint PK+ Level @Spectrum Overview PK+ Limit @5G WiFi 20M-B2_CH60



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	89.77			16.30	V	47.2	1.00
5	5,350.000	40.26	54.00	13.74	16.73	V	47.2	1.00
5	5,351.000	40.39	54.00	13.61	16.74	V	47.2	1.00

REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL		TX Channel 64		DETECTOR FUNCTION		Peak (PK) Average (AV)		
FREQUENCY RANGE		1GHz ~ 40GHz						
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,322.000	104.33			16.50	H	359.1	1.00
6	5,350.000	60.33	74.00	13.67	16.73	H	359.1	1.00
6	5,350.400	60.35	74.00	13.65	16.74	H	359.1	1.00

Level in dB μ V/m

Frequency in Hz

PK+ Level @CriticalPoint PK+ Level @Spectrum Overview PK+ Limit @5G WiFi 20M-B2_CH64