





BUREAU  
VERITAS


Test Report No.: PSU-NQN2412090210RF11




N77-3450-3550-PC2-30-70-M-DFT-256QAM-Outer\_Full




N77-3450-3550-PC2-30-80-M-DFT-PI2BPSK-Outer\_Full




N77-3450-3550-PC2-30-80-M-DFT-QPSK-Outer\_Full



N77-3450-3550-PC2-30-80-M-DFT-16QAM-Outer\_Full



N77-3450-3550-PC2-30-80-M-DFT-64QAM-Outer\_Full




N77-3450-3550-PC2-30-80-M-DFT-256QAM-Outer\_Full




BUREAU  
VERITAS


Test Report No.: PSU-NQN2412090210RF11




N77-3450-3550-PC2-30-90-M-DFT-PI2BPSK-Outer Full




N77-3450-3550-PC2-30-90-M-DFT-QPSK-Outer Full




N77-3450-3550-PC2-30-90-M-DFT-16QAM-Outer Full




N77-3450-3550-PC2-30-90-M-DFT-64QAM-Outer Full




N77-3450-3550-PC2-30-90-M-DFT-256QAM-Outer Full




N77-3450-3550-PC2-30-100-M-DFT-PI2BPSK-Outer Full




N77-3450-3550-PC2-30-100-M-DFT-QPSK-Outer\_Full



N77-3450-3550-PC2-30-100-M-DFT-16QAM-Outer\_Full



N77-3450-3550-PC2-30-100-M-DFT-64QAM-Outer\_Full



N77-3450-3550-PC2-30-100-M-DFT-256QAM-Outer\_Full



**BUREAU VERITAS** Test Report No.: PSU-NQN2412090210RF11

## BAND EDGE FOR SA

### Test Result

NOTE: Pre-scan QPSK,16QAM,64QAM, 256QAM four modulations modes, only the worst mode and data reflected in the report.


| Band          | SCS | Bandwidth | Modulation | Channel | RB Config      | Result    | Verdict |
|---------------|-----|-----------|------------|---------|----------------|-----------|---------|
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer Full     | See Graph | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Edge 1RB Left  | See Graph | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | H       | Outer Full     | See Graph | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | H       | Edge 1RB Right | See Graph | PASS    |
| N77-3450-3550 | 30  | 60        | DFT-QPSK   | L       | Outer Full     | See Graph | PASS    |
| N77-3450-3550 | 30  | 60        | DFT-QPSK   | L       | Edge 1RB Left  | See Graph | PASS    |
| N77-3450-3550 | 30  | 60        | DFT-QPSK   | H       | Outer Full     | See Graph | PASS    |
| N77-3450-3550 | 30  | 60        | DFT-QPSK   | H       | Edge 1RB Right | See Graph | PASS    |
| N77-3450-3550 | 30  | 100       | DFT-QPSK   | M       | Outer Full     | See Graph | PASS    |
| N77-3450-3550 | 30  | 100       | DFT-QPSK   | M       | Edge 1RB Left  | See Graph | PASS    |
| N77-3450-3550 | 30  | 100       | DFT-QPSK   | M       | Edge 1RB Right | See Graph | PASS    |




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412090210RF11


## Test Graphs




N77-3450-3550-PC2-30-20-L-DFT-QPSK-Outer Full




N77-3450-3550-PC2-30-20-L-DFT-QPSK-Edge 1RB Left




N77-3450-3550-PC2-30-20-H-DFT-QPSK-Outer Full




N77-3450-3550-PC2-30-20-H-DFT-QPSK-Edge 1RB Right




N77-3450-3550-PC2-30-60-L-DFT-QPSK-Outer Full




N77-3450-3550-PC2-30-60-L-DFT-QPSK-Edge 1RB Left




N77-3450-3550-PC2-30-60-H-DFT-QPSK-Outer Full




N77-3450-3550-PC2-30-60-H-DFT-QPSK-Edge 1RB Right



N77-3450-3550-PC2-30-100-M-DFT-QPSK-Outer Full



N77-3450-3550-PC2-30-100-M-DFT-QPSK-Edge 1RB Left



N77-3450-3550-PC2-30-100-M-DFT-QPSK-Edge\_1RB\_Right




**BUREAU VERITAS** Test Report No.: PSU-NQN2412090210RF11  
**CONDUCTED SPURIOUS EMISSION FOR SA**


**Test Result**

| Band          | SC S | Band width | Modulation | Channel | RB Config     | StartFreq | StopFreq | Result    | Limit | Verdict |
|---------------|------|------------|------------|---------|---------------|-----------|----------|-----------|-------|---------|
| N77-3450-3550 | 30   | 20         | DFT-QPSK   | L       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |
| N77-3450-3550 | 30   | 20         | DFT-QPSK   | M       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |
| N77-3450-3550 | 30   | 20         | DFT-QPSK   | H       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |
| N77-3450-3550 | 30   | 60         | DFT-QPSK   | L       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |
| N77-3450-3550 | 30   | 60         | DFT-QPSK   | M       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |
| N77-3450-3550 | 30   | 60         | DFT-QPSK   | H       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |
| N77-3450-3550 | 30   | 100        | DFT-QPSK   | M       | Edge 1RB Left | 30        | 35500    | See Graph | -13   | PASS    |


**Test Graphs**




N77-3450-3550-PC2-30-20-L-DFT-QPSK-Edge\_1RB\_Left




N77-3450-3550-PC2-30-20-M-DFT-QPSK-Edge\_1RB\_Left




N77-3450-3550-PC2-30-20-H-DFT-QPSK-Edge\_1RB\_Left




N77-3450-3550-PC2-30-60-L-DFT-QPSK-Edge\_1RB\_Left



N77-3450-3550-PC2-30-60-M-DFT-QPSK-Edge\_1RB\_Left



N77-3450-3550-PC2-30-60-H-DFT-QPSK-Edge\_1RB\_Left



N77-3450-3550-PC2-30-100-M-DFT-QPSK-Edge\_1RB\_Left

## FREQUENCY STABILITY FOR SA

### Test Result

### Frequency Error VS. Voltage

| Voltage       |     |           |            |         |            |         |             |                |                 |         |
|---------------|-----|-----------|------------|---------|------------|---------|-------------|----------------|-----------------|---------|
| Band          | SCS | Bandwidth | Modulation | Channel | RB Config  | Voltage | Temperature | Deviation (Hz) | Deviation (ppm) | Verdict |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | VL      | NT          | -5.00          | -0.0014         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | VN      | NT          | 14.00          | 0.0040          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | VH      | NT          | 0.00           | 0.0000          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | VL      | NT          | 10.00          | 0.0029          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | VN      | NT          | -11.00         | -0.0031         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | VH      | NT          | 17.00          | 0.0049          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | H       | Outer_Full | VL      | NT          | -19.00         | -0.0054         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | H       | Outer_Full | VN      | NT          | 8.00           | 0.0023          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | H       | Outer_Full | VH      | NT          | -15.00         | -0.0042         | PASS    |

### Frequency Error VS. Temperature

| Temperature   |     |           |            |         |            |         |             |                |                 |         |
|---------------|-----|-----------|------------|---------|------------|---------|-------------|----------------|-----------------|---------|
| Band          | SCS | Bandwidth | Modulation | Channel | RB Config  | Voltage | Temperature | Deviation (Hz) | Deviation (ppm) | Verdict |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | -30         | 18.00          | 0.0052          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | -20         | -20.00         | -0.0058         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | -10         | -15.30         | -0.0044         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | 0           | 10.50          | 0.0030          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | 10          | 5.20           | 0.0015          | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | 20          | -34.40         | -0.0099         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | 30          | -28.20         | -0.0082         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | 40          | -31.00         | -0.0090         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | 50          | -16.10         | -0.0047         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | NV      | -30         | -9.50          | -0.0027         | PASS    |
| N77-3450-3550 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | NV      | -20         | 12.00          | 0.0034          | PASS    |

**Test Report No.: PSU-NQN2412090210RF11**

|               |    |    |          |   |            |    |     |        |         |      |
|---------------|----|----|----------|---|------------|----|-----|--------|---------|------|
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | -10 | 23.40  | 0.0067  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | 0   | -19.50 | -0.0056 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | 10  | 29.60  | 0.0085  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | 20  | -14.90 | -0.0043 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | 30  | -23.70 | -0.0068 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | 40  | -11.00 | -0.0031 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | M | Outer_Full | NV | 50  | 7.50   | 0.0021  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | -30 | 28.00  | 0.0079  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | -20 | -1.50  | -0.0004 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | -10 | 16.00  | 0.0045  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | 0   | 15.10  | 0.0043  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | 10  | -1.90  | -0.0005 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | 20  | -3.00  | -0.0008 | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | 30  | 5.50   | 0.0016  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | 40  | 26.10  | 0.0074  | PASS |
| N77-3450-3550 | 30 | 20 | DFT-QPSK | H | Outer_Full | NV | 50  | -11.70 | -0.0033 | PASS |



**N77-3700-3980**


**PEAK-TO-AVERAGE RATIO FOR SA**

**Test Result**


| Band          | SCS | Bandwidth | Modulation | Channel | RB Config     | Result | Limit | Verdict |
|---------------|-----|-----------|------------|---------|---------------|--------|-------|---------|
| N77-3700-3980 | 30  | 20        | DFT-QPSK   | L       | Outer_Full    | 5.32   | ≤13   | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-QPSK   | L       | Edge_1RB_Left | 2.70   | ≤13   | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-QPSK   | M       | Outer_Full    | 6.74   | ≤13   | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-QPSK   | M       | Edge_1RB_Left | 2.46   | ≤13   | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-QPSK   | H       | Outer_Full    | 4.48   | ≤13   | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-QPSK   | H       | Edge_1RB_Left | 6.02   | ≤13   | PASS    |




## Test Graphs




N77-3700-3980-PC2-30-20-L-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-20-L-DFT-QPSK-Edge\_1RB\_Left




N77-3700-3980-PC2-30-20-M-DFT-QPSK-Outer\_Full



N77-3700-3980-PC2-30-20-M-DFT-QPSK-Edge\_1RB\_Left



N77-3700-3980-PC2-30-20-H-DFT-QPSK-Outer\_Ful



N77-3700-3980-PC2-30-20-H-DFT-QPSK-Edge\_1RB\_Left



**BUREAU VERITAS** Test Report No.: PSU-NQN2412090210RF11

## 26DB BANDWIDTH AND OCCUPIED BANDWIDTH FOR SA

### Test Result

| Band          | SCS | Bandwidth | Modulation  | Channel | RB Config  | Result (99%) | Result (26dB) | Verdict |
|---------------|-----|-----------|-------------|---------|------------|--------------|---------------|---------|
| N77-3700-3980 | 30  | 10        | DFT-PI2BPSK | M       | Outer_Full | 8.718        | 10.13         | PASS    |
| N77-3700-3980 | 30  | 10        | DFT-QPSK    | M       | Outer_Full | 8.752        | 10.22         | PASS    |
| N77-3700-3980 | 30  | 10        | DFT-16QAM   | M       | Outer_Full | 8.707        | 10.19         | PASS    |
| N77-3700-3980 | 30  | 10        | DFT-64QAM   | M       | Outer_Full | 8.718        | 10.19         | PASS    |
| N77-3700-3980 | 30  | 10        | DFT-256QAM  | M       | Outer_Full | 8.686        | 9.83          | PASS    |
| N77-3700-3980 | 30  | 15        | DFT-PI2BPSK | M       | Outer_Full | 13.068       | 14.56         | PASS    |
| N77-3700-3980 | 30  | 15        | DFT-QPSK    | M       | Outer_Full | 13.064       | 14.52         | PASS    |
| N77-3700-3980 | 30  | 15        | DFT-16QAM   | M       | Outer_Full | 13.097       | 14.52         | PASS    |
| N77-3700-3980 | 30  | 15        | DFT-64QAM   | M       | Outer_Full | 13.097       | 14.61         | PASS    |
| N77-3700-3980 | 30  | 15        | DFT-256QAM  | M       | Outer_Full | 13.048       | 14.56         | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-PI2BPSK | M       | Outer_Full | 18.156       | 20.26         | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-QPSK    | M       | Outer_Full | 18.179       | 20.20         | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-16QAM   | M       | Outer_Full | 18.131       | 19.96         | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-64QAM   | M       | Outer_Full | 18.196       | 20.62         | PASS    |
| N77-3700-3980 | 30  | 20        | DFT-256QAM  | M       | Outer_Full | 18.127       | 20.26         | PASS    |
| N77-3700-3980 | 30  | 30        | DFT-PI2BPSK | M       | Outer_Full | 27.035       | 29.04         | PASS    |
| N77-3700-3980 | 30  | 30        | DFT-QPSK    | M       | Outer_Full | 26.984       | 29.13         | PASS    |
| N77-3700-3980 | 30  | 30        | DFT-16QAM   | M       | Outer_Full | 26.968       | 29.22         | PASS    |
| N77-3700-3980 | 30  | 30        | DFT-64QAM   | M       | Outer_Full | 27.053       | 29.31         | PASS    |
| N77-3700-3980 | 30  | 30        | DFT-256QAM  | M       | Outer_Full | 27.054       | 29.13         | PASS    |
| N77-3700-3980 | 30  | 40        | DFT-PI2BPSK | M       | Outer_Full | 36.209       | 39.08         | PASS    |
| N77-3700-3980 | 30  | 40        | DFT-QPSK    | M       | Outer_Full | 36.175       | 39.08         | PASS    |
| N77-3700-3980 | 30  | 40        | DFT-16QAM   | M       | Outer_Full | 36.110       | 39.44         | PASS    |
| N77-3700-3980 | 30  | 40        | DFT-64QAM   | M       | Outer_Full | 36.151       | 38.84         | PASS    |
| N77-3700-3980 | 30  | 40        | DFT-256QAM  | M       | Outer_Full | 36.089       | 39.20         | PASS    |
| N77-3700-3980 | 30  | 50        | DFT-PI2BPSK | M       | Outer_Full | 46.158       | 49.75         | PASS    |
| N77-3700-3980 | 30  | 50        | DFT-QPSK    | M       | Outer_Full | 46.043       | 48.85         | PASS    |
| N77-3700-3980 | 30  | 50        | DFT-16QAM   | M       | Outer_Full | 46.006       | 48.70         | PASS    |
| N77-3700-3980 | 30  | 50        | DFT-64QAM   | M       | Outer_Full | 46.157       | 49.45         | PASS    |
| N77-3700-3980 | 30  | 50        | DFT-256QAM  | M       | Outer_Full | 46.132       | 49.75         | PASS    |
| N77-3700-3980 | 30  | 60        | DFT-PI2BPSK | M       | Outer_Full | 58.187       | 60.78         | PASS    |
| N77-3700-3980 | 30  | 60        | DFT-QPSK    | M       | Outer_Full | 58.158       | 61.68         | PASS    |
| N77-3700-3980 | 30  | 60        | DFT-16QAM   | M       | Outer_Full | 58.144       | 61.14         | PASS    |
| N77-3700-3980 | 30  | 60        | DFT-64QAM   | M       | Outer_Full | 58.258       | 61.68         | PASS    |
| N77-3700-3980 | 30  | 60        | DFT-256QAM  | M       | Outer_Full | 58.198       | 61.32         | PASS    |
| N77-3700-3980 | 30  | 70        | DFT-PI2BPSK | M       | Outer_Full | 64.749       | 68.60         | PASS    |
| N77-3700-3980 | 30  | 70        | DFT-QPSK    | M       | Outer_Full | 64.716       | 67.76         | PASS    |
| N77-3700-3980 | 30  | 70        | DFT-16QAM   | M       | Outer_Full | 64.621       | 67.97         | PASS    |
| N77-3700-3980 | 30  | 70        | DFT-64QAM   | M       | Outer_Full | 64.779       | 67.76         | PASS    |
| N77-3700-3980 | 30  | 70        | DFT-256QAM  | M       | Outer_Full | 64.686       | 67.76         | PASS    |
| N77-3700-3980 | 30  | 80        | DFT-PI2BPSK | M       | Outer_Full | 78.040       | 82.96         | PASS    |
| N77-3700-3980 | 30  | 80        | DFT-QPSK    | M       | Outer_Full | 77.846       | 82.72         | PASS    |
| N77-3700-3980 | 30  | 80        | DFT-16QAM   | M       | Outer_Full | 77.876       | 82.72         | PASS    |
| N77-3700-3980 | 30  | 80        | DFT-64QAM   | M       | Outer_Full | 77.910       | 82.72         | PASS    |
| N77-3700-3980 | 30  | 80        | DFT-256QAM  | M       | Outer_Full | 77.964       | 82.96         | PASS    |
| N77-3700-3980 | 30  | 90        | DFT-PI2BPSK | M       | Outer_Full | 86.534       | 91.71         | PASS    |
| N77-3700-3980 | 30  | 90        | DFT-QPSK    | M       | Outer_Full | 86.398       | 91.98         | PASS    |
| N77-3700-3980 | 30  | 90        | DFT-16QAM   | M       | Outer_Full | 86.291       | 91.17         | PASS    |
| N77-3700-3980 | 30  | 90        | DFT-64QAM   | M       | Outer_Full | 87.298       | 91.17         | PASS    |
| N77-3700-3980 | 30  | 90        | DFT-256QAM  | M       | Outer_Full | 86.453       | 91.71         | PASS    |


**Test Report No.: PSU-NQN2412090210RF11**

|               |    |     |             |   |            |        |        |      |
|---------------|----|-----|-------------|---|------------|--------|--------|------|
| N77-3700-3980 | 30 | 100 | DFT-PI2BPSK | M | Outer_Full | 97.073 | 101.90 | PASS |
| N77-3700-3980 | 30 | 100 | DFT-QPSK    | M | Outer_Full | 97.221 | 101.90 | PASS |
| N77-3700-3980 | 30 | 100 | DFT-16QAM   | M | Outer_Full | 96.979 | 102.50 | PASS |
| N77-3700-3980 | 30 | 100 | DFT-64QAM   | M | Outer_Full | 96.946 | 102.20 | PASS |
| N77-3700-3980 | 30 | 100 | DFT-256QAM  | M | Outer_Full | 96.923 | 103.40 | PASS |




## Test Graphs


### Occupied Bandwidth




N77-3700-3980-PC2-30-10-M-DFT-PI2BPSK-Outer\_Full




N77-3700-3980-PC2-30-10-M-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-10-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-10-M-DFT-64QAM-Outer\_Full




N77-3700-3980-PC2-30-10-M-DFT-256QAM-Outer\_Full




N77-3700-3980-PC2-30-15-M-DFT-PI2BPSK-Outer\_Full




N77-3700-3980-PC2-30-15-M-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-15-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-15-M-DFT-64QAM-Outer\_Full




N77-3700-3980-PC2-30-15-M-DFT-256QAM-Outer\_Full




N77-3700-3980-PC2-30-20-M-DFT-PI2BPSK-Outer\_Full




N77-3700-3980-PC2-30-20-M-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-20-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-20-M-DFT-64QAM-Outer\_Full




N77-3700-3980-PC2-30-20-M-DFT-256QAM-Outer\_Full




N77-3700-3980-PC2-30-30-M-DFT-PI2BPSK-Outer\_Full




N77-3700-3980-PC2-30-30-M-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-30-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-30-M-DFT-64QAM-Outer Full




N77-3700-3980-PC2-30-30-M-DFT-256QAM-Outer Full




N77-3700-3980-PC2-30-40-M-DFT-PI2BPSK-Outer Full




N77-3700-3980-PC2-30-40-M-DFT-QPSK-Outer Full




N77-3700-3980-PC2-30-40-M-DFT-16QAM-Outer Full




N77-3700-3980-PC2-30-40-M-DFT-64QAM-Outer Full




N77-3700-3980-PC2-30-40-M-DFT-256QAM-Outer\_Full




N77-3700-3980-PC2-30-50-M-DFT-PI2BPSK-Outer\_Full




N77-3700-3980-PC2-30-50-M-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-50-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-50-M-DFT-64QAM-Outer\_Full




N77-3700-3980-PC2-30-50-M-DFT-256QAM-Outer\_Full



N77-3700-3980-PC2-30-60-M-DFT-PI2BPSK-Outer\_Full




N77-3700-3980-PC2-30-60-M-DFT-QPSK-Outer\_Full



N77-3700-3980-PC2-30-60-M-DFT-64QAM-Outer\_Full




N77-3700-3980-PC2-30-60-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-60-M-DFT-256QAM-Outer\_Full




**BUREAU**  
**VERITAS** **Test Report No.: PSU-NQN2412090210RF11**




N77-3700-3980-PC2-30-70-M-DFT-PI2BPSK-Outer Full




N77-3700-3980-PC2-30-70-M-DFT-QPSK-Outer Full




N77-3700-3980-PC2-30-70-M-DFT-16QAM-Outer Full




N77-3700-3980-PC2-30-70-M-DFT-64QAM-Outer Full




N77-3700-3980-PC2-30-70-M-DFT-256QAM-Outer Full




N77-3700-3980-PC2-30-80-M-DFT-PI2BPSK-Outer Full




N77-3700-3980-PC2-30-80-M-DFT-QPSK-Outer\_Full




N77-3700-3980-PC2-30-80-M-DFT-16QAM-Outer\_Full




N77-3700-3980-PC2-30-80-M-DFT-64QAM-Outer\_Full



N77-3700-3980-PC2-30-80-M-DFT-256QAM-Outer\_Full



N77-3700-3980-PC2-30-90-M-DFT-PI2BPSK-Outer\_Full



N77-3700-3980-PC2-30-90-M-DFT-QPSK-Outer\_Full