




CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 18900
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	120Vac 60HZ	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.

3.7.4 TEST RESULTS

Please Refer to Appendix of this test report.



4 INFORMATION ON THE TESTING LABORATORIES

We, Huarui 7layers High Technology (Suzhou) Co., Ltd. ,were founded in 2020 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

Huarui 7Layers High Technology (Suzhou) Co., Ltd.

Lab Address:

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Accredited Test Lab Cert 6613.01

If you have any comments, please feel free to contact us at the following:

Suzhou EMC/RF Lab:

Tel: +86 (0557) 368 1008



5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



6 Appendix

GSM1900


PEAK-TO-AVERAGE RATIO(CCDF)


Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM1900	512	3.40	13	PASS
GSM1900	661	3.58	13	PASS
GSM1900	810	3.50	13	PASS
GPRS1900	512	3.50	13	PASS
GPRS1900	661	3.50	13	PASS
GPRS1900	810	3.50	13	PASS
EGPRS1900	512	5.36	13	PASS
EGPRS1900	661	3.58	13	PASS
EGPRS1900	810	4.06	13	PASS




Test Graphs







GPRS1900-512




GPRS1900-661




GPRS1900-810




EGPRS1900-512



EGPRS1900-661



EGPRS1900-810






26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
GSM1900	512	245.166	318.18	PASS
GSM1900	661	244.717	316.68	PASS
GSM1900	810	244.031	316.68	PASS
GPRS1900	512	242.220	318.18	PASS
GPRS1900	661	243.801	316.18	PASS
GPRS1900	810	243.041	311.69	PASS
EGPRS1900	512	244.338	312.19	PASS
EGPRS1900	661	245.392	312.69	PASS
EGPRS1900	810	245.001	312.69	PASS

Test Graphs


Occupied Bandwidth








GPRS1900-661



GPRS1900-810






EGPRS1900-810


26dB Bandwidth

GSM1900-512


Test Report No.: PSU-NQN2412090210RF07




GPRS1900-512




GPRS1900-661




GPRS1900-810



EGPRS1900-512




EGPRS1900-661



EGPRS1900-810



BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07





BAND EDGE


Test Result


NOTE: Pre-scan QPSK, 16QAM, 64QAM, 256QAM four modulations modes, only the worst mode and data reflected in the report.

Band	Channel	Result (dBm)	Limit(dBm)	Verdict
GSM1900	512	See Graph	-13	PASS
GSM1900	810	See Graph	-13	PASS
GPRS1900	512	See Graph	-13	PASS
GPRS1900	810	See Graph	-13	PASS
EGPRS1900	512	See Graph	-13	PASS
EGPRS1900	810	See Graph	-13	PASS




Test Graphs







BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07






BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07
CONDUCTED SPURIOUS EMISSION


Test Result


Band	Channel	Frequency Range(MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM1900	512	30~15000MHz	See Graph	-13	PASS
GSM1900	512	15000~19100MHz	See Graph	-13	PASS
GSM1900	661	30~15000MHz	See Graph	-13	PASS
GSM1900	661	15000~19100MHz	See Graph	-13	PASS
GSM1900	810	30~15000MHz	See Graph	-13	PASS
GSM1900	810	15000~19100MHz	See Graph	-13	PASS
GPRS1900	512	30~15000MHz	See Graph	-13	PASS
GPRS1900	512	15000~19100MHz	See Graph	-13	PASS
GPRS1900	661	30~15000MHz	See Graph	-13	PASS
GPRS1900	661	15000~19100MHz	See Graph	-13	PASS
GPRS1900	810	30~15000MHz	See Graph	-13	PASS
GPRS1900	810	15000~19100MHz	See Graph	-13	PASS
EGPRS1900	512	30~15000MHz	See Graph	-13	PASS
EGPRS1900	512	15000~19100MHz	See Graph	-13	PASS
EGPRS1900	661	30~15000MHz	See Graph	-13	PASS
EGPRS1900	661	15000~19100MHz	See Graph	-13	PASS
EGPRS1900	810	30~15000MHz	See Graph	-13	PASS
EGPRS1900	810	15000~19100MHz	See Graph	-13	PASS




Test Graphs









GSM1900-810-15000~19100MHz



GPRS1900-512-30~15000MHz




GPRS1900-512-15000~19100MHz




GPRS1900-661-30~15000MHz




BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07







GPRS1900-810-15000~19100MHz




EGPRS1900-512-30~15000MHz




EGPRS1900-512-15000~19100MHz



EGPRS1900-661-30~15000MHz





**FREQUENCY STABILITY****Test Result**

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM1900	512	LV	NT	7.82	0.0042	±2.5	PASS
GSM1900	512	NV	NT	3.56	0.0019	±2.5	PASS
GSM1900	512	HV	NT	4.40	0.0024	±2.5	PASS
GSM1900	661	LV	NT	5.30	0.0028	±2.5	PASS
GSM1900	661	NV	NT	3.39	0.0018	±2.5	PASS
GSM1900	661	HV	NT	2.06	0.0011	±2.5	PASS
GSM1900	810	LV	NT	0.88	0.0005	±2.5	PASS
GSM1900	810	NV	NT	8.87	0.0046	±2.5	PASS
GSM1900	810	HV	NT	-6.44	-0.0034	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM1900	512	NV	-30	-2.62	-0.0014	±2.5	PASS
GSM1900	512	NV	-20	-1.88	-0.0010	±2.5	PASS
GSM1900	512	NV	-10	-3.91	-0.0021	±2.5	PASS
GSM1900	512	NV	0	9.15	0.0049	±2.5	PASS
GSM1900	512	NV	10	-2.47	-0.0013	±2.5	PASS
GSM1900	512	NV	20	-7.02	-0.0038	±2.5	PASS
GSM1900	512	NV	30	2.27	0.0012	±2.5	PASS
GSM1900	512	NV	40	-1.08	-0.0006	±2.5	PASS
GSM1900	512	NV	50	7.88	0.0043	±2.5	PASS
GSM1900	661	NV	-30	4.50	0.0024	±2.5	PASS
GSM1900	661	NV	-20	8.09	0.0043	±2.5	PASS
GSM1900	661	NV	-10	0.44	0.0002	±2.5	PASS
GSM1900	661	NV	0	-2.73	-0.0015	±2.5	PASS
GSM1900	661	NV	10	2.85	0.0015	±2.5	PASS
GSM1900	661	NV	20	7.73	0.0041	±2.5	PASS
GSM1900	661	NV	30	-2.55	-0.0014	±2.5	PASS
GSM1900	661	NV	40	-8.33	-0.0044	±2.5	PASS
GSM1900	661	NV	50	9.26	0.0049	±2.5	PASS
GSM1900	810	NV	-30	5.82	0.0030	±2.5	PASS
GSM1900	810	NV	-20	-9.30	-0.0049	±2.5	PASS
GSM1900	810	NV	-10	7.79	0.0041	±2.5	PASS
GSM1900	810	NV	0	-8.53	-0.0045	±2.5	PASS
GSM1900	810	NV	10	-7.96	-0.0042	±2.5	PASS
GSM1900	810	NV	20	-2.81	-0.0015	±2.5	PASS
GSM1900	810	NV	30	5.87	0.0031	±2.5	PASS
GSM1900	810	NV	40	8.45	0.0044	±2.5	PASS
GSM1900	810	NV	50	6.33	0.0033	±2.5	PASS




WCDMA BAND2


PEAK-TO-AVERAGE RATIO

Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band2	9262	2.74	13	PASS
Band2	9400	2.86	13	PASS
Band2	9538	2.72	13	PASS

Test Graphs





Band2-9538



26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Huarui 7layers High Technology (Suzhou) Co., Ltd.		Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province		Tel: +86 (0557) 368 1008



BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07


Band2	9262	4.164	4.71	PASS
Band2	9400	4.154	4.71	PASS
Band2	9538	4.158	4.70	PASS




Test Graphs

1.1.1.1 Occupied Bandwidth






26dB Bandwidth





BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07






BAND EDGE

Test Result

NOTE: Pre-scan QPSK,16QAM,64QAM, 256QAM four modulations modes, only the worst mode and data reflected in the report.


Band	Channel	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	See Graph	-13	PASS
Band2	9538	See Graph	-13	PASS

Test Graphs





BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07






BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07
CONDUCTED SPURIOUS EMISSION


Test Result

Band	Channel	Frequency Range (Mhz)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	30~15000MHz	See Graph	-13	PASS
Band2	9262	15000~20000MHz	See Graph	-13	PASS
Band2	9400	30~15000MHz	See Graph	-13	PASS
Band2	9400	15000~20000MHz	See Graph	-13	PASS
Band2	9538	30~15000MHz	See Graph	-13	PASS
Band2	9538	15000~20000MHz	See Graph	-13	PASS




Test Graphs






Band2-9400-15000~20000MHz



Band2-9538-30~15000MHz



FREQUENCY STABILITY

Test Result

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557)
368 1008



Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	-5.49	-0.0030	±2.5	PASS
Band2	9262	VN	NT	8.77	0.0047	±2.5	PASS
Band2	9262	VH	NT	6.76	0.0036	±2.5	PASS
Band2	9400	VL	NT	1.46	0.0008	±2.5	PASS
Band2	9400	VN	NT	6.82	0.0036	±2.5	PASS
Band2	9400	VH	NT	2.55	0.0014	±2.5	PASS
Band2	9538	VL	NT	-2.10	-0.0011	±2.5	PASS
Band2	9538	VN	NT	2.44	0.0012	±2.5	PASS
Band2	9538	VH	NT	-1.70	-0.0009	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-4.97	-0.0027	±2.5	PASS
Band2	9262	NV	-20	-0.11	0.0001	±2.5	PASS
Band2	9262	NV	-10	0.29	0.0002	±2.5	PASS
Band2	9262	NV	0	2.76	0.0015	±2.5	PASS
Band2	9262	NV	10	-4.01	-0.0022	±2.5	PASS
Band2	9262	NV	20	3.87	0.0021	±2.5	PASS
Band2	9262	NV	30	6.19	0.0033	±2.5	PASS
Band2	9262	NV	40	-3.27	-0.0018	±2.5	PASS
Band2	9262	NV	50	-1.56	-0.0008	±2.5	PASS
Band2	9400	NV	-30	-2.32	-0.0012	±2.5	PASS
Band2	9400	NV	-20	0.00	0.0000	±2.5	PASS
Band2	9400	NV	-10	4.48	0.0024	±2.5	PASS
Band2	9400	NV	0	-3.32	-0.0018	±2.5	PASS
Band2	9400	NV	10	-9.90	-0.0053	±2.5	PASS
Band2	9400	NV	20	5.52	0.0029	±2.5	PASS
Band2	9400	NV	30	2.63	0.0014	±2.5	PASS
Band2	9400	NV	40	9.56	0.0051	±2.5	PASS
Band2	9400	NV	50	3.61	0.0019	±2.5	PASS
Band2	9538	NV	-30	0.57	0.0003	±2.5	PASS
Band2	9538	NV	-20	-9.48	-0.0048	±2.5	PASS
Band2	9538	NV	-10	2.79	0.0014	±2.5	PASS
Band2	9538	NV	0	-8.88	-0.0045	±2.5	PASS
Band2	9538	NV	10	4.30	0.0022	±2.5	PASS
Band2	9538	NV	20	-3.46	-0.0017	±2.5	PASS
Band2	9538	NV	30	-7.58	-0.0038	±2.5	PASS
Band2	9538	NV	40	5.71	0.0029	±2.5	PASS
Band2	9538	NV	50	4.65	0.0024	±2.5	PASS



PEAK-TO-AVERAGE RATIO(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18700	1RB#0	5.06	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.44	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	5.42	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.56	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	5.04	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.66	13	PASS




Test Graphs


Band2-20MHz-QPSK-18700-1RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-1RB#0




Band2-20MHz-QPSK-18900-100RB#0



Band2-20MHz-QPSK-19100-1RB#0



Band2-20MHz-QPSK-19100-100RB#0





BUREAU VERITAS Test Report No.: PSU-NQN2412090210RF07
26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.099	1.35	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.099	1.35	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.093	1.34	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.092	1.33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.097	1.33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.094	1.33	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	1.100	1.35	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	1.095	1.34	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	1.092	1.36	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	1.094	1.28	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	1.095	1.33	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	1.087	1.33	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.700	3.00	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.697	3.00	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.700	3.02	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.699	3.04	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.698	3.00	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.700	3.05	PASS
Band2	3MHz	64QAM	18615	15RB#0	2.701	3.01	PASS
Band2	3MHz	64QAM	18900	15RB#0	2.699	3.01	PASS
Band2	3MHz	64QAM	19185	15RB#0	2.700	3.01	PASS
Band2	3MHz	256QAM	18615	15RB#0	2.706	3.02	PASS
Band2	3MHz	256QAM	18900	15RB#0	2.705	3.01	PASS
Band2	3MHz	256QAM	19185	15RB#0	2.699	3.04	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.481	5.02	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.493	5.00	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.501	4.97	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.493	5.02	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.486	5.00	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.494	5.00	PASS
Band2	5MHz	64QAM	18625	25RB#0	4.493	4.97	PASS
Band2	5MHz	64QAM	18900	25RB#0	4.491	5.05	PASS
Band2	5MHz	64QAM	19175	25RB#0	4.494	4.99	PASS
Band2	5MHz	256QAM	18625	25RB#0	4.490	4.97	PASS
Band2	5MHz	256QAM	18900	25RB#0	4.497	4.96	PASS
Band2	5MHz	256QAM	19175	25RB#0	4.495	4.97	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.960	9.83	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.984	9.92	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.996	9.86	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.970	9.86	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.984	9.89	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.981	9.77	PASS
Band2	10MHz	64QAM	18650	50RB#0	8.958	9.80	PASS
Band2	10MHz	64QAM	18900	50RB#0	8.976	9.86	PASS
Band2	10MHz	64QAM	19150	50RB#0	8.987	9.80	PASS
Band2	10MHz	256QAM	18650	50RB#0	8.964	9.71	PASS



Band2	10MHz	256QAM	18900	50RB#0	8.976	9.80	PASS
Band2	10MHz	256QAM	19150	50RB#0	8.980	9.83	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.494	14.74	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.512	14.84	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.505	14.70	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.467	14.70	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.505	14.88	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.518	14.84	PASS
Band2	15MHz	64QAM	18675	75RB#0	13.469	14.79	PASS
Band2	15MHz	64QAM	18900	75RB#0	13.523	14.79	PASS
Band2	15MHz	64QAM	19125	75RB#0	13.520	14.88	PASS
Band2	15MHz	256QAM	18675	75RB#0	13.477	14.70	PASS
Band2	15MHz	256QAM	18900	75RB#0	13.502	14.84	PASS
Band2	15MHz	256QAM	19125	75RB#0	13.507	14.88	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.901	19.42	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.974	19.36	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.939	19.36	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.910	19.42	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.955	19.48	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.954	19.48	PASS
Band2	20MHz	64QAM	18700	100RB#0	17.896	19.36	PASS
Band2	20MHz	64QAM	18900	100RB#0	17.990	19.36	PASS
Band2	20MHz	64QAM	19100	100RB#0	17.983	19.36	PASS
Band2	20MHz	256QAM	18700	100RB#0	17.926	19.42	PASS
Band2	20MHz	256QAM	18900	100RB#0	17.949	19.48	PASS
Band2	20MHz	256QAM	19100	100RB#0	17.955	19.36	PASS

Test Graphs


Occupied Bandwidth

Band2-1.4MHz-QPSK-18607-6RB#0	Band2-1.4MHz-QPSK-18900-6RB#0
-------------------------------	-------------------------------



BUREAU
VERITAS

Test Report No.: PSU-NQN2412090210RF07



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557)
368 1008




BUREAU
VERITAS


Test Report No.: PSU-NQN2412090210RF07




Band2-1.4MHz-256QAM-18900-6RB#0




Band2-1.4MHz-256QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0



Band2-3MHz-16QAM-18615-15RB#0



Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province


Tel: +86 (0557)
368 1008





BUREAU
VERITAS


Test Report No.: PSU-NQN2412090210RF07



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province


Tel: +86 (0557)
368 1008





BUREAU
VERITAS

Test Report No.: PSU-NQN2412090210RF07



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557)
368 1008