



USER'S MANUAL

- 16 channel
- Super receive
- Strong anti-interference
- The cable copy
- signal prompt
- Scanning
- Sound
- Dustproof


◇◇ Function Operations




◇◇ Function Operations



◇◇ Standard Accessories



◇◇ Optional Accessories



◇◇ Get Acquainted

- The battery is not charged in a factory. Please charge the battery before initial use or after long time storage.
- Repeat charging and discharging the battery 2 or 3 times and the battery would reach its maximum capacity, please replace or charge the battery when it is in low power.
- The quick consume of the power after normal charge shows exhaustion of the battery. Please contact your dealer and buy new approved battery.

◇◇ Optional Functions

• Time-out-timer

The purpose of the Time-out-timer is to prevent any signal person from using a channel for an extended period of time. If the transmission continues beyond 10 seconds, the transceiver will stop transmission and give out alarms. To stop the alarms, please release the PTT switch and the transceiver will resume the state of standby.

• Battery Saving

The radio would reduce its power consumption. If there is no signal or operation over 10 seconds, the battery saving function would be on automatically. When signal is received or with operation, the radio would switch to normal mode.

• Low Battery Warning

When the voltage fall down to lowest level, the tone of "Please Charge" will sound, required to replace battery or recharge the battery.

◇◇ Optional Functions


• Monitor

This function can be realized by the long press of the default key. Press the monitor key, the Signal Indicate will change to Green.

• QT and DQT

This function mainly uses to avoid irrelative calling in certain channel. With this function, users can receive calling in corresponding channels only with the same QT/DQT.

◇◇ Attaching & Removing



SAFETY TRAINING INFORMATION



Your Shenzhen Zastone technology Co., LTD. radio generators RF electromagnetic energy during transmit mode. This radio is designed for and classified as "Occupational Use Only", meaning it must be used only during the course of employment by individuals aware of the hazards, and the ways to minimize such hazards. This radio is NOT intended for use by the "General Population" in an uncontrolled environment. This radio has been tested and complies with the FCC RF exposure limits for "Occupational Use Only". In addition, your Shenzhen Zastone technology Co., LTD. radio complies with the following Standards and Guidelines with regard to RF energy and electromagnetic energy levels and evaluation of such levels for exposure to humans:

- ◆ IEEE Std. 1528:2013 and KDB447498, Evaluating Compliance with FCC Guidelines for Human Exposure to Radio Frequency Electromagnetic Fields.
- ◆ American National Standards Institute (C95.1-1992), IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz.
- ◆ American National Standards Institute (C95.3-1992), IEEE Recommended Practice for the Measurement of Potentially Hazardous Electromagnetic Fields- RF and Microwave.



The information listed above provides the user with the information needed to make him or her aware of RF exposure, and what to do to assure that this radio operates with the FCC RF exposure limits of this radio.

Electromagnetic Interference/Compatibility

During transmissions, Shenzhen Zastone technology Co., LTD. radio generates RF energy that can possibly cause interference with other devices or systems. To avoid such interference, turn off the radio in areas where signs are posted to do so. **DO NOT** operate the transmitter in areas that are sensitive to electromagnetic radiation such as hospitals, aircraft, and blasting sites.

Occupational/Controlled Use

The radio transmitter is used in situations in which persons are exposed as consequence of their employment provided those persons are fully aware of the potential for exposure and can exercise control over their exposure.

Attention:

This radio complies with IEEE and ICNIRP exposure limits for occupational/controlled RF exposure environment at operating duty factors of up to 50% and is authorized by the FCC for occupational use only. An appropriate warning label is affixed to all units. In order to comply with RF exposure requirements, a minimum distance of 2.5cm must be maintained when held-to-face, and body-worn operations are restricted to the approved original accessories (belt clip). Do not use this device when antenna shows obvious damages

We and our distributors will offer safety/RF exposure trainings to the users after purchasing the devices.