





Full Spectrum



Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11ax40
Polarization: V


Full Spectrum




Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11ax40
Polarization: H



Partial RU (Tone26)




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11ax(HE20)
Polarization: V



Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11ax(HE20)
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11ax(HE20)
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11ax(HE20)
Polarization: H




Full Spectrum




Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11ax(HE40)
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11ax(HE40)
Polarization: H

Full Spectrum



Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11ax(HE40)
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11ax(HE40)
Polarization: H

No	Frequency (GHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
----	--------------------	--------------------	-------------------	----------------	----------



1	2.389	42.61	54.00	11.39	AV
---	-------	-------	-------	-------	----

Full Spectrum



Radiated Emission Band Edge


Channel No.:1

Test Mode: 802.11be(EHT20)

Polarization: V

No	Frequency (GHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2.389	42.65	54.00	11.35	AV

Full Spectrum



Radiated Emission Band Edge


Channel No.:1

Test Mode: 802.11be(EHT20)

Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11be(EHT20)
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11be(EHT20)
Polarization: H



No	Frequency (GHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2.389	45.11	54.00	8.89	AV


Full Spectrum



Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11be(EHT40)
Polarization: V

No	Frequency (GHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2.389	45.47	54.00	8.53	AV


Full Spectrum



Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11be(EHT40)
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11be(EHT40)
Polarization: V

Full Spectrum



Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11be(EHT40)
Polarization: H



Sample Calculations

After comparison, the worst case attitude is EUT lay down.

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

Result = $P_{mea} + A_{Rpl}$

Sample calculation: $(26.91 \text{ dB}\mu\text{V/m}) = (36.91 \text{ dB}\mu\text{V}) + (-10 \text{ dB/m})$, the corresponding frequency is 766.650333 MHz.

For 802.11b Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
766.650333	26.91	-10	36.91	Horizontal	46.00	19.09
419.778333	30.85	-17	47.85	Horizontal	46.00	15.15
349.809000	27.87	-19	46.87	Horizontal	46.00	18.13
627.293667	27.50	-13	40.50	Vertical	46.00	18.50
909.693000	28.31	-8	36.31	Vertical	46.00	17.69
839.788333	28.19	-9	37.19	Vertical	46.00	17.81

For 802.11g Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.448333	19.70	-28	47.70	Vertical	43.50	23.80
209.805667	21.58	-24	45.58	Vertical	43.50	21.92
278.902000	24.67	-21	45.67	Vertical	46.00	21.33
349.873667	25.91	-19	44.91	Vertical	46.00	20.09
419.843000	29.59	-17	46.59	Horizontal	46.00	16.41
557.615333	23.21	-14	37.21	Horizontal	46.00	22.79

For 802.11n(HT20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	19.63	-28	47.63	Vertical	43.50	23.87
209.126667	21.44	-24	45.44	Vertical	43.50	22.06
279.807333	25.59	-21	46.59	Vertical	46.00	20.41
349.873667	24.10	-19	43.10	Vertical	46.00	21.90
419.843000	27.90	-17	44.90	Vertical	46.00	18.10
558.844000	23.76	-14	37.76	Horizontal	46.00	22.24

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	17.90	-28	45.90	Vertical	43.50	25.60



209.159000	21.07	-24	45.07	Vertical	43.50	22.43
278.999000	24.88	-21	45.88	Vertical	46.00	21.12
349.647333	22.33	-19	41.33	Vertical	46.00	23.67
418.226333	29.32	-17	46.32	Vertical	46.00	16.68
557.518333	23.78	-14	37.78	Horizontal	46.00	22.22

For 802.11b Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	17.97	-28	45.97	Vertical	43.50	25.53
209.126667	20.72	-24	44.72	Vertical	43.50	22.78
278.837333	24.21	-21	45.21	Vertical	46.00	21.79
349.550333	23.57	-19	42.57	Vertical	46.00	22.43
419.778333	29.72	-17	46.72	Horizontal	46.00	16.28
559.717000	22.69	-14	36.69	Horizontal	46.00	23.31

For 802.11g Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.933333	17.85	-28	45.85	Vertical	43.50	25.65
209.805667	21.81	-24	45.81	Vertical	43.50	21.69
278.772667	24.76	-21	45.76	Vertical	46.00	21.24
348.515667	23.40	-19	42.40	Vertical	46.00	22.60
419.778333	27.75	-17	44.75	Vertical	46.00	18.25
557.550667	23.32	-14	37.32	Horizontal	46.00	22.68

For 802.11n(HT20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	18.32	-28	46.32	Vertical	43.50	25.18
209.902667	22.25	-24	46.25	Vertical	43.50	21.25
279.936667	26.13	-21	47.13	Vertical	46.00	19.87
349.194667	22.96	-19	41.96	Vertical	46.00	23.04
419.778333	28.34	-17	45.34	Vertical	46.00	17.66
558.811667	22.60	-14	36.60	Horizontal	46.00	23.40

For 802.11ax(HE20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.448333	18.69	-28	46.69	Vertical	43.50	24.81
209.611667	21.13	-24	45.13	Vertical	43.50	22.37
278.869667	25.35	-21	46.35	Vertical	46.00	20.65
349.453333	23.61	-19	42.61	Vertical	46.00	22.39
419.810667	29.26	-17	46.26	Vertical	46.00	16.74



559.749333	22.14	-14	36.14	Horizontal	46.00	23.86
------------	-------	-----	-------	------------	-------	-------

For 802.11b Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.933333	18.15	-28	46.15	Vertical	43.50	25.35
209.870333	21.52	-24	45.52	Vertical	43.50	21.98
278.772667	25.78	-21	46.78	Vertical	46.00	20.22
348.548000	24.81	-19	43.81	Vertical	46.00	21.19
419.843000	29.26	-17	46.26	Horizontal	46.00	16.74
559.199667	23.18	-14	37.18	Horizontal	46.00	22.82

For 802.11g Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	18.11	-28	46.11	Vertical	43.50	25.39
209.838000	21.54	-24	45.54	Vertical	43.50	21.96
279.742667	24.51	-21	45.51	Vertical	46.00	21.49
348.580333	23.35	-19	42.35	Vertical	46.00	22.65
418.194000	28.99	-17	45.99	Vertical	46.00	17.01
558.035667	22.49	-14	36.49	Horizontal	46.00	23.51

For 802.11n(HT20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.901000	17.81	-28	45.81	Vertical	43.50	25.69
209.902667	21.48	-24	45.48	Vertical	43.50	22.02
279.872000	24.92	-21	45.92	Vertical	46.00	21.08
348.548000	25.11	-19	44.11	Vertical	46.00	20.89
418.194000	29.26	-17	46.26	Vertical	46.00	16.74
557.615333	22.58	-14	36.58	Horizontal	46.00	23.42

For 802.11ax(HE20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.448333	18.03	-28	46.03	Horizontal	43.50	25.47
209.126667	22.06	-24	46.06	Horizontal	43.50	21.44
278.869667	24.55	-21	45.55	Horizontal	46.00	21.45
348.548000	23.19	-19	42.19	Vertical	46.00	22.81
419.810667	30.25	-17	47.25	Horizontal	46.00	15.75
559.296667	23.42	-14	37.42	Vertical	46.00	22.58

For 802.11n(HT40) Channel No.:3



Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	18.23	-28	46.23	Vertical	43.50	25.27
209.902667	21.50	-24	45.50	Vertical	43.50	22.00
278.805000	23.54	-21	44.54	Vertical	46.00	22.46
349.841333	23.80	-19	42.80	Vertical	46.00	22.20
418.161667	29.06	-17	46.06	Vertical	46.00	16.94
559.781667	22.50	-14	36.50	Horizontal	46.00	23.50

For 802.11ax(HE40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.448333	17.78	-28	45.78	Vertical	43.50	25.72
209.126667	21.50	-24	45.50	Vertical	43.50	22.00
279.904333	26.47	-21	47.47	Vertical	46.00	19.53
349.518000	23.85	-19	42.85	Vertical	46.00	22.15
418.161667	28.47	-17	45.47	Horizontal	46.00	17.53
557.550667	24.14	-14	38.14	Vertical	46.00	21.86

For 802.11n(HT40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.64	-27	54.64	Vertical	43.50	15.86
209.805667	23.60	-24	47.60	Vertical	43.50	19.90
278.740333	24.25	-21	45.25	Vertical	46.00	21.75
349.938333	20.88	-19	39.88	Vertical	46.00	25.12
419.875333	27.52	-17	44.52	Vertical	46.00	18.48
557.938667	23.48	-14	37.48	Horizontal	46.00	22.52

For 802.11ax(HE40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.24	-27	54.24	Vertical	43.50	16.26
209.062000	21.52	-24	45.52	Vertical	43.50	21.98
279.807333	26.57	-21	47.57	Vertical	46.00	19.43
349.841333	20.61	-19	39.61	Vertical	46.00	25.39
418.161667	28.03	-17	45.03	Horizontal	46.00	17.97
559.781667	21.91	-14	35.91	Vertical	46.00	24.09

For 802.11n(HT40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.63	-27	54.63	Vertical	43.50	15.87
209.062000	21.36	-24	45.36	Vertical	43.50	22.14
278.869667	23.68	-21	44.68	Vertical	46.00	22.32



348.806667	20.19	-19	39.19	Vertical	46.00	25.81
419.778333	26.67	-17	43.67	Horizontal	46.00	19.33
557.777000	21.88	-14	35.88	Horizontal	46.00	24.12

For 802.11ax(HE40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.47	-27	54.47	Vertical	43.50	16.03
209.708667	20.45	-24	44.45	Vertical	43.50	23.05
279.904333	25.07	-21	46.07	Vertical	46.00	20.93
348.418667	21.88	-19	40.88	Vertical	46.00	24.12
419.843000	26.68	-17	43.68	Horizontal	46.00	19.32
559.814000	22.49	-14	36.49	Vertical	46.00	23.51

Partial RU (Tone26)

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	18.20	-28	46.20	Vertical	43.50	25.30
209.902667	21.42	-24	45.42	Vertical	43.50	22.08
278.805000	23.51	-21	44.51	Vertical	46.00	22.49
349.841333	23.77	-19	42.77	Vertical	46.00	22.23
418.161667	29.26	-17	46.26	Vertical	46.00	16.74
559.781667	22.43	-14	36.43	Vertical	46.00	23.57

For 802.11ax(HE20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.62	-27	54.62	Vertical	43.50	15.88
209.838000	22.91	-24	46.91	Vertical	43.50	20.59
279.225333	22.03	-21	43.03	Vertical	46.00	23.97
349.000667	20.71	-19	39.71	Vertical	46.00	25.29
419.810667	28.41	-17	45.41	Vertical	46.00	17.59
557.615333	23.12	-14	37.12	Vertical	46.00	22.88

For 802.11ax(HE20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	23.80	-26	49.80	Vertical	43.50	19.70
119.983667	21.22	-27	48.22	Vertical	43.50	22.28
139.448333	16.21	-28	44.21	Vertical	43.50	27.29
209.320667	22.12	-24	46.12	Vertical	43.50	21.38
279.678000	26.50	-21	47.50	Vertical	46.00	19.50
419.875333	26.31	-17	43.31	Vertical	46.00	19.69



For 802.11ax(HE40) Channel No.:3


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	23.11	-26	49.11	Vertical	43.50	20.39
119.951333	21.52	-27	48.52	Vertical	43.50	21.98
139.448333	16.13	-28	44.13	Vertical	43.50	27.37
209.870333	21.39	-24	45.39	Vertical	43.50	22.11
279.904333	25.30	-21	46.30	Vertical	46.00	20.70
418.161667	26.41	-17	43.41	Vertical	46.00	19.59

For 802.11ax(HE40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.729000	22.80	-26	48.80	Vertical	43.50	20.70
119.951333	20.95	-27	47.95	Vertical	43.50	22.55
139.739333	16.03	-28	44.03	Vertical	43.50	27.47
209.611667	21.52	-24	45.52	Vertical	43.50	21.98
279.710333	25.70	-21	46.70	Vertical	46.00	20.30
418.194000	27.27	-17	44.27	Vertical	46.00	18.73

For 802.11ax(HE40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.858333	23.20	-26	49.20	Vertical	43.50	20.30
119.983667	21.52	-27	48.52	Vertical	43.50	21.98
139.868667	17.50	-28	45.50	Vertical	43.50	26.00
209.482333	21.40	-24	45.40	Vertical	43.50	22.10
279.904333	25.86	-21	46.86	Vertical	46.00	20.14
419.746000	27.82	-17	44.82	Vertical	46.00	18.18



Frequency Range: 9kHz -30MHz

Detector: QP mode


Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 2412


Channel No.:1



Full Spectrum




Frequency Range 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11b



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11b



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11g



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11g



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Full Spectrum





Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)


Full Spectrum




BV 7Layers Communications Technology (Shenzhen) Co., Ltd
Tel: +86 755 8869 6566
Fax: +86 755 8869 6577



Channel No.:6




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11b



Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11b



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11g



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11g



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Carrier frequency (MHz): 2462
Channel No.:11




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11b



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11b



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11g



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11g



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Carrier frequency (MHz): 2422
Channel No.:3




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Carrier frequency (MHz): 2437
Channel No.:6




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Carrier frequency (MHz): 2452
Channel No.:9




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)