



Full Spectrum



Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: H

40M


Full Spectrum



Partial RU (Tone26)


Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: H

Full Spectrum



Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: H




Full Spectrum




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: H

Full Spectrum



Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: H

80M
Partial RU (Tone26)




Full Spectrum




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: H

Full Spectrum



Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H




Full Spectrum



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V

Full Spectrum



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H

Radiated Emission Partial RU (Tone26)

Sample calculation: $(27.31\text{dB}\mu\text{V/m}) = (44.31\text{ dB}\mu\text{V}) + (-17\text{dB/m})$, the corresponding frequency is 418.234000MHz.

Partial RU (Tone26)

For 802.11ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
418.234000	27.31	-17	44.31	Vertical	46.00	18.69
419.818333	28.20	-17	45.20	Vertical	46.00	17.80
627.286000	26.83	-13	39.83	Vertical	46.00	19.17
769.722000	25.11	-10	35.11	Vertical	46.00	20.89
839.691333	24.60	-9	33.60	Vertical	46.00	21.40
909.700667	26.75	-8	34.75	Vertical	46.00	19.25

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
769.754333	27.95	-10	37.95	Vertical	46.00	18.05
349.162333	28.29	-19	47.29	Vertical	46.00	17.71
419.875333	29.96	-17	46.96	Vertical	46.00	16.04
627.261333	27.56	-13	40.56	Vertical	46.00	18.44
909.693000	29.55	-8	37.55	Vertical	46.00	16.45
839.723667	30.64	-9	39.64	Vertical	46.00	15.36

For 802.11ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
348.538667	29.53	-19	48.53	Vertical	46.00	22.36
418.234000	21.96	-17	38.96	Vertical	46.00	17.69
480.003333	19.78	-16	35.78	Vertical	46.00	19.72
766.675000	13.68	-10	23.68	Vertical	46.00	21.46
836.977000	12.45	-9	21.45	Vertical	46.00	22.17
909.700667	26.69	-8	34.69	Vertical	46.00	19.31

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.841333	19.10	-26	45.10	Vertical	43.50	24.40
279.895000	22.79	-21	43.79	Vertical	46.00	23.21
349.866000	23.76	-19	42.76	Vertical	46.00	22.24
419.843000	25.20	-17	42.20	Vertical	46.00	20.80
481.621667	23.39	-16	39.39	Vertical	46.00	22.61
829.294333	20.12	-9	29.12	Vertical	46.00	25.88

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	18.31	-28	46.31	Vertical	43.50	25.19
209.902667	22.20	-24	46.20	Vertical	43.50	21.30
279.936667	26.12	-21	47.12	Vertical	46.00	19.88



349.194667	22.93	-19	41.93	Vertical	46.00	23.07
419.778333	28.31	-17	45.31	Vertical	46.00	17.69
558.811667	22.62	-14	36.62	Vertical	46.00	23.38

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.416000	18.01	-28	46.01	Vertical	43.50	25.49
209.838000	21.50	-24	45.50	Vertical	43.50	22.00
279.742667	24.42	-21	45.42	Vertical	46.00	21.58
348.580333	23.31	-19	42.31	Vertical	46.00	22.69
418.194000	28.85	-17	45.85	Vertical	46.00	17.15
558.035667	22.42	-14	36.42	Vertical	46.00	23.58

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.448333	18.01	-28	46.01	Vertical	43.50	25.49
209.126667	22.02	-24	46.02	Vertical	43.50	21.48
278.869667	24.50	-21	45.50	Vertical	46.00	21.50
348.548000	23.12	-19	42.12	Vertical	46.00	22.88
419.810667	30.21	-17	47.21	Vertical	46.00	15.79
559.296667	23.42	-14	37.42	Vertical	46.00	22.58

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.20	-27	54.20	Vertical	43.50	16.30
209.062000	21.55	-24	45.55	Vertical	43.50	21.95
279.807333	26.59	-21	47.59	Vertical	46.00	19.41
349.841333	20.62	-19	39.62	Vertical	46.00	25.38
418.161667	28.01	-17	45.01	Vertical	46.00	17.99
559.781667	21.94	-14	35.94	Vertical	46.00	24.06

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	27.43	-27	54.43	Vertical	43.50	16.07
209.708667	20.42	-24	44.42	Vertical	43.50	23.08
279.904333	25.01	-21	46.01	Vertical	46.00	20.99
348.418667	21.89	-19	40.89	Vertical	46.00	24.11
419.843000	26.62	-17	43.62	Vertical	46.00	19.38
559.814000	22.50	-14	36.50	Vertical	46.00	23.50

For 802.11ax(HE40)Channel No.:54



Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.826000	22.41	-26	48.41	Vertical	43.50	21.09
119.983667	21.70	-27	48.70	Vertical	43.50	21.80
139.642333	16.62	-28	44.62	Vertical	43.50	26.88
209.159000	22.80	-24	46.80	Vertical	43.50	20.70
279.904333	25.21	-21	46.21	Vertical	46.00	20.79
419.875333	26.73	-17	43.73	Vertical	46.00	19.27

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	23.08	-26	49.08	Vertical	43.50	20.42
119.951333	21.52	-27	48.52	Vertical	43.50	21.98
139.448333	16.11	-28	44.11	Vertical	43.50	27.39
209.870333	21.33	-24	45.33	Vertical	43.50	22.17
279.904333	25.30	-21	46.30	Vertical	46.00	20.70
418.161667	26.42	-17	43.42	Vertical	46.00	19.58

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	23.38	-26	49.38	Vertical	43.50	20.12
119.983667	21.32	-27	48.32	Vertical	43.50	22.18
139.448333	16.12	-28	44.12	Vertical	43.50	27.38
209.320667	21.75	-24	45.75	Vertical	43.50	21.75
279.872000	26.83	-21	47.83	Vertical	46.00	19.17
418.194000	28.29	-17	45.29	Vertical	46.00	17.71

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.858333	23.21	-26	49.21	Vertical	43.50	20.29
119.983667	21.52	-27	48.52	Vertical	43.50	21.98
139.868667	17.45	-28	45.45	Vertical	43.50	26.05
209.482333	21.47	-24	45.47	Vertical	43.50	22.03
279.904333	25.92	-21	46.92	Vertical	46.00	20.08
419.746000	27.90	-17	44.90	Vertical	46.00	18.10

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	23.01	-26	49.01	Vertical	43.50	20.49
119.951333	20.83	-27	47.83	Vertical	43.50	22.67
139.513000	16.92	-28	44.92	Vertical	43.50	26.58



209.094333	23.51	-24	47.51	Vertical	43.50	19.99
279.710333	25.50	-21	46.50	Vertical	46.00	20.50
419.810667	28.66	-17	45.66	Vertical	46.00	17.34

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.826000	22.82	-26	48.82	Vertical	43.50	20.68
119.983667	20.93	-27	47.93	Vertical	43.50	22.57
139.513000	16.51	-28	44.51	Vertical	43.50	26.99
209.126667	23.90	-24	47.90	Vertical	43.50	19.60
279.678000	25.80	-21	46.80	Vertical	46.00	20.20
419.810667	27.82	-17	44.82	Vertical	46.00	18.18

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.761333	22.41	-26	48.41	Vertical	43.50	21.09
119.983667	20.52	-27	47.52	Vertical	43.50	22.98
139.416000	16.63	-28	44.63	Vertical	43.50	26.87
209.094333	21.92	-24	45.92	Vertical	43.50	21.58
279.548667	25.80	-21	46.80	Vertical	46.00	20.20
419.843000	28.23	-17	45.23	Vertical	46.00	17.77

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.826000	22.21	-26	48.21	Vertical	43.50	21.29
119.983667	19.53	-27	46.53	Vertical	43.50	23.97
139.739333	16.69	-28	44.69	Vertical	43.50	26.81
209.094333	23.22	-24	47.22	Vertical	43.50	20.28
279.904333	26.19	-21	47.19	Vertical	46.00	19.81
419.810667	28.23	-17	45.23	Vertical	46.00	17.77

For 802.11ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	22.50	-26	48.50	Vertical	43.50	21.00
119.983667	20.62	-27	47.62	Vertical	43.50	22.88
139.416000	17.55	-28	45.55	Vertical	43.50	25.95
209.773333	22.22	-24	46.22	Vertical	43.50	21.28
279.775000	26.10	-21	47.10	Vertical	46.00	19.90
419.778333	27.29	-17	44.29	Vertical	46.00	18.71

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	22.20	-26	48.20	Vertical	43.50	21.25
119.983667	20.33	-27	47.33	Vertical	43.50	23.11
139.448333	17.75	-28	45.75	Vertical	43.50	25.77
209.126667	23.81	-24	47.81	Vertical	43.50	19.67
279.839667	25.19	-21	46.19	Vertical	46.00	20.84
419.778333	27.72	-17	44.72	Vertical	46.00	18.29

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	21.73	-26	47.73	Vertical	43.50	21.77
119.983667	19.29	-27	46.29	Vertical	43.50	24.21
139.416000	18.54	-28	46.54	Vertical	43.50	24.96
209.450000	22.92	-24	46.92	Vertical	43.50	20.58
278.708000	24.75	-21	45.75	Vertical	46.00	21.25
418.161667	26.81	-17	43.81	Vertical	46.00	19.19

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.826000	22.90	-26	48.90	Vertical	43.50	20.60
119.983667	18.62	-27	45.62	Vertical	43.50	24.88
139.448333	18.85	-28	46.85	Vertical	43.50	24.65
209.094333	22.42	-24	46.42	Vertical	43.50	21.08
279.904333	25.31	-21	46.31	Vertical	46.00	20.69
419.907667	28.19	-17	45.19	Vertical	46.00	17.81

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	22.15	-26	48.15	Vertical	43.50	21.35
119.951333	19.47	-27	46.47	Vertical	43.50	24.03
139.674667	18.31	-28	46.31	Vertical	43.50	25.19
209.094333	22.42	-24	46.42	Vertical	43.50	21.08
278.772667	26.11	-21	47.11	Vertical	46.00	19.89
419.810667	29.60	-17	46.60	Vertical	46.00	16.40

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.761333	21.82	-26	47.82	Vertical	43.50	21.68
119.983667	19.93	-27	46.93	Vertical	43.50	23.57



139.448333	17.70	-28	45.70	Vertical	43.50	25.80
209.062000	22.32	-24	46.32	Vertical	43.50	21.18
279.484000	24.52	-21	45.52	Vertical	46.00	21.48
419.778333	28.61	-17	45.61	Vertical	46.00	17.39

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.761333	22.02	-26	48.02	Vertical	43.50	21.48
119.983667	21.52	-27	48.52	Vertical	43.50	21.98
139.577667	16.83	-28	44.83	Vertical	43.50	26.67
209.385333	23.30	-24	47.30	Vertical	43.50	20.20
279.581000	26.27	-21	47.27	Vertical	46.00	19.73
419.875333	28.71	-17	45.71	Vertical	46.00	17.29

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.826000	23.20	-26	49.20	Vertical	43.50	20.30
119.983667	22.05	-27	49.05	Vertical	43.50	21.45
139.448333	16.51	-28	44.51	Vertical	43.50	26.99
209.288333	22.23	-24	46.23	Vertical	43.50	21.27
279.839667	27.50	-21	48.50	Vertical	46.00	18.50
419.810667	26.45	-17	43.45	Vertical	46.00	19.55

For 802.11ax(HE40)Channel No.:159


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
348.531000	25.70	-19	44.70	Vertical	46.00	20.30
418.234000	26.31	-17	43.31	Vertical	46.00	19.69
481.416667	25.70	-16	41.70	Vertical	46.00	20.30
833.660333	25.75	-9	34.75	Vertical	46.00	20.25
836.368667	26.10	-9	35.10	Vertical	46.00	19.90
906.064000	27.12	-8	35.12	Vertical	46.00	18.88

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
93.793667	19.63	-26	45.63	Vertical	43.50	23.87
264.011667	22.05	-22	44.05	Vertical	46.00	23.95
408.009000	25.50	-17	42.50	Vertical	46.00	20.50
482.106667	23.76	-16	39.76	Vertical	46.00	22.24
782.084333	20.29	-10	30.29	Vertical	46.00	25.71
945.264667	21.61	-7	28.61	Vertical	46.00	24.39



Full Spectrum



Frequency Range: 9kHz -30MHz

Detector: QP mode


Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Partial RU (Tone26)

Carrier frequency (MHz): 5180

Channel No.:36


Full Spectrum



Frequency Range: 30MHz -1GHz


Detector: QP mode

Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5220
Channel No.44




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5230
Channel No.:46




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5210
Channel No.:42




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5260
Channel No.:52




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5300
Channel No.:60




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5320
Channel No.:64




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5260
Channel No.:54




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5310
Channel No.:62




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)