


Full Spectrum




Radiated Emission Band Edge

Channel No.:1

Test Mode: 802.11ax

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:1

Test Mode: 802.11ax

Polarization: H

Full Spectrum




Radiated Emission Band Edge

Channel No.:11

Test Mode: 802.11ax

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:11

Test Mode: 802.11ax

Polarization: H

Full Spectrum




Radiated Emission Band Edge

Channel No.:3

Test Mode: 802.11n40

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:3

Test Mode: 802.11n40

Polarization: H

Full Spectrum




Radiated Emission Band Edge

Channel No.:9

Test Mode: 802.11n40

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:9

Test Mode: 802.11n40

Polarization: H

Full Spectrum




Radiated Emission Band Edge

Channel No.:3

Test Mode: 802.11ax40

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:3

Test Mode: 802.11ax40

Polarization: H

Full Spectrum




Radiated Emission Band Edge

Channel No.:9

Test Mode: 802.11ax40

Polarization: V

Full Spectrum



Radiated Emission Band Edge

Channel No.:9


Test Mode: 802.11ax40

Polarization: H



RU (Tone26)

Full Spectrum




Radiated Emission Band Edge

Channel No.:1

Test Mode: 802.11ax RU (Tone26)

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:1

Test Mode: 802.11ax RU (Tone26)

Polarization: H




Radiated Emission Band Edge

Channel No.:11

Test Mode: 802.11ax RU (Tone26)

Polarization: V



Radiated Emission Band Edge

Channel No.:11

Test Mode: 802.11ax RU (Tone26)


Polarization: H



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Radiated Emission Band Edge

Channel No.:1

Test Mode: 802.11ax40 RU (Tone26)

Polarization: V

Full Spectrum




Radiated Emission Band Edge

Channel No.:1

Test Mode: 802.11ax40 RU (Tone26)

Polarization: H

Full Spectrum




Radiated Emission Band Edge

Channel No.:11

Test Mode: 802.11ax40 RU (Tone26)

Polarization: V

Full Spectrum



Radiated Emission Band Edge

Channel No.:11

Test Mode: 802.11ax40 RU (Tone26)

Polarization: H



Radiated Emission for WIFI

After comparison, the worst case attitude is EUT lay down.

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(24.87 \text{ dB}\mu\text{V/m}) = (45.87 \text{ dB}\mu\text{V}) + (-21 \text{ dB/m})$, the corresponding frequency is 278.869667 MHz.

For 802.11b Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
278.869667	24.87	-21	45.87	Vertical	46.00	21.13
348.709667	31.59	-19	50.59	Vertical	46.00	14.41
418.226333	27.34	-17	44.34	Horizontal	46.00	18.66
767.426333	25.61	-10	35.61	Horizontal	46.00	20.39
771.338667	25.66	-10	35.66	Vertical	46.00	20.34
836.361000	26.05	-9	35.05	Vertical	46.00	19.95

For 802.11g Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.069333	18.03	-26	44.03	Vertical	40.00	21.97
279.193000	23.79	-21	44.79	Vertical	46.00	22.21
349.841333	27.66	-19	46.66	Vertical	46.00	18.34
419.875333	26.66	-17	43.66	Horizontal	46.00	19.34
481.955333	23.06	-16	39.06	Horizontal	46.00	22.94
769.689667	25.74	-10	35.74	Horizontal	46.00	20.26

For 802.11n(HT20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------



279.904333	25.09	-21	46.09	Vertical	46.00	20.91
348.483333	30.31	-19	49.31	Vertical	46.00	15.69
349.809000	30.50	-19	49.50	Vertical	46.00	15.50
419.875333	25.62	-17	42.62	Horizontal	46.00	20.38
480.953000	23.27	-16	39.27	Horizontal	46.00	22.73
769.495667	24.89	-10	34.89	Horizontal	46.00	21.11

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
278.837333	25.73	-21	46.73	Vertical	46.00	20.27
349.776667	29.44	-19	48.44	Vertical	46.00	16.56
418.226333	25.95	-17	42.95	Vertical	46.00	20.05
481.890667	23.76	-16	39.76	Horizontal	46.00	22.24
769.689667	25.04	-10	35.04	Horizontal	46.00	20.96
839.594333	26.58	-9	35.58	Horizontal	46.00	19.42

For 802.11b Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
139.965667	18.53	-28	46.53	Vertical	43.50	24.97
349.841333	30.72	-19	49.72	Vertical	46.00	15.28
418.226333	24.48	-17	41.48	Vertical	46.00	21.52
629.783333	24.21	-13	37.21	Horizontal	46.00	21.79
766.715000	25.08	-10	35.08	Horizontal	46.00	20.92
839.691333	25.82	-9	34.82	Horizontal	46.00	20.18

For 802.11g Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
278.837333	25.76	-21	46.76	Vertical	46.00	20.24
348.483333	32.45	-19	51.45	Vertical	46.00	13.55
418.194000	25.60	-17	42.60	Vertical	46.00	20.40
481.502667	23.20	-16	39.20	Horizontal	46.00	22.80
766.682667	25.63	-10	35.63	Horizontal	46.00	20.37

**BUREAU
VERITAS****Test Report No.: PSU-NQN2502260117RF02**

836.393333	25.81	-9	34.81	Horizontal	46.00	20.19
------------	-------	----	-------	------------	-------	-------

For 802.11n(HT20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
279.856667	24.38	-21	45.38	Vertical	46.00	21.62
348.523333	28.97	-19	47.97	Vertical	46.00	17.03
418.234000	24.78	-17	41.78	Horizontal	46.00	21.22
786.610333	19.40	-10	29.40	Horizontal	46.00	26.60
839.708333	23.63	-9	32.63	Vertical	46.00	22.37
935.136000	21.84	-8	29.84	Vertical	46.00	24.16

For 802.11ax(HE20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
279.839667	25.05	-21	46.05	Horizontal	46.00	20.95
349.858333	28.19	-19	47.19	Vertical	46.00	17.81
418.226333	24.34	-17	41.34	Vertical	46.00	21.66
627.301333	22.90	-13	35.90	Vertical	46.00	23.10
766.682667	23.40	-10	33.40	Vertical	46.00	22.60
941.091333	21.62	-8	29.62	Vertical	46.00	24.38

For 802.11b Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
278.823667	25.60	-21	46.60	Vertical	46.00	20.40
278.837333	25.42	-21	46.42	Vertical	46.00	20.58
349.864333	27.07	-19	46.07	Vertical	46.00	18.93
419.810667	24.80	-17	41.80	Vertical	46.00	21.20
838.942667	20.62	-9	29.62	Vertical	46.00	25.38
939.929667	21.85	-8	29.85	Vertical	46.00	24.15

For 802.11g Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	--------------	------------------	----------	-------------------	----------------



BUREAU VERITAS Test Report No.: PSU-NQN2502260117RF02

279.834667	22.71	-21	43.71	Vertical	46.00	23.29
349.833667	25.08	-19	44.08	Vertical	46.00	20.92
419.843000	24.93	-17	41.93	Vertical	46.00	21.07
766.690333	23.95	-10	33.95	Vertical	46.00	22.05
839.676000	25.33	-9	34.33	Vertical	46.00	20.67
924.812333	21.58	-8	29.58	Vertical	46.00	24.42

For 802.11n(HT20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	14.20	-27	24.16	Vertical	43.50	29.30
348.555667	26.56	-19	41.93	Vertical	46.00	19.44
418.226333	23.49	-17	40.18	Vertical	46.00	22.51
419.810667	24.67	-17	34.22	Vertical	46.00	21.33
769.729667	23.77	-10	22.73	Vertical	46.00	22.23
914.250333	21.53	-8	21.2	Vertical	46.00	24.47

For 802.11ax(HE20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
119.983667	13.93	-27	40.93	Vertical	43.50	29.57
349.873667	28.04	-19	47.04	Vertical	46.00	17.96
418.209333	24.83	-17	41.83	Vertical	46.00	21.17
479.983000	23.80	-16	39.80	Vertical	46.00	22.20
769.739000	23.29	-10	33.29	Vertical	46.00	22.71
933.213000	21.70	-8	29.70	Vertical	46.00	24.30

For 802.11n(HT40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
766.618000	25.74	-10	35.74	Vertical	46.00	20.26
836.328667	26.15	-9	35.15	Vertical	46.00	19.85
278.772667	26.20	-21	47.20	Vertical	46.00	19.80
419.810667	25.92	-17	42.92	Vertical	46.00	20.08
348.483333	30.80	-19	49.80	Vertical	46.00	15.20



BUREAU VERITAS Test Report No.: PSU-NQN2502260117RF02

899.605000	25.94	-8	33.94	Vertical	46.00	20.06
------------	-------	----	-------	----------	-------	-------

For 802.11ax(HE40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
838.915333	27.64	-9	36.64	Vertical	46.00	18.36
766.682667	25.58	-10	35.58	Vertical	46.00	20.42
944.095667	25.83	-8	33.83	Vertical	46.00	20.17
419.810667	26.52	-17	43.52	Vertical	46.00	19.48
349.615000	29.75	-19	48.75	Vertical	46.00	16.25
119.983667	26.51	-27	53.51	Vertical	43.50	16.99

For 802.11n(HT40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
908.820000	26.38	-8	34.38	Vertical	46.00	19.62
766.747333	26.47	-10	36.47	Vertical	46.00	19.53
419.843000	25.21	-17	42.21	Vertical	46.00	20.79
348.580333	29.08	-19	48.08	Vertical	46.00	16.92
557.615333	26.14	-14	40.14	Vertical	46.00	19.86
836.296333	26.35	-9	35.35	Vertical	46.00	19.65

For 802.11ax(HE40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
839.723667	25.57	-9	34.57	Vertical	46.00	20.43
959.098333	25.84	-7	32.84	Vertical	46.00	20.16
769.140000	26.44	-10	36.44	Vertical	46.00	19.56
348.968333	30.00	-19	49.00	Vertical	46.00	16.00
419.778333	24.70	-17	41.70	Vertical	46.00	21.30
119.983667	24.45	-27	51.45	Vertical	43.50	19.05

For 802.11n(HT40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

**BUREAU
VERITAS****Test Report No.: PSU-NQN2502260117RF02**

839.756000	25.72	-9	34.72	Vertical	46.00	20.28
766.715000	24.80	-10	34.80	Vertical	46.00	21.20
348.451000	30.20	-19	49.20	Vertical	46.00	15.80
418.226333	24.70	-17	41.70	Vertical	46.00	21.30
956.899667	25.77	-7	32.77	Vertical	46.00	20.23
557.583000	23.56	-14	37.56	Vertical	46.00	22.44

For 802.11ax(HE40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
836.393333	25.70	-9	34.70	Vertical	46.00	20.30
929.319333	26.67	-8	34.67	Vertical	46.00	19.33
419.843000	26.03	-17	43.03	Vertical	46.00	19.97
418.194000	27.76	-17	44.76	Vertical	46.00	18.24
349.421000	29.03	-19	48.03	Vertical	46.00	16.97
119.983667	22.97	-27	49.97	Vertical	43.50	20.53



Partial RU (Tone26)

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
839.756000	25.95	-9	34.95	Vertical	46.00	20.05
766.682667	26.85	-10	36.85	Vertical	46.00	19.15
877.262667	26.74	-8	34.74	Vertical	46.00	19.26
348.418667	30.48	-19	49.48	Vertical	46.00	15.52
119.983667	23.78	-27	50.78	Vertical	43.50	19.72
418.226333	26.46	-17	43.46	Vertical	46.00	19.54

For 802.11ax(HE20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
943.384333	25.35	-8	33.35	Vertical	46.00	20.65
766.618000	24.72	-10	34.72	Vertical	46.00	21.28
768.267000	24.74	-10	34.74	Vertical	46.00	21.26
119.983667	24.35	-27	51.35	Vertical	43.50	19.15
349.550333	28.84	-19	47.84	Vertical	46.00	17.16
418.161667	26.74	-17	43.74	Vertical	46.00	19.26

For 802.11ax(HE20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
836.425667	26.38	-9	35.38	Vertical	46.00	19.62
908.335000	26.27	-8	34.27	Vertical	46.00	19.73
767.361667	24.50	-10	34.50	Vertical	46.00	21.50
419.843000	24.77	-17	41.77	Vertical	46.00	21.23
349.582667	29.34	-19	48.34	Vertical	46.00	16.66
557.583000	23.57	-14	37.57	Vertical	46.00	22.43

For 802.11ax(HE40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

**Test Report No.: PSU-NQN2502260117RF02**

939.472000	25.76	-8	33.76	Vertical	46.00	20.24
836.361000	26.19	-9	35.19	Vertical	46.00	19.81
769.786667	27.17	-10	37.17	Vertical	46.00	18.83
349.421000	29.59	-19	48.59	Vertical	46.00	16.41
418.679000	23.61	-17	40.61	Vertical	46.00	22.39
119.983667	21.74	-27	48.74	Vertical	43.50	21.76


For 802.11ax(HE40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
836.328667	26.93	-9	35.93	Vertical	46.00	19.07
768.978333	25.35	-10	35.35	Vertical	46.00	20.65
875.840000	25.11	-8	33.11	Vertical	46.00	20.89
119.983667	23.48	-27	50.48	Vertical	43.50	20.02
348.903667	29.10	-19	48.10	Vertical	46.00	16.90
32.845333	19.59	-26	45.59	Vertical	40.00	20.41

For 802.11ax(HE40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
279.581000	25.37	-21	46.37	Vertical	46.00	20.63
349.033000	27.25	-19	46.25	Vertical	46.00	18.75
419.843000	30.37	-17	47.37	Vertical	46.00	15.63
766.650333	29.45	-10	39.45	Vertical	46.00	16.55
839.691333	29.10	-9	38.10	Vertical	46.00	16.90
909.693000	30.63	-8	38.63	Vertical	46.00	15.37

Full Spectrum



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 2412

Channel No.:1

Full Spectrum




Frequency Range 30MHz -1GHz

Detector: Av mode and PK mode

Modulation type: 802.11b

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11b



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11b



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11b



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: Av mode and PK mode

Modulation type: 802.11g

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11g



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11g



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11g



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11 ax(HE20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE20)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE20)




BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Carrier frequency (MHz): 2437

Channel No.:6

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11b

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11b



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11b



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11b



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11g

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11g



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11g



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11g



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11 ax(HE20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE20)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE20)




BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Carrier frequency (MHz): 2462

Channel No.:11

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11b

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11b



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11b



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11b



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11g

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11g



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11g



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11g



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11 ax(HE20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE20)




BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)

Carrier frequency (MHz): 2422

Channel No.:3

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11 ax(HE40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE40)



Frequency Range: 18GHz -26GHz


Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE40)

Carrier frequency (MHz): 2437

Channel No.:6

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11 ax(HE40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE40)



Frequency Range: 18GHz -26GHz


Detector: Av mode and PK mode

Modulation type: 802.11 ax(HE40)

Carrier frequency (MHz): 2452

Channel No.:9

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02


Full Spectrum



Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)



Frequency Range: 18GHz -26GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector:QP

Modulation type: 802.11 ax(HE40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE40)




BUREAU
VERITAS

Test Report No.: PSU-NQN2502260117RF02

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)



Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)