


Test Mode	UNII-2A_TX AX(HE40) Mode 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5254.5000	69.88	11.76	81.64	999.00	-917.36	AVG	No Limit
2 *	5274.4000	78.93	11.80	90.73	68.20	22.53	Peak	No Limit
3	5350.0000	35.90	11.96	47.86	74.00	-26.14	Peak	
4	5350.0000	27.36	11.96	39.32	54.00	-14.68	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	15920.7000	43.38	7.85	51.23	54.00	-2.77	AVG	
2	15923.7750	54.58	7.85	62.43	74.00	-11.57	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5295.0000	69.60	11.84	81.44	999.00	-917.56	AVG	No Limit
2 *	5303.3000	79.07	11.86	90.93	68.20	22.73	Peak	No Limit
3	5350.0000	43.99	11.96	55.95	74.00	-18.05	Peak	
4	5350.0000	35.54	11.96	47.50	54.00	-6.50	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE80) Mode 5290 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	15789.3000	39.37	7.74	47.11	74.00	-26.89	Peak	
2 *	15889.3000	28.70	7.82	36.52	54.00	-17.48	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE80) Mode 5290 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5281.0000	76.76	11.81	88.57	68.20	20.37	Peak	No Limit
2	5288.2000	68.80	11.83	80.63	999.00	-918.37	AVG	No Limit
3	5350.0000	36.42	11.96	48.38	74.00	-25.62	Peak	
4	5350.0000	30.40	11.96	42.36	54.00	-11.64	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5500 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16502.8500	56.20	8.46	64.66	68.20	-3.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5500 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.86	12.19	49.05	74.00	-24.95	Peak	
2	5460.0000	29.01	12.19	41.20	54.00	-12.80	AVG	
3	5470.0000	44.77	12.21	56.98	68.20	-11.22	Peak	
4	5497.7000	82.13	12.27	94.40	999.00	-904.60	AVG	No Limit
5 *	5502.8000	89.38	12.28	101.66	68.20	33.46	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5580 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16750.9500	51.89	8.93	60.82	68.20	-7.38	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5700 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17097.9000	50.59	9.61	60.20	68.20	-8.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5700 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5697.2000	81.25	12.91	94.16	999.00	-904.84	AVG	No Limit
2 *	5701.8000	88.50	12.92	101.42	68.20	33.22	Peak	No Limit
3	5725.0000	42.33	13.00	55.33	68.20	-12.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5500 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16492.1000	48.05	8.45	56.50	68.20	-11.70	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5500 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.54	12.19	49.73	74.00	-24.27	Peak	
2	5460.0000	29.11	12.19	41.30	54.00	-12.70	AVG	
3	5470.0000	43.47	12.21	55.68	68.20	-12.52	Peak	
4 *	5496.8000	89.09	12.27	101.36	68.20	33.16	Peak	No Limit
5	5497.0000	81.61	12.27	93.88	999.00	-905.12	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5580 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16746.7000	49.17	8.93	58.10	68.20	-10.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5700 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17091.9000	56.09	9.60	65.69	68.20	-2.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5700 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5696.9000	80.99	12.91	93.90	999.00	-905.10	AVG	No Limit
2 *	5702.1000	87.70	12.92	100.62	68.20	32.42	Peak	No Limit
3	5725.0000	53.09	13.00	66.09	68.20	-2.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5510 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16525.5000	52.99	8.50	61.49	68.20	-6.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5510 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	44.25	12.19	56.44	74.00	-17.56	Peak	
2	5460.0000	34.22	12.19	46.41	54.00	-7.59	AVG	
3	5504.9000	76.35	12.29	88.64	999.00	-910.36	AVG	No Limit
4 *	5513.5000	83.77	12.32	96.09	68.20	27.89	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5670 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17003.0250	56.43	9.42	65.85	68.20	-2.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5670 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5654.5000	81.16	12.77	93.93	999.00	-905.07	AVG	No Limit
2 *	5656.8000	88.37	12.78	101.15	68.20	32.95	Peak	No Limit
3	5725.0000	47.71	13.00	60.71	68.20	-7.49	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16578.7000	44.09	8.61	52.70	68.20	-15.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	43.81	12.19	56.00	74.00	-18.00	Peak	
2	5460.0000	37.06	12.19	49.25	54.00	-4.75	AVG	
3	5470.0000	44.56	12.21	56.77	68.20	-11.43	Peak	
4 *	5495.6000	79.05	12.27	91.32	68.20	23.12	Peak	No Limit
5	5566.6000	73.35	12.49	85.84	999.00	-913.16	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16832.3000	43.93	9.09	53.02	68.20	-15.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5606.4000	80.29	12.62	92.91	68.20	24.71	Peak	No Limit
2	5613.2000	74.25	12.64	86.89	999.00	-912.11	AVG	No Limit
3	5725.0000	34.26	13.00	47.26	68.20	-20.94	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16500.8500	49.04	8.46	57.50	68.20	-10.70	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.62	12.19	46.81	74.00	-27.19	Peak	
2	5460.0000	27.65	12.19	39.84	54.00	-14.16	AVG	
3	5470.0000	35.89	12.21	48.10	68.20	-20.10	Peak	
4 *	5496.2000	85.93	12.27	98.20	68.20	30.00	Peak	No Limit
5	5502.5000	76.86	12.28	89.14	999.00	-909.86	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16743.2500	45.12	8.92	54.04	68.20	-14.16	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17095.1000	45.27	9.60	54.87	68.20	-13.33	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5707.6000	75.21	12.94	88.15	999.00	-910.85	AVG	No Limit
2 *	5708.0000	84.07	12.94	97.01	68.20	28.81	Peak	No Limit
3	5725.0000	42.02	13.00	55.02	68.20	-13.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16535.8500	52.81	8.52	61.33	68.20	-6.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.96	12.19	51.15	74.00	-22.85	Peak	
2	5460.0000	30.79	12.19	42.98	54.00	-11.02	AVG	
3	5470.0000	45.31	12.21	57.52	68.20	-10.68	Peak	
4 *	5513.7000	84.47	12.32	96.79	68.20	28.59	Peak	No Limit
5	5514.0000	74.53	12.32	86.85	999.00	-912.15	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16632.2250	49.40	8.71	58.11	68.20	-10.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17019.6750	48.76	9.45	58.21	68.20	-9.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5654.5000	88.85	12.77	101.62	68.20	33.42	Peak	No Limit
2	5654.7000	79.73	12.77	92.50	999.00	-906.50	AVG	No Limit
3	5725.0000	43.19	13.00	56.19	68.20	-12.01	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16613.3000	38.22	8.67	46.89	68.20	-21.31	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.15	12.19	50.34	74.00	-23.66	Peak	
2	5460.0000	30.78	12.19	42.97	54.00	-11.03	AVG	
3	5470.0000	35.47	12.21	47.68	68.20	-20.52	Peak	
4 *	5558.4000	76.43	12.46	88.89	68.20	20.69	Peak	No Limit
5	5565.4000	69.55	12.48	82.03	999.00	-916.97	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16821.7000	38.52	9.07	47.59	68.20	-20.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5607.8000	76.42	12.62	89.04	68.20	20.84	Peak	No Limit
2	5611.6000	69.72	12.63	82.35	999.00	-916.65	AVG	No Limit
3	5725.0000	34.98	13.00	47.98	68.20	-20.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17229.7500	56.19	9.88	66.07	68.20	-2.13	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5647.4000	38.12	12.75	50.87	68.20	-17.33	Peak	
2	5715.0000	40.24	12.97	53.21	109.40	-56.19	Peak	
3	5725.0000	56.20	13.00	69.20	122.20	-53.00	Peak	
4	5741.5000	88.50	13.05	101.55	122.20	-20.65	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17353.8500	55.46	10.14	65.60	68.20	-2.60	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17467.8500	51.62	10.37	61.99	68.20	-6.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5832.1000	84.07	13.34	97.41	122.20	-24.79	Peak	No Limit
2	5850.0000	41.71	13.40	55.11	122.20	-67.09	Peak	
3	5860.0000	39.48	13.43	52.91	109.40	-56.49	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17230.6000	51.41	9.88	61.29	68.20	-6.91	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5647.9000	37.34	12.75	50.09	68.20	-18.11	Peak	
2	5715.0000	37.69	12.97	50.66	109.40	-58.74	Peak	
3	5725.0000	50.06	13.00	63.06	122.20	-59.14	Peak	
4	5741.5000	85.30	13.05	98.35	122.20	-23.85	Peak	No Limit


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17352.2500	55.53	10.13	65.66	68.20	-2.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17477.0000	54.32	10.39	64.71	68.20	-3.49	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5828.6000	84.41	13.33	97.74	122.20	-24.46	Peak	No Limit
2	5850.0000	42.17	13.40	55.57	122.20	-66.63	Peak	
3	5860.0000	38.25	13.43	51.68	109.40	-57.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17269.0500	52.31	9.96	62.27	68.20	-5.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	52.06	12.97	65.03	109.40	-44.37	Peak	
2	5725.0000	57.95	13.00	70.95	122.20	-51.25	Peak	
3 *	5751.1000	85.05	13.08	98.13	122.20	-24.07	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17395.8750	53.77	10.22	63.99	68.20	-4.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5779.3000	84.32	13.17	97.49	122.20	-24.71	Peak	No Limit
2	5850.0000	45.54	13.40	58.94	122.20	-63.26	Peak	
3	5860.0000	42.02	13.43	55.45	109.40	-53.95	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17377.4000	47.96	10.18	58.14	68.20	-10.06	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5619.8000	35.80	12.66	48.46	68.20	-19.74	Peak	
2	5715.0000	43.44	12.97	56.41	109.40	-52.99	Peak	
3	5725.0000	47.08	13.00	60.08	122.20	-62.12	Peak	
4	5792.6000	79.29	13.21	92.50	122.20	-29.70	Peak	No Limit
5	5850.0000	49.11	13.40	62.51	122.20	-59.69	Peak	
6	5860.0000	46.93	13.43	60.36	109.40	-49.04	Peak	
7 *	5931.6000	36.36	13.66	50.02	68.20	-18.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17241.7000	50.97	9.91	60.88	68.20	-7.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5647.6000	36.97	12.75	49.72	68.20	-18.48	Peak	
2	5715.0000	37.55	12.97	50.52	109.40	-58.88	Peak	
3	5725.0000	48.49	13.00	61.49	122.20	-60.71	Peak	
4	5742.3000	85.94	13.05	98.99	122.20	-23.21	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17358.4000	50.60	10.14	60.74	68.20	-7.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17470.5500	44.95	10.37	55.32	68.20	-12.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5821.6000	84.51	13.31	97.82	122.20	-24.38	Peak	No Limit
2	5850.0000	41.58	13.40	54.98	122.20	-67.22	Peak	
3	5860.0000	34.56	13.43	47.99	109.40	-61.41	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17264.7750	52.22	9.95	62.17	68.20	-6.03	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	50.11	12.97	63.08	109.40	-46.32	Peak	
2	5725.0000	53.18	13.00	66.18	122.20	-56.02	Peak	
3 *	5741.2000	85.01	13.05	98.06	122.20	-24.14	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17379.1500	52.03	10.19	62.22	68.20	-5.98	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5781.1000	84.41	13.18	97.59	122.20	-24.61	Peak	No Limit
2	5850.0000	40.09	13.40	53.49	122.20	-68.71	Peak	
3	5860.0000	39.01	13.43	52.44	109.40	-56.96	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17299.5000	39.57	10.02	49.59	68.20	-18.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5629.0000	35.62	12.69	48.31	68.20	-19.89	Peak	
2	5715.0000	37.00	12.97	49.97	109.40	-59.43	Peak	
3	5725.0000	37.39	13.00	50.39	122.20	-71.81	Peak	
4	5774.2000	74.66	13.16	87.82	122.20	-34.38	Peak	No Limit
5	5850.0000	35.73	13.40	49.13	122.20	-73.07	Peak	
6	5860.0000	35.63	13.43	49.06	109.40	-60.34	Peak	
7 *	5939.6000	35.88	13.69	49.57	68.20	-18.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT20) Mode Channel 149 (UNII-3)	Polarization	Vertical
-----------	--------------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		39604.000	53.73	11.96	65.69	83.50	-17.81	peak	
2	*	39604.000	43.48	11.96	55.44	63.50	-8.06	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT20) Mode Channel 149 (UNII-3)	Polarization	Horizontal
-----------	--------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39593.000	52.81	11.96	64.77	83.50	-18.73	peak	
2	*	39593.000	42.15	11.96	54.11	63.50	-9.39	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.250	17.000
40	5200	20.100	16.900
48	5240	20.189	16.900

CH36




Date: 9.MAY.2024 09:29:38

CH40
26 dB Bandwidth




Date: 9.MAY.2024 09:30:45

CH48




Date: 9.MAY.2024 09:31:30


99 % Occupied Bandwidth



Date: 9.MAY.2024 09:29:14



Date: 9.MAY.2024 09:30:21




Date: 9.MAY.2024 09:31:06

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.150	17.900
40	5200	23.050	17.900
48	5240	25.350	17.900

CH36




Date: 9.MAY.2024 10:18:25

CH40
26 dB Bandwidth




Date: 9.MAY.2024 10:19:09

CH48




Date: 9.MAY.2024 10:19:54


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:18:01



Date: 9.MAY.2024 10:18:45




Date: 9.MAY.2024 10:19:33

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.408	36.800
46	5230	40.900	37.000

CH38




Date: 9.MAY.2024 10:56:16

CH46 26 dB Bandwidth




Date: 9.MAY.2024 10:57:39

99 % Occupied Bandwidth



Date: 9.MAY.2024 10:55:45




Date: 9.MAY.2024 10:57:15

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.200	76.400

CH42 26 dB Bandwidth



Date: 9.MAY.2024 11:42:36

99 % Occupied Bandwidth




Date: 9.MAY.2024 11:42:07

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.650	18.900
40	5200	20.800	18.900
48	5240	20.550	18.900

CH36




Date: 9.MAY.2024 10:39:30

CH40
26 dB Bandwidth




Date: 9.MAY.2024 10:40:13

CH48




Date: 9.MAY.2024 10:40:59


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:39:07



Date: 9.MAY.2024 10:39:48




Date: 9.MAY.2024 10:40:35

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.400	38.000
46	5230	40.900	37.800

CH38




Date: 9.MAY.2024 11:21:45

CH46 26 dB Bandwidth




Date: 9.MAY.2024 11:22:34

99 % Occupied Bandwidth



Date: 9.MAY.2024 11:21:13




Date: 9.MAY.2024 11:22:10

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.000	78.000

CH42 26 dB Bandwidth



Date: 9.MAY.2024 11:50:42

99 % Occupied Bandwidth




Date: 9.MAY.2024 11:50:12

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.150	17.000
60	5300	20.200	17.000
64	5320	20.190	17.000

CH52




Date: 9.MAY.2024 09:32:24

CH60
26 dB Bandwidth




Date: 9.MAY.2024 09:33:52

CH64




Date: 9.MAY.2024 09:35:12


99 % Occupied Bandwidth



Date: 9.MAY.2024 09:32:00



Date: 9.MAY.2024 09:33:29




Date: 9.MAY.2024 09:34:45

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.299	17.900
60	5300	22.650	17.900
64	5320	22.590	17.900

CH52




Date: 9.MAY.2024 10:20:52

CH60
26 dB Bandwidth




Date: 9.MAY.2024 10:29:10

CH64




Date: 9.MAY.2024 10:29:55


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:20:25



Date: 9.MAY.2024 10:28:47




Date: 9.MAY.2024 10:29:30

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	75.300	37.400
62	5310	75.199	37.200

CH54




Date: 13.MAY.2024 15:14:42

CH62
26 dB Bandwidth




Date: 9.MAY.2024 11:14:45

99 % Occupied Bandwidth



Date: 9.MAY.2024 10:58:15




Date: 9.MAY.2024 11:05:46

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.600	76.800

CH58 26 dB Bandwidth



Date: 9.MAY.2024 11:43:31

99 % Occupied Bandwidth




Date: 9.MAY.2024 11:43:02

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.700	18.800
60	5300	20.850	18.900
64	5320	20.750	18.800

CH52




Date: 9.MAY.2024 10:41:50

CH60
26 dB Bandwidth




Date: 9.MAY.2024 10:42:37

CH64




Date: 9.MAY.2024 10:43:27


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:41:27



Date: 9.MAY.2024 10:42:14




Date: 9.MAY.2024 10:43:03

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.500	38.000
62	5310	40.700	38.000

CH54




Date: 9.MAY.2024 11:23:28

CH62
26 dB Bandwidth




Date: 9.MAY.2024 11:24:20

99 % Occupied Bandwidth



Date: 9.MAY.2024 11:22:57




Date: 9.MAY.2024 11:23:49

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.800	78.000

CH58 26 dB Bandwidth



Date: 9.MAY.2024 11:51:36

99 % Occupied Bandwidth




Date: 9.MAY.2024 11:51:07

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.290	17.000
116	5580	20.150	17.000
140	5700	20.200	17.000

CH100




Date: 9.MAY.2024 09:36:04

CH116
26 dB Bandwidth




Date: 9.MAY.2024 09:36:53

CH140




Date: 9.MAY.2024 09:37:55


99 % Occupied Bandwidth



Date: 9.MAY.2024 09:35:39



Date: 9.MAY.2024 09:36:29




Date: 9.MAY.2024 09:37:32

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.089	17.900
116	5580	20.650	17.900
140	5700	20.500	17.800

CH100




Date: 9.MAY.2024 10:30:47

CH116
26 dB Bandwidth




Date: 9.MAY.2024 10:32:09

CH140




Date: 9.MAY.2024 10:33:07


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:30:22



Date: 9.MAY.2024 10:31:46




Date: 9.MAY.2024 10:32:42

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	47.300	37.000
110	5550	40.500	37.000
134	5670	82.100	38.000

CH102




Date: 9.MAY.2024 11:07:30

CH110
26 dB Bandwidth




Date: 9.MAY.2024 11:09:06

CH134




Date: 9.MAY.2024 11:12:20


99 % Occupied Bandwidth



Date: 9.MAY.2024 11:06:59



Date: 9.MAY.2024 11:08:34




Date: 9.MAY.2024 11:09:32

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.800	76.800
122	5610	82.408	76.800

CH106




Date: 9.MAY.2024 11:44:32

CH122
26 dB Bandwidth




Date: 9.MAY.2024 11:47:36

99 % Occupied Bandwidth



Date: 9.MAY.2024 11:44:03



Date: 9.MAY.2024 11:47:06