



## **Exhibit: Test Setup Photos**

Report File #: 7169009440R -000

Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	



Figure 1 – 99% Bandwidth measurement



Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	



Figure 2 – Radiated Emissions Setup  
9kHz to 30MHz

Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	





Figure 3 – Radiated Emissions Setup  
30MHz to 1GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.



Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	




Figure 4 – Radiated Emissions Setup  
1GHz to 6GHz Spurious Scans

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	




Figure 5 – Radiated Emissions Setup  
6GHz to 12GHz Spurious Scans & Band-Edge Measurements


Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	



Figure 6 – Radiated Emissions Setup  
18GHz to 26GHz Spurious Scans

Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	



Figure 7 – Power Line Conducted Emissions Setup



Client	Utility Associates, Inc.	
Product	Smart Holster Sensor (Model: HS01)	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.209	




Figure 8 – Power Line Conducted Emissions Setup