



**30.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.31	-13	Pass	2986
30	1000	0.1	RMS	844.9	-64.32	-13	Pass	9701
1000	1670	1	RMS	1661	-53.27	-13	Pass	671
1670	1820	1	RMS	1743.125	6.95	60	Pass	401
1820	3000	1	RMS	2962	-49.62	-13	Pass	1181
3000	20000	1	RMS	19405	-53.49	-13	Pass	17003




**30.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.72	-13	Pass	2986
30	1000	0.1	RMS	835.4	-64.23	-13	Pass	9701
1000	1670	1	RMS	1669	-53.28	-13	Pass	671
1670	1820	1	RMS	1778.75	12.2	60	Pass	401
1820	3000	1	RMS	2957	-49.65	-13	Pass	1181
3000	20000	1	RMS	17950	-53.48	-13	Pass	17003



**30.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-13	Pass	401
0.15	30	0.01	RMS	0.23	-73.2	-13	Pass	2986
30	1000	0.1	RMS	847.9	-64.33	-13	Pass	9701
1000	1670	1	RMS	1670	-53.27	-13	Pass	671
1670	1820	1	RMS	1742.375	5.93	60	Pass	401
1820	3000	1	RMS	2957	-49.61	-13	Pass	1181
3000	20000	1	RMS	19906	-53.47	-13	Pass	17003



31. n2 15kHz


31.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.77	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.4	-13	Pass	9701
1000	1840	1	RMS	1839	-51.12	-13	Pass	841
1840	1920	1	RMS	1852.533	18.31	60	Pass	601
1920	3000	1	RMS	2642	-47.21	-13	Pass	1081
3000	6500	1	RMS	5559	-67.71	-13	Pass	3501
6500	20000	1	RMS	19998	-50.26	-13	Pass	13501




31.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	1000	0.1	RMS	905.1	-62.69	-13	Pass	9701
1000	1840	1	RMS	1840	-51.14	-13	Pass	841
1840	1920	1	RMS	1852.4	18.27	60	Pass	601
1920	3000	1	RMS	2635	-47.2	-13	Pass	1081
3000	6500	1	RMS	5557	-67.31	-13	Pass	3501
6500	20000	1	RMS	19997	-50.15	-13	Pass	13501




31.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2986
30	1000	0.1	RMS	892.6	-62.61	-13	Pass	9701
1000	1840	1	RMS	1840	-51.27	-13	Pass	841
1840	1920	1	RMS	1880.133	18.26	60	Pass	601
1920	3000	1	RMS	2640	-47.24	-13	Pass	1081
3000	6500	1	RMS	5638	-67.6	-13	Pass	3501
6500	20000	1	RMS	19996	-50.26	-13	Pass	13501




31.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.63	-13	Pass	9701
1000	1840	1	RMS	1810	-51.31	-13	Pass	841
1840	1920	1	RMS	1879.867	18.29	60	Pass	601
1920	3000	1	RMS	2634	-47.2	-13	Pass	1081
3000	6500	1	RMS	5639	-67.64	-13	Pass	3501
6500	20000	1	RMS	19997	-50.2	-13	Pass	13501




31.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2986
30	1000	0.1	RMS	897	-62.6	-13	Pass	9701
1000	1840	1	RMS	1835	-51.29	-13	Pass	841
1840	1920	1	RMS	1907.467	18.08	60	Pass	601
1920	3000	1	RMS	2644	-47.22	-13	Pass	1081
3000	6500	1	RMS	6049	-68.07	-13	Pass	3501
6500	20000	1	RMS	19998	-50.21	-13	Pass	13501



31.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.17	-57.81	-13	Pass	2986
30	1000	0.1	RMS	901.4	-62.54	-13	Pass	9701
1000	1840	1	RMS	1831	-51.31	-13	Pass	841
1840	1920	1	RMS	1907.333	18.11	60	Pass	601
1920	3000	1	RMS	2642	-47.19	-13	Pass	1081
3000	6500	1	RMS	6052	-67.99	-13	Pass	3501
6500	20000	1	RMS	19996	-50.24	-13	Pass	13501




**31.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	1000	0.1	RMS	916	-62.6	-13	Pass	9701
1000	1840	1	RMS	1840	-50.74	-13	Pass	841
1840	1920	1	RMS	1858.4	14.18	60	Pass	601
1920	3000	1	RMS	2631	-47.18	-13	Pass	1081
3000	6500	1	RMS	6049	-68.03	-13	Pass	3501
6500	20000	1	RMS	19999	-50.23	-13	Pass	13501




31.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.62	-13	Pass	9701
1000	1840	1	RMS	1840	-49.66	-13	Pass	841
1840	1920	1	RMS	1858.933	14.15	60	Pass	601
1920	3000	1	RMS	2639	-47.21	-13	Pass	1081
3000	6500	1	RMS	5571	-66.7	-13	Pass	3501
6500	20000	1	RMS	19998	-50.19	-13	Pass	13501




**31.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2986
30	1000	0.1	RMS	911.6	-62.64	-13	Pass	9701
1000	1840	1	RMS	1831	-51.26	-13	Pass	841
1840	1920	1	RMS	1877.2	14.02	60	Pass	601
1920	3000	1	RMS	2640	-47.21	-13	Pass	1081
3000	6500	1	RMS	5632	-67.27	-13	Pass	3501
6500	20000	1	RMS	20000	-50.15	-13	Pass	13501




31.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:376000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.85	-13	Pass	2986
30	1000	0.1	RMS	901.2	-62.61	-13	Pass	9701
1000	1840	1	RMS	1830	-51.33	-13	Pass	841
1840	1920	1	RMS	1878.4	14.06	60	Pass	601
1920	3000	1	RMS	2636	-47.13	-13	Pass	1081
3000	6500	1	RMS	5637	-67.93	-13	Pass	3501
6500	20000	1	RMS	20000	-50.15	-13	Pass	13501




**31.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.71	-13	Pass	9701
1000	1840	1	RMS	1840	-51.33	-13	Pass	841
1840	1920	1	RMS	1899.6	13.91	60	Pass	601
1920	3000	1	RMS	2632	-47.17	-13	Pass	1081
3000	6500	1	RMS	6050	-68.05	-13	Pass	3501
6500	20000	1	RMS	19994	-50.21	-13	Pass	13501




31.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.07	-13	Pass	2986
30	1000	0.1	RMS	935.4	-62.56	-13	Pass	9701
1000	1840	1	RMS	1838	-51.26	-13	Pass	841
1840	1920	1	RMS	1900.267	13.93	60	Pass	601
1920	3000	1	RMS	2636	-47.14	-13	Pass	1081
3000	6500	1	RMS	6050	-67.96	-13	Pass	3501
6500	20000	1	RMS	19998	-50.27	-13	Pass	13501




31.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.38	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.08	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.56	-13	Pass	9701
1000	1840	1	RMS	1840	-49.18	-13	Pass	841
1840	1920	1	RMS	1862.8	12.86	60	Pass	601
1920	3000	1	RMS	2641	-47.18	-13	Pass	1081
3000	6500	1	RMS	6049	-68.02	-13	Pass	3501
6500	20000	1	RMS	19998	-50.34	-13	Pass	13501




31.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.81	-13	Pass	2986
30	1000	0.1	RMS	947	-62.6	-13	Pass	9701
1000	1840	1	RMS	1840	-48.43	-13	Pass	841
1840	1920	1	RMS	1862.933	12.86	60	Pass	601
1920	3000	1	RMS	2634	-47.13	-13	Pass	1081
3000	6500	1	RMS	5580	-67.98	-13	Pass	3501
6500	20000	1	RMS	19999	-50.18	-13	Pass	13501




**31.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	929.6	-62.66	-13	Pass	9701
1000	1840	1	RMS	1839	-51.15	-13	Pass	841
1840	1920	1	RMS	1876.8	12.85	60	Pass	601
1920	3000	1	RMS	2638	-47.17	-13	Pass	1081
3000	6500	1	RMS	5631	-67.71	-13	Pass	3501
6500	20000	1	RMS	19999	-50.22	-13	Pass	13501




31.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.65	-13	Pass	9701
1000	1840	1	RMS	1834	-51.24	-13	Pass	841
1840	1920	1	RMS	1876.133	12.9	60	Pass	601
1920	3000	1	RMS	2639	-47.14	-13	Pass	1081
3000	6500	1	RMS	6057	-67.99	-13	Pass	3501
6500	20000	1	RMS	20000	-50.19	-13	Pass	13501



**31.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	1000	0.1	RMS	907.4	-62.71	-13	Pass	9701
1000	1840	1	RMS	1835	-51.24	-13	Pass	841
1840	1920	1	RMS	1896.667	12.46	60	Pass	601
1920	3000	1	RMS	2636	-47.05	-13	Pass	1081
3000	6500	1	RMS	6047	-67.95	-13	Pass	3501
6500	20000	1	RMS	19998	-50.3	-13	Pass	13501



31.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.54	-13	Pass	9701
1000	1840	1	RMS	1834	-51.26	-13	Pass	841
1840	1920	1	RMS	1898	12.54	60	Pass	601
1920	3000	1	RMS	2641	-47.14	-13	Pass	1081
3000	6500	1	RMS	6050	-67.94	-13	Pass	3501
6500	20000	1	RMS	20000	-50.27	-13	Pass	13501



32. n5 15kHz


32.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.64	-13	Pass	7841
814	859	0.1	RMS	827.2	9.97	60	Pass	601
859	1000	0.1	RMS	906.9	-62.88	-13	Pass	1411
1000	3000	1	RMS	2641	-47.14	-13	Pass	2001
3000	10000	1	RMS	9960	-66.8	-13	Pass	7001




32.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.08	-13	Pass	7841
814	859	0.1	RMS	825.7	9.84	60	Pass	601
859	1000	0.1	RMS	942.2	-62.95	-13	Pass	1411
1000	3000	1	RMS	2633	-47.14	-13	Pass	2001
3000	10000	1	RMS	9953	-66.77	-13	Pass	7001




32.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.84	-13	Pass	7841
814	859	0.1	RMS	836.65	9.82	60	Pass	601
859	1000	0.1	RMS	892.1	-62.91	-13	Pass	1411
1000	3000	1	RMS	2644	-47.17	-13	Pass	2001
3000	10000	1	RMS	9957	-66.83	-13	Pass	7001




32.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	814	0.1	RMS	790.6	-62.73	-13	Pass	7841
814	859	0.1	RMS	836.2	9.77	60	Pass	601
859	1000	0.1	RMS	929.7	-62.99	-13	Pass	1411
1000	3000	1	RMS	2637	-47.13	-13	Pass	2001
3000	10000	1	RMS	9951	-66.84	-13	Pass	7001




**32.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	814	0.1	RMS	806.1	-62.87	-13	Pass	7841
814	859	0.1	RMS	846.7	9.79	60	Pass	601
859	1000	0.1	RMS	915.5	-62.77	-13	Pass	1411
1000	3000	1	RMS	2631	-47.2	-13	Pass	2001
3000	10000	1	RMS	9946	-66.84	-13	Pass	7001




32.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.21	-13	Pass	2986
30	814	0.1	RMS	793.8	-62.81	-13	Pass	7841
814	859	0.1	RMS	845.725	9.83	60	Pass	601
859	1000	0.1	RMS	889.7	-62.86	-13	Pass	1411
1000	3000	1	RMS	2638	-47.18	-13	Pass	2001
3000	10000	1	RMS	9953	-66.76	-13	Pass	7001




**32.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	814	0.1	RMS	813.2	-59.91	-13	Pass	7841
814	859	0.1	RMS	832.75	5.28	60	Pass	601
859	1000	0.1	RMS	922.9	-62.8	-13	Pass	1411
1000	3000	1	RMS	2638	-47.16	-13	Pass	2001
3000	10000	1	RMS	7735	-66.86	-13	Pass	7001




32.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2986
30	814	0.1	RMS	813.2	-60.64	-13	Pass	7841
814	859	0.1	RMS	831.25	5.57	60	Pass	601
859	1000	0.1	RMS	941.2	-62.92	-13	Pass	1411
1000	3000	1	RMS	2632	-47.19	-13	Pass	2001
3000	10000	1	RMS	9954	-66.87	-13	Pass	7001




**32.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.3	-13	Pass	7841
814	859	0.1	RMS	833.425	5.38	60	Pass	601
859	1000	0.1	RMS	961.9	-62.97	-13	Pass	1411
1000	3000	1	RMS	2643	-47.2	-13	Pass	2001
3000	10000	1	RMS	9953	-66.82	-13	Pass	7001




32.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	814	0.1	RMS	814	-61.6	-13	Pass	7841
814	859	0.1	RMS	836.275	5.69	60	Pass	601
859	1000	0.1	RMS	954.6	-62.97	-13	Pass	1411
1000	3000	1	RMS	2635	-47.13	-13	Pass	2001
3000	10000	1	RMS	9958	-66.84	-13	Pass	7001




**32.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.85	-13	Pass	7841
814	859	0.1	RMS	838.375	5.58	60	Pass	601
859	1000	0.1	RMS	910.6	-62.98	-13	Pass	1411
1000	3000	1	RMS	2636	-47.21	-13	Pass	2001
3000	10000	1	RMS	9957	-66.8	-13	Pass	7001




32.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.61	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.49	-13	Pass	7841
814	859	0.1	RMS	840.7	5.48	60	Pass	601
859	1000	0.1	RMS	923.7	-62.87	-13	Pass	1411
1000	3000	1	RMS	2634	-47.18	-13	Pass	2001
3000	10000	1	RMS	9950	-66.84	-13	Pass	7001




32.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2986
30	814	0.1	RMS	813.4	-53.4	-13	Pass	7841
814	859	0.1	RMS	831.775	4.28	60	Pass	601
859	1000	0.1	RMS	920.7	-62.95	-13	Pass	1411
1000	3000	1	RMS	2638	-47.18	-13	Pass	2001
3000	10000	1	RMS	9945	-66.87	-13	Pass	7001




32.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.56	-13	Pass	2986
30	814	0.1	RMS	813.4	-51.57	-13	Pass	7841
814	859	0.1	RMS	833.05	4.06	60	Pass	601
859	1000	0.1	RMS	968.1	-62.94	-13	Pass	1411
1000	3000	1	RMS	2637	-47.18	-13	Pass	2001
3000	10000	1	RMS	7728	-66.87	-13	Pass	7001




**32.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	814	0.1	RMS	813.9	-56.18	-13	Pass	7841
814	859	0.1	RMS	834.25	4.3	60	Pass	601
859	1000	0.1	RMS	921.9	-62.94	-13	Pass	1411
1000	3000	1	RMS	2634	-47.19	-13	Pass	2001
3000	10000	1	RMS	7736	-66.83	-13	Pass	7001




32.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	814	0.1	RMS	813.9	-54.31	-13	Pass	7841
814	859	0.1	RMS	834.325	4.1	60	Pass	601
859	1000	0.1	RMS	914.5	-62.93	-13	Pass	1411
1000	3000	1	RMS	2639	-47.15	-13	Pass	2001
3000	10000	1	RMS	7745	-66.85	-13	Pass	7001




**32.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	814	0.1	RMS	812.5	-59.99	-13	Pass	7841
814	859	0.1	RMS	836.725	4.42	60	Pass	601
859	1000	0.1	RMS	937.4	-62.86	-13	Pass	1411
1000	3000	1	RMS	2634	-47.18	-13	Pass	2001
3000	10000	1	RMS	9952	-66.82	-13	Pass	7001



32.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.18	-13	Pass	2986
30	814	0.1	RMS	812.6	-58.23	-13	Pass	7841
814	859	0.1	RMS	836.875	4.29	60	Pass	601
859	1000	0.1	RMS	900.6	-62.89	-13	Pass	1411
1000	3000	1	RMS	2634	-47.2	-13	Pass	2001
3000	10000	1	RMS	9950	-66.78	-13	Pass	7001



33. n7 15kHz


33.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.52	-25	Pass	2986
30	1000	0.1	RMS	981.4	-62.74	-25	Pass	9701
1000	2490	1	RMS	2489	-48.64	-25	Pass	1491
2490	2580	1	RMS	2502.75	18.6	60	Pass	601
2580	3000	1	RMS	2636.7	-47.21	-25	Pass	601
3000	6500	1	RMS	6050	-68.05	-25	Pass	3501
6500	26000	1	RMS	25013	-41.69	-25	Pass	19501




33.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.54	-25	Pass	2986
30	1000	0.1	RMS	953.6	-62.72	-25	Pass	9701
1000	2490	1	RMS	2490	-48.62	-25	Pass	1491
2490	2580	1	RMS	2502.45	18.59	60	Pass	601
2580	3000	1	RMS	2636.7	-47.21	-25	Pass	601
3000	6500	1	RMS	6054	-68.06	-25	Pass	3501
6500	26000	1	RMS	25013	-41.8	-25	Pass	19501




33.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.03	-25	Pass	2986
30	1000	0.1	RMS	939.5	-62.6	-25	Pass	9701
1000	2490	1	RMS	2479	-48.87	-25	Pass	1491
2490	2580	1	RMS	2535	18.79	60	Pass	601
2580	3000	1	RMS	2638.8	-47.23	-25	Pass	601
3000	6500	1	RMS	6050	-67.99	-25	Pass	3501
6500	26000	1	RMS	25011	-41.85	-25	Pass	19501




33.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.49	-25	Pass	2986
30	1000	0.1	RMS	905.3	-62.62	-25	Pass	9701
1000	2490	1	RMS	2489	-48.8	-25	Pass	1491
2490	2580	1	RMS	2535	18.79	60	Pass	601
2580	3000	1	RMS	2636.7	-47.23	-25	Pass	601
3000	6500	1	RMS	6051	-68.04	-25	Pass	3501
6500	26000	1	RMS	25011	-41.83	-25	Pass	19501




33.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.36	-25	Pass	2986
30	1000	0.1	RMS	947.9	-62.62	-25	Pass	9701
1000	2490	1	RMS	2488	-48.88	-25	Pass	1491
2490	2580	1	RMS	2567.55	18.62	60	Pass	601
2580	3000	1	RMS	2630.4	-47.2	-25	Pass	601
3000	6500	1	RMS	6050	-68.06	-25	Pass	3501
6500	26000	1	RMS	25013	-41.82	-25	Pass	19501




33.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.02	-25	Pass	2986
30	1000	0.1	RMS	887.7	-62.74	-25	Pass	9701
1000	2490	1	RMS	2486	-48.91	-25	Pass	1491
2490	2580	1	RMS	2567.4	18.64	60	Pass	601
2580	3000	1	RMS	2633.9	-47.22	-25	Pass	601
3000	6500	1	RMS	6047	-68.09	-25	Pass	3501
6500	26000	1	RMS	25012	-41.91	-25	Pass	19501




**33.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.43	-25	Pass	2986
30	1000	0.1	RMS	931.1	-62.63	-25	Pass	9701
1000	2490	1	RMS	2490	-48.18	-25	Pass	1491
2490	2580	1	RMS	2508.45	14.54	60	Pass	601
2580	3000	1	RMS	2633.9	-47.15	-25	Pass	601
3000	6500	1	RMS	6054	-68.04	-25	Pass	3501
6500	26000	1	RMS	25012	-41.8	-25	Pass	19501




33.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-25	Pass	2986
30	1000	0.1	RMS	908.6	-62.65	-25	Pass	9701
1000	2490	1	RMS	2490	-47.82	-25	Pass	1491
2490	2580	1	RMS	2508.75	14.43	60	Pass	601
2580	3000	1	RMS	2633.9	-47.17	-25	Pass	601
3000	6500	1	RMS	6043	-68.02	-25	Pass	3501
6500	26000	1	RMS	25013	-41.79	-25	Pass	19501




**33.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.23	-25	Pass	2986
30	1000	0.1	RMS	911	-62.77	-25	Pass	9701
1000	2490	1	RMS	2487	-48.82	-25	Pass	1491
2490	2580	1	RMS	2535.75	14.54	60	Pass	601
2580	3000	1	RMS	2638.8	-47.16	-25	Pass	601
3000	6500	1	RMS	6049	-68.06	-25	Pass	3501
6500	26000	1	RMS	25012	-41.76	-25	Pass	19501




33.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.5	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.31	-25	Pass	2986
30	1000	0.1	RMS	906.9	-62.7	-25	Pass	9701
1000	2490	1	RMS	2489	-48.83	-25	Pass	1491
2490	2580	1	RMS	2535	14.48	60	Pass	601
2580	3000	1	RMS	2636	-47.22	-25	Pass	601
3000	6500	1	RMS	6051	-68.06	-25	Pass	3501
6500	26000	1	RMS	25013	-41.87	-25	Pass	19501




**33.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-25	Pass	2986
30	1000	0.1	RMS	943.3	-62.65	-25	Pass	9701
1000	2490	1	RMS	2490	-48.7	-25	Pass	1491
2490	2580	1	RMS	2563.35	14.42	60	Pass	601
2580	3000	1	RMS	2642.3	-47.21	-25	Pass	601
3000	6500	1	RMS	6054	-68.03	-25	Pass	3501
6500	26000	1	RMS	25015	-41.78	-25	Pass	19501




33.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.16	-25	Pass	2986
30	1000	0.1	RMS	932.2	-62.6	-25	Pass	9701
1000	2490	1	RMS	2490	-48.79	-25	Pass	1491
2490	2580	1	RMS	2561.4	14.35	60	Pass	601
2580	3000	1	RMS	2634.6	-47.17	-25	Pass	601
3000	6500	1	RMS	6050	-68.08	-25	Pass	3501
6500	26000	1	RMS	25011	-41.78	-25	Pass	19501




33.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.1	-25	Pass	2986
30	1000	0.1	RMS	921.1	-62.71	-25	Pass	9701
1000	2490	1	RMS	2490	-46.98	-25	Pass	1491
2490	2580	1	RMS	2512.95	12.97	60	Pass	601
2580	3000	1	RMS	2635.3	-47.18	-25	Pass	601
3000	6500	1	RMS	6050	-68.01	-25	Pass	3501
6500	26000	1	RMS	25012	-41.65	-25	Pass	19501




33.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-25	Pass	2986
30	1000	0.1	RMS	941.3	-62.71	-25	Pass	9701
1000	2490	1	RMS	2490	-43.61	-25	Pass	1491
2490	2580	1	RMS	2512.95	12.94	60	Pass	601
2580	3000	1	RMS	2634.6	-47.18	-25	Pass	601
3000	6500	1	RMS	6050	-68.06	-25	Pass	3501
6500	26000	1	RMS	25011	-41.69	-25	Pass	19501




**33.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.45	-25	Pass	2986
30	1000	0.1	RMS	924.6	-62.68	-25	Pass	9701
1000	2490	1	RMS	2490	-48.84	-25	Pass	1491
2490	2580	1	RMS	2535.6	12.96	60	Pass	601
2580	3000	1	RMS	2638.1	-47.21	-25	Pass	601
3000	6500	1	RMS	6059	-68.03	-25	Pass	3501
6500	26000	1	RMS	25016	-41.85	-25	Pass	19501




33.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.4	-25	Pass	2986
30	1000	0.1	RMS	935.4	-62.73	-25	Pass	9701
1000	2490	1	RMS	2488	-48.85	-25	Pass	1491
2490	2580	1	RMS	2532.75	13.02	60	Pass	601
2580	3000	1	RMS	2636.7	-47.21	-25	Pass	601
3000	6500	1	RMS	6049	-68.01	-25	Pass	3501
6500	26000	1	RMS	25012	-41.86	-25	Pass	19501




**33.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-25	Pass	2986
30	1000	0.1	RMS	939	-62.74	-25	Pass	9701
1000	2490	1	RMS	2481	-48.8	-25	Pass	1491
2490	2580	1	RMS	2556.9	12.95	60	Pass	601
2580	3000	1	RMS	2580	-47.06	-25	Pass	601
3000	6500	1	RMS	6053	-68.03	-25	Pass	3501
6500	26000	1	RMS	25014	-41.84	-25	Pass	19501



33.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.45	-25	Pass	2986
30	1000	0.1	RMS	935.3	-62.68	-25	Pass	9701
1000	2490	1	RMS	2490	-48.73	-25	Pass	1491
2490	2580	1	RMS	2557.95	12.93	60	Pass	601
2580	3000	1	RMS	2580	-44.92	-25	Pass	601
3000	6500	1	RMS	6053	-67.95	-25	Pass	3501
6500	26000	1	RMS	25009	-41.81	-25	Pass	19501



34. n12 15kHz


34.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2986
30	689	0.1	RMS	687.8	-63.8	-13	Pass	6591
689	726	0.1	RMS	702.197	9.79	60	Pass	601
726	1000	0.1	RMS	913.3	-62.67	-13	Pass	2741
1000	3000	1	RMS	2638	-47.16	-13	Pass	2001
3000	10000	1	RMS	9950	-66.81	-13	Pass	7001




34.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.59	-13	Pass	6591
689	726	0.1	RMS	701.765	9.55	60	Pass	601
726	1000	0.1	RMS	890	-62.49	-13	Pass	2741
1000	3000	1	RMS	2643	-47.17	-13	Pass	2001
3000	10000	1	RMS	9949	-66.84	-13	Pass	7001




34.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2986
30	689	0.1	RMS	689	-63.86	-13	Pass	6591
689	726	0.1	RMS	708.24	9.79	60	Pass	601
726	1000	0.1	RMS	933	-62.5	-13	Pass	2741
1000	3000	1	RMS	2636	-47.2	-13	Pass	2001
3000	10000	1	RMS	7731	-66.84	-13	Pass	7001




34.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2986
30	689	0.1	RMS	507.4	-63.62	-13	Pass	6591
689	726	0.1	RMS	706.698	9.6	60	Pass	601
726	1000	0.1	RMS	909.1	-62.67	-13	Pass	2741
1000	3000	1	RMS	2637	-47.14	-13	Pass	2001
3000	10000	1	RMS	9951	-66.83	-13	Pass	7001




34.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.29	-13	Pass	2986
30	689	0.1	RMS	683.5	-63.88	-13	Pass	6591
689	726	0.1	RMS	714.222	9.69	60	Pass	601
726	1000	0.1	RMS	949.4	-62.64	-13	Pass	2741
1000	3000	1	RMS	2638	-47.14	-13	Pass	2001
3000	10000	1	RMS	9955	-66.8	-13	Pass	7001




34.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.5	-13	Pass	2986
30	689	0.1	RMS	522.4	-63.79	-13	Pass	6591
689	726	0.1	RMS	712.68	9.68	60	Pass	601
726	1000	0.1	RMS	918.2	-62.53	-13	Pass	2741
1000	3000	1	RMS	2640	-47.18	-13	Pass	2001
3000	10000	1	RMS	9957	-66.87	-13	Pass	7001




**34.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.46	-13	Pass	2986
30	689	0.1	RMS	688.9	-60.72	-13	Pass	6591
689	726	0.1	RMS	705.835	6.84	60	Pass	601
726	1000	0.1	RMS	903.3	-62.66	-13	Pass	2741
1000	3000	1	RMS	2632	-47.1	-13	Pass	2001
3000	10000	1	RMS	9952	-66.8	-13	Pass	7001




34.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2986
30	689	0.1	RMS	689	-55.95	-13	Pass	6591
689	726	0.1	RMS	702.258	6.81	60	Pass	601
726	1000	0.1	RMS	909.3	-62.51	-13	Pass	2741
1000	3000	1	RMS	2636	-47.17	-13	Pass	2001
3000	10000	1	RMS	9952	-66.81	-13	Pass	7001




**34.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	689	0.1	RMS	689	-62.31	-13	Pass	6591
689	726	0.1	RMS	705.773	6.63	60	Pass	601
726	1000	0.1	RMS	919.2	-62.62	-13	Pass	2741
1000	3000	1	RMS	2632	-47.18	-13	Pass	2001
3000	10000	1	RMS	9949	-66.82	-13	Pass	7001




34.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	689	0.1	RMS	689	-59.5	-13	Pass	6591
689	726	0.1	RMS	707.993	6.72	60	Pass	601
726	1000	0.1	RMS	909.3	-62.54	-13	Pass	2741
1000	3000	1	RMS	2640	-47.17	-13	Pass	2001
3000	10000	1	RMS	9950	-66.82	-13	Pass	7001




**34.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	689	0.1	RMS	689	-63.74	-13	Pass	6591
689	726	0.1	RMS	709.782	6.66	60	Pass	601
726	1000	0.1	RMS	894.4	-62.34	-13	Pass	2741
1000	3000	1	RMS	2635	-47.15	-13	Pass	2001
3000	10000	1	RMS	9952	-66.85	-13	Pass	7001




34.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	689	0.1	RMS	688.8	-62.82	-13	Pass	6591
689	726	0.1	RMS	709.227	6.73	60	Pass	601
726	1000	0.1	RMS	923	-62.68	-13	Pass	2741
1000	3000	1	RMS	2636	-47.18	-13	Pass	2001
3000	10000	1	RMS	9956	-66.76	-13	Pass	7001




**34.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2986
30	689	0.1	RMS	688.8	-56.31	-13	Pass	6591
689	726	0.1	RMS	707.253	5.16	60	Pass	601
726	1000	0.1	RMS	884.7	-62.6	-13	Pass	2741
1000	3000	1	RMS	2637	-47.14	-13	Pass	2001
3000	10000	1	RMS	9949	-66.76	-13	Pass	7001




34.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	689	0.1	RMS	688.7	-53.86	-13	Pass	6591
689	726	0.1	RMS	706.267	5.66	60	Pass	601
726	1000	0.1	RMS	900.4	-62.6	-13	Pass	2741
1000	3000	1	RMS	2642	-47.17	-13	Pass	2001
3000	10000	1	RMS	9954	-66.84	-13	Pass	7001




**34.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.92	-13	Pass	2986
30	689	0.1	RMS	688.2	-54.96	-13	Pass	6591
689	726	0.1	RMS	708.548	5.3	60	Pass	601
726	1000	0.1	RMS	926.4	-62.52	-13	Pass	2741
1000	3000	1	RMS	2637	-47.17	-13	Pass	2001
3000	10000	1	RMS	9952	-66.79	-13	Pass	7001




34.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.42	-13	Pass	2986
30	689	0.1	RMS	689	-52.32	-13	Pass	6591
689	726	0.1	RMS	707.253	5.46	60	Pass	601
726	1000	0.1	RMS	909.2	-62.69	-13	Pass	2741
1000	3000	1	RMS	2638	-47.17	-13	Pass	2001
3000	10000	1	RMS	9950	-66.8	-13	Pass	7001




**34.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	689	0.1	RMS	688.4	-55.24	-13	Pass	6591
689	726	0.1	RMS	707.315	5.13	60	Pass	601
726	1000	0.1	RMS	901.8	-62.68	-13	Pass	2741
1000	3000	1	RMS	2634	-47.16	-13	Pass	2001
3000	10000	1	RMS	9936	-66.86	-13	Pass	7001



34.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	689	0.1	RMS	689	-52.32	-13	Pass	6591
689	726	0.1	RMS	708.24	5.52	60	Pass	601
726	1000	0.1	RMS	938.3	-62.75	-13	Pass	2741
1000	3000	1	RMS	2632	-47.19	-13	Pass	2001
3000	10000	1	RMS	9953	-66.77	-13	Pass	7001



35. n13 15kHz


35.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	767	0.1	RMS	765.7	-63.1	-13	Pass	7371
767	797	0.1	RMS	779.65	9.69	60	Pass	601
797	1000	0.1	RMS	956.2	-62.88	-13	Pass	2031
1000	3000	1	RMS	2640	-47.2	-13	Pass	2001
3000	10000	1	RMS	9945	-66.83	-13	Pass	7001




35.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2986
30	767	0.1	RMS	766.4	-63.19	-13	Pass	7371
767	797	0.1	RMS	778.7	9.77	60	Pass	601
797	1000	0.1	RMS	970.6	-62.63	-13	Pass	2031
1000	3000	1	RMS	2635	-47.19	-13	Pass	2001
3000	10000	1	RMS	9950	-66.85	-13	Pass	7001




35.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:156400, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2986
30	767	0.1	RMS	761.8	-63.26	-13	Pass	7371
767	797	0.1	RMS	782.75	9.91	60	Pass	601
797	1000	0.1	RMS	1000	-62.69	-13	Pass	2031
1000	3000	1	RMS	2631	-47.25	-13	Pass	2001
3000	10000	1	RMS	7731	-66.86	-13	Pass	7001




35.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:156400, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	767	0.1	RMS	766.7	-63.18	-13	Pass	7371
767	797	0.1	RMS	782.25	9.63	60	Pass	601
797	1000	0.1	RMS	898.3	-62.7	-13	Pass	2031
1000	3000	1	RMS	2635	-47.2	-13	Pass	2001
3000	10000	1	RMS	9947	-66.86	-13	Pass	7001




35.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:156900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.21	-13	Pass	2986
30	767	0.1	RMS	760.1	-63.28	-13	Pass	7371
767	797	0.1	RMS	785.2	9.86	60	Pass	601
797	1000	0.1	RMS	917.3	-62.75	-13	Pass	2031
1000	3000	1	RMS	2634	-47.18	-13	Pass	2001
3000	10000	1	RMS	9944	-66.84	-13	Pass	7001




35.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:156900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	767	0.1	RMS	762.9	-63.21	-13	Pass	7371
767	797	0.1	RMS	783.7	9.76	60	Pass	601
797	1000	0.1	RMS	961.3	-62.69	-13	Pass	2031
1000	3000	1	RMS	2629	-47.33	-13	Pass	2001
3000	10000	1	RMS	9950	-66.88	-13	Pass	7001




**35.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2986
30	767	0.1	RMS	754.8	-63.19	-13	Pass	7371
767	797	0.1	RMS	783.85	7.04	60	Pass	601
797	1000	0.1	RMS	932.5	-62.83	-13	Pass	2031
1000	3000	1	RMS	2644	-47.32	-13	Pass	2001
3000	10000	1	RMS	9947	-66.84	-13	Pass	7001



35.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.69	-13	Pass	2986
30	767	0.1	RMS	753.7	-63.31	-13	Pass	7371
767	797	0.1	RMS	783	6.71	60	Pass	601
797	1000	0.1	RMS	951.8	-62.75	-13	Pass	2031
1000	3000	1	RMS	2639	-47.29	-13	Pass	2001
3000	10000	1	RMS	9947	-66.88	-13	Pass	7001



36. n14 15kHz


36.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2986
30	778	0.1	RMS	761.9	-62.96	-13	Pass	7481
778	808	0.1	RMS	790.3	10.06	60	Pass	601
808	1000	0.1	RMS	934	-62.47	-13	Pass	1921
1000	3000	1	RMS	2638	-47.06	-13	Pass	2001
3000	10000	1	RMS	9545	-66.52	-13	Pass	7001




36.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2986
30	778	0.1	RMS	777.4	-62.64	-13	Pass	7481
778	808	0.1	RMS	789.5	9.81	60	Pass	601
808	1000	0.1	RMS	934.7	-62.55	-13	Pass	1921
1000	3000	1	RMS	2651	-47.09	-13	Pass	2001
3000	10000	1	RMS	9530	-66.55	-13	Pass	7001




36.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	778	0.1	RMS	772.1	-62.89	-13	Pass	7481
778	808	0.1	RMS	792.85	9.82	60	Pass	601
808	1000	0.1	RMS	945.6	-62.54	-13	Pass	1921
1000	3000	1	RMS	2657	-47.03	-13	Pass	2001
3000	10000	1	RMS	9540	-66.52	-13	Pass	7001




36.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:158600, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	778	0.1	RMS	776.8	-62.94	-13	Pass	7481
778	808	0.1	RMS	792	9.76	60	Pass	601
808	1000	0.1	RMS	808.1	-62.26	-13	Pass	1921
1000	3000	1	RMS	2656	-47.06	-13	Pass	2001
3000	10000	1	RMS	9537	-66.6	-13	Pass	7001




36.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:159100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.85	-13	Pass	2986
30	778	0.1	RMS	763.3	-62.84	-13	Pass	7481
778	808	0.1	RMS	795.35	9.84	60	Pass	601
808	1000	0.1	RMS	810.7	-62.41	-13	Pass	1921
1000	3000	1	RMS	2660	-47.11	-13	Pass	2001
3000	10000	1	RMS	9544	-66.58	-13	Pass	7001




36.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:159100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	778	0.1	RMS	770.8	-62.94	-13	Pass	7481
778	808	0.1	RMS	794.5	9.72	60	Pass	601
808	1000	0.1	RMS	808.1	-61.27	-13	Pass	1921
1000	3000	1	RMS	2657	-47.13	-13	Pass	2001
3000	10000	1	RMS	9537	-66.57	-13	Pass	7001




**36.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.42	-13	Pass	2986
30	778	0.1	RMS	777.8	-62.21	-13	Pass	7481
778	808	0.1	RMS	792.15	7.13	60	Pass	601
808	1000	0.1	RMS	808.2	-51.97	-13	Pass	1921
1000	3000	1	RMS	2661	-47.1	-13	Pass	2001
3000	10000	1	RMS	9540	-66.57	-13	Pass	7001



36.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	778	0.1	RMS	778	-60.06	-13	Pass	7481
778	808	0.1	RMS	794.45	6.64	60	Pass	601
808	1000	0.1	RMS	808.2	-48.59	-13	Pass	1921
1000	3000	1	RMS	2642	-47.07	-13	Pass	2001
3000	10000	1	RMS	9543	-66.46	-13	Pass	7001



37. n18 15kHz_824-830MHz


37.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.36	-13	Pass	7841
814	840	0.1	RMS	827.217	9.87	60	Pass	601
840	1000	0.1	RMS	840	-62.01	-13	Pass	1601
1000	3000	1	RMS	2636	-47.06	-13	Pass	2001
3000	10000	1	RMS	9952	-66.73	-13	Pass	7001




37.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.95	-13	Pass	7841
814	840	0.1	RMS	825.7	9.63	60	Pass	601
840	1000	0.1	RMS	840.3	-61.85	-13	Pass	1601
1000	3000	1	RMS	2641	-47.01	-13	Pass	2001
3000	10000	1	RMS	9948	-66.68	-13	Pass	7001




37.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:165400, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.38	-13	Pass	2986
30	814	0.1	RMS	814	-62.62	-13	Pass	7841
814	840	0.1	RMS	827.173	9.81	60	Pass	601
840	1000	0.1	RMS	840.8	-61.58	-13	Pass	1601
1000	3000	1	RMS	2638	-47.08	-13	Pass	2001
3000	10000	1	RMS	7732	-66.73	-13	Pass	7001




37.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:165400, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	814	0.1	RMS	814	-59.84	-13	Pass	7841
814	840	0.1	RMS	826.22	9.64	60	Pass	601
840	1000	0.1	RMS	840	-61.27	-13	Pass	1601
1000	3000	1	RMS	2647	-47.02	-13	Pass	2001
3000	10000	1	RMS	7733	-66.72	-13	Pass	7001




37.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:165500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.49	-13	Pass	7841
814	840	0.1	RMS	827.693	9.72	60	Pass	601
840	1000	0.1	RMS	840.2	-62.26	-13	Pass	1601
1000	3000	1	RMS	2638	-47.03	-13	Pass	2001
3000	10000	1	RMS	7738	-66.69	-13	Pass	7001



37.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:165500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.08	-13	Pass	7841
814	840	0.1	RMS	826.697	9.52	60	Pass	601
840	1000	0.1	RMS	840.1	-59.97	-13	Pass	1601
1000	3000	1	RMS	2632	-47.03	-13	Pass	2001
3000	10000	1	RMS	7732	-66.68	-13	Pass	7001



38. n18 15kHz_815-824MHz


38.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:163500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2986
30	805	0.1	RMS	805	-62.74	-13	Pass	7751
805	834	0.1	RMS	818.243	9.91	60	Pass	601
834	1000	0.1	RMS	919.3	-62.62	-13	Pass	1661
1000	3000	1	RMS	2635	-47.03	-13	Pass	2001
3000	10000	1	RMS	9951	-66.65	-13	Pass	7001




38.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:163500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2986
30	805	0.1	RMS	796.7	-62.75	-13	Pass	7751
805	834	0.1	RMS	817.76	9.68	60	Pass	601
834	1000	0.1	RMS	998.6	-62.57	-13	Pass	1661
1000	3000	1	RMS	2635	-46.98	-13	Pass	2001
3000	10000	1	RMS	7724	-66.64	-13	Pass	7001




38.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:163900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	805	0.1	RMS	802.1	-62.81	-13	Pass	7751
805	834	0.1	RMS	820.225	9.87	60	Pass	601
834	1000	0.1	RMS	837.5	-62.75	-13	Pass	1661
1000	3000	1	RMS	2638	-46.98	-13	Pass	2001
3000	10000	1	RMS	7730	-66.62	-13	Pass	7001




38.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:163900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.2	-13	Pass	2986
30	805	0.1	RMS	779.9	-62.82	-13	Pass	7751
805	834	0.1	RMS	818.678	9.57	60	Pass	601
834	1000	0.1	RMS	834.1	-62.1	-13	Pass	1661
1000	3000	1	RMS	2636	-46.96	-13	Pass	2001
3000	10000	1	RMS	7729	-66.66	-13	Pass	7001




38.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	805	0.1	RMS	799.2	-62.79	-13	Pass	7751
805	834	0.1	RMS	821.675	9.71	60	Pass	601
834	1000	0.1	RMS	834.4	-62.6	-13	Pass	1661
1000	3000	1	RMS	2637	-46.99	-13	Pass	2001
3000	10000	1	RMS	7730	-66.63	-13	Pass	7001



38.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	805	0.1	RMS	782.4	-62.77	-13	Pass	7751
805	834	0.1	RMS	820.708	9.62	60	Pass	601
834	1000	0.1	RMS	834.1	-61.03	-13	Pass	1661
1000	3000	1	RMS	2636	-47.01	-13	Pass	2001
3000	10000	1	RMS	9941	-66.59	-13	Pass	7001



39. n25 15kHz


39.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2986
30	1000	0.1	RMS	922	-62.54	-13	Pass	9701
1000	1840	1	RMS	1839	-51.19	-13	Pass	841
1840	1925	1	RMS	1852.467	19.33	60	Pass	601
1925	3000	1	RMS	2637	-47.33	-13	Pass	1076
3000	6500	1	RMS	5559	-67.6	-13	Pass	3501
6500	20000	1	RMS	19999	-50.35	-13	Pass	13501



39.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	934.1	-62.66	-13	Pass	9701
1000	1840	1	RMS	1839	-51.09	-13	Pass	841
1840	1925	1	RMS	1852.325	19.29	60	Pass	601
1925	3000	1	RMS	2641	-47.29	-13	Pass	1076
3000	6500	1	RMS	5558	-67.39	-13	Pass	3501
6500	20000	1	RMS	19996	-50.46	-13	Pass	13501




39.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	1000	0.1	RMS	904.7	-62.71	-13	Pass	9701
1000	1840	1	RMS	1839	-51.39	-13	Pass	841
1840	1925	1	RMS	1882.5	19.22	60	Pass	601
1925	3000	1	RMS	2631	-47.33	-13	Pass	1076
3000	6500	1	RMS	6051	-68.1	-13	Pass	3501
6500	20000	1	RMS	19999	-50.33	-13	Pass	13501




39.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2986
30	1000	0.1	RMS	954.4	-62.66	-13	Pass	9701
1000	1840	1	RMS	1819	-51.41	-13	Pass	841
1840	1925	1	RMS	1882.5	19.3	60	Pass	601
1925	3000	1	RMS	2634	-47.31	-13	Pass	1076
3000	6500	1	RMS	3765	-68.1	-13	Pass	3501
6500	20000	1	RMS	19999	-50.36	-13	Pass	13501




39.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	1000	0.1	RMS	942	-62.65	-13	Pass	9701
1000	1840	1	RMS	1840	-51.35	-13	Pass	841
1840	1925	1	RMS	1912.675	19.14	60	Pass	601
1925	3000	1	RMS	2635	-47.29	-13	Pass	1076
3000	6500	1	RMS	5736	-67.78	-13	Pass	3501
6500	20000	1	RMS	19994	-50.41	-13	Pass	13501




39.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.56	-13	Pass	2986
30	1000	0.1	RMS	923	-62.61	-13	Pass	9701
1000	1840	1	RMS	1836	-51.39	-13	Pass	841
1840	1925	1	RMS	1912.392	19.16	60	Pass	601
1925	3000	1	RMS	2637	-47.31	-13	Pass	1076
3000	6500	1	RMS	5737	-67.71	-13	Pass	3501
6500	20000	1	RMS	19998	-50.43	-13	Pass	13501




**39.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.83	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.54	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1925	1	RMS	1858.7	15.14	60	Pass	601
1925	3000	1	RMS	2640	-47.27	-13	Pass	1076
3000	6500	1	RMS	5565	-67.43	-13	Pass	3501
6500	20000	1	RMS	19999	-50.36	-13	Pass	13501




39.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	1000	0.1	RMS	964.3	-62.62	-13	Pass	9701
1000	1840	1	RMS	1840	-49.12	-13	Pass	841
1840	1925	1	RMS	1858.983	15.16	60	Pass	601
1925	3000	1	RMS	2637	-47.25	-13	Pass	1076
3000	6500	1	RMS	5570	-67.52	-13	Pass	3501
6500	20000	1	RMS	19995	-50.36	-13	Pass	13501




**39.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.92	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62.69	-13	Pass	9701
1000	1840	1	RMS	1826	-51.38	-13	Pass	841
1840	1925	1	RMS	1879.667	15.04	60	Pass	601
1925	3000	1	RMS	2636	-47.33	-13	Pass	1076
3000	6500	1	RMS	6052	-68.03	-13	Pass	3501
6500	20000	1	RMS	19999	-50.34	-13	Pass	13501




39.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.65	-13	Pass	9701
1000	1840	1	RMS	1834	-51.28	-13	Pass	841
1840	1925	1	RMS	1880.658	15.09	60	Pass	601
1925	3000	1	RMS	2644	-47.24	-13	Pass	1076
3000	6500	1	RMS	6051	-68.1	-13	Pass	3501
6500	20000	1	RMS	19998	-50.42	-13	Pass	13501




**39.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.73	-13	Pass	9701
1000	1840	1	RMS	1839	-51.37	-13	Pass	841
1840	1925	1	RMS	1904.6	15.05	60	Pass	601
1925	3000	1	RMS	2634	-47.26	-13	Pass	1076
3000	6500	1	RMS	3817	-66.47	-13	Pass	3501
6500	20000	1	RMS	20000	-50.36	-13	Pass	13501




39.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	1000	0.1	RMS	956.7	-62.7	-13	Pass	9701
1000	1840	1	RMS	1830	-51.38	-13	Pass	841
1840	1925	1	RMS	1905.167	14.97	60	Pass	601
1925	3000	1	RMS	2637	-47.28	-13	Pass	1076
3000	6500	1	RMS	6050	-68.1	-13	Pass	3501
6500	20000	1	RMS	19998	-50.38	-13	Pass	13501




**39.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2986
30	1000	0.1	RMS	914	-62.68	-13	Pass	9701
1000	1840	1	RMS	1840	-48.39	-13	Pass	841
1840	1925	1	RMS	1862.808	13.93	60	Pass	601
1925	3000	1	RMS	2634	-47.27	-13	Pass	1076
3000	6500	1	RMS	3723	-66.86	-13	Pass	3501
6500	20000	1	RMS	20000	-50.4	-13	Pass	13501




39.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2986
30	1000	0.1	RMS	953.8	-62.58	-13	Pass	9701
1000	1840	1	RMS	1840	-47.19	-13	Pass	841
1840	1925	1	RMS	1862.808	13.88	60	Pass	601
1925	3000	1	RMS	2644	-47.27	-13	Pass	1076
3000	6500	1	RMS	5580	-68.09	-13	Pass	3501
6500	20000	1	RMS	19996	-50.41	-13	Pass	13501




**39.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.66	-13	Pass	9701
1000	1840	1	RMS	1838	-51.36	-13	Pass	841
1840	1925	1	RMS	1879.1	13.74	60	Pass	601
1925	3000	1	RMS	2640	-47.28	-13	Pass	1076
3000	6500	1	RMS	3768	-68.09	-13	Pass	3501
6500	20000	1	RMS	19993	-50.45	-13	Pass	13501




39.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.34	-13	Pass	841
1840	1925	1	RMS	1878.533	13.79	60	Pass	601
1925	3000	1	RMS	2642	-47.26	-13	Pass	1076
3000	6500	1	RMS	6054	-68.13	-13	Pass	3501
6500	20000	1	RMS	19998	-50.35	-13	Pass	13501



**39.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.44	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.69	-13	Pass	9701
1000	1840	1	RMS	1828	-51.4	-13	Pass	841
1840	1925	1	RMS	1901.483	13.82	60	Pass	601
1925	3000	1	RMS	2641	-47.26	-13	Pass	1076
3000	6500	1	RMS	3813	-68.07	-13	Pass	3501
6500	20000	1	RMS	20000	-50.44	-13	Pass	13501



39.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	1000	0.1	RMS	944.3	-62.64	-13	Pass	9701
1000	1840	1	RMS	1840	-51.39	-13	Pass	841
1840	1925	1	RMS	1901.625	13.83	60	Pass	601
1925	3000	1	RMS	2631	-47.3	-13	Pass	1076
3000	6500	1	RMS	6046	-68.12	-13	Pass	3501
6500	20000	1	RMS	20000	-50.34	-13	Pass	13501



40. n26 15kHz_824-849MHz


40.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.8	-13	Pass	7841
814	859	0.1	RMS	826.675	9.72	60	Pass	601
859	1000	0.1	RMS	935.2	-62.93	-13	Pass	1411
1000	3000	1	RMS	2637	-47.3	-13	Pass	2001
3000	10000	1	RMS	7743	-66.95	-13	Pass	7001




40.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2986
30	814	0.1	RMS	814	-60.77	-13	Pass	7841
814	859	0.1	RMS	825.7	9.68	60	Pass	601
859	1000	0.1	RMS	922.4	-62.82	-13	Pass	1411
1000	3000	1	RMS	2634	-47.29	-13	Pass	2001
3000	10000	1	RMS	9950	-66.94	-13	Pass	7001




**40.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.7	-13	Pass	2986
30	814	0.1	RMS	796.5	-62.91	-13	Pass	7841
814	859	0.1	RMS	837.25	9.79	60	Pass	601
859	1000	0.1	RMS	925.4	-62.97	-13	Pass	1411
1000	3000	1	RMS	2634	-47.31	-13	Pass	2001
3000	10000	1	RMS	9955	-66.91	-13	Pass	7001




40.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.72	-13	Pass	7841
814	859	0.1	RMS	836.725	9.67	60	Pass	601
859	1000	0.1	RMS	916.6	-62.98	-13	Pass	1411
1000	3000	1	RMS	2635	-47.33	-13	Pass	2001
3000	10000	1	RMS	9955	-66.87	-13	Pass	7001




40.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	814	0.1	RMS	805.4	-62.93	-13	Pass	7841
814	859	0.1	RMS	847.225	9.65	60	Pass	601
859	1000	0.1	RMS	948.9	-62.91	-13	Pass	1411
1000	3000	1	RMS	2639	-47.29	-13	Pass	2001
3000	10000	1	RMS	9952	-66.91	-13	Pass	7001




40.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	814	0.1	RMS	809.7	-62.89	-13	Pass	7841
814	859	0.1	RMS	846.25	9.57	60	Pass	601
859	1000	0.1	RMS	937	-62.84	-13	Pass	1411
1000	3000	1	RMS	2639	-47.21	-13	Pass	2001
3000	10000	1	RMS	9952	-66.88	-13	Pass	7001




**40.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	814	0.1	RMS	814	-59.23	-13	Pass	7841
814	859	0.1	RMS	830.8	6.74	60	Pass	601
859	1000	0.1	RMS	937.7	-62.89	-13	Pass	1411
1000	3000	1	RMS	2640	-47.33	-13	Pass	2001
3000	10000	1	RMS	9948	-66.93	-13	Pass	7001




40.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2986
30	814	0.1	RMS	814	-54.91	-13	Pass	7841
814	859	0.1	RMS	827.275	6.66	60	Pass	601
859	1000	0.1	RMS	921	-62.91	-13	Pass	1411
1000	3000	1	RMS	2634	-47.3	-13	Pass	2001
3000	10000	1	RMS	9954	-66.92	-13	Pass	7001




**40.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.5	-13	Pass	7841
814	859	0.1	RMS	838.3	6.65	60	Pass	601
859	1000	0.1	RMS	885.6	-63.01	-13	Pass	1411
1000	3000	1	RMS	2636	-47.32	-13	Pass	2001
3000	10000	1	RMS	9951	-66.86	-13	Pass	7001




40.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.24	-13	Pass	2986
30	814	0.1	RMS	814	-61.86	-13	Pass	7841
814	859	0.1	RMS	834.7	6.64	60	Pass	601
859	1000	0.1	RMS	950.2	-63.03	-13	Pass	1411
1000	3000	1	RMS	2637	-47.31	-13	Pass	2001
3000	10000	1	RMS	9945	-66.92	-13	Pass	7001




**40.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	814	0.1	RMS	803.3	-62.87	-13	Pass	7841
814	859	0.1	RMS	842.35	6.89	60	Pass	601
859	1000	0.1	RMS	998.3	-62.96	-13	Pass	1411
1000	3000	1	RMS	2633	-47.32	-13	Pass	2001
3000	10000	1	RMS	9957	-66.95	-13	Pass	7001




40.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.28	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.88	-13	Pass	7841
814	859	0.1	RMS	842.2	6.74	60	Pass	601
859	1000	0.1	RMS	934.8	-62.96	-13	Pass	1411
1000	3000	1	RMS	2639	-47.31	-13	Pass	2001
3000	10000	1	RMS	9952	-66.94	-13	Pass	7001




**40.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2986
30	814	0.1	RMS	813.9	-47.53	-13	Pass	7841
814	859	0.1	RMS	831.775	4.13	60	Pass	601
859	1000	0.1	RMS	929.4	-62.89	-13	Pass	1411
1000	3000	1	RMS	2639	-47.24	-13	Pass	2001
3000	10000	1	RMS	7728	-66.95	-13	Pass	7001




40.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	814	0.1	RMS	814	-44.91	-13	Pass	7841
814	859	0.1	RMS	837.7	3.83	60	Pass	601
859	1000	0.1	RMS	909.8	-62.97	-13	Pass	1411
1000	3000	1	RMS	2645	-47.26	-13	Pass	2001
3000	10000	1	RMS	7738	-66.89	-13	Pass	7001




**40.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2986
30	814	0.1	RMS	812.9	-49.67	-13	Pass	7841
814	859	0.1	RMS	834.25	4.16	60	Pass	601
859	1000	0.1	RMS	932	-62.85	-13	Pass	1411
1000	3000	1	RMS	2639	-47.28	-13	Pass	2001
3000	10000	1	RMS	7740	-66.86	-13	Pass	7001




40.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	814	0.1	RMS	814	-48.54	-13	Pass	7841
814	859	0.1	RMS	836.275	3.92	60	Pass	601
859	1000	0.1	RMS	941.3	-63	-13	Pass	1411
1000	3000	1	RMS	2641	-47.29	-13	Pass	2001
3000	10000	1	RMS	9953	-66.91	-13	Pass	7001




**40.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	814	0.1	RMS	813.5	-52.64	-13	Pass	7841
814	859	0.1	RMS	835.675	4.24	60	Pass	601
859	1000	0.1	RMS	915.6	-62.83	-13	Pass	1411
1000	3000	1	RMS	2633	-47.25	-13	Pass	2001
3000	10000	1	RMS	7730	-66.91	-13	Pass	7001



40.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2986
30	814	0.1	RMS	813.5	-51.06	-13	Pass	7841
814	859	0.1	RMS	836.875	4.23	60	Pass	601
859	1000	0.1	RMS	907.9	-62.9	-13	Pass	1411
1000	3000	1	RMS	2638	-47.29	-13	Pass	2001
3000	10000	1	RMS	9952	-66.91	-13	Pass	7001



41. n26 15kHz_814-824MHz


41.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2986
30	804	0.1	RMS	798.3	-62.91	-13	Pass	7741
804	834	0.1	RMS	817.2	9.95	60	Pass	601
834	1000	0.1	RMS	902.3	-62.9	-13	Pass	1661
1000	3000	1	RMS	2639	-47.3	-13	Pass	2001
3000	10000	1	RMS	9955	-66.89	-13	Pass	7001




41.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2986
30	804	0.1	RMS	803.7	-62.93	-13	Pass	7741
804	834	0.1	RMS	816.2	9.8	60	Pass	601
834	1000	0.1	RMS	910.4	-62.86	-13	Pass	1661
1000	3000	1	RMS	2642	-47.3	-13	Pass	2001
3000	10000	1	RMS	7742	-66.93	-13	Pass	7001




**41.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:163800, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	804	0.1	RMS	801	-62.9	-13	Pass	7741
804	834	0.1	RMS	819.7	9.88	60	Pass	601
834	1000	0.1	RMS	936.5	-62.82	-13	Pass	1661
1000	3000	1	RMS	2646	-47.3	-13	Pass	2001
3000	10000	1	RMS	9953	-66.85	-13	Pass	7001




41.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:163800, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2986
30	804	0.1	RMS	791.4	-62.86	-13	Pass	7741
804	834	0.1	RMS	818.2	9.7	60	Pass	601
834	1000	0.1	RMS	834.4	-62.75	-13	Pass	1661
1000	3000	1	RMS	2647	-47.25	-13	Pass	2001
3000	10000	1	RMS	9949	-66.93	-13	Pass	7001




**41.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	804	0.1	RMS	797.1	-62.77	-13	Pass	7741
804	834	0.1	RMS	821.7	9.96	60	Pass	401
834	1000	0.1	RMS	915.1	-62.59	-13	Pass	1661
1000	3000	1	RMS	2639	-47.02	-13	Pass	2001
3000	10000	1	RMS	9957	-66.58	-13	Pass	7001




41.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2986
30	804	0.1	RMS	777.7	-63.06	-13	Pass	7741
804	834	0.1	RMS	820.7	9.68	60	Pass	601
834	1000	0.1	RMS	834	-61.29	-13	Pass	1661
1000	3000	1	RMS	2641	-47.29	-13	Pass	2001
3000	10000	1	RMS	9958	-66.95	-13	Pass	7001




**41.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2986
30	804	0.1	RMS	799.4	-63.05	-13	Pass	7741
804	834	0.1	RMS	820.8	6.87	60	Pass	601
834	1000	0.1	RMS	834.2	-58.22	-13	Pass	1661
1000	3000	1	RMS	2637	-47.31	-13	Pass	2001
3000	10000	1	RMS	9957	-66.92	-13	Pass	7001



**41.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2986
30	804	0.1	RMS	790.3	-63.01	-13	Pass	7741
804	834	0.1	RMS	819.45	6.84	60	Pass	601
834	1000	0.1	RMS	834.2	-52.78	-13	Pass	1661
1000	3000	1	RMS	2640	-47.29	-13	Pass	2001
3000	10000	1	RMS	9951	-66.86	-13	Pass	7001



42. n30 15kHz


**42.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-40	Pass	601
0.15	30	0.01	RMS	0.15	-56.85	-40	Pass	2986
30	1000	0.1	RMS	927.9	-62.53	-40	Pass	9701
1000	2295	1	RMS	2295	-49.01	-40	Pass	1296
2295	2325	1	RMS	2308.7	15.93	60	Pass	601
2325	3000	1	RMS	2636	-46.96	-40	Pass	676
3000	7000	1	RMS	6925	-67.38	-40	Pass	4001
7000	24000	1	RMS	23934	-44.11	-40	Pass	17001



42.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-40	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-40	Pass	2986
30	1000	0.1	RMS	944.2	-62.46	-40	Pass	9701
1000	2295	1	RMS	2295	-47.96	-40	Pass	1296
2295	2325	1	RMS	2308.45	15.89	60	Pass	601
2325	3000	1	RMS	2634	-46.97	-40	Pass	676
3000	7000	1	RMS	6928	-67.48	-40	Pass	4001
7000	24000	1	RMS	23896	-44.18	-40	Pass	17001



43. n38 30kHz_PC3


**43.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.13	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.44	-25	Pass	2986
30	1000	0.1	RMS	935.9	-59.81	-25	Pass	9701
1000	2560	1	RMS	2559	-46.61	-25	Pass	1561
2560	2630	1	RMS	2577.383	13.52	60	Pass	601
2630	3000	1	RMS	2657.133	-47.12	-25	Pass	601
3000	7000	1	RMS	6937	-67.13	-25	Pass	4001
7000	27000	1	RMS	25006	-45.97	-25	Pass	20001




43.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-25	Pass	2986
30	1000	0.1	RMS	975.8	-60.11	-25	Pass	9701
1000	2560	1	RMS	2560	-43.47	-25	Pass	1561
2560	2630	1	RMS	2583.217	13.35	60	Pass	601
2630	3000	1	RMS	2653.433	-47.22	-25	Pass	601
3000	7000	1	RMS	6935	-67.16	-25	Pass	4001
7000	27000	1	RMS	25434	-46.16	-25	Pass	20001




**43.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.77	-25	Pass	601
0.15	30	0.01	RMS	0.17	-56.05	-25	Pass	2986
30	1000	0.1	RMS	935.5	-60.52	-25	Pass	9701
1000	2560	1	RMS	2559	-48.17	-25	Pass	1561
2560	2630	1	RMS	2592.083	13.57	60	Pass	601
2630	3000	1	RMS	2654.667	-47.15	-25	Pass	601
3000	7000	1	RMS	6942	-67.08	-25	Pass	4001
7000	27000	1	RMS	25406	-45.92	-25	Pass	20001




43.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.61	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.65	-25	Pass	2986
30	1000	0.1	RMS	945.3	-60.27	-25	Pass	9701
1000	2560	1	RMS	2560	-47.83	-25	Pass	1561
2560	2630	1	RMS	2598.15	13.38	60	Pass	601
2630	3000	1	RMS	2630	-46.79	-25	Pass	601
3000	7000	1	RMS	6938	-66.84	-25	Pass	4001
7000	27000	1	RMS	24565	-45.84	-25	Pass	20001




**43.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.5	-25	Pass	601
0.15	30	0.01	RMS	0.17	-57.33	-25	Pass	2986
30	1000	0.1	RMS	785.7	-60.14	-25	Pass	9701
1000	2560	1	RMS	2547	-48.17	-25	Pass	1561
2560	2630	1	RMS	2607.133	13.43	60	Pass	601
2630	3000	1	RMS	2630	-45.37	-25	Pass	601
3000	7000	1	RMS	6940	-67.22	-25	Pass	4001
7000	27000	1	RMS	25023	-45.74	-25	Pass	20001




43.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.39	-25	Pass	2986
30	1000	0.1	RMS	780	-60.04	-25	Pass	9701
1000	2560	1	RMS	2520	-48.08	-25	Pass	1561
2560	2630	1	RMS	2613.2	13.29	60	Pass	601
2630	3000	1	RMS	2630	-42.73	-25	Pass	601
3000	7000	1	RMS	6943	-67.11	-25	Pass	4001
7000	27000	1	RMS	25014	-45.16	-25	Pass	20001




**43.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2986
30	1000	0.1	RMS	844.2	-59.96	-25	Pass	9701
1000	2560	1	RMS	2560	-43.28	-25	Pass	1561
2560	2630	1	RMS	2580.767	11.37	60	Pass	601
2630	3000	1	RMS	2634.317	-47.04	-25	Pass	601
3000	7000	1	RMS	5174	-66.09	-25	Pass	4001
7000	27000	1	RMS	7740	-44.02	-25	Pass	20001




43.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.13	-25	Pass	2986
30	1000	0.1	RMS	911.7	-59.7	-25	Pass	9701
1000	2560	1	RMS	2559	-42.78	-25	Pass	1561
2560	2630	1	RMS	2581.117	11.13	60	Pass	601
2630	3000	1	RMS	2632.467	-46.64	-25	Pass	601
3000	7000	1	RMS	6925	-67.18	-25	Pass	4001
7000	27000	1	RMS	24950	-45.81	-25	Pass	20001




**43.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2986
30	1000	0.1	RMS	958.8	-60.11	-25	Pass	9701
1000	2560	1	RMS	2559	-47.57	-25	Pass	1561
2560	2630	1	RMS	2590.567	12	60	Pass	601
2630	3000	1	RMS	2630.617	-46.8	-25	Pass	601
3000	7000	1	RMS	6946	-67.14	-25	Pass	4001
7000	27000	1	RMS	25001	-45.88	-25	Pass	20001




43.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.89	-25	Pass	2986
30	1000	0.1	RMS	937.5	-60.14	-25	Pass	9701
1000	2560	1	RMS	2557	-46.15	-25	Pass	1561
2560	2630	1	RMS	2589.167	11.78	60	Pass	601
2630	3000	1	RMS	2633.7	-45.42	-25	Pass	601
3000	7000	1	RMS	6944	-67.16	-25	Pass	4001
7000	27000	1	RMS	24938	-45.98	-25	Pass	20001



**43.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.34	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.43	-25	Pass	2986
30	1000	0.1	RMS	859.7	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-48.08	-25	Pass	1561
2560	2630	1	RMS	2600.6	11.85	60	Pass	601
2630	3000	1	RMS	2630	-44.38	-25	Pass	601
3000	7000	1	RMS	6941	-66.93	-25	Pass	4001
7000	27000	1	RMS	24966	-45.7	-25	Pass	20001



43.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-25	Pass	601
0.15	30	0.01	RMS	0.17	-56.66	-25	Pass	2986
30	1000	0.1	RMS	966.4	-59.58	-25	Pass	9701
1000	2560	1	RMS	2560	-47.51	-25	Pass	1561
2560	2630	1	RMS	2599.2	11.66	60	Pass	601
2630	3000	1	RMS	2630	-42.52	-25	Pass	601
3000	7000	1	RMS	6942	-67.07	-25	Pass	4001
7000	27000	1	RMS	25009	-45.92	-25	Pass	20001

