


EXHIBIT A. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	769.976	-59.93	-27	Pass	9700
1000	5150	1	Peak	5139.998	-45.94	-27	Pass	4150
5150	5350	1	Peak	5179	8.78	24	Pass	601
5350	10300	1	Peak	6906.314	-36.29	-27	Pass	4950
10300	10700	1	Peak	10405.333	-48.49	-27	Pass	601
10700	25000	1	Peak	24775.984	-38.34	-27	Pass	14300



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	982.198	-60.31	-27	Pass	9700
1000	5150	1	Peak	3053.495	-46.92	-27	Pass	4150
5150	5350	1	Peak	5218.667	7.04	24	Pass	601
5350	10300	1	Peak	6960.325	-36.11	-27	Pass	4950
10300	10700	1	Peak	10411.333	-48.38	-27	Pass	601
10700	25000	1	Peak	24739.982	-38.46	-27	Pass	14300



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	830.783	-60.46	-27	Pass	9700
1000	5150	1	Peak	2700.41	-46.77	-27	Pass	4150
5150	5350	1	Peak	5241	8	24	Pass	601
5350	10300	1	Peak	6986.331	-35.48	-27	Pass	4950
10300	10700	1	Peak	10326	-49.34	-27	Pass	601
10700	25000	1	Peak	24651.976	-38.88	-27	Pass	14300



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	874.087	-60.68	-27	Pass	9700
1000	5150	1	Peak	5149	-41.19	-27	Pass	4150
5150	5350	1	Peak	5183.333	6.55	24	Pass	601
5350	10300	1	Peak	6906.314	-34.62	-27	Pass	4950
10300	10700	1	Peak	10613.333	-49.01	-27	Pass	601
10700	25000	1	Peak	24753.983	-38.8	-27	Pass	14300



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	882.288	-60.49	-27	Pass	9700
1000	5150	1	Peak	2919.463	-47.46	-27	Pass	4150
5150	5350	1	Peak	5223.333	7.46	24	Pass	601
5350	10300	1	Peak	6960.325	-34.9	-27	Pass	4950
10300	10700	1	Peak	10554.667	-49.51	-27	Pass	601
10700	25000	1	Peak	24824.988	-38.88	-27	Pass	14300



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	982.798	-60.24	-27	Pass	9700
1000	5150	1	Peak	2761.424	-47.06	-27	Pass	4150
5150	5350	1	Peak	5243.667	7.31	24	Pass	601
5350	10300	1	Peak	6986.331	-35.48	-27	Pass	4950
10300	10700	1	Peak	10684.667	-48.99	-27	Pass	601
10700	25000	1	Peak	24783.985	-37.9	-27	Pass	14300



7. 802.11n_40M_Band1_L

7.3. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	784.978	-59.47	-27	Pass	9700
1000	5150	1	Peak	5149	-35.17	-27	Pass	4150
5150	5350	1	Peak	5194.667	3.75	24	Pass	601
5350	10300	1	Peak	6920.317	-35.29	-27	Pass	4950
10300	10700	1	Peak	10467.333	-49.18	-27	Pass	601
10700	25000	1	Peak	24735.982	-38.23	-27	Pass	14300



8. 802.11n_40M_Band1_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	840.684	-60.08	-27	Pass	9700
1000	5150	1	Peak	5148	-47.28	-27	Pass	4150
5150	5350	1	Peak	5234.667	5.06	24	Pass	601
5350	10300	1	Peak	6973.328	-35.23	-27	Pass	4950
10300	10700	1	Peak	10578	-48.81	-27	Pass	601
10700	25000	1	Peak	24762.983	-38.36	-27	Pass	14300



9. 802.11ac_20M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	802.18	-60.15	-27	Pass	9700
1000	5150	1	Peak	5149	-37.73	-27	Pass	4150
5150	5350	1	Peak	5188	6.69	24	Pass	601
5350	10300	1	Peak	6906.314	-34.5	-27	Pass	4950
10300	10700	1	Peak	10628	-48.61	-27	Pass	601
10700	25000	1	Peak	24716.98	-38.62	-27	Pass	14300



10. 802.11ac_20M_Band1_M

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	874.787	-60.37	-27	Pass	9700
1000	5150	1	Peak	3204.531	-47.27	-27	Pass	4150
5150	5350	1	Peak	5227.667	7.73	24	Pass	601
5350	10300	1	Peak	6960.325	-35.15	-27	Pass	4950
10300	10700	1	Peak	10440.667	-49.1	-27	Pass	601
10700	25000	1	Peak	24818.987	-38.5	-27	Pass	14300



11. 802.11ac_20M_Band1_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	992.099	-60.13	-27	Pass	9700
1000	5150	1	Peak	2573.379	-47.01	-27	Pass	4150
5150	5350	1	Peak	5247.667	7.64	24	Pass	601
5350	10300	1	Peak	6986.331	-34.89	-27	Pass	4950
10300	10700	1	Peak	10598.667	-49.03	-27	Pass	601
10700	25000	1	Peak	24771.984	-38.77	-27	Pass	14300



12. 802.11ac_40M_Band1_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	782.578	-60.3	-27	Pass	9700
1000	5150	1	Peak	5149	-36.51	-27	Pass	4150
5150	5350	1	Peak	5204.333	3.79	24	Pass	601
5350	10300	1	Peak	6920.317	-34.86	-27	Pass	4950
10300	10700	1	Peak	10654.667	-48.58	-27	Pass	601
10700	25000	1	Peak	24777.984	-38.71	-27	Pass	14300



13. 802.11ac_40M_Band1_H

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	884.288	-60.04	-27	Pass	9700
1000	5150	1	Peak	2944.469	-47.3	-27	Pass	4150
5150	5350	1	Peak	5235	5.01	24	Pass	601
5350	10300	1	Peak	6973.328	-34.77	-27	Pass	4950
10300	10700	1	Peak	10603.333	-49.01	-27	Pass	601
10700	25000	1	Peak	24717.98	-38.39	-27	Pass	14300



14. 802.11ac_80M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	794.379	-59.6	-27	Pass	9700
1000	5150	1	Peak	5146.999	-35.45	-27	Pass	4150
5150	5350	1	Peak	5246.333	1.27	24	Pass	601
5350	10300	1	Peak	6946.322	-34.05	-27	Pass	4950
10300	10700	1	Peak	10603.333	-49.35	-27	Pass	601
10700	25000	1	Peak	24865.991	-38.76	-27	Pass	14300



15. 802.11a_20M_Band2_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	901.09	-59.48	-27	Pass	9700
1000	5150	1	Peak	2613.389	-44.24	-27	Pass	4150
5150	5350	1	Peak	5263.333	7.42	24	Pass	601
5350	10300	1	Peak	7013.336	-35.05	-27	Pass	4950
10300	10700	1	Peak	10313.333	-47.74	-27	Pass	601
10700	25000	1	Peak	24649.976	-38.06	-27	Pass	14300



16. 802.11a_20M_Band2_M

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	861.886	-59.32	-27	Pass	9700
1000	5150	1	Peak	3181.526	-46.27	-27	Pass	4150
5150	5350	1	Peak	5303	7.58	24	Pass	601
5350	10300	1	Peak	7066.347	-36.13	-27	Pass	4950
10300	10700	1	Peak	10457.333	-48.59	-27	Pass	601
10700	25000	1	Peak	24796.986	-37.18	-27	Pass	14300



17. 802.11a_20M_Band2_H

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	964.596	-59.74	-27	Pass	9700
1000	5150	1	Peak	2733.418	-46.71	-27	Pass	4150
5150	5350	1	Peak	5316.333	7.72	24	Pass	601
5350	10300	1	Peak	7093.352	-36.41	-27	Pass	4950
10300	10700	1	Peak	10307.333	-48.52	-27	Pass	601
10700	25000	1	Peak	24791.985	-37.06	-27	Pass	14300



18. 802.11n_20M_Band2_L

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	466.745	-59.28	-27	Pass	9700
1000	5150	1	Peak	2704.411	-46.66	-27	Pass	4150
5150	5350	1	Peak	5263.667	6.73	24	Pass	601
5350	10300	1	Peak	7013.336	-35.15	-27	Pass	4950
10300	10700	1	Peak	10592	-48.28	-27	Pass	601
10700	25000	1	Peak	24782.985	-36.73	-27	Pass	14300



19. 802.11n_20M_Band2_M

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	863.286	-59.53	-27	Pass	9700
1000	5150	1	Peak	3181.526	-47.12	-27	Pass	4150
5150	5350	1	Peak	5303.333	6.89	24	Pass	601
5350	10300	1	Peak	7066.347	-36.38	-27	Pass	4950
10300	10700	1	Peak	10329.333	-48.09	-27	Pass	601
10700	25000	1	Peak	24770.984	-37.56	-27	Pass	14300



20. 802.11n_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	968.997	-59.2	-27	Pass	9700
1000	5150	1	Peak	2573.379	-46.74	-27	Pass	4150
5150	5350	1	Peak	5323.333	7.28	24	Pass	601
5350	10300	1	Peak	7093.352	-36.66	-27	Pass	4950
10300	10700	1	Peak	10402.667	-48.61	-27	Pass	601
10700	25000	1	Peak	24750.983	-37.48	-27	Pass	14300



21. 802.11n_40M_Band2_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	807.98	-59.57	-27	Pass	9700
1000	5150	1	Peak	3031.49	-46.96	-27	Pass	4150
5150	5350	1	Peak	5272	2.13	24	Pass	601
5350	10300	1	Peak	7026.339	-35.39	-27	Pass	4950
10300	10700	1	Peak	10382	-48.48	-27	Pass	601
10700	25000	1	Peak	24787.985	-37.38	-27	Pass	14300



22. 802.11n_40M_Band2_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	912.991	-59.13	-27	Pass	9700
1000	5150	1	Peak	3197.53	-45.53	-27	Pass	4150
5150	5350	1	Peak	5312	1.99	24	Pass	601
5350	10300	1	Peak	7079.349	-36.22	-27	Pass	4950
10300	10700	1	Peak	10340	-48.02	-27	Pass	601
10700	25000	1	Peak	24794.986	-38	-27	Pass	14300



23. 802.11ac_20M_Band2_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	877.287	-59.02	-27	Pass	9700
1000	5150	1	Peak	2612.389	-38.1	-27	Pass	4150
5150	5350	1	Peak	5261.333	6.91	24	Pass	601
5350	10300	1	Peak	7013.336	-35.64	-27	Pass	4950
10300	10700	1	Peak	10594.667	-48.06	-27	Pass	601
10700	25000	1	Peak	24779.985	-37.47	-27	Pass	14300



24. 802.11ac_20M_Band2_M

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	892.589	-59.28	-27	Pass	9700
1000	5150	1	Peak	3079.501	-46.5	-27	Pass	4150
5150	5350	1	Peak	5307	6.89	24	Pass	601
5350	10300	1	Peak	7066.347	-36.35	-27	Pass	4950
10300	10700	1	Peak	10329.333	-48.15	-27	Pass	601
10700	25000	1	Peak	24788.985	-38.06	-27	Pass	14300



25. 802.11ac_20M_Band2_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	874.787	-59.25	-27	Pass	9700
1000	5150	1	Peak	3057.496	-46.41	-27	Pass	4150
5150	5350	1	Peak	5323.333	6.97	24	Pass	601
5350	10300	1	Peak	7093.352	-36.38	-27	Pass	4950
10300	10700	1	Peak	10628	-48.21	-27	Pass	601
10700	25000	1	Peak	24770.984	-38	-27	Pass	14300



26. 802.11ac_40M_Band2_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	819.681	-58.93	-27	Pass	9700
1000	5150	1	Peak	2656.399	-47.05	-27	Pass	4150
5150	5350	1	Peak	5274.667	1.06	24	Pass	601
5350	10300	1	Peak	7026.339	-35.33	-27	Pass	4950
10300	10700	1	Peak	10642.667	-48.17	-27	Pass	601
10700	25000	1	Peak	24744.982	-37.49	-27	Pass	14300



27. 802.11ac_40M_Band2_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	840.784	-59.83	-27	Pass	9700
1000	5150	1	Peak	3035.49	-46.3	-27	Pass	4150
5150	5350	1	Peak	5312	0.81	24	Pass	601
5350	10300	1	Peak	7080.35	-36.34	-27	Pass	4950
10300	10700	1	Peak	10640	-47.9	-27	Pass	601
10700	25000	1	Peak	24736.982	-37.46	-27	Pass	14300



28. 802.11ac_80M_Band2_M

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	512.65	-59.51	-27	Pass	9700
1000	5150	1	Peak	2373.331	-47	-27	Pass	4150
5150	5350	1	Peak	5286.333	-2.35	24	Pass	601
5350	10300	1	Peak	7053.344	-35.72	-27	Pass	4950
10300	10700	1	Peak	10324	-48.45	-27	Pass	601
10700	25000	1	Peak	24797.986	-37.46	-27	Pass	14300



29. 802.11a_20M_Band3_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	876.887	-59.27	-27	Pass	9700
1000	5470	1	Peak	3181.488	-46.75	-27	Pass	4470
5470	5725	1	Peak	5502.3	5.95	24	Pass	601
5725	10940	1	Peak	7333.308	-37.12	-27	Pass	5215
10940	11450	1	Peak	11444.9	-48	-27	Pass	601
11450	25000	1	Peak	24766.983	-36.78	-27	Pass	13550



30. 802.11a_20M_Band3_M

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	587.858	-59.69	-27	Pass	9700
1000	5470	1	Peak	2401.313	-47.05	-27	Pass	4470
5470	5725	1	Peak	5577.525	7.18	24	Pass	601
5725	10940	1	Peak	7440.329	-39.91	-27	Pass	5215
10940	11450	1	Peak	11439.8	-47.92	-27	Pass	601
11450	25000	1	Peak	24779.984	-37.68	-27	Pass	13550



31. 802.11a_20M_Band3_H

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	897.589	-59.76	-27	Pass	9700
1000	5470	1	Peak	3179.488	-46.47	-27	Pass	4470
5470	5725	1	Peak	5702.05	3.67	24	Pass	601
5725	10940	1	Peak	7600.36	-42.93	-27	Pass	5215
10940	11450	1	Peak	11336.1	-48.07	-27	Pass	601
11450	25000	1	Peak	24725.98	-37.41	-27	Pass	13550



32. 802.11n_20M_Band3_L

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	808.28	-59.33	-27	Pass	9700
1000	5470	1	Peak	5469	-44.21	-27	Pass	4470
5470	5725	1	Peak	5504.425	6.24	24	Pass	601
5725	10940	1	Peak	7333.308	-36.84	-27	Pass	5215
10940	11450	1	Peak	11365	-48	-27	Pass	601
11450	25000	1	Peak	24757.982	-37.65	-27	Pass	13550



33. 802.11n_20M_Band3_M

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	907.29	-59.3	-27	Pass	9700
1000	5470	1	Peak	3048.458	-46.7	-27	Pass	4470
5470	5725	1	Peak	5584.325	6.28	24	Pass	601
5725	10940	1	Peak	7440.329	-40.3	-27	Pass	5215
10940	11450	1	Peak	11432.15	-47.32	-27	Pass	601
11450	25000	1	Peak	24771.983	-37.15	-27	Pass	13550



34. 802.11n_20M_Band3_H

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	782.178	-59.29	-27	Pass	9700
1000	5470	1	Peak	3164.484	-46.62	-27	Pass	4470
5470	5725	1	Peak	5704.175	3.73	24	Pass	601
5725	10940	1	Peak	7600.36	-42.55	-27	Pass	5215
10940	11450	1	Peak	11375.2	-47.71	-27	Pass	601
11450	25000	1	Peak	24758.982	-37.54	-27	Pass	13550



35. 802.11n_40M_Band3_L

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	947.095	-59.45	-27	Pass	9700
1000	5470	1	Peak	5470	-37.84	-27	Pass	4470
5470	5725	1	Peak	5499.75	2.2	24	Pass	601
5725	10940	1	Peak	7346.311	-37.33	-27	Pass	5215
10940	11450	1	Peak	11392.2	-47.77	-27	Pass	601
11450	25000	1	Peak	24788.984	-37.38	-27	Pass	13550



36. 802.11n_40M_Band3_M

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	393.137	-59.49	-27	Pass	9700
1000	5470	1	Peak	2595.357	-45.45	-27	Pass	4470
5470	5725	1	Peak	5579.65	2.66	24	Pass	601
5725	10940	1	Peak	7453.331	-40.48	-27	Pass	5215
10940	11450	1	Peak	11422.8	-47.58	-27	Pass	601
11450	25000	1	Peak	24761.982	-37.91	-27	Pass	13550



37. 802.11n_40M_Band3_H

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	936.493	-59.89	-27	Pass	9700
1000	5470	1	Peak	3167.485	-46.96	-27	Pass	4470
5470	5725	1	Peak	5659.975	0.82	24	Pass	601
5725	10940	1	Peak	7560.352	-42.5	-27	Pass	5215
10940	11450	1	Peak	11405.8	-47.91	-27	Pass	601
11450	25000	1	Peak	24781.984	-37.65	-27	Pass	13550



38. 802.11ac_20M_Band3_L

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	770.576	-59.56	-27	Pass	9700
1000	5470	1	Peak	5468	-45.34	-27	Pass	4470
5470	5725	1	Peak	5494.225	5.51	24	Pass	601
5725	10940	1	Peak	7333.308	-37.17	-27	Pass	5215
10940	11450	1	Peak	11025.85	-48.15	-27	Pass	601
11450	25000	1	Peak	24755.982	-37.73	-27	Pass	13550



39. 802.11ac_20M_Band3_M

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	863.686	-59.47	-27	Pass	9700
1000	5470	1	Peak	2695.379	-46.85	-27	Pass	4470
5470	5725	1	Peak	5572	5.82	24	Pass	601
5725	10940	1	Peak	7440.329	-40.36	-27	Pass	5215
10940	11450	1	Peak	11392.2	-47.6	-27	Pass	601
11450	25000	1	Peak	24791.985	-37.96	-27	Pass	13550



40. 802.11ac_20M_Band3_H

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	3	Peak	841.567	-50.19	-27	Pass	601
1000	5470	1	Peak	3100.47	-46.55	-27	Pass	4470
5470	5725	1	Peak	5703.325	2.97	24	Pass	601
5725	10940	1	Peak	7599.359	-43.32	-27	Pass	5215
10940	11450	1	Peak	11441.5	-48.18	-27	Pass	601
11450	25000	1	Peak	24789.985	-38	-27	Pass	13550



41. 802.11ac_40M_Band3_L

41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	896.689	-59.41	-27	Pass	9700
1000	5470	1	Peak	5469	-40.54	-27	Pass	4470
5470	5725	1	Peak	5512.075	2.37	24	Pass	601
5725	10940	1	Peak	7346.311	-36.8	-27	Pass	5215
10940	11450	1	Peak	11398.15	-48.31	-27	Pass	601
11450	25000	1	Peak	24700.978	-37.98	-27	Pass	13550



42. 802.11ac_40M_Band3_M

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	892.689	-59.45	-27	Pass	9700
1000	5470	1	Peak	3207.494	-47.05	-27	Pass	4470
5470	5725	1	Peak	5579.65	2.51	24	Pass	601
5725	10940	1	Peak	7453.331	-40.54	-27	Pass	5215
10940	11450	1	Peak	11392.2	-47.18	-27	Pass	601
11450	25000	1	Peak	24751.982	-38.19	-27	Pass	13550



43. 802.11ac_40M_Band3_H

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	695.869	-59.73	-27	Pass	9700
1000	5470	1	Peak	3204.493	-46.62	-27	Pass	4470
5470	5725	1	Peak	5652.75	0.68	24	Pass	601
5725	10940	1	Peak	7560.352	-42.07	-27	Pass	5215
10940	11450	1	Peak	11385.4	-47.9	-27	Pass	601
11450	25000	1	Peak	24739.981	-37.42	-27	Pass	13550



44. 802.11ac_80M_Band3_L

44.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	686.568	-59.46	-27	Pass	9700
1000	5470	1	Peak	5445.995	-44.21	-27	Pass	4470
5470	5725	1	Peak	5526.525	-0.64	24	Pass	601
5725	10940	1	Peak	7373.316	-37.97	-27	Pass	5215
10940	11450	1	Peak	11432.15	-47.2	-27	Pass	601
11450	25000	1	Peak	24736.981	-37.08	-27	Pass	13550



45. 802.11ac_80M_Band3_H

45.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	987.899	-59.81	-27	Pass	9700
1000	5470	1	Peak	3029.454	-46.63	-27	Pass	4470
5470	5725	1	Peak	5606.425	-2.76	24	Pass	601
5725	10940	1	Peak	7480.337	-40.78	-27	Pass	5215
10940	11450	1	Peak	11399	-47.85	-27	Pass	601
11450	25000	1	Peak	24777.984	-37.61	-27	Pass	13550



46. 802.11a_20M_Band4_L

46.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	888.889	-59.47	-27	Pass	9700
1000	5650	1	Peak	2695.365	-46.54	-27	Pass	4650
5650	5700	1	Peak	5650.583	-47.48	-26.57	Pass	601
5700	5720	1	Peak	5719.567	-27.02	15.48	Pass	601
5720	5725	1	Peak	5724.042	-13.32	24.82	Pass	601
5725	5850	1	Peak	5750.833	14.16	30	Pass	601
5850	5855	1	Peak	5854.983	-49.5	15.64	Pass	601
5855	5875	1	Peak	5874.467	-48.19	10.15	Pass	601
5875	5925	1	Peak	5924.417	-48.81	-26.57	Pass	601
5925	25000	1	Peak	24675.983	-39.04	-27	Pass	19075



47. 802.11a_20M_Band4_M

47.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	762.876	-59.73	-27	Pass	9700
1000	5650	1	Peak	2555.334	-46.79	-27	Pass	4650
5650	5700	1	Peak	5650.583	-48.98	-26.57	Pass	601
5700	5720	1	Peak	5712.3	-38.35	13.44	Pass	601
5720	5725	1	Peak	5720.142	-42.07	15.92	Pass	601
5725	5850	1	Peak	5790.833	13.98	30	Pass	601
5850	5855	1	Peak	5854.708	-41.82	16.27	Pass	601
5855	5875	1	Peak	5858.067	-37.03	14.74	Pass	601
5875	5925	1	Peak	5924.583	-48.75	-26.69	Pass	601
5925	25000	1	Peak	24775.988	-38.55	-27	Pass	19075



48. 802.11a_20M_Band4_H

48.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	865.686	-60.35	-27	Pass	9700
1000	5650	1	Peak	3175.468	-47.43	-27	Pass	4650
5650	5700	1	Peak	5650.667	-49.25	-26.51	Pass	601
5700	5720	1	Peak	5700.2	-48.39	10.06	Pass	601
5720	5725	1	Peak	5720.008	-47.31	15.62	Pass	601
5725	5850	1	Peak	5830.833	14.26	30	Pass	601
5850	5855	1	Peak	5854.6	-30.25	16.51	Pass	601
5855	5875	1	Peak	5869.567	-29.2	11.52	Pass	601
5875	5925	1	Peak	5924.833	-48.51	-26.88	Pass	601
5925	25000	1	Peak	24753.987	-38.73	-27	Pass	19075



49. 802.11n_20M_Band4_L

49.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	764.776	-59.82	-27	Pass	9700
1000	5650	1	Peak	5642.998	-46.49	-27	Pass	4650
5650	5700	1	Peak	5650.083	-47.52	-26.94	Pass	601
5700	5720	1	Peak	5702.3	-25.98	10.64	Pass	601
5720	5725	1	Peak	5724.342	-12.26	25.5	Pass	601
5725	5850	1	Peak	5748.542	13.06	30	Pass	601
5850	5855	1	Peak	5855	-48.53	15.6	Pass	601
5855	5875	1	Peak	5874.733	-49.14	10.07	Pass	601
5875	5925	1	Peak	5924.25	-48.65	-26.45	Pass	601
5925	25000	1	Peak	24771.988	-38.35	-27	Pass	19075



50. 802.11n_20M_Band4_M

50.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	847.984	-59.43	-27	Pass	9700
1000	5650	1	Peak	2645.354	-47.11	-27	Pass	4650
5650	5700	1	Peak	5650.75	-48.32	-26.45	Pass	601
5700	5720	1	Peak	5706.067	-44.06	11.7	Pass	601
5720	5725	1	Peak	5720.117	-42.03	15.87	Pass	601
5725	5850	1	Peak	5778.958	12.72	30	Pass	601
5850	5855	1	Peak	5854.967	-45.94	15.68	Pass	601
5855	5875	1	Peak	5874.5	-47.72	10.14	Pass	601
5875	5925	1	Peak	5923.917	-48.42	-26.2	Pass	601
5925	25000	1	Peak	24747.987	-38.89	-27	Pass	19075



51. 802.11n_20M_Band4_H

51.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	448.043	-59.77	-27	Pass	9700
1000	5650	1	Peak	3093.45	-46.1	-27	Pass	4650
5650	5700	1	Peak	5650.5	-48.99	-26.63	Pass	601
5700	5720	1	Peak	5701.7	-48.19	10.48	Pass	601
5720	5725	1	Peak	5720.183	-47.31	16.02	Pass	601
5725	5850	1	Peak	5820	13.59	30	Pass	601
5850	5855	1	Peak	5854.933	-30.96	15.75	Pass	601
5855	5875	1	Peak	5856.067	-30.94	15.3	Pass	601
5875	5925	1	Peak	5924.417	-48.41	-26.57	Pass	601
5925	25000	1	Peak	24772.988	-38.84	-27	Pass	19075



52. 802.11n_40M_Band4_L

52.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	940.594	-60.1	-27	Pass	9700
1000	5650	1	Peak	5644.999	-46.69	-27	Pass	4650
5650	5700	1	Peak	5651.333	-47.12	-26.01	Pass	601
5700	5720	1	Peak	5705.467	-25.7	11.53	Pass	601
5720	5725	1	Peak	5720.025	-25.23	15.66	Pass	601
5725	5850	1	Peak	5753.125	8.86	30	Pass	601
5850	5855	1	Peak	5854.983	-48.15	15.64	Pass	601
5855	5875	1	Peak	5874.7	-49	10.08	Pass	601
5875	5925	1	Peak	5924.5	-49.52	-26.63	Pass	601
5925	25000	1	Peak	24771.988	-38.38	-27	Pass	19075



53. 802.11n_40M_Band4_H

53.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	891.189	-59.75	-27	Pass	9700
1000	5650	1	Peak	3259.486	-47.15	-27	Pass	4650
5650	5700	1	Peak	5651.25	-47.99	-26.07	Pass	601
5700	5720	1	Peak	5702.833	-45.59	10.79	Pass	601
5720	5725	1	Peak	5720.117	-42.74	15.87	Pass	601
5725	5850	1	Peak	5792.917	8.81	30	Pass	601
5850	5855	1	Peak	5854.05	-35.01	17.77	Pass	601
5855	5875	1	Peak	5872.533	-44.72	10.69	Pass	601
5875	5925	1	Peak	5924.417	-48.78	-26.57	Pass	601
5925	25000	1	Peak	24776.988	-38.65	-27	Pass	19075



54. 802.11ac_20M_Band4_L

54.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	854.285	-60.04	-27	Pass	9700
1000	5650	1	Peak	5650	-46.03	-27	Pass	4650
5650	5700	1	Peak	5650.083	-47.49	-26.94	Pass	601
5700	5720	1	Peak	5719.933	-21.4	15.58	Pass	601
5720	5725	1	Peak	5721.225	-16.32	18.39	Pass	601
5725	5850	1	Peak	5748.333	14.06	30	Pass	601
5850	5855	1	Peak	5854.942	-48.3	15.73	Pass	601
5855	5875	1	Peak	5872.133	-48.75	10.8	Pass	601
5875	5925	1	Peak	5924.25	-49.18	-26.45	Pass	601
5925	25000	1	Peak	24769.988	-37.98	-27	Pass	19075



55. 802.11ac_20M_Band4_M

55.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	925.992	-60.43	-27	Pass	9700
1000	5650	1	Peak	5381.942	-47.73	-27	Pass	4650
5650	5700	1	Peak	5650.917	-48.84	-26.32	Pass	601
5700	5720	1	Peak	5701.067	-45.24	10.3	Pass	601
5720	5725	1	Peak	5720.233	-43.11	16.13	Pass	601
5725	5850	1	Peak	5788.542	13.97	30	Pass	601
5850	5855	1	Peak	5854.958	-45.43	15.7	Pass	601
5855	5875	1	Peak	5874.633	-47.63	10.1	Pass	601
5875	5925	1	Peak	5925	-50.08	-27	Pass	601
5925	25000	1	Peak	24764.988	-37.7	-27	Pass	19075



56. 802.11ac_20M_Band4_H

56.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	913.291	-60.72	-27	Pass	9700
1000	5650	1	Peak	2714.369	-47.7	-27	Pass	4650
5650	5700	1	Peak	5650	-49.28	-27	Pass	601
5700	5720	1	Peak	5700.133	-48.82	10.04	Pass	601
5720	5725	1	Peak	5720.092	-47.97	15.81	Pass	601
5725	5850	1	Peak	5822.292	13.95	30	Pass	601
5850	5855	1	Peak	5853.083	-20.65	19.97	Pass	601
5855	5875	1	Peak	5855.333	-26.33	15.51	Pass	601
5875	5925	1	Peak	5924.667	-47.92	-26.75	Pass	601
5925	25000	1	Peak	24788.989	-38.34	-27	Pass	19075



57. 802.11ac_40M_Band4_L

57.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	845.184	-60.42	-27	Pass	9700
1000	5650	1	Peak	5649	-47.04	-27	Pass	4650
5650	5700	1	Peak	5652	-45.21	-25.52	Pass	601
5700	5720	1	Peak	5717.2	-25.18	14.82	Pass	601
5720	5725	1	Peak	5720.033	-25.4	15.68	Pass	601
5725	5850	1	Peak	5752.292	9.21	30	Pass	601
5850	5855	1	Peak	5854.733	-47.09	16.21	Pass	601
5855	5875	1	Peak	5872.267	-48.4	10.77	Pass	601
5875	5925	1	Peak	5925	-49.68	-27	Pass	601
5925	25000	1	Peak	21219.802	-38.91	-27	Pass	19075



58. 802.11ac_40M_Band4_H

58.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	509.649	-60.08	-27	Pass	9700
1000	5650	1	Peak	2680.361	-46.5	-27	Pass	4650
5650	5700	1	Peak	5650.5	-48.42	-26.63	Pass	601
5700	5720	1	Peak	5700.933	-45.38	10.26	Pass	601
5720	5725	1	Peak	5720.283	-42.99	16.25	Pass	601
5725	5850	1	Peak	5791.458	8.75	30	Pass	601
5850	5855	1	Peak	5854.983	-42.37	15.64	Pass	601
5855	5875	1	Peak	5872.867	-44.88	10.6	Pass	601
5875	5925	1	Peak	5924.667	-48.68	-26.75	Pass	601
5925	25000	1	Peak	24723.986	-37.61	-27	Pass	19075



59. 802.11ac_80M_Band4_M

59.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	484.347	-60.42	-27	Pass	9700
1000	5650	1	Peak	3174.468	-46.51	-27	Pass	4650
5650	5700	1	Peak	5650.667	-48.05	-26.51	Pass	601
5700	5720	1	Peak	5703.7	-31.19	11.04	Pass	601
5720	5725	1	Peak	5720.158	-27.23	15.96	Pass	601
5725	5850	1	Peak	5772.708	3.21	30	Pass	601
5850	5855	1	Peak	5854.167	-31.89	17.5	Pass	601
5855	5875	1	Peak	5861.933	-32.84	13.66	Pass	601
5875	5925	1	Peak	5924.167	-49.21	-26.38	Pass	601
5925	25000	1	Peak	24824.991	-38.67	-27	Pass	19075

