

EMC - TEST REPORT

Type / Model Name : Inductive Charging System

Product Description: Inductive Charging System

Applicant: BRUSA Elektronik AG

Address : Neudorf 14

9466 SENNWALD - SWITZERLAND

Manufacturer : Zollner Elektronik AG

Address : Manfred-Zollner-Straße 1

93499 ZANDT - GERMANY

Test Result according to the standards listed in clause 1 test standards:

Positive

Test Report No. : E44937-00-03AS

04. March 2019

Date of issue







BNetzA-CAB-13/21-07

The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.



Contents

1 TEST STANDARDS	3
2 SUMMARY	4
2.1 GENERAL REMARKS	4
2.2 SUMMARY FOR ALL EMC TESTS	4
2.3 FINAL ASSESSMENT	4
3 EQUIPMENT UNDER TEST	5
3.1 PHOTO DOCUMENTATION OF THE EUT	5
3.2 POWER SUPPLY SYSTEM UTILISED	11
3.3 HIGHEST INTERNAL FREQUENCY	11
3.4 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	11
3.5 EUT OPERATION MODE	12
3.6 EUT CONFIGURATION	12
4 TEST ENVIRONMENT	13
4.1 ADDRESS OF THE TEST LABORATORY	13
4.2 ACCREDITATION AND RECOGNITION OF THE TEST LABORATORY	13
4.3 STATEMENT REGARDING THE USAGE OF LOGOS IN TEST REPORTS	13
4.4 Environmental conditions	13
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY	13
4.6 MEASUREMENT PROTOCOL FOR FCC	14
5 TEST CONDITIONS AND RESULTS	16
5.1 CONDUCTED EMISSION	16
5.2 RADIATED EMISSION < 1 GHz (ELECTRIC FIELD)	19
6 USED TEST EQUIPMENT AND ACCESSORIES	23
7 DETAILED MEASUREMENT UNCERTAINTY	25
7.1 OVERVIEW	25
7.2 DEFINITIONS AND SYMBOLS	25
7.3 MEASUREMENT UNCERTAINTY	25
8 CORRECTION FACTOR	26
9 CALIBRATION DATA	33



1 TEST STANDARDS

The tests were performed according to following standards:

FCC Rules and Regulations Part 18 - INDUSTRIAL, SCIENTIFIC, AND MEDICAL EQUIPMENT (October, 2018)

Part 18, Subpart C, Section 18.307 AC Line conducted emission

Part 18, Subpart C, Section 18.305 Radiated emission, general requirements

FCC/OET MP-5: (1986) FCC MP-5, "FCC Methods of Measurements of Radio Noise

Emissions from Industrial, Scientific, and Medical equipment

CISPR 16-4-2: 2011 + A1: 2014

EN 55016-4-2: 2011

Uncertainty in EMC measurement provided



2 SUMMARY

2.1 General remarks

Note: insert informative statements in User Manual!

This report only contains results according Part 18.

This is a composite application. A separately provided Part 15 C Report is filed under this FCC ID:

FCC ID GPM: 2AK2AICS115C FCC ID CPM: 2AK2AICS115

This Revision of the test report contains no pictures. All Pictures visible in test report E44397-00-02AS!

2.2 Summary for all EMC tests

	Type of test	Test result
Emiss	ion:	
A4	Conducted emission (AC mains power / DC power)	Fulfilled
A5	Radiated emission (< 1 GHz)	Fulfilled
SER 3	Radiated emission (> 1 GHz)	Not applicable

2.3 Final assessment

he equipment under test fulfills the EMC requirements cited in clause 1 test standards.							
Date of receipt of test sample	:	acc. to storage records					
Testing commenced on	:	07. January 2019					
Testing concluded on	:	08. January 2019					
Checked by:		7	Tested b	py:			



3 EQUIPMENT UNDER TEST

3.1 Photo documentation of the EuT

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!



This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!



This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!





Dimension of mimic incl. CPM (car pad module): 120cm * 120cm

Thickness of mimic: 2 mm

Distance between GPM (ground pad module) and ground plane: differs between 2mm and 12mm

Distance between GPM (ground pad module) and mimic incl. CPM (car pad module): 8cm

Height of GPM (ground pad module): 6,32cm

Distance between ground plane and mimic incl. CPM (car pad module): 14,32cm

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!



Position of the "receiving antenna"

9	
This Revision of the test report contains no nictures	

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!



3.2 Power supply system utilised

Power supply voltage : 240 V 60 Hz

All tests were carried out with a supply voltage of 240 V, 60 Hz unless otherwise stated.

3.3 Highest internal frequency

Highest internal frequency 81.4 – 89.9 kHz Wireless Power Transfer (FCC Part 18)

125 kHz SRD Positioning System (FCC Part 15 DCD Report) 2.4 GHz – 2.4835 GHz W-LAN (FCC Part 15 DTS Report)

6.3 MHz LOD 1.8 MHz FOD

According to the manufacturer's statement, the highest internally used frequency according FCC Part 18 is less than 1.705 MHz.

Per 3.2 MP5 (1986): The maximum observed frequency variation is 81.4 kHz to 83 kHz. The manufacturer maximum permitted frequency variation is 81.4 kHz to 89.9 kHz.

Short description of the Equipment under Test (EuT) 3.4

Inductive Charging System used in home environment. The Device is floor mounted.

The product is an inductive wireless charging system used for charging electric vehicle or hybrid power vehicle. The system is consisted of one GPM (ground pad module) and one CPM (car pad module). The system use 85 kHz for charging (power transfer), 125 kHz for positioning, and 2.4 GHz Wi-Fi technology for communication.

Number of tested samples:

QR Code Numbers: 01201803061000020000011135863 (QR code of GPM)

178801803260163ICSS115-U0-01D-L01 (QR code of CPM)

Specifications according statement of the Customer:

Ground Pad Modul (GPM)

Version: GPM C1.2 Software version: 06-04-20 1803070022 Serial number: Production date: 03/2018

Car Pad Modul (CPM)

Version: CPM D0 Software version: 09-52-20 18003260163 Serial number: Production date: 03/2018



3.5 EuT operation mode	
The equipment under test was operated during the measurement under the following conditions:	
- charging 75% load (worst case)	
Worst case was found at 75% load. Positioning had no significant effect on the maximum level observed.	
LOD and FOD are also active during charging.	
3.6 EuT configuration	
(The CDF filled by the applicant can be viewed at the test laboratory.)	
The following peripheral devices and interface cables were connected during the measurements:	
- High Speed CAN Test laptop	
- HV supply unit	
- Load Unit (Resistorbox)	
The following interface cables were connected during measurement: - DC power line (Plus and GND) - KL 30 C line - Vehicle CAN - Debug CAN - HVIL in - HVIL out - HV+ - HV-	
Port Cable Screening Transmission Status Length analogue active 3 m Modifications during the EMC test: None	



4 TEST ENVIRONMENT

4.1 Address of the test laboratory

CSA Group Bayern GmbH Ohmstrasse 1-4 94342 STRASSKIRCHEN GERMANY

4.2 Accreditation and Recognition of the test laboratory

Within the framework of the Mutual Recognition Agreement (MRA) between the European Community and the USA the EMC test laboratory listed above has been approved as a Conformity Assessment Body (CAB) designated by the EU member states through the conclusion of the MRA on the basis of Article 133 of the treaty

The site is accredited/registered by

- the German accreditation body DAkkS-Registration No.: D-PL-12030-01-01
- the Federal Communications Commission (FCC) Registration Number: 0013864798
- the German Federal Network Agency as Conformity assessment body (CAB) Registration No: BnetzA-CAB-13/21-07

4.3 Statement regarding the usage of logos in test reports

The accreditation and notification body logos displayed in this test report are only valid for standards listed in the accreditation or notification scope of CSA Group Bayern GmbH.

4.4 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15-35 °C
Humidity:	30-60 %
Atmospheric pressure:	86-106 kPa

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. It is noted that the expanded measurement uncertainty corresponds to the measurement results from the standard measurement uncertainty multiplied by the coverage factor k = 2. The true value is located in the corresponding interval with a probability of 95 % The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16-4-2 / 2011 + A1 / 2014 "Uncertainties, statistics and limit modelling – Uncertainty in EMC measurements" and is documented in the quality system acc. to DIN EN ISO/IEC 17025. For all measurements shown in this report, the measurement uncertainty of the test laboratory, CSA Group Bayern GmbH, is below the measurement uncertainty as defined by CISPR. Therefore, no special measures must be taken into consideration with regard to the limits according to CISPR. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

File No. **E44937-00-03AS**, page **13** of **38**



4.6 Measurement protocol for FCC

4.6.1 General information

4.6.1.1 Test methodology

In compliance with 47 CFR FCC Rules and Regulations Part 18 - INDUSTRIAL, SCIENTIFIC, AND MEDICAL EQUIPMENT testing for FCC compliance may be done following the FCC/OET MP-5: (1986) procedures and using the FCC Part 18 Limits.

4.6.1.2 Justification

The Equipment under Test (EuT) is configured in a typical user arrangement in accordance with the manufacturer's instructions. A cable is connected to each available port and either terminated with a peripheral using the appropriate impedance characteristic or left unterminated. Where appropriate, cables are manually manipulated with respect to each other thus obtaining maximum disturbances from the unit.

4.6.2 Details of test procedures

4.6.2.1 General standard information

The test methods used comply with FCC MP-5, "FCC Methods of Measurements of Radio Noise Emissions from Industrial, Scientific, and Medical equipment

4.6.3 Conducted emission

4.6.3.1 Description of measurement

The final level, expressed in $dB_{\mu}V$, is arrived at by taking the reading directly from the EMI receiver. This level is compared directly to the FCC Limit or to the CISPR limit.

To convert between dB μ V and μ V, the following conversions apply:

 $dB\mu V = 20(log \mu V)$ $\mu V = Inverse log(dB\mu V/20)$

Conducted emissions on the 50 Hz and/or 60 Hz power interface of the EuT are measured in the frequency range of 150 kHz to 30 MHz. The measurements are performed using a receiver, which has CISPR characteristic bandwidth and quasi-peak detection and a Line Impedance Stabilization Network (LISN) with 50 Ω / 50 μ H (CISPR 16) characteristics. The receiver is protected by means of an impedance matched pulse limiter connected directly to the RF input. Table top equipment is placed on a non-conducting table 80 centimetres above the floor and is positioned 40 centimetres from the vertical ground plane (wall) of the screen room. Floor standing equipment is placed directly on the 2 meters square ground plane. The setup of the equipment under test is established in accordance with FCC/OET MP–5: (1986) section 7. If the minimum limit margin appears to be less than 20 dB with a peak mode measurement, the emission are remeasured using a tuned receiver with quasi-peak and average detection and recorded on the data sheets.



4.6.4 Radiated emission (electrical field 9 kHz - 1 GHz)

4.6.4.1 <u>Description of measurement</u>

Spurious emission from the EuT is measured in the frequency range of 9 kHz to 30 MHz using a tuned receiver and appropriate broadband linearly polarized antennas. Measurements between 9 kHz and 150 kHz are made with 200 Hz/6 dB bandwidth and average detection. Measurements between 150 kHz and 30 MHz are made with 9 kHz/6 dB bandwidth and average detection. Table top equipment is placed on a 1.0 X 1.5 metre non-conducting table 80 centimetres above the ground plane. Floor standing equipment is placed directly on the turntable/ground plane. The setup of the equipment under test is established in accordance with FCC/OET MP–5: (1986). The interface cables that are closer than 40 centimetres to the ground plane are bundled in the center in a serpentine fashion so that they are at least 40 centimetres from the ground plane. Cables to simulators/testers (if used in this test) are routed through the center of the table and to a screened room located outside the test area.

The antenna is positioned 3, 10 or 30 metres horizontally from the EuT.

To locate maximum emissions from the test sample in the frequency range 9 kHz to 30 MHz, the EuT is rotated 360 degrees.

To locate maximum emissions from the test sample in the frequency range 30 MHz to 1 GHz the antenna is varied in height from 1 to 4 metres, measurement scans are made with both horizontal and vertical antenna polarization planes and the EuT is rotated 360 degrees.

The final level, expressed in $dB\mu V/m$, is arrived at by taking the reading from the EMI receiver (Level $dB\mu V$) and adding the correction factors and cable loss factor (Factor dB) to it. This is done automatically in the EMI receiver where the correction factors are stored. The FCC or CISPR limit is subtracted from this result in order to provide the limit margins listed in the measurement protocols.

The resolution bandwidth during the measurement is as follows:

9 kHz – 150 kHz: ResBW: 200 Hz 150 kHz – 30 MHz: ResBW: 9 kHz 30 MHz – 1000 MHz: ResBW: 120 kHz

Example:

Frequency Reading level Correction Factor* Level CISPR Limit Delta (MHz) (dBµV) (dB/m) (dBµV/m) (dBµV/m) (dB) 49.4 22.0 0.081 91.8 -20.471.4

The field strength limits according FCC Part 18 Subpart C §18.305: $15\mu V/m$ @ 300 meter distance: $20*Log_{10}(15\mu V) = 23.522 dB\mu V/m$

The extrapolation factor was determined as follows: (Please see section 5.2.4 in this report for details!) 103.4 dB μ V/m @ 10m distance minus 70.8 dB μ V/m @ 30m distance results in 68.3dB/decade

The field strength limits at 30 meter distance was calculated as follows: $23.5 \text{ dB}\mu\text{V/m} + 68.3 \text{ dB/decade} = 91.8 \text{ dB}\mu\text{V/m}$

4.6.4.2 Measurement Procedure

The test setup is prepared with the EUT at the desired EUT-Antenna separation.

The turntable is rotated 360° until the test receiver displays the maximum level at the observed frequency.

The antenna height is 1.82 m for measurements below 30 MHz

The antenna height is then adjusted from 1 m to 4 m maximizing the measured value for measurements above 30 MHz.

The turntable is re-adjusted to re-affirm the maximum emission value which is then recorded.

This procedure is repeated for all frequencies of interest.

File No. **E44937-00-03AS**, page **15** of **38**

CSA Group Bayern GmbH Ohmstrasse 1-4 · 94342 STRASSKIRCHEN · GERMANY Tel.:+49(0)9424-94810 · Fax:+49(0)9424-9481440

^{*}Correction Factor = Antenna Factor + Cable Attenuation = 20 dB/m + 2.0 dB = 22 dB/m



5 TEST CONDITIONS AND RESULTS

5.1 Conducted emission

For test instruments and accessories used see section 6 Part A 4.

Legend for tables:

QP-L ... QuasiPeak reading including correction factor AV-L ... Average reading including correction factor D-Limit... Measured value to limit delta (margin)

5.1.1 Description of the test location

Test location: Shielded Room S2

5.1.2 Photo documentation of the test setup

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

5.1	2	Toct	result
ວ. ເ	ı.ə	rest	resuit

Frequency range: 0.15 MHz - 30 MHz

Min. limit margin 3.52 dB at 0.897 MHz

The requirements are fulfilled.

Remarks: For detailed results, please see the following page(s).

For description of the measurement see 4.6.3.



5.1.4 Test protocol

Test point: L1 Result: fulfilled


Operation mode: charging 75% load (worst case)

Remarks: None

Date: 08. January 2019 Tested by: Andreas Franz

FCC/FCC Part 18_induction cooking - Average/
FCC/FCC Part 18_induction cooking - QPeak/
Meas.Peak (Phase 1)
Mes. CISPR AVG (Phase 1)

QuasiPeak (Finals) (Phase 1)
 CISPR AV (Finals) (Phase 1)
 CISPR AV (Finals) (Phase 1)



The correction factors of the Artificial Mains Network, Pulse Limiter and the cables are shown in Section 8 of this test report.

freq	SR	QP	margin	limit	AV	margin	limit	line	corr
MHz		dB(μV)	dB	dB	dB(μV)	dB	dB		dB
0.009	1	74.34	35.66	110.00	72.47			Phase 1	10.73
0.0701	1	91.88	-4.96	86.92	91.82			Phase 1	10.06
0.15	1	38.74	27.26	66.00	36.04	19.96	56.00	Phase 1	10.07
0.15	2	38.74	27.26	66.00	36.04	19.96	56.00	Phase 1	10.07
0.2445	2	33.07	28.87	61.94	33.41	18.53	51.94	Phase 1	10.10
0.408	3	25.99	31.70	57.69	26.35	21.34	47.69	Phase 1	10.14
0.57	3	38.75	17.25	56.00	39.12	6.88	46.00	Phase 1	10.15
0.735	4	40.14	15.86	56.00	40.24	5.76	46.00	Phase 1	10.18
0.897	4	42.16	13.84	56.00	42.48	3.52	46.00	Phase 1	10.19
1.3845	5	38.28	17.72	56.00	38.52	7.48	46.00	Phase 1	10.24
1.713	5	36.65	19.35	56.00	37.01	8.99	46.00	Phase 1	10.26
2.85	6	39.19	16.81	56.00	39.46	6.54	46.00	Phase 1	10.34
2.8545	6	37.56	18.44	56.00	37.86	8.14	46.00	Phase 1	10.34
3.5025	6	37.49	18.51	56.00	37.72	8.28	46.00	Phase 1	10.35
6.2985	7	49.46	10.54	60.00	42.41	7.59	50.00	Phase 1	10.55
6.312	7	49.98	10.02	60.00	38.90	11.10	50.00	Phase 1	10.55
7.248	7	19.11	40.89	60.00	15.55	34.45	50.00	Phase 1	10.61
8.85	7	3.42	56.58	60.00	-1.81	51.81	50.00	Phase 1	10.67
9.879	8	11.65	48.35	60.00	8.38	41.62	50.00	Phase 1	10.71
11.994	8	3.13	56.87	60.00	-2.03	52.03	50.00	Phase 1	10.87
15.9675	8	3.88	56.12	60.00	-2.20	52.20	50.00	Phase 1	11.15
19.1355	8	11.59	48.41	60.00	8.74	41.26	50.00	Phase 1	11.30
24.0015	9	14.11	45.89	60.00	12.18	37.82	50.00	Phase 1	11.46
27.489	9	11.79	48.21	60.00	3.38	46.62	50.00	Phase 1	11.43
27.768	9	18.91	41.09	60.00	17.25	32.75	50.00	Phase 1	11.42



Test point: N Result: fulfilled


Operation mode: charging 75% load (worst case)

Remarks: None

Date: 08. January 2019 Tested by: Andreas Franz

FCC/FCC Part 18_induction cooking - Average/
FCC/FCC Part 18_induction cooking - QPeak/
Meas.Peak (Neutral)
Mes. CISPR AVG (Neutral)

QuasiPeak (Finals) (Neutral)
 CISPR AV (Finals) (Neutral)



The correction factors of the Artificial Mains Network, Pulse Limiter and the cables are shown in Section 8 of this test report.

freq	SR	QP	margin	limit	AV	margin	limit	line	corr
MHz		dB(µV)	dB	dB	dB(µV)	dB	dB		dB
0.009	10	74.49	35.51	110.00	72.62			Neutral	10.79
0.0701	10	91.70	-4.77	86.92	91.63			Neutral	10.06
0.15	10	38.58	27.42	66.00	35.89	20.11	56.00	Neutral	10.08
0.15	11	38.58	27.42	66.00	35.89	20.11	56.00	Neutral	10.08
0.2445	11	34.21	27.74	61.94	34.57	17.37	51.94	Neutral	10.11
0.408	12	29.38	28.31	57.69	29.78	17.91	47.69	Neutral	10.15
0.57	12	39.22	16.78	56.00	39.61	6.39	46.00	Neutral	10.16
0.735	13	40.02	15.98	56.00	40.40	5.60	46.00	Neutral	10.19
0.897	13	41.88	14.12	56.00	42.25	3.75	46.00	Neutral	10.19
1.3845	14	38.56	17.44	56.00	38.90	7.10	46.00	Neutral	10.25
1.7085	14	36.77	19.23	56.00	37.13	8.87	46.00	Neutral	10.27
2.361	14	37.24	18.76	56.00	37.06	8.94	46.00	Neutral	10.31
2.85	15	38.91	17.09	56.00	39.23	6.77	46.00	Neutral	10.35
3.5025	15	36.70	19.30	56.00	36.96	9.04	46.00	Neutral	10.36
6.303	16	49.51	10.49	60.00	43.05	6.95	50.00	Neutral	10.55
6.339	16	47.06	12.94	60.00	19.81	30.19	50.00	Neutral	10.55
7.248	16	20.95	39.05	60.00	17.92	32.08	50.00	Neutral	10.61
9.69	17	9.22	50.78	60.00	3.84	46.16	50.00	Neutral	10.69
12.003	17	4.76	55.24	60.00	0.72	49.28	50.00	Neutral	10.85
15.7065	17	10.19	49.81	60.00	6.13	43.87	50.00	Neutral	11.10
16.377	17	4.65	55.35	60.00	-1.27	51.27	50.00	Neutral	11.14
23.9925	18	15.44	44.56	60.00	7.45	42.55	50.00	Neutral	11.38
24.0015	18	19.36	40.64	60.00	14.10	35.90	50.00	Neutral	11.38
26.94	18	18.86	41.14	60.00	17.34	32.66	50.00	Neutral	11.31
27.075	18	13.01	46.99	60.00	1.90	48.10	50.00	Neutral	11.30



5.2 Radiated emission < 1 GHz (electric field)

For test instruments and accessories used see section 6 Part A 3.

Legend for tables:

Level vert. QuasiPeak reading including correction factor for vertically polarised antenna Level hor. QuasiPeak reading including correction factor for horizontally polarised antenna

Limit Limit referred to the appropriate standard DLimit... Delta between limit and result (margin)

Noise Characteristic of disturbance (narrowband or broadband)

5.2.1 Description of the test location

Test location: OATS 1

Test distance: 30 metres

5.2.2 Photo documentation of the test setup

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

5.2.3 Test result

Frequency range: 9 kHz - 30 MHz

Min. limit margin 14.1 dB at 1.208 MHz

The requirements are fulfilled

Remarks: For detailed results, please see the following page(s).

For description of the measurement see 4.6.4.

Worst case was found at 75% load.

Positioning had no significant effect on the maximum level observed.



5.2.4 Test protocol

Per 2.2.6 Antenna-to-test unit distance:

Testing was performed at a closer distance than 300 meters.

To find the site attenuation extrapolation factor measurements were done at following distances: 3 meter, 5 meter, 10 meter, 15 meter, 20 meter, 25 meter, 30 meter

The frequency of interest was 82 kHz




Distance / meter	Level / dBµV/m
3	128.9
5	119.2
10	103.4
15	92.2
20	84
25	76.4
30	70.8

The extrapolation factor was determined as follows:

103.4 dBμV/m @ 10m distance minus 70,8 dBμV/m @ 30m distance results in 68.3dB/decade



Polar Radiation Pattern as follows:



This Revision of the test report contains no pictures. In test report E44397-00-02AS at this place a picture is visible!

Position 10 (180°)

Position 12 (220°)




Operation mode: charging 75% load (worst case) Result: fulfilled

Remarks: limits according 30 meter distance!

Date: 07.01.2019 Tested by: Albert Stoller

The correction factors of the loop antenna and the cables are shown in Section 8 of this test report.

Frequency (MHz)	Field strength (dBµV/m)	Limit (dBµV/m)	Dlimit (dB)
0.081	71.4	91.8	-20.4
0.082	71.3	91.8	-20.5
0.115	46.8	91.8	-45.0
0.136	68.7	91.8	-23.1
0.148	50.6	91.8	-41.2
0.150	73.8	91.8	-18.0
1.208	77.7	91.8	-14.1
7.429	69.1	91.8	-22.7





6 USED TEST EQUIPMENT AND ACCESSORIES

All test instruments used, in addition to the test accessories, are calibrated and verified regularly.

Following software was used: Nexio BAT EMC (Version 3.18.0.17)

Test ID	Model Type	Kind of Equipment	Manufacturer	Equipment No.	Next Calib.	Last Calib.	Next Verif.	Last Verif.
A 3	ESR 7	EMI Test Receiver	Rohde & Schwarz München	02-02/03-17-001	19/07/2019	19/07/2018		
	HFH 2 - Z 2	Antenna	Rohde & Schwarz München	02-02/24-15-001	22/03/2019	22/03/2018		
	NW-2000-NB	RF Cable	Huber + Suhner	02-02/50-05-113				
	KK-EF393/U-16N- 21N20 m	RF Cable 20m	Huber + Suhner	02-02/50-12-018				
	KK-SD_7/8-2X21N- 33,0M	RF Cable 33 m	Huber + Suhner AG	02-02/50-15-028				
	TDS2014	Oscilloscope	Keithley Instruments GmbH	02-02/13-05-004	24/04/2019	24/04/2018		
	EMV D 30000/PAS	Testsystem	Spitzenberger + Spies	02-02/30-05-006	21/02/2020	21/02/2017	20/02/2019	20/02/2018
	SPS EMC V4.1.3	EMC Basic System	Spitzenberger + Spies	02-02/68-12-001				



Test ID	Model Type	Kind of Equipment	Manufacturer	Equipment No.	Next Calib.	Last Calib.	Next Verif.	Last Verif.
A 4	BAT-EMC 3.18.0.17	Nexio Software	EMCO Elektronik GmbH	01-02/68-13-001				
	ESCI	EMI Test Receiver	Rohde & Schwarz München	02-02/03-15-001	11/06/2019	11/06/2018		
	ESH 2 - Z 5	LISN	Rohde & Schwarz München	02-02/20-05-004	25/10/2019	25/10/2017	30/04/2019	31/10/2018
	N-4000-BNC	RF Cable	mikes-testingpartners gmbh	02-02/50-05-138				
	N-1500-N	RF Cable	mikes-testingpartners gmbh	02-02/50-05-140				
	ESH 3 - Z 2	Pulse Limiter	Rohde & Schwarz München	02-02/50-05-155	18/11/2019	18/11/2016	06/05/2019	06/11/2018
	TDS2014	Oscilloscope	Keithley Instruments GmbH	02-02/13-05-004	24/04/2019	24/04/2018		
	EMV D 30000/PAS	Testsystem	Spitzenberger + Spies	02-02/30-05-006	21/02/2020	21/02/2017	20/02/2019	20/02/2018
	SPS EMC V4.1.3	EMC Basic System	Spitzenberger + Spies	02-02/68-12-001				



7 Detailed measurement uncertainty

7.1 Overview

Measurement instrumentation uncertainty shall be taken into account when determining compliance or non-compliance with a disturbance limit.

The measurement instrumentation uncertainty for a test laboratory shall be evaluated. The standard uncertainty u(xi) in decibels and the sensitivity coefficient ci shall be evaluated for the estimate xi of each quantity. The combined standard uncertainty uc(y) of the estimate y of the measurand shall be calculated as

$$u_{\rm c}(y) = \sqrt{\sum_i c_i^2 \ u^2(x_i)}$$

The expanded measurement instrumentation uncertainty U_{lab} for a test laboratory shall be calculated as $U_{lab} = 2 u_{c}(y)$

$$U_{\text{lab}} = 2 u_{\text{c}}(y)$$

Compliance or non-compliance with a disturbance limit shall be determined in the following manner:

If *U*lab is less than or equal to *U*cispr in the table below, then:

- compliance is deemed to occur if no measured disturbance exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance exceeds the disturbance limit.

If *U*lab is greater than *U*cispr in the table below, then:

- compliance is deemed to occur if no measured disturbance, increased by (Ulab Ucispr), exceeds the
 disturbance limit.
- non-compliance is deemed to occur if any measured disturbance, increased by (Ulab Ucispr), exceeds the
 disturbance limit.

7.2 Definitions and symbols

Xi Input quantity xi estimate of Xi

u(xi) standard uncertainty of *xi ci* sensitivity coefficient

uc(y) (combined) standard uncertainty of y

Y result of a measurement, (the estimate of the measured), corrected for all recognised significant

systematic effects

U expanded uncertainty of y

7.3 Measurement uncertainty

Measurement	<i>U</i> _{lab} [dB]
Conducted disturbance	+ 3.29 / - 3.29
Radiated disturbance (electric field)	
- 10 m test distance	+ 3.86 / - 3.91
- 3 m test distance	+ 4.14 / - 4.78
 Frequency range: 30 MHz – 300 MHz 	
Radiated disturbance (electric field)	
 10 m test distance 	+ 4.11 / - 4.11
- 3 m test distance	+ 4.13 / - 4.14
 Frequency range: 300 MHz – 1000 MHz 	
Radiated disturbance (electric field)	
- 3 m test distance	+ 2.89 / -2.89
 Frequency range: 1 GHz – 30 GHz 	



8 Correction Factor

Loop Antenna A3 Radiated Emission:

Object Loop Antenna

 Type
 HFH2 - Z2
 Serial No.
 881058/35

 Date
 2018-03-22
 Material No.
 0335.4711.52

Page Calibration Mark 459083-D-K-15012-01-00-2018-03

Test Description	Lower Limit	Result Measured	Upper Limit	Uncertainty
1 Antenna Factor $k(1/m)$ ($E = k \cdot U$)				
0.009 MHz	19.0 dB	22.59 dB	23.0 dB	0.3 dB
0.010 MHz	19.0 dB	22.16 dB	23.0 dB	0.3 dB
0.015 MHz	19.0 dB	20.92 dB	22.0 dB	0.3 dB
0.020 MHz	19.0 dB	20.39 dB	21.5 dB	0.3 dB
0.025 MHz	19.0 dB	20.10 dB	21.2 dB	0.3 dB
0.03 MHz	19.0 dB	19.94 dB	21.0 dB	0.3 dB
0.05 MHz	19.0 dB	19.67 dB	21.0 dB	0.3 dB
0.08 MHz	19.0 dB	19.54 dB	21.0 dB	0.3 dB
0.1 MHz	19.0 dB	19.51 dB	21.0 dB	0.3 dB
0.2 MHz	19.0 dB	19.44 dB	21.0 dB	0.3 dB
0.3 MHz	19.0 dB	19.41 dB	21.0 dB	0.3 dB
0.5 MHz	19.0 dB	19.38 dB	21.0 dB	0.3 dB
0.8 MHz	19.0 dB	19.36 dB	21.0 dB	0.3 dB
1 MHz	19.0 dB	19.36 dB	21.0 dB	0.3 dB
2 MHz	19.0 dB	19.37 dB	21.0 dB	0.3 dB
3 MHz	19.0 dB	19.30 dB	21.0 dB	0.3 dB
4 MHz	19.0 dB	19.19 dB	21.0 dB	0.3 dB
5 MHz	19.0 dB	19.10 dB	21.0 dB	0.3 dB
6 MHz	19.0 dB	18.98 dB	21.0 dB	0.3 dB
8 MHz	19.0 dB	18.78 dB	21.0 dB	0.3 dB
10 MHz	19.0 dB	18.76 dB	21.0 dB	0.3 dB
12 MHz	19.0 dB	18.79 dB	21.0 dB	0.3 dB
14 MHz	19.0 dB	18.78 dB	21.0 dB	0.3 dB
16 MHz	19.0 dB	19.00 dB	21.0 dB	0.3 dB
18 MHz	19.0 dB	19.35 dB	21.0 dB	0.3 dB
20 MHz	19.0 dB	19.77 dB	21.0 dB	0.3 dB
22 MHz	19.0 dB	20.17 dB	21.0 dB	0.3 dB
24 MHz	19.0 dB	20.41 dB	21.0 dB	0.3 dB
26 MHz	19.0 dB	20.69 dB	21.0 dB	0.3 dB
28 MHz	19.0 dB	20.87 dB	21.0 dB	0.3 dB
30 MHz	19.0 dB	20.70 dB	21.0 dB	0.3 dB
32 MHz		20.28 dB		0.5 dB
34 MHz		19.87 dB		0.5 dB
36 MHz		19.51 dB		0.5 dB
38 MHz		19.29 dB		0.5 dB
40 MHz		19.43 dB		0.5 dB



RF Cable Attenuation A3 Radiated Emission:

NW-2000-NB (02-02/50-05-113) & KK-EF393/U-16N-21N20 m (02-02/50-12-018) & KK-SD_7/8-2X21N-33,0M (02-02/50-15-028)

f/MHz	attenuation / db
0.009	0.5
0.02	0.33
0.05	0.07
0.1	0
0.125	0
0.25	0
0.5	0
1	0.25
10	1
15	1.26
20	1.45
25	1.64
30	1.8
NW-2000-NB (0	2-02/50-05-113)

KK-EF393/U-16N-21N20 m (02-02/50-12-018)



Attenuation Pulse Limiter A4 Conducted Emission:

Object Pulse Limiter

 Type
 ESH3-Z2
 Serial No.
 5SM03665

 Date
 2016-11-18
 Material No.
 357.8810.52

Page Calibration Mark 408036-D-K-15012-01-00-2016-11

Test Description	Lower Limit	Result Measured	Upper Limit	Uncertainty
1 Insertion Loss				
0.01 MHz	9.70 dB	9.85 dB	10.30 dB	0.05 dB
0.03 MHz	9.70 dB	9.86 dB	10.30 dB	0.05 dB
0.05 MHz	9.70 dB	9.86 dB	10.30 dB	0.05 dB
0.1 MHz	9.70 dB	9.86 dB	10.30 dB	0.05 dB
0.15 MHz	9.70 dB	9.86 dB	10.30 dB	0.05 dB
0.5 MHz	9.70 dB	9.87 dB	10.30 dB	0.05 dB
1 MHz	9.70 dB	9.87 dB	10.30 dB	0.05 dB
2 MHz	9.70 dB	9.87 dB	10.30 dB	0.05 dB
4 MHz	9.70 dB	9.87 dB	10.30 dB	0.05 dB
5 MHz	9.70 dB	9.88 dB	10.30 dB	0.05 dB
6 MHz	9.70 dB	9.88 dB	10.30 dB	0.05 dB
8 MHz	9.70 dB	9.89 dB	10.30 dB	0.05 dB
10 MHz	9.70 dB	9.90 dB	10.30 dB	0.05 dB
12 MHz	9.70 dB	9.91 dB	10.30 dB	0.05 dB
14 MHz	9.70 dB	9.93 dB	10.30 dB	0.05 dB
16 MHz	9.70 dB	9.93 dB	10.30 dB	0.05 dB
18 MHz	9.70 dB	9.95 dB	10.30 dB	0.05 dB
20 MHz	9.70 dB	9.96 dB	10.30 dB	0.05 dB
22 MHz	9.70 dB	9.97 dB	10.30 dB	0.05 dB
24 MHz	9.70 dB	9.99 dB	10.30 dB	0.05 dB
26 MHz	9.70 dB	10.00 dB	10.30 dB	0.05 dB
28 MHz	9.70 dB	10.02 dB	10.30 dB	0.05 dB
30 MHz	9.70 dB	10.04 dB	10.30 dB	0.05 dB
2 CISPR Pulse				
Compression Point				
input (BNC female)	typ 66 dBµV	² pass		



3 Return Loss (Receiver, m	nale)		
0.01 MHz	19.1 dB	37.5 dB	 2.9 dB
0.03 MHz	19.1 dB	37.9 dB	 3.0 dB
0.05 MHz	19.1 dB	38.2 dB	 3.1 dB
0.1 MHz	19.1 dB	38.1 dB	 3.1 dB
0.15 MHz	19.1 dB	37.9 dB	 3.0 dB
0.5 MHz	19.1 dB	38.1 dB	 3.1 dB
1 MHz	19.1 dB	38.1 dB	 3.1 dB
2 MHz	19.1 dB	38.0 dB	 3.0 dB
4 MHz	19.1 dB	38.1 dB	 3.1 dB
5 MHz	19.1 dB	38.0 dB	 3.1 dB
6 MHz	19.1 dB	37.9 dB	 3.0 dB
8 MHz	19.1 dB	37.8 dB	 3.0 dB
10 MHz	19.1 dB	37.8 dB	 3.0 dB
12 MHz	19.1 dB	37.5 dB	 2.9 dB
14 MHz	19.1 dB	37.5 dB	 2.9 dB
16 MHz	19.1 dB	37.5 dB	 2.9 dB
18 MHz	19.1 dB	37.5 dB	 2.9 dB
20 MHz	19.1 dB	37.5 dB	 2.9 dB
22 MHz	19.1 dB	37.5 dB	 2.9 dB
24 MHz	19.1 dB	37.5 dB	 2.9 dB
26 MHz	19.1 dB	37.9 dB	 3.0 dB
28 MHz	19.1 dB	38.1 dB	 3.1 dB
30 MHz	19.1 dB	38.3 dB	 3.1 dB
4 Return Loss (RF Input, fe	male)		
0.01 MHz	30.7 dB	46.8 dB	 6.0 dB
0.03 MHz	30.7 dB	46.3 dB	 5.8 dB
0.05 MHz	30.7 dB	46.0 dB	 5.7 dB
0.1 MHz	30.7 dB	45.9 dB	 5.7 dB
0.15 MHz	30.7 dB	45.9 dB	 5.7 dB
0.5 MHz	30.7 dB	45.5 dB	 5.5 dB
1 MHz	30.7 dB	45.0 dB	 5.3 dB
2 MHz	30.7 dB	44.0 dB	 5.0 dB
4 MHz	30.7 dB	40.7 dB	 3.8 dB
5 MHz	30.7 dB	39.2 dB	 3.4 dB
6 MHz	30.7 dB	37.9 dB	 3.0 dB
8 MHz	30.7 dB	36.2 dB	 2.6 dB
10 MHz	30.7 dB	34.7 dB	 2.3 dB
12 MHz	30.7 dB	33.8 dB	 2.1 dB
14 MHz	30.7 dB	33.1 dB	 1.9 dB
16 MHz	30.7 dB	32.9 dB	 1.9 dB
18 MHz	30.7 dB	33.0 dB	 1.9 dB
20 MHz	30.7 dB	33.6 dB	 2.0 dB
22 MHz	30.7 dB	34.6 dB	 2.2 dB
24 MHz	30.7 dB	36.1 dB	 2.6 dB
26 MHz	30.7 dB	37.2 dB	 2.9 dB
28 MHz	30.7 dB	36.1 dB	 2.6 dB
30 MHz	30.7 dB	32.8 dB	 1.9 dB



Attenuation Artificial Mains Network Port N A4 Conducted Emission:

Object Artifical-Mains Network 9kHz - 30MHz

ROHDE&SCHWARZ

Type ESH2-Z5 Date 2017-10-25


Serial No. 862060/030 Material No. 338.5219.53

International Service

Page 29 of 68 Calibration Mark 443253-D-K

443253-D-K-15012-01-00-2017-10

V2 DSESHQ-ZN/SHVQQ17-06





Attenuation Artificial Mains Network Port L A4 Conducted Emission:

Object Artifical-Mains Network 9kHz - 30MHz

Type ESH2-Z5 Serial No. 862060/030 Date 2017-10-25 Material No. 338.5219.53

Page 30 of 68 Calibration Mark 443253-D-K-15012-01-00-2017-10

AS TRESHS SWEWGOLD OR

International Service

Test Description	Lower Limit	Result Measured	Upper Limit	Uncertainty	
5.2 F of EUT Schuko-Port "L"					
0.009 MHz		-2,5 dB		0,2 dB	
0,01 MHz	2	-2,4 dB		0,2 dB	
0,02 MHz		-1,0 dB	***	0,1 dB	
0,03 MHz	<u> </u>	-0,4 dB		0,1 dB	
0,05 MHz		-0,1 dB		0,1 dB	
0,07 MHz		-0,1 dB		0,1 dB	
0,10 MHz		-0,1 dB	-	0,1 dB	
0,15 MHz		-0,1 dB	175	0,1 dB	
0,3 MHz	22	-0,1 dB		0,1 dB	
0,5 MHz		-0,1 dB		0,1 dB	
0,7 MHz		-0,2 dB		0,1 dB 0,1 dB	
1 MHz	1-40.0	-0,2 dB			
3 MHz		-0,3 dB	1.00	0,1 dB 0,1 dB	
5 MHz		-0,3 dB			
7 MHz	_	-0,3 dB	-	0,1 dB	
10 MHz	_	-0,2 dB		0,1 dB	
12 MHz	1440	-0,2 dB		0,1 dB	
14 MHz	-	-0,4 dB		0,1 dB	
16 MHz	2,440.0	-0,5 dB		0,1 dB	
18 MHz		-0,6 dB		0,1 dB	
20 MHz		-0,6 dB		0,1 dB	
22 MHz		-0,6 dB	- 5	0,1 dB	
24 MHz	_	-0,5 dB		0,1 dB	
26 MHz		-0,4 dB	22	0,1 dB	
28 MHz		-0,3 dB		0,1 dB	
30 MHz		-0,2 dB		0,1 dB	
	F of EUT	Schuko-Port "L"			
1					
0	1 1 1	9 9 9	1 1 1 3	X 10	
1 1 1		# 8 8	* * * * *	T T T T T T T T T T T T T T T T T T T	
B -1					
(4555) C. (4555)					
-2					
•					
-3	0,1	1	10	K.	
0.01		requency / MHz			



RF Cable Attenuation A4 Conducted Emission:

N-4000-BNC 02-02/50-05-138 & N-1500-N 02-02/50-05-140

f/MHz	attenuation / db
0.009	0
0.02	0
0.05	0
0.1	0
0.125	0
0.25	0
0.5	0
1	0.1
10	0.4
15	0.5
20	0.5
25	0.5
30	0.6

N-4000-BNC (02-02/50-05-138)

N-1500-N (02-02/50-05-140)



9 Calibration Data

Snapshot of Verification Data of ESH2-Z5 02-02/20-05-004:



Formblatt / form

Verifizierprotokoll Netznachbildung Verification protocol LISN

Impedanz / impedance

Betrag und Phase / magnitude and phase

Netznachbildung / LISN: Test point: N/N ☐ Test point: N/L1 ■	3 phase L1/L1 □ L1/L2 □	L2/L2 □ L3/N □	L3/L3 E	_
	Trc1 Z—S11 Lin Mag	10 Ω / Ref 100 Ω Cal int Smo		



AC 39007787 Date: 31.0CT.2018 07:44:12



CSA Group Bayern GmbH Ohmstraße 1-4

94342 Strasskirchen Telefon: +49 9424 9481-0 Erstellt von: Stefan Seufert

Seite 3 von 20

File: CSA_B_F55_14_Rev9_0, Gültig ab: 15.01.2016
Uncontrolled Copy when printed – please verify to "Verzeichnis CSA_B.xls" before using.



Snapshot of Verification Data of OATS1:


Verifizierprotokoll

Verifizierung des Messplatzes OATS 1 gemäß ANSI C63.4 im Bereich 30 - 1000MHz

Ergebnisse 10 m NSA:

Abweichungen 30-300 MHz:

Graph






Snapshot of Verification Data of OATS1:

Verifizierprotokoll

Verifizierung des Messplatzes OATS 1 gemäß ANSI C63.4 im Bereich 30 – 1000MHz

Abweichungen 300-1000 MHz:

Graph





Snapshot of Calibration Certificate of ESR7 02-02/03-17-001:



akkreditiert durch die / accredited by the

Deutsche Akkreditierungsstelle GmbH

als Kalibrierlaboratorium im / as calibration laboratory in the



Deutschen Kalibrierdienst



Kalibrierschein Calibration certificate

Kalibrierzeichen Calibration mark

Dieser Kalibrierschein dokumentiert die Rück-

führung auf nationale Normale zur Darstellung

der Einheiten in Übereinstimmung mit dem

Die DAkkS ist Unterzeichner der multilateralen

Übereinkommen der European co-operation for

Accreditation (EA) und der International Labora-

tory Accreditation Cooperation (ILAC) zur ge-

Wiederholung der Kalibrierung ist der Benutzer

This calibration certificate documents the

traceability to national standards, which realize

the units of measurement according to the

The DAkkS is signatory to the multilateral agreements of the European co-operation for

Accreditation (EA) and of the International

Laboratory Accreditation Cooperation (ILAC) for the mutual recognition of calibration certifica-

International System of Units (SI).

genseitigen Anerkennung der Kalibrierscheine. Für die Einhaltung einer angemessenen Frist zur

Internationalen Einheitensystem (SI).

verantwortlich.

472837 D-K-15195-01-01 2018-07

Gegenstand

Object

ESR7 EMI TEST RECEIVER 7GHZ

ROHDE & SCHWARZ

Hersteller Manufacturer

Тур

Fabrikat/Serien-Nr.

Serial number

Auftraggeber Customer

ESR7

101707

CSA Group Bayern GmbH

Ohmstraße 1-4 94342 Straßkirchen

Auftragsnummer

Order No.

479/18, 02-02/03-17-001

51 Outgoing Results

3 Certificate

The user is obliged to have the object recalibrated at appropriate intervals.

Datum der Kalibrierung

Anzahl der Seiten des Kalibrierscheines

Number of pages of the certificate

Date of calibration

2018-07-19

Dieser Kalibrierschein darf nur vollständig und unverändert weiterverbreitet werden. Auszüge oder Änderungen bedürfen der Genehmigung sowohl der Deutschen Akkreditierungsstelle GmbH als auch des ausstellenden Kalibrierlaboratoriums. Kalibrierscheine ohne Unterschrift haben keine Gültigkeit.

This calibration certificate may not be reproduced other than in full except with the permission of both the Deutsche Akkreditierungsstelle GmbH and the issuing laboratory. Calibration certificates without signature are not valid.

Datum

2018-07-20

Date

s Kalibrierlaboratoriums

Günthe **/**Jocham Bearbeiter

Wladimir Winitschenko

Rohde & Schwarz Messgerätebau GmbH

Rohde-und-Schwarz-Str. 1

87700 Memmingen

Telephone national: 08331/10-80 international: 0049 8331/10-80 Fax: 08331/10-811 24 ● Managing Director: Jürgen Steigmüller ● Chairman of the Supervisory Board: Dr. Marc Sesterhenn ● Company's Place of Bus Commercial Register No.: HRB 1 059 ● VAT Identification No.: DE 811 190 745



Snapshot of Calibration Certificate of Loop Antenna HFH2-Z2 02-02/24-15-001:



Kalibrierlaboratorium für Geräte der Nachrichtentechnik Calibration laboratory for measuring instruments of telecommunication engineering

akkreditiert durch die / accredited by the

Deutsche Akkreditierungsstelle GmbH

als Kalibrierlaboratorium im / as calibration laboratory in the

Loop Antenna

HFH2 - Z2

881058/35

Ohmstraße 1-4 94342 Straßkirchen

Rohde & Schwarz

Deutschen Kalibrierdienst

Kalibrierzeichen Calibration Mark

DAkkS

459083 D-K-15012-01-00 2018-03

Akkreditierungsstelle D-K-15012-01-00

Kalibrierschein Calibration certificate

Gegenstand Object

Hersteller

Manufacturer

Тур Type

Fabrikat/Serien-Nr.

Serial number

Auftraggeber

Customer

Auftragsnummer Order No.

Anzahl der Seiten des Kalibrierscheins

Number of pages of the certificate

Ort und Datum der Kalibrierung

Place and date of calibration

Asset: 02-02/24-15-001

CSA Group Bayern GmbH

Köln, 2018-03-22

02-02/24-15-001 / 171/18

Dieser Kalibrierschein dokumentiert die Rückführung auf nationale Normale zur Darstellung der Einheiten in Übereinstimmung mit dem Internationalen Einheiten-

system (SI).

Die DAkkS ist Unterzeichner der multilateralen Übereinkommen der European cooperation for Accreditation (EA) und der International Laboratory Accreditation Cooperation (ILAC) zur gegenseitigen Anerkennung der Kalibrierscheine.

Für die Einhaltung einer angemessenen Frist zur Wiederholung der Kalibrierung

ist der Benutzer verantwortlich.

This calibration certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units

(SI).

The DAkkS is signatory to the multilateral agreements of the European cooperation for Accreditation (EA) and of the International Laboratory Accreditation Cooperation (ILAC) for the mutual recognition of calibration certificates.

The user is obliged to have the object recalibrated at appropriate intervals.

Dieser Kalibrierschein darf nur vollständig und unverändert weiterverbreitet werden. Auszüge oder Änderungen bedürfen der Genehmigung sowohl der Deutschen Akkreditierungsstelle als auch des ausstellenden Kalibrierlaboratoriums. Kalibrierscheine ohne Unterschrift

This calibration certificate may not be reproduced other than in full except with the permission of both the German Accreditation Body and the issuing laboratory. Calibration certificates without signature are not valid.

Datum Date

Stellv. Leiter des Kalibrierlaboratoriums Deputy head of the calibration laboratory

Bearbeiter Person in charge

2018-03-22

Ralf Schwagereit

ROHDE & SCHWARZ GmbH & Co. KG · International Service · Graf-Zeppelin-Straße 18 · D-51147 Köln Postfach 98 02 60 · D-51130 Köln · Telefon: (02203) 49-0 · Telefax: (02203) 49-51364 · Durchwahl: 49 -

s2010-09/RSK2016-04



Snapshot of Calibration Certificate of ESCI 02-02/03-15-001:



akkreditiert durch die / accredited by the

Deutsche Akkreditierungsstelle GmbH

als Kalibrierlaboratorium im / as calibration laboratory in the



Deutschen Kalibrierdienst



Kalibrierschein Calibration certificate Kalibrierzeichen Calibration mark

Dieser Kalibrierschein dokumentiert die Rück-

führung auf nationale Normale zur Darstellung der Einheiten in Übereinstimmung mit dem

Die DAkkS ist Unterzeichner der multilateralen Übereinkommen der European co-operation for

Accreditation (EA) und der International Laboratory Accreditation Cooperation (ILAC) zur ge-

Internationalen Einheitensystem (SI).

465817 15195-01-01 2018-06

Gegenstand Object

ESCI EMI TEST RECEIV.ESCI

Hersteller Monufacturer

ESCI Typ

Туре

Fabrikat/Serien-Nr.

Serial number

Auftraggeber Customer

ROHDE & SCHWARZ

100362

CSA Group Bayern GmbH

Ohmstraße 1-4 94342 Straßkirchen

Auftragsnummer Order No.

dt2018-05-14

Anzahl der Seiten des Kalibrierscheines

Number of pages of the certificate

Datum der Kalibrierung Date of calibration

331/18,02-02/03-15-001

23 Outgoing Results

2018-06-11

Wiederholung der Kalibrierung ist der Benutzer verantwortlich. This calibration certificate documents the

genseltigen Anerkennung der Kalibrierscheine. Für die Einhaltung einer angemessenen Frist zur

traceability to national standards, which realize the units of measurement according to the

International System of Units (SI).

The DAkkS is signatory to the multilateral agreements of the European co-operation for Accreditation (EA) and of the International Laboratory Accreditation Cooperation (ILAC) for the mutual recognition of calibration certifica-

The user is obliged to have the object recali-

brated at appropriate intervals.

Dieser Kalibrierschein darf nur vollständig und unverändert weiterverbreitet werden. Auszüge oder Änderungen bedürfen der Genehmigung sowohl der Deutschen Akkreditierungsstelle GmbH als auch des ausstellenden Kalibrierlaboratoriums. Kalibrierscheine ohne Unterschrift haben keine Gültiekeit.

This calibration certificate may not be reproduced other than in full except with the permission of both the Deutsche Akkreditierungsstelle GmbH and the issuing laboratory. Calibration certificates without signature are not valid.

Date

2018-06-11

es Kalibrierlaboratoriums **b**ration laboratory

Jocham

Bearbeiter Person is ch

Rohde & Schwarz Messgerätebes Greidt • Behote-und Schwarp Str. 1 • 87700 Memmingen • Telephone national: 08331/10-80 international: 0049 8331/15-80
Pacc 08331/10-811 24 • Managing Director: Dager Strigerüller • Chairman of the Supervisory Board: Dr. Marc Sestemenn • Company's Place of Business: München Commercial Register No.: HRS 1 059 • VAT Identification No.: DE 811 190 745