



Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	96.94	0.13	0.72
NVNT	a	5785	96.94	0.13	0.72
NVNT	a	5825	96.94	0.13	0.72
NVNT	n20	5745	96.76	0.14	0.77
NVNT	n20	5785	96.73	0.14	0.77
NVNT	n20	5825	96.73	0.14	0.77
NVNT	n40	5755	93.93	0.27	1.54
NVNT	n40	5795	93.88	0.27	1.54
NVNT	ac20	5745	96.79	0.14	0.76
NVNT	ac20	5785	96.79	0.14	0.76
NVNT	ac20	5825	96.76	0.14	0.76
NVNT	ac40	5755	93.97	0.27	1.53
NVNT	ac40	5795	93.97	0.27	1.53
NVNT	ac80	5775	88.6	0.53	3.06

Test Graphs

Duty Cycle NVNT a 5745MHz	
1	0.000000
2	0.000000
3	0.000000
4	0.000000
5	0.000000
6	0.000000
7	0.000000
8	0.000000
9	0.000000
10	0.000000
11	0.000000
12	0.000000
13	0.000000
14	0.000000
15	0.000000
16	0.000000
17	0.000000
18	0.000000
19	0.000000
20	0.000000
21	0.000000
22	0.000000
23	0.000000
24	0.000000
25	0.000000
26	0.000000
27	0.000000
28	0.000000
29	0.000000
30	0.000000
31	0.000000
32	0.000000
33	0.000000
34	0.000000
35	0.000000
36	0.000000
37	0.000000
38	0.000000
39	0.000000
40	0.000000
41	0.000000
42	0.000000
43	0.000000
44	0.000000
45	0.000000
46	0.000000
47	0.000000
48	0.000000
49	0.000000
50	0.000000
51	0.000000
52	0.000000
53	0.000000
54	0.000000
55	0.000000
56	0.000000
57	0.000000
58	0.000000
59	0.000000
60	0.000000
61	0.000000
62	0.000000
63	0.000000
64	0.000000
65	0.000000
66	0.000000
67	0.000000
68	0.000000
69	0.000000
70	0.000000
71	0.000000
72	0.000000
73	0.000000
74	0.000000
75	0.000000
76	0.000000
77	0.000000
78	0.000000
79	0.000000
80	0.000000
81	0.000000
82	0.000000
83	0.000000
84	0.000000
85	0.000000
86	0.000000
87	0.000000
88	0.000000
89	0.000000
90	0.000000
91	0.000000
92	0.000000
93	0.000000
94	0.000000
95	0.000000
96	0.000000
97	0.000000
98	0.000000
99	0.000000
100	0.000000

[illegible]

Duty Cycle NVNT a 5825MHz

Duty Cycle NVNT n20 5785MHz

Duty Cycle NVNT n40 5755MHz

Duty Cycle NVNT ac20 5745MHz

Duty Cycle NVNT ac20 5825MHz


Duty Cycle NVNT ac40 5795MHz

Maximum Average Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	10.86	0.13	10.99	<=30	Pass
NVNT	a	5785	9.51	0.13	9.64	<=30	Pass
NVNT	a	5825	8.55	0.13	8.68	<=30	Pass
NVNT	n20	5745	8.78	0.14	8.92	<=30	Pass
NVNT	n20	5785	7.6	0.14	7.74	<=30	Pass
NVNT	n20	5825	6.66	0.14	6.8	<=30	Pass
NVNT	n40	5755	8.43	0.27	8.7	<=30	Pass
NVNT	n40	5795	6.88	0.27	7.15	<=30	Pass
NVNT	ac20	5745	6.82	0.14	6.96	<=30	Pass
NVNT	ac20	5785	5.5	0.14	5.64	<=30	Pass
NVNT	ac20	5825	4.47	0.14	4.61	<=30	Pass
NVNT	ac40	5755	5.07	0.27	5.34	<=30	Pass
NVNT	ac40	5795	3.93	0.27	4.2	<=30	Pass
NVNT	ac80	5775	2.96	0.53	3.49	<=30	Pass

Test Graphs


Average Power NVNT a 5745MHz




Average Power NVNT a 5785MHz




Average Power NVNT a 5825MHz




Average Power NVNT n20 5745MHz




Average Power NVNT n20 5785MHz




Average Power NVNT n20 5825MHz




Average Power NVNT n40 5755MHz




Average Power NVNT n40 5795MHz




Average Power NVNT ac20 5745MHz




Average Power NVNT ac20 5785MHz




Average Power NVNT ac20 5825MHz




Average Power NVNT ac40 5755MHz



Average Power NVNT ac40 5795MHz



Average Power NVNT ac80 5775MHz




-6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	15.404	>=0.5	Pass
NVNT	a	5785	15.3	>=0.5	Pass
NVNT	a	5825	16.267	>=0.5	Pass
NVNT	n20	5745	14.964	>=0.5	Pass
NVNT	n20	5785	14.063	>=0.5	Pass
NVNT	n20	5825	15.078	>=0.5	Pass
NVNT	n40	5755	34.995	>=0.5	Pass
NVNT	n40	5795	35.055	>=0.5	Pass
NVNT	ac20	5745	15.084	>=0.5	Pass
NVNT	ac20	5785	16.302	>=0.5	Pass
NVNT	ac20	5825	15.071	>=0.5	Pass
NVNT	ac40	5755	35.076	>=0.5	Pass
NVNT	ac40	5795	33.872	>=0.5	Pass
NVNT	ac80	5775	75.098	>=0.5	Pass



Test Graphs



-6dB Bandwidth NVNT a 5745MHz







-6dB Bandwidth NVNT a 5785MHz







-6dB Bandwidth NVNT a 5825MHz**-6dB Bandwidth NVNT n20 5745MHz**

-6dB Bandwidth NVNT n20 5785MHz**-6dB Bandwidth NVNT n20 5825MHz**

-6dB Bandwidth NVNT n40 5755MHz**-6dB Bandwidth NVNT n40 5795MHz**

-6dB Bandwidth NVNT ac20 5745MHz**-6dB Bandwidth NVNT ac20 5785MHz**

-6dB Bandwidth NVNT ac20 5825MHz**-6dB Bandwidth NVNT ac40 5755MHz**


-6dB Bandwidth NVNT ac40 5795MHz**-6dB Bandwidth NVNT ac80 5775MHz**

2. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5745	16.361
NVNT	a	5785	16.391
NVNT	a	5825	16.4
NVNT	n20	5745	17.526
NVNT	n20	5785	17.544
NVNT	n20	5825	17.535
NVNT	n40	5755	35.934
NVNT	n40	5795	35.983
NVNT	ac20	5745	17.541
NVNT	ac20	5785	17.508
NVNT	ac20	5825	17.517
NVNT	ac40	5755	35.9
NVNT	ac40	5795	35.954
NVNT	ac80	5775	75.156

Test Graphs


OBW NVNT a 5745MHz




OBW NVNT a 5785MHz




OBW NVNT a 5825MHz




OBW NVNT n20 5745MHz




OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz




OBW NVNT n40 5755MHz




OBW NVNT n40 5795MHz




OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz



OBW NVNT ac40 5795MHz



OBW NVNT ac80 5775MHz




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	a	5745	-14.44	<=8	Pass
NVNT	a	5785	-16.19	<=8	Pass
NVNT	a	5825	-18.1	<=8	Pass
NVNT	n20	5745	-16.01	<=8	Pass
NVNT	n20	5785	-16.48	<=8	Pass
NVNT	n20	5825	-18.5	<=8	Pass
NVNT	n40	5755	-18.13	<=8	Pass
NVNT	n40	5795	-19.43	<=8	Pass
NVNT	ac20	5745	-15.64	<=8	Pass
NVNT	ac20	5785	-16.76	<=8	Pass
NVNT	ac20	5825	-17.63	<=8	Pass
NVNT	ac40	5755	-18.22	<=8	Pass
NVNT	ac40	5795	-19.67	<=8	Pass
NVNT	ac80	5775	-22.31	<=8	Pass

Test Graphs


PSD NVNT a 5745MHz




PSD NVNT a 5785MHz




PSD NVNT a 5825MHz




PSD NVNT n20 5745MHz




PSD NVNT n20 5785MHz




PSD NVNT n20 5825MHz




PSD NVNT n40 5755MHz




PSD NVNT n40 5795MHz




PSD NVNT ac20 5745MHz




PSD NVNT ac20 5785MHz




PSD NVNT ac20 5825MHz



PSD NVNT ac40 5755MHz



PSD NVNT ac40 5795MHz



PSD NVNT ac80 5775MHz

