

WCDMA**Conducted output power**

Band	Channel	Frequency (MHz)	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	23.06	-2.8	20.26	33.01	PASS
WCDMA Band2	9400	1880	22.94	-2.8	20.14	33.01	PASS
WCDMA Band2	9538	1907.6	22.92	-2.8	20.12	33.01	PASS
HSDPA Band2 Subtest1	9262	1852.4	22.09	-2.8	19.29	33.01	PASS
HSDPA Band2 Subtest2	9262	1852.4	21.75	-2.8	18.95	33.01	PASS
HSDPA Band2 Subtest3	9262	1852.4	20.45	-2.8	17.65	33.01	PASS
HSDPA Band2 Subtest4	9262	1852.4	20.77	-2.8	17.97	33.01	PASS
HSDPA Band2 Subtest1	9400	1880	21.96	-2.8	19.16	33.01	PASS
HSDPA Band2 Subtest2	9400	1880	21.43	-2.8	18.63	33.01	PASS
HSDPA Band2 Subtest3	9400	1880	20.54	-2.8	17.74	33.01	PASS
HSDPA Band2 Subtest4	9400	1880	20.6	-2.8	17.8	33.01	PASS
HSDPA Band2 Subtest1	9538	1907.6	21.92	-2.8	19.12	33.01	PASS
HSDPA Band2 Subtest2	9538	1907.6	21.47	-2.8	18.67	33.01	PASS
HSDPA Band2 Subtest3	9538	1907.6	20.5	-2.8	17.7	33.01	PASS
HSDPA Band2 Subtest4	9538	1907.6	20.55	-2.8	17.75	33.01	PASS
HSUPA Band2 Subtest1	9262	1852.4	20.7	-2.8	17.9	33.01	PASS
HSUPA Band2 Subtest2	9262	1852.4	21.94	-2.8	19.14	33.01	PASS
HSUPA Band2 Subtest3	9262	1852.4	20.24	-2.8	17.44	33.01	PASS
HSUPA Band2 Subtest4	9262	1852.4	22.07	-2.8	19.27	33.01	PASS
HSUPA Band2 Subtest5	9262	1852.4	20.57	-2.8	17.77	33.01	PASS
HSUPA Band2 Subtest1	9400	1880	21.69	-2.8	18.89	33.01	PASS
HSUPA Band2 Subtest2	9400	1880	21.86	-2.8	19.06	33.01	PASS
HSUPA Band2 Subtest3	9400	1880	20.65	-2.8	17.85	33.01	PASS
HSUPA Band2 Subtest4	9400	1880	21.93	-2.8	19.13	33.01	PASS
HSUPA Band2 Subtest5	9400	1880	21.31	-2.8	18.51	33.01	PASS
HSUPA Band2 Subtest1	9538	1907.6	21.73	-2.8	18.93	33.01	PASS
HSUPA Band2 Subtest2	9538	1907.6	21.79	-2.8	18.99	33.01	PASS
HSUPA Band2 Subtest3	9538	1907.6	20.43	-2.8	17.63	33.01	PASS
HSUPA Band2 Subtest4	9538	1907.6	21.91	-2.8	19.11	33.01	PASS
HSUPA Band2 Subtest5	9538	1907.6	21.2	-2.8	18.4	33.01	PASS
WCDMA Band4	1312	1712.4	22.75	-3.3	19.45	33.01	PASS
WCDMA Band4	1450	1740	22.7	-3.3	19.4	33.01	PASS
WCDMA Band4	1513	1752.6	22.69	-3.3	19.39	33.01	PASS
HSDPA Band4 Subtest1	1312	1712.4	21.76	-3.3	18.46	33.01	PASS
HSDPA Band4 Subtest2	1312	1712.4	21.32	-3.3	18.02	33.01	PASS
HSDPA Band4 Subtest3	1312	1712.4	20.18	-3.3	16.88	33.01	PASS
HSDPA Band4 Subtest4	1312	1712.4	20.49	-3.3	17.19	33.01	PASS
HSDPA Band4 Subtest1	1450	1740	21.68	-3.3	18.38	33.01	PASS
HSDPA Band4 Subtest2	1450	1740	21.04	-3.3	17.74	33.01	PASS
HSDPA Band4 Subtest3	1450	1740	20.38	-3.3	17.08	33.01	PASS
HSDPA Band4 Subtest4	1450	1740	20.4	-3.3	17.1	33.01	PASS
HSDPA Band4 Subtest1	1513	1752.6	21.71	-3.3	18.41	33.01	PASS
HSDPA Band4 Subtest2	1513	1752.6	21.12	-3.3	17.82	33.01	PASS
HSDPA Band4 Subtest3	1513	1752.6	19.86	-3.3	16.56	33.01	PASS
HSDPA Band4 Subtest4	1513	1752.6	20.23	-3.3	16.93	33.01	PASS
HSUPA Band4 Subtest1	1312	1712.4	20.28	-3.3	16.98	33.01	PASS
HSUPA Band4 Subtest2	1312	1712.4	21.73	-3.3	18.43	33.01	PASS
HSUPA Band4 Subtest3	1312	1712.4	20	-3.3	16.7	33.01	PASS
HSUPA Band4 Subtest4	1312	1712.4	21.75	-3.3	18.45	33.01	PASS
HSUPA Band4 Subtest5	1312	1712.4	20.6	-3.3	17.3	33.01	PASS
HSUPA Band4 Subtest1	1450	1740	21.51	-3.3	18.21	33.01	PASS
HSUPA Band4 Subtest2	1450	1740	21.57	-3.3	18.27	33.01	PASS
HSUPA Band4 Subtest3	1450	1740	20.5	-3.3	17.2	33.01	PASS
HSUPA Band4 Subtest4	1450	1740	21.69	-3.3	18.39	33.01	PASS
HSUPA Band4 Subtest5	1450	1740	21.01	-3.3	17.71	33.01	PASS
HSUPA Band4 Subtest1	1513	1752.6	21.48	-3.3	18.18	33.01	PASS
HSUPA Band4 Subtest2	1513	1752.6	21.67	-3.3	18.37	33.01	PASS
HSUPA Band4 Subtest3	1513	1752.6	20.45	-3.3	17.15	33.01	PASS
HSUPA Band4 Subtest4	1513	1752.6	21.7	-3.3	18.4	33.01	PASS
HSUPA Band4 Subtest5	1513	1752.6	20.97	-3.3	17.67	33.01	PASS

Band	Channel	Frequency (MHz)	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
WCDMA Band5	4132	826.4	23.27	-2.1	19.02	38.45	PASS
WCDMA Band5	4182	836.4	23.32	-2.1	19.07	38.45	PASS
WCDMA Band5	4233	846.6	23.4	-2.1	19.15	38.45	PASS
HSDPA Band5 Subtest1	4132	826.4	22.27	-2.1	18.02	38.45	PASS
HSDPA Band5 Subtest2	4132	826.4	21.88	-2.1	17.63	38.45	PASS
HSDPA Band5 Subtest3	4132	826.4	20.86	-2.1	16.61	38.45	PASS
HSDPA Band5 Subtest4	4132	826.4	20.79	-2.1	16.54	38.45	PASS
HSDPA Band5 Subtest1	4182	836.4	22.33	-2.1	18.08	38.45	PASS
HSDPA Band5 Subtest2	4182	836.4	21.72	-2.1	17.47	38.45	PASS
HSDPA Band5 Subtest3	4182	836.4	20.83	-2.1	16.58	38.45	PASS
HSDPA Band5 Subtest4	4182	836.4	20.47	-2.1	16.22	38.45	PASS
HSDPA Band5 Subtest1	4233	846.6	22.4	-2.1	18.15	38.45	PASS
HSDPA Band5 Subtest2	4233	846.6	22.12	-2.1	17.87	38.45	PASS
HSDPA Band5 Subtest3	4233	846.6	20.63	-2.1	16.38	38.45	PASS
HSDPA Band5 Subtest4	4233	846.6	20.75	-2.1	16.5	38.45	PASS
HSUPA Band5 Subtest1	4132	826.4	21.27	-2.1	17.02	38.45	PASS
HSUPA Band5 Subtest2	4132	826.4	22.24	-2.1	17.99	38.45	PASS
HSUPA Band5 Subtest3	4132	826.4	20.31	-2.1	16.06	38.45	PASS
HSUPA Band5 Subtest4	4132	826.4	22.26	-2.1	18.01	38.45	PASS
HSUPA Band5 Subtest5	4132	826.4	20.72	-2.1	16.47	38.45	PASS
HSUPA Band5 Subtest1	4182	836.4	22.14	-2.1	17.89	38.45	PASS
HSUPA Band5 Subtest2	4182	836.4	22.2	-2.1	17.95	38.45	PASS
HSUPA Band5 Subtest3	4182	836.4	20.88	-2.1	16.63	38.45	PASS
HSUPA Band5 Subtest4	4182	836.4	22.33	-2.1	18.08	38.45	PASS
HSUPA Band5 Subtest5	4182	836.4	21.75	-2.1	17.5	38.45	PASS
HSUPA Band5 Subtest1	4233	846.6	22.23	-2.1	17.98	38.45	PASS
HSUPA Band5 Subtest2	4233	846.6	22.37	-2.1	18.12	38.45	PASS
HSUPA Band5 Subtest3	4233	846.6	21.06	-2.1	16.81	38.45	PASS

HSUPA Band5 Subtest4	4233	846.6	22.4	-2.1	18.15	38.45	PASS
HSUPA Band5 Subtest5	4233	846.6	21.66	-2.1	17.41	38.45	PASS


Frequency stability

Band	Channel	Frequency (MHz)	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
WCDMA Band2	9262	1852.4	2.32	0.001	-2.5	2.5	PASS
WCDMA Band2	9400	1880	-3.53	-0.002	-2.5	2.5	PASS
WCDMA Band2	9538	1907.6	-6.31	-0.003	-2.5	2.5	PASS
WCDMA Band4	1312	1712.4	4.39	0.003	-2.5	2.5	PASS
WCDMA Band4	1450	1740	-5.38	-0.003	-2.5	2.5	PASS
WCDMA Band4	1513	1752.6	-8.33	-0.005	-2.5	2.5	PASS
WCDMA Band5	4132	826.4	-1.47	-0.002	-2.5	2.5	PASS
WCDMA Band5	4182	836.4	-1.66	-0.002	-2.5	2.5	PASS
WCDMA Band5	4233	846.6	-4.26	-0.005	-2.5	2.5	PASS


Peak-to-Average Ratio



Band	Channel	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
WCDMA Band2	9262	1852.4	3.02	13	PASS
WCDMA Band2	9400	1880	3.03	13	PASS
WCDMA Band2	9538	1907.6	3.01	13	PASS
WCDMA Band4	1312	1712.4	2.98	13	PASS
WCDMA Band4	1450	1740	3.01	13	PASS
WCDMA Band4	1513	1752.6	3.07	13	PASS
WCDMA Band5	4132	826.4	3.04	13	PASS
WCDMA Band5	4182	836.4	2.99	13	PASS
WCDMA Band5	4233	846.6	3.01	13	PASS



WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400












Occupied bandwidth


Band	Channel	Frequency (MHz)	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
WCDMA Band2	9262	1852.4	4.167	4.707	PASS
WCDMA Band2	9400	1880	4.169	4.684	PASS
WCDMA Band2	9538	1907.6	4.149	4.687	PASS
WCDMA Band4	1312	1712.4	4.154	4.669	PASS
WCDMA Band4	1450	1740	4.149	4.664	PASS
WCDMA Band4	1513	1752.6	4.144	4.702	PASS
WCDMA Band5	4132	826.4	4.141	4.687	PASS
WCDMA Band5	4182	836.4	4.152	4.680	PASS
WCDMA Band5	4233	846.6	4.147	4.718	PASS




WCDMA Band2 Channel=9538







WCDMA Band4 Channel=1312



WCDMA Band4 Channel=1450







Band edge

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	1850.00	-23.58	-13	PASS
WCDMA Band2	9538	1907.6	1910.00	-24.76	-13	PASS
WCDMA Band4	1312	1712.4	1710.00	-23.44	-13	PASS
WCDMA Band4	1513	1752.6	1755.00	-25.45	-13	PASS
WCDMA Band5	4132	826.4	824.00	-24.09	-13	PASS
WCDMA Band5	4233	846.6	849.00	-22.55	-13	PASS

WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9538



WCDMA Band4 Channel=1312







SPURIOUS EMISSIONS AT ANTENNA TERMINALS

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	19349.48	-26.09	-13	PASS
WCDMA Band2	9400	1880	19409.89	-25.67	-13	PASS
WCDMA Band2	9538	1907.6	19452.32	-26.31	-13	PASS
WCDMA Band4	1312	1712.4	19856.72	-26.56	-13	PASS
WCDMA Band4	1450	1740	19799.80	-26.94	-13	PASS
WCDMA Band4	1513	1752.6	19326.01	-25.88	-13	PASS
WCDMA Band5	4132	826.4	3830.56	-28.90	-13	PASS
WCDMA Band5	4182	836.4	3783.95	-28.45	-13	PASS
WCDMA Band5	4233	846.6	3762.52	-29.45	-13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4182






FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	141.914MHz	-76.66	-13.00	-63.66	PK	Hor
2*	334.216MHz	-75.27	-13.00	-62.27	PK	Hor
3*	966.778MHz	-60.46	-13.00	-47.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.524MHz	-75.66	-13.00	-62.66	PK	Ver
2*	600.603MHz	-61.95	-13.00	-48.95	PK	Ver
3*	978.781MHz	-60.98	-13.00	-47.98	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.521MHz	-74.94	-13.00	-61.94	PK	Hor
2*	167.498MHz	-76.00	-13.00	-63.00	PK	Hor
3*	984.844MHz	-62.79	-13.00	-49.79	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.739MHz	-75.61	-13.00	-62.61	PK	Ver
2*	600.603MHz	-61.80	-13.00	-48.80	PK	Ver
3*	990.058MHz	-61.37	-13.00	-48.37	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.916MHz	-76.38	-13.00	-63.38	PK	Hor
2*	416.060MHz	-73.10	-13.00	-60.10	PK	Hor
3*	988.481MHz	-62.13	-13.00	-49.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.674MHz	-76.82	-13.00	-63.82	PK	Ver
2*	600.603MHz	-62.23	-13.00	-49.23	PK	Ver
3*	952.834MHz	-61.71	-13.00	-48.71	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.250MHz	-76.29	-13.00	-63.29	PK	Hor
2*	463.348MHz	-72.31	-13.00	-59.31	PK	Hor
3*	987.996MHz	-61.41	-13.00	-48.41	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.371MHz	-76.72	-13.00	-63.72	PK	Ver
2*	600.724MHz	-62.94	-13.00	-49.94	PK	Ver
3*	966.414MHz	-61.79	-13.00	-48.79	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.190MHz	-77.60	-13.00	-64.60	PK	Hor
2*	600.966MHz	-67.23	-13.00	-54.23	PK	Hor
3*	925.916MHz	-62.15	-13.00	-49.15	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.496MHz	-75.95	-13.00	-62.95	PK	Ver
2*	600.603MHz	-62.89	-13.00	-49.89	PK	Ver
3*	990.906MHz	-61.14	-13.00	-48.14	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 4 Highest	
Note:	





No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.765MHz	-76.67	-13.00	-63.67	PK	Hor
2*	622.549MHz	-67.76	-13.00	-54.76	PK	Hor
3*	967.141MHz	-62.64	-13.00	-49.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.464MHz	-75.62	-13.00	-62.62	PK	Ver
2*	600.481MHz	-63.06	-13.00	-50.06	PK	Ver
3*	982.783MHz	-61.09	-13.00	-48.09	PK	Ver


Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 5 Lowest	
Note:	



Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.825MHz	-77.39	-13.00	-64.39	PK	Hor
2*	673.716MHz	-64.31	-13.00	-51.31	PK	Hor
3*	995.878MHz	-61.81	-13.00	-48.81	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.739MHz	-76.32	-13.00	-63.32	PK	Ver
2*	600.724MHz	-62.81	-13.00	-49.81	PK	Ver
3*	999.394MHz	-61.40	-13.00	-48.40	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
--------------------	--------------------------

EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-16
Test Mode: WCDMA Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	173.560MHz	-77.30	-13.00	-64.30	PK	Hor
2*	501.299MHz	-71.00	-13.00	-58.00	PK	Hor
3*	952.228MHz	-61.85	-13.00	-48.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.130MHz	-77.06	-13.00	-64.06	PK	Ver
2*	600.481MHz	-63.44	-13.00	-50.44	PK	Ver
3*	995.150MHz	-61.66	-13.00	-48.66	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.710GHz	-52.93	-13.00	-39.93	PK	Hor
2*	4.851GHz	-44.48	-13.00	-31.48	PK	Hor
3*	16.332GHz	-35.66	-13.00	-22.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.184GHz	-45.60	-13.00	-32.60	PK	Ver
2*	11.353GHz	-38.64	-13.00	-25.64	PK	Ver
3*	17.964GHz	-35.94	-13.00	-22.94	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.237GHz	-45.07	-13.00	-32.07	PK	Hor
2*	9.477GHz	-39.80	-13.00	-26.80	PK	Hor
3*	17.947GHz	-35.65	-13.00	-22.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.270GHz	-45.32	-13.00	-32.32	PK	Ver
2*	8.858GHz	-40.64	-13.00	-27.64	PK	Ver
3*	16.347GHz	-35.83	-13.00	-22.83	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.878GHz	-53.51	-13.00	-40.51	PK	Hor
2*	4.797GHz	-44.90	-13.00	-31.90	PK	Hor
3*	17.853GHz	-35.98	-13.00	-22.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.689GHz	-53.90	-13.00	-40.90	PK	Ver
2*	4.710GHz	-45.13	-13.00	-32.13	PK	Ver
3*	14.757GHz	-36.12	-13.00	-23.12	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.626GHz	-48.63	-13.00	-35.63	PK	Hor
2*	8.078GHz	-41.32	-13.00	-28.32	PK	Hor
3*	15.888GHz	-36.36	-13.00	-23.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.254GHz	-43.87	-13.00	-30.87	PK	Ver
2*	8.142GHz	-40.55	-13.00	-27.55	PK	Ver
3*	14.414GHz	-35.32	-13.00	-22.32	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.610GHz	-49.12	-13.00	-36.12	PK	Hor
2*	5.824GHz	-45.58	-13.00	-32.58	PK	Hor
3*	14.304GHz	-36.51	-13.00	-23.51	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.260GHz	-44.79	-13.00	-31.79	PK	Ver
2*	8.930GHz	-40.40	-13.00	-27.40	PK	Ver
3*	16.322GHz	-36.35	-13.00	-23.35	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.714GHz	-45.28	-13.00	-32.28	PK	Hor
2*	8.470GHz	-40.62	-13.00	-27.62	PK	Hor
3*	14.300GHz	-36.31	-13.00	-23.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.622GHz	-44.98	-13.00	-31.98	PK	Ver
2*	7.960GHz	-41.18	-13.00	-28.18	PK	Ver
3*	14.992GHz	-36.23	-13.00	-23.23	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.585GHz	-48.76	-13.00	-35.76	PK	Hor
2*	4.691GHz	-44.77	-13.00	-31.77	PK	Hor
3*	8.990GHz	-40.54	-13.00	-27.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.236GHz	-55.25	-13.00	-42.25	PK	Ver
2*	3.952GHz	-48.37	-13.00	-35.37	PK	Ver
3*	8.862GHz	-39.84	-13.00	-26.84	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.421GHz	-54.24	-13.00	-41.24	PK	Hor
2*	4.677GHz	-44.45	-13.00	-31.45	PK	Hor
3*	8.863GHz	-40.28	-13.00	-27.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.624GHz	-48.62	-13.00	-35.62	PK	Ver
2*	4.620GHz	-44.88	-13.00	-31.88	PK	Ver
3*	8.922GHz	-40.37	-13.00	-27.37	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 20°C
M/N: TickTock-S	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2022-12-17
Test Mode: WCDMA Band 5 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.837GHz	-53.53	-13.00	-40.53	PK	Hor
2*	4.792GHz	-44.46	-13.00	-31.46	PK	Hor
3*	8.923GHz	-40.45	-13.00	-27.45	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.782GHz	-53.12	-13.00	-40.12	PK	Ver
2*	4.226GHz	-46.41	-13.00	-33.41	PK	Ver
3*	8.978GHz	-40.34	-13.00	-27.34	PK	Ver

CDMA
CONDUCTED OUTPUT POWER

CDMA BC0							
Mode	Frequency (MHz)	Conducti on AVG Power(d Bm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit (W)	ERP Limit (dBm)	Conclusi on
CDMA BC0	824.70	25.78	-2.1	21.53	7	38.45	PASS
	836.52	25.77	-2.1	21.52	7	38.45	PASS
	848.31	25.85	-2.1	21.6	7	38.45	PASS
EVDO BC0	824.70	26.74	-2.1	22.49	7	38.45	PASS
	836.52	24.7	-2.1	20.45	7	38.45	PASS
	848.31	25.6	-2.1	21.35	7	38.45	PASS

CDMA BC1							
Mode	Frequency (MHz)	Conducti on AVG Power(d Bm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dB m)	Conclusi on
CDMA BC1	1851.25	23.81	-2.8	18.86	2	33.01	PASS
	1880.00	24.1	-2.8	19.15	2	33.01	PASS
	1908.75	22.89	-2.8	17.94	2	33.01	PASS
EVDO BC1	1851.25	23.57	-2.8	18.62	2	33.01	PASS
	1880.00	23.75	-2.8	18.8	2	33.01	PASS
	1908.75	22.86	-2.8	17.91	2	33.01	PASS

Frequency stability

CDMA BC0					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	26.50	0.032	2.5ppm	PASS
40		22.70	0.027		
30		34.17	0.041		
20		19.97	0.024		
10		25.24	0.030		
0		22.91	0.027		
-10		18.28	0.022		
-20		27.14	0.032		
-30		18.77	0.022		
20	Maximum Voltage	29.07	0.035		
20	BEP	17.61	0.021		

CDMA BC1					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	11.95	0.014	Within Authorized Band	PASS
40		24.55	0.029		
30		11.78	0.014		
20		31.87	0.038		
10		26.58	0.032		
0		11.52	0.014		
-10		15.23	0.018		
-20		34.74	0.042		
-30		35.50	0.042		
20	Maximum Voltage	17.84	0.021		
20	BEP	33.19	0.040		

EVDO BC0					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	20.75	0.025	2.5ppm	PASS
40		16.58	0.020		
30		18.08	0.022		
20		25.15	0.030		
10		17.02	0.020		
0		14.90	0.018		
-10		13.45	0.016		
-20		30.28	0.036		
-30		31.51	0.038		
20	Maximum Voltage	22.11	0.026		
20	BEP	34.35	0.041		


EVDO BC1					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	13.86	0.007	Within Authorized Band	PASS
40		22.58	0.012		
30		27.62	0.015		
20		20.84	0.011		
10		31.51	0.017		
0		14.40	0.008		
-10		22.70	0.012		
-20		32.45	0.017		
-30		21.66	0.012		
20	Maximum Voltage	33.89	0.018		
20	BEP	28.25	0.015		

Peak-to-Average Ratio


Band	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
CDMA BC0	824.7	6.35	13	PASS
CDMA BC0	836.5	6.37	13	PASS
CDMA BC0	848.3	5.60	13	PASS
EVDO BC0	824.7	5.64	13	PASS
EVDO BC0	836.5	5.82	13	PASS
EVDO BC0	848.3	5.75	13	PASS

Band	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
CDMA BC1	1851.25	5.37	13	PASS
CDMA BC1	1880	5.69	13	PASS
CDMA BC1	1908.75	6.25	13	PASS
EVDO BC1	1851.25	4.76	13	PASS
EVDO BC1	1880	6.61	13	PASS
EVDO BC1	1908.75	5.11	13	PASS


CDMA BC0 824.7MHz




CDMA BC0 836.5MHz




CDMA BC0 848.3MHz




EVDO BC0 824.7MHz




EVDO BC0 836.5MHz




EVDO BC0 824.7MHz




CDMA BC1 1851.25MHz




CDMA BC1 1880MHz




CDMA BC1 1908.75MHz




EVDO BC1 1851.25MHz



EVDO BC1 1880MHz




EVDO BC1 1908.75MHz




Occupied Bandwidth (99% Occupied Bandwidth/26dB Bandwidth)

CDMA Bandwidth [MHz]						
Mode	Lowest		Middle		Highest	
	99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
BC0	1.2775	1.428	1.2702	1.415	1.2735	1.452
BC0-EVDO	1.2772	1.421	1.2726	1.418	1.2764	1.432
BC1	1.2775	1.525	1.2769	1.431	1.2782	1.434
BC1-EVDO	1.2751	1.609	1.2772	1.442	1.2748	1.428


BC0_CDMA_Lower




BC0_CDMA_Middle




BC0_CDMA_Higher




BC0_EVDO_Lower




BC0_EVDO_Middle




BC0_EVDO_Higher




BC0_CDMA_Lower




BC0_CDMA_Middle




BC0_CDMA_Higher




BC0_EVDO_Lower



BC0_EVDO_Middle




BC0_EVDO_Higher





Band edge



CDMA_BC0_Low_Band edge





CDMA_BC0_High_Band edge





EVDO_BC0_Low_Band edge





EVDO_BC0_High_Band edge





CDMA_BC1_Low_Band edge





CDMA_BC1_High_Band edge




EVDO_BC1_Low_Band edge




EVDO_BC1_High_Band edge




SPURIOUS EMISSIONS AT ANTENNA TERMINALS
CDMA BC0_Low




CDMA BC0_Middle




CDMA BC0_Higher




CDMA BC1_Low




CDMA BC1_Middle




CDMA BC1_Higher




EVDO BC0_Low




EVDO BC0_Middle




EVDO BC0_Higher




EVDO BC1_Low



EVDO BC1_Middle




EVDO BC1_High




FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 25.5°C
M/N: TickTock-S	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-02-21
Test Mode: CDMA BC0 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.371MHz	-71.02	-13.00	-58.02	PK	Hor
2*	467.228MHz	-66.02	-13.00	-53.02	PK	Hor
3*	855.106MHz	-57.32	-13.00	-44.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.038MHz	-69.28	-13.00	-56.28	PK	Ver
2*	445.281MHz	-67.31	-13.00	-54.31	PK	Ver
3*	938.284MHz	-54.74	-13.00	-41.74	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 25.5°C
M/N: TickTock-S	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-02-21
Test Mode: CDMA BC0 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	173.803MHz	-70.96	-13.00	-57.96	PK	Hor
2*	286.444MHz	-70.02	-13.00	-57.02	PK	Hor
3*	675.414MHz	-59.62	-13.00	-46.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.008MHz	-70.51	-13.00	-57.51	PK	Ver
2*	481.656MHz	-66.44	-13.00	-53.44	PK	Ver
3*	992.361MHz	-52.90	-13.00	-39.90	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 25.5°C
M/N: TickTock-S	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-02-21
Test Mode: CDMA BC0 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	141.793MHz	-71.19	-13.00	-58.19	PK	Hor
2*	352.283MHz	-68.84	-13.00	-55.84	PK	Hor
3*	656.863MHz	-58.09	-13.00	-45.09	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	173.075MHz	-71.10	-13.00	-58.10	PK	Ver
2*	602.300MHz	-60.01	-13.00	-47.01	PK	Ver
3*	985.935MHz	-54.46	-13.00	-41.46	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
--------------------	--------------------------

EUT: Smart phone	Temperature: 25.5°C
M/N: TickTock-S	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-02-21
Test Mode: CDMA BC1 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	165.315MHz	-70.42	-13.00	-57.42	PK	Hor
2*	328.639MHz	-69.90	-13.00	-56.90	PK	Hor
3*	961.443MHz	-54.73	-13.00	-41.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.313MHz	-70.63	-13.00	-57.63	PK	Ver
2*	349.251MHz	-68.48	-13.00	-55.48	PK	Ver
3*	999.151MHz	-53.61	-13.00	-40.61	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 25.5°C
M/N: TickTock-S	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-02-21
Test Mode: CDMA BC1 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	159.374MHz	-70.57	-13.00	-57.57	PK	Hor
2*	707.788MHz	-57.66	-13.00	-44.66	PK	Hor
3*	993.695MHz	-55.16	-13.00	-42.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.250MHz	-71.20	-13.00	-58.20	PK	Ver
2*	652.376MHz	-58.77	-13.00	-45.77	PK	Ver
3*	978.660MHz	-55.46	-13.00	-42.46	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 25.5°C
M/N: TickTock-S	Humidity: 46%RH
Test Voltage: Battery	Test Data: 2023-02-21
Test Mode: CDMA BC1 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.706MHz	-71.18	-13.00	-58.18	PK	Hor
2*	725.854MHz	-58.39	-13.00	-45.39	PK	Hor
3*	984.723MHz	-54.43	-13.00	-41.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.886MHz	-69.49	-13.00	-56.49	PK	Ver
2*	678.809MHz	-59.04	-13.00	-46.04	PK	Ver
3*	982.176MHz	-54.22	-13.00	-41.22	PK	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
--------------------	--------------------------

EUT: Smart phone	Temperature: 24.8°C
M/N: TickTock-S	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-02-22
Test Mode: CDMA BC0 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.502GHz	-58.89	-13.00	-45.89	AV	Hor
2*	4.815GHz	-55.78	-13.00	-42.78	AV	Hor
3*	7.584GHz	-52.03	-13.00	-39.03	AV	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.780GHz	-58.44	-13.00	-45.44	AV	Ver
2*	4.841GHz	-55.83	-13.00	-42.83	AV	Ver
3*	8.867GHz	-50.64	-13.00	-37.64	AV	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: TickTock-S	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-02-22
Test Mode: CDMA BC0 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.499GHz	-58.25	-13.00	-45.25	AV	Hor
2*	4.778GHz	-55.72	-13.00	-42.72	AV	Hor
3*	8.991GHz	-50.72	-13.00	-37.72	AV	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.494GHz	-58.83	-13.00	-45.83	AV	Ver
2*	4.837GHz	-55.76	-13.00	-42.76	AV	Ver
3*	7.586GHz	-52.22	-13.00	-39.22	AV	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: TickTock-S	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-02-22
Test Mode: CDMA BC0 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.534GHz	-58.56	-13.00	-45.56	AV	Hor
2*	4.852GHz	-55.69	-13.00	-42.69	AV	Hor
3*	7.596GHz	-51.55	-13.00	-38.55	AV	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.489GHz	-58.97	-13.00	-45.97	AV	Ver
2*	4.738GHz	-55.92	-13.00	-42.92	AV	Ver
3*	8.123GHz	-51.61	-13.00	-38.61	AV	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: TickTock-S	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-02-22
Test Mode: CDMA BC1 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.131GHz	-58.49	-13.00	-45.49	AV	Hor
2*	9.413GHz	-49.88	-13.00	-36.88	AV	Hor
3*	14.405GHz	-47.23	-13.00	-34.23	AV	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.831GHz	-56.15	-13.00	-43.15	AV	Ver
2*	9.464GHz	-49.87	-13.00	-36.87	AV	Ver
3*	16.370GHz	-46.00	-13.00	-33.00	AV	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: TickTock-S	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-02-22
Test Mode: CDMA BC1 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.806GHz	-56.02	-13.00	-43.02	AV	Hor
2*	9.462GHz	-50.07	-13.00	-37.07	AV	Hor
3*	14.413GHz	-46.99	-13.00	-33.99	AV	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.053GHz	-58.46	-13.00	-45.46	AV	Ver
2*	11.342GHz	-48.83	-13.00	-35.83	AV	Ver
3*	16.381GHz	-46.17	-13.00	-33.17	AV	Ver

Project: LGT22K048	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: TickTock-S	Humidity: 44%RH
Test Voltage: Battery	Test Data: 2023-02-22
Test Mode: CDMA BC1 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.848GHz	-56.08	-13.00	-43.08	AV	Hor
2*	9.409GHz	-50.02	-13.00	-37.02	AV	Hor
3*	16.466GHz	-46.59	-13.00	-33.59	AV	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.800GHz	-55.56	-13.00	-42.56	AV	Ver
2*	11.355GHz	-48.93	-13.00	-35.93	AV	Ver
3*	16.464GHz	-46.52	-13.00	-33.52	AV	Ver

APPENDIX II- PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※※END OF THE REPORT※※※※※