



































































































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	2.47	0	2.47	11	Pass
NVNT	a	5200	Ant1	3.03	0	3.03	11	Pass
NVNT	a	5240	Ant1	3.64	0	3.64	11	Pass
NVNT	a	5260	Ant1	1.82	0	1.82	11	Pass
NVNT	a	5300	Ant1	3.61	0	3.61	11	Pass
NVNT	a	5320	Ant1	3.48	0	3.48	11	Pass
NVNT	a	5500	Ant1	4.03	0	4.03	11	Pass
NVNT	a	5580	Ant1	4.36	0	4.36	11	Pass
NVNT	a	5700	Ant1	3.87	0	3.87	11	Pass
NVNT	a	5180	Ant2	2.24	0	2.24	11	Pass
NVNT	a	5200	Ant2	4.46	0	4.46	11	Pass
NVNT	a	5240	Ant2	2.86	0	2.86	11	Pass
NVNT	a	5260	Ant2	3.37	0	3.37	11	Pass
NVNT	a	5300	Ant2	3.32	0	3.32	11	Pass
NVNT	a	5320	Ant2	4.03	0	4.03	11	Pass
NVNT	a	5500	Ant2	2.95	0	2.95	11	Pass
NVNT	a	5580	Ant2	3.8	0	3.8	11	Pass
NVNT	a	5700	Ant2	3.03	0	3.03	11	Pass
NVNT	n20	5180	Ant1	2.09	0	2.09	11	Pass
NVNT	n20	5200	Ant1	1.95	0	1.95	11	Pass
NVNT	n20	5240	Ant1	2.53	0	2.53	11	Pass
NVNT	n20	5260	Ant1	2.73	0	2.73	11	Pass
NVNT	n20	5300	Ant1	2.01	0	2.01	11	Pass
NVNT	n20	5320	Ant1	1.85	0	1.85	11	Pass
NVNT	n20	5500	Ant1	2.56	0	2.56	11	Pass
NVNT	n20	5580	Ant1	2.8	0	2.8	11	Pass
NVNT	n20	5700	Ant1	2.12	0	2.12	11	Pass
NVNT	n20	5180	Ant2	2.21	0	2.21	11	Pass
NVNT	n20	5200	Ant2	3.21	0	3.21	11	Pass
NVNT	n20	5240	Ant2	2.42	0	2.42	11	Pass
NVNT	n20	5260	Ant2	2.79	0	2.79	11	Pass
NVNT	n20	5300	Ant2	2.34	0	2.34	11	Pass
NVNT	n20	5320	Ant2	2.55	0	2.55	11	Pass
NVNT	n20	5500	Ant2	2.06	0	2.06	11	Pass
NVNT	n20	5580	Ant2	3.32	0	3.32	11	Pass
NVNT	n20	5700	Ant2	2.09	0	2.09	11	Pass
NVNT	n20	5180	Ant1	-2.92	0	-2.92	11	Pass
NVNT	n20	5180	Ant2	-2.46	0	-2.46	11	Pass
NVNT	n20	5180	MIMO	0.33	0	0.33	11	Pass
NVNT	n20	5200	Ant1	0.21	0	0.21	11	Pass
NVNT	n20	5200	Ant2	-2.07	0	-2.07	11	Pass
NVNT	n20	5200	MIMO	2.23	0	2.23	11	Pass
NVNT	n20	5240	Ant1	1.77	0	1.77	11	Pass
NVNT	n20	5240	Ant2	-1.81	0	-1.81	11	Pass
NVNT	n20	5240	MIMO	3.35	0	3.35	11	Pass
NVNT	n20	5260	Ant1	-2.31	0	-2.31	11	Pass
NVNT	n20	5260	Ant2	-2.28	0	-2.28	11	Pass
NVNT	n20	5260	MIMO	0.72	0	0.72	11	Pass
NVNT	n20	5300	Ant1	-3.49	0	-3.49	11	Pass
NVNT	n20	5300	Ant2	-3.01	0	-3.01	11	Pass



NVNT	n20	5300	MIMO	-0.23	0	-0.23	11	Pass
NVNT	n20	5320	Ant1	-0.67	0	-0.67	11	Pass
NVNT	n20	5320	Ant2	-2.74	0	-2.74	11	Pass
NVNT	n20	5320	MIMO	1.43	0	1.43	11	Pass
NVNT	n20	5500	Ant1	-2.58	0	-2.58	11	Pass
NVNT	n20	5500	Ant2	-3.58	0	-3.58	11	Pass
NVNT	n20	5500	MIMO	-0.04	0	-0.04	11	Pass
NVNT	n20	5580	Ant1	-2.04	0	-2.04	11	Pass
NVNT	n20	5580	Ant2	-3.04	0	-3.04	11	Pass
NVNT	n20	5580	MIMO	0.5	0	0.5	11	Pass
NVNT	n20	5700	Ant1	-2.14	0	-2.14	11	Pass
NVNT	n20	5700	Ant2	-2.66	0	-2.66	11	Pass
NVNT	n20	5700	MIMO	0.62	0	0.62	11	Pass
NVNT	n40	5190	Ant1	0.04	0	0.04	11	Pass
NVNT	n40	5230	Ant1	0.09	0	0.09	11	Pass
NVNT	n40	5270	Ant1	0.32	0	0.32	11	Pass
NVNT	n40	5310	Ant1	-0.12	0	-0.12	11	Pass
NVNT	n40	5510	Ant1	-0.56	0	-0.56	11	Pass
NVNT	n40	5550	Ant1	-0.05	0	-0.05	11	Pass
NVNT	n40	5670	Ant1	0.52	0	0.52	11	Pass
NVNT	n40	5190	Ant2	0.47	0	0.47	11	Pass
NVNT	n40	5230	Ant2	0.04	0	0.04	11	Pass
NVNT	n40	5270	Ant2	0.28	0	0.28	11	Pass
NVNT	n40	5310	Ant2	0.38	0	0.38	11	Pass
NVNT	n40	5510	Ant2	-1.3	0	-1.3	11	Pass
NVNT	n40	5550	Ant2	-1.24	0	-1.24	11	Pass
NVNT	n40	5670	Ant2	-0.2	0	-0.2	11	Pass
NVNT	n40	5190	Ant1	-3.87	0	-3.87	11	Pass
NVNT	n40	5190	Ant2	-4.92	0	-4.92	11	Pass
NVNT	n40	5190	MIMO	-1.35	0	-1.35	11	Pass
NVNT	n40	5230	Ant1	-1.1	0	-1.1	11	Pass
NVNT	n40	5230	Ant2	-4.85	0	-4.85	11	Pass
NVNT	n40	5230	MIMO	0.43	0	0.43	11	Pass
NVNT	n40	5270	Ant1	-7.16	0	-7.16	11	Pass
NVNT	n40	5270	Ant2	-5.03	0	-5.03	11	Pass
NVNT	n40	5270	MIMO	-2.96	0	-2.96	11	Pass
NVNT	n40	5310	Ant1	-3.71	0	-3.71	11	Pass
NVNT	n40	5310	Ant2	-5.16	0	-5.16	11	Pass
NVNT	n40	5310	MIMO	-1.36	0	-1.36	11	Pass
NVNT	n40	5510	Ant1	-7.77	0	-7.77	11	Pass
NVNT	n40	5510	Ant2	-6.51	0	-6.51	11	Pass
NVNT	n40	5510	MIMO	-4.08	0	-4.08	11	Pass
NVNT	n40	5550	Ant1	-4.18	0	-4.18	11	Pass
NVNT	n40	5550	Ant2	-6.26	0	-6.26	11	Pass
NVNT	n40	5550	MIMO	-2.09	0	-2.09	11	Pass
NVNT	n40	5670	Ant1	-4.24	0	-4.24	11	Pass
NVNT	n40	5670	Ant2	-5.33	0	-5.33	11	Pass
NVNT	n40	5670	MIMO	-1.74	0	-1.74	11	Pass
NVNT	ac20	5180	Ant1	1.6	0	1.6	11	Pass
NVNT	ac20	5200	Ant1	1.74	0	1.74	11	Pass
NVNT	ac20	5240	Ant1	2.41	0	2.41	11	Pass
NVNT	ac20	5260	Ant1	2.57	0	2.57	11	Pass
NVNT	ac20	5300	Ant1	2.01	0	2.01	11	Pass
NVNT	ac20	5320	Ant1	1.94	0	1.94	11	Pass
NVNT	ac20	5500	Ant1	2.59	0	2.59	11	Pass
NVNT	ac20	5580	Ant1	3.03	0	3.03	11	Pass



NVNT	ac20	5700	Ant1	2.61	0	2.61	11	Pass
NVNT	ac20	5180	Ant2	2.17	0	2.17	11	Pass
NVNT	ac20	5200	Ant2	2.69	0	2.69	11	Pass
NVNT	ac20	5240	Ant2	2.41	0	2.41	11	Pass
NVNT	ac20	5260	Ant2	3.07	0	3.07	11	Pass
NVNT	ac20	5300	Ant2	2.3	0	2.3	11	Pass
NVNT	ac20	5320	Ant2	2.37	0	2.37	11	Pass
NVNT	ac20	5500	Ant2	1.81	0	1.81	11	Pass
NVNT	ac20	5580	Ant2	2.15	0	2.15	11	Pass
NVNT	ac20	5700	Ant2	1.69	0	1.69	11	Pass
NVNT	ac20	5180	Ant1	-3.69	0	-3.69	11	Pass
NVNT	ac20	5180	Ant2	-2.82	0	-2.82	11	Pass
NVNT	ac20	5180	MIMO	-0.22	0	-0.22	11	Pass
NVNT	ac20	5200	Ant1	-1.05	0	-1.05	11	Pass
NVNT	ac20	5200	Ant2	-3.11	0	-3.11	11	Pass
NVNT	ac20	5200	MIMO	1.05	0	1.05	11	Pass
NVNT	ac20	5240	Ant1	0.84	0	0.84	11	Pass
NVNT	ac20	5240	Ant2	-2.41	0	-2.41	11	Pass
NVNT	ac20	5240	MIMO	2.52	0	2.52	11	Pass
NVNT	ac20	5260	Ant1	-2.25	0	-2.25	11	Pass
NVNT	ac20	5260	Ant2	-1.93	0	-1.93	11	Pass
NVNT	ac20	5260	MIMO	0.92	0	0.92	11	Pass
NVNT	ac20	5300	Ant1	-3.7	0	-3.7	11	Pass
NVNT	ac20	5300	Ant2	-2.74	0	-2.74	11	Pass
NVNT	ac20	5300	MIMO	-0.18	0	-0.18	11	Pass
NVNT	ac20	5320	Ant1	-0.9	0	-0.9	11	Pass
NVNT	ac20	5320	Ant2	-2.92	0	-2.92	11	Pass
NVNT	ac20	5320	MIMO	1.22	0	1.22	11	Pass
NVNT	ac20	5500	Ant1	-2.63	0	-2.63	11	Pass
NVNT	ac20	5500	Ant2	-3.34	0	-3.34	11	Pass
NVNT	ac20	5500	MIMO	0.04	0	0.04	11	Pass
NVNT	ac20	5580	Ant1	0.99	0	0.99	11	Pass
NVNT	ac20	5580	Ant2	-2.79	0	-2.79	11	Pass
NVNT	ac20	5580	MIMO	2.51	0	2.51	11	Pass
NVNT	ac20	5700	Ant1	0.86	0	0.86	11	Pass
NVNT	ac20	5700	Ant2	-3.28	0	-3.28	11	Pass
NVNT	ac20	5700	MIMO	2.28	0	2.28	11	Pass
NVNT	ac40	5190	Ant1	-0.04	0	-0.04	11	Pass
NVNT	ac40	5230	Ant1	-0.05	0	-0.05	11	Pass
NVNT	ac40	5270	Ant1	0.25	0	0.25	11	Pass
NVNT	ac40	5310	Ant1	-0.44	0	-0.44	11	Pass
NVNT	ac40	5510	Ant1	-0.75	0	-0.75	11	Pass
NVNT	ac40	5550	Ant1	-0.47	0	-0.47	11	Pass
NVNT	ac40	5670	Ant1	0.12	0	0.12	11	Pass
NVNT	ac40	5190	Ant2	0.61	0	0.61	11	Pass
NVNT	ac40	5230	Ant2	0.2	0	0.2	11	Pass
NVNT	ac40	5270	Ant2	0.44	0	0.44	11	Pass
NVNT	ac40	5310	Ant2	0.45	0	0.45	11	Pass
NVNT	ac40	5510	Ant2	-0.91	0	-0.91	11	Pass
NVNT	ac40	5550	Ant2	-0.48	0	-0.48	11	Pass
NVNT	ac40	5670	Ant2	0.05	0	0.05	11	Pass
NVNT	ac40	5190	Ant1	-3.98	0	-3.98	11	Pass
NVNT	ac40	5190	Ant2	-5.04	0	-5.04	11	Pass
NVNT	ac40	5190	MIMO	-1.47	0	-1.47	11	Pass
NVNT	ac40	5230	Ant1	-1.24	0	-1.24	11	Pass
NVNT	ac40	5230	Ant2	-2.88	0	-2.88	11	Pass



NVNT	ac40	5230	MIMO	1.03	0	1.03	11	Pass
NVNT	ac40	5270	Ant1	-7.22	0	-7.22	11	Pass
NVNT	ac40	5270	Ant2	-5.55	0	-5.55	11	Pass
NVNT	ac40	5270	MIMO	-3.29	0	-3.29	11	Pass
NVNT	ac40	5310	Ant1	-4.35	0	-4.35	11	Pass
NVNT	ac40	5310	Ant2	-5.14	0	-5.14	11	Pass
NVNT	ac40	5310	MIMO	-1.72	0	-1.72	11	Pass
NVNT	ac40	5510	Ant1	-7.93	0	-7.93	11	Pass
NVNT	ac40	5510	Ant2	-6.51	0	-6.51	11	Pass
NVNT	ac40	5510	MIMO	-4.15	0	-4.15	11	Pass
NVNT	ac40	5550	Ant1	-4.73	0	-4.73	11	Pass
NVNT	ac40	5550	Ant2	-6.79	0	-6.79	11	Pass
NVNT	ac40	5550	MIMO	-2.63	0	-2.63	11	Pass
NVNT	ac40	5670	Ant1	-3.94	0	-3.94	11	Pass
NVNT	ac40	5670	Ant2	-5.4	0	-5.4	11	Pass
NVNT	ac40	5670	MIMO	-1.6	0	-1.6	11	Pass
NVNT	ac80	5210	Ant1	-4.98	0	-4.98	11	Pass
NVNT	ac80	5290	Ant1	-4.69	0	-4.69	11	Pass
NVNT	ac80	5530	Ant1	-5.03	0	-5.03	11	Pass
NVNT	ac80	5610	Ant1	-4.25	0	-4.25	11	Pass
NVNT	ac80	5210	Ant2	-3.68	0	-3.68	11	Pass
NVNT	ac80	5290	Ant2	-4.13	0	-4.13	11	Pass
NVNT	ac80	5530	Ant2	-5.79	0	-5.79	11	Pass
NVNT	ac80	5610	Ant2	-5.2	0	-5.2	11	Pass
NVNT	ac80	5210	Ant1	-6.95	0	-6.95	11	Pass
NVNT	ac80	5210	Ant2	-9.79	0	-9.79	11	Pass
NVNT	ac80	5210	MIMO	-5.13	0	-5.13	11	Pass
NVNT	ac80	5290	Ant1	-7.93	0	-7.93	11	Pass
NVNT	ac80	5290	Ant2	-9.56	0	-9.56	11	Pass
NVNT	ac80	5290	MIMO	-5.66	0	-5.66	11	Pass
NVNT	ac80	5530	Ant1	-7.52	0	-7.52	11	Pass
NVNT	ac80	5530	Ant2	-10.89	0	-10.89	11	Pass
NVNT	ac80	5530	MIMO	-5.88	0	-5.88	11	Pass
NVNT	ac80	5610	Ant1	-6.94	0	-6.94	11	Pass
NVNT	ac80	5610	Ant2	-10.26	0	-10.26	11	Pass
NVNT	ac80	5610	MIMO	-5.28	0	-5.28	11	Pass
NVNT	ax20	5180	Ant1	1.5	0	1.5	11	Pass
NVNT	ax20	5200	Ant1	1.69	0	1.69	11	Pass
NVNT	ax20	5240	Ant1	2.16	0	2.16	11	Pass
NVNT	ax20	5260	Ant1	2.37	0	2.37	11	Pass
NVNT	ax20	5300	Ant1	1.63	0	1.63	11	Pass
NVNT	ax20	5320	Ant1	1.58	0	1.58	11	Pass
NVNT	ax20	5500	Ant1	2.43	0	2.43	11	Pass
NVNT	ax20	5580	Ant1	2.6	0	2.6	11	Pass
NVNT	ax20	5700	Ant1	2.1	0	2.1	11	Pass
NVNT	ax20	5180	Ant2	1.04	0	1.04	11	Pass
NVNT	ax20	5200	Ant2	1.97	0	1.97	11	Pass
NVNT	ax20	5240	Ant2	2.51	0	2.51	11	Pass
NVNT	ax20	5260	Ant2	3.68	0	3.68	11	Pass
NVNT	ax20	5300	Ant2	2.13	0	2.13	11	Pass
NVNT	ax20	5320	Ant2	2.5	0	2.5	11	Pass
NVNT	ax20	5500	Ant2	1.74	0	1.74	11	Pass
NVNT	ax20	5580	Ant2	2.16	0	2.16	11	Pass
NVNT	ax20	5700	Ant2	1.81	0	1.81	11	Pass
NVNT	ax20	5180	Ant1	-3.85	0	-3.85	11	Pass
NVNT	ax20	5180	Ant2	-3.53	0	-3.53	11	Pass



NVNT	ax20	5180	MIMO	-0.68	0	-0.68	11	Pass
NVNT	ax20	5200	Ant1	-1.34	0	-1.34	11	Pass
NVNT	ax20	5200	Ant2	-3.43	0	-3.43	11	Pass
NVNT	ax20	5200	MIMO	0.75	0	0.75	11	Pass
NVNT	ax20	5240	Ant1	0.54	0	0.54	11	Pass
NVNT	ax20	5240	Ant2	-2.81	0	-2.81	11	Pass
NVNT	ax20	5240	MIMO	2.19	0	2.19	11	Pass
NVNT	ax20	5260	Ant1	-2.45	0	-2.45	11	Pass
NVNT	ax20	5260	Ant2	-2.4	0	-2.4	11	Pass
NVNT	ax20	5260	MIMO	0.59	0	0.59	11	Pass
NVNT	ax20	5300	Ant1	-3.96	0	-3.96	11	Pass
NVNT	ax20	5300	Ant2	-3.33	0	-3.33	11	Pass
NVNT	ax20	5300	MIMO	-0.62	0	-0.62	11	Pass
NVNT	ax20	5320	Ant1	-1.14	0	-1.14	11	Pass
NVNT	ax20	5320	Ant2	-3.01	0	-3.01	11	Pass
NVNT	ax20	5320	MIMO	1.04	0	1.04	11	Pass
NVNT	ax20	5500	Ant1	-2.8	0	-2.8	11	Pass
NVNT	ax20	5500	Ant2	-3.9	0	-3.9	11	Pass
NVNT	ax20	5500	MIMO	-0.3	0	-0.3	11	Pass
NVNT	ax20	5580	Ant1	0.88	0	0.88	11	Pass
NVNT	ax20	5580	Ant2	-2.72	0	-2.72	11	Pass
NVNT	ax20	5580	MIMO	2.45	0	2.45	11	Pass
NVNT	ax20	5700	Ant1	0.75	0	0.75	11	Pass
NVNT	ax20	5700	Ant2	-3.65	0	-3.65	11	Pass
NVNT	ax20	5700	MIMO	2.1	0	2.1	11	Pass
NVNT	ax40	5190	Ant1	0.38	0	0.38	11	Pass
NVNT	ax40	5230	Ant1	0.17	0	0.17	11	Pass
NVNT	ax40	5270	Ant1	0.56	0	0.56	11	Pass
NVNT	ax40	5310	Ant1	0.42	0	0.42	11	Pass
NVNT	ax40	5510	Ant1	-1.52	0	-1.52	11	Pass
NVNT	ax40	5550	Ant1	-1.27	0	-1.27	11	Pass
NVNT	ax40	5670	Ant1	0.28	0	0.28	11	Pass
NVNT	ax40	5190	Ant2	0.59	0	0.59	11	Pass
NVNT	ax40	5230	Ant2	2.8	0	2.8	11	Pass
NVNT	ax40	5270	Ant2	0.41	0	0.41	11	Pass
NVNT	ax40	5310	Ant2	0.01	0	0.01	11	Pass
NVNT	ax40	5510	Ant2	-1.22	0	-1.22	11	Pass
NVNT	ax40	5550	Ant2	-0.82	0	-0.82	11	Pass
NVNT	ax40	5670	Ant2	-0.06	0	-0.06	11	Pass
NVNT	ax40	5190	Ant1	-4.09	0	-4.09	11	Pass
NVNT	ax40	5190	Ant2	-4.83	0	-4.83	11	Pass
NVNT	ax40	5190	MIMO	-1.43	0	-1.43	11	Pass
NVNT	ax40	5230	Ant1	-1.21	0	-1.21	11	Pass
NVNT	ax40	5230	Ant2	-2.61	0	-2.61	11	Pass
NVNT	ax40	5230	MIMO	1.16	0	1.16	11	Pass
NVNT	ax40	5270	Ant1	-7.07	0	-7.07	11	Pass
NVNT	ax40	5270	Ant2	-5.33	0	-5.33	11	Pass
NVNT	ax40	5270	MIMO	-3.1	0	-3.1	11	Pass
NVNT	ax40	5310	Ant1	-4.2	0	-4.2	11	Pass
NVNT	ax40	5310	Ant2	-5.37	0	-5.37	11	Pass
NVNT	ax40	5310	MIMO	-1.74	0	-1.74	11	Pass
NVNT	ax40	5510	Ant1	-7.63	0	-7.63	11	Pass
NVNT	ax40	5510	Ant2	-6.43	0	-6.43	11	Pass
NVNT	ax40	5510	MIMO	-3.98	0	-3.98	11	Pass
NVNT	ax40	5550	Ant1	-4.2	0	-4.2	11	Pass
NVNT	ax40	5550	Ant2	-6.24	0	-6.24	11	Pass



NVNT	ax40	5550	MIMO	-2.09	0	-2.09	11	Pass
NVNT	ax40	5670	Ant1	-3.77	0	-3.77	11	Pass
NVNT	ax40	5670	Ant2	-5.21	0	-5.21	11	Pass
NVNT	ax40	5670	MIMO	-1.42	0	-1.42	11	Pass
NVNT	ax80	5210	Ant1	-4.6	0	-4.6	11	Pass
NVNT	ax80	5290	Ant1	-4.83	0	-4.83	11	Pass
NVNT	ax80	5530	Ant1	-4.66	0	-4.66	11	Pass
NVNT	ax80	5610	Ant1	-4.48	0	-4.48	11	Pass
NVNT	ax80	5210	Ant2	-3.9	0	-3.9	11	Pass
NVNT	ax80	5290	Ant2	-3.85	0	-3.85	11	Pass
NVNT	ax80	5530	Ant2	-5.46	0	-5.46	11	Pass
NVNT	ax80	5610	Ant2	-4.31	0	-4.31	11	Pass
NVNT	ax80	5210	Ant1	-6.29	0	-6.29	11	Pass
NVNT	ax80	5210	Ant2	-9.3	0	-9.3	11	Pass
NVNT	ax80	5210	MIMO	-4.53	0	-4.53	11	Pass
NVNT	ax80	5290	Ant1	-7.37	0	-7.37	11	Pass
NVNT	ax80	5290	Ant2	-9.49	0	-9.49	11	Pass
NVNT	ax80	5290	MIMO	-5.29	0	-5.29	11	Pass
NVNT	ax80	5530	Ant1	-8.94	0	-8.94	11	Pass
NVNT	ax80	5530	Ant2	-10.3	0	-10.3	11	Pass
NVNT	ax80	5530	MIMO	-6.56	0	-6.56	11	Pass
NVNT	ax80	5610	Ant1	-6.64	0	-6.64	11	Pass
NVNT	ax80	5610	Ant2	-10.26	0	-10.26	11	Pass
NVNT	ax80	5610	MIMO	-5.07	0	-5.07	11	Pass

Condition	Mode	Antenna	Frequency (MHz)	Conducted PSD (dBm/510 kHz)	Conducted PSD (dBm/500 kHz)	Duty Factor (dB)	Total PSD (dBm/500 kHz)	Limit (dBm/500 kHz)	Verdict
NVNT	a	5745	Ant1	1.15	1.06	0.00	1.06	30	Pass
NVNT	a	5785	Ant1	1.42	1.33	0.00	1.33	30	Pass
NVNT	a	5825	Ant1	0.67	0.58	0.00	0.58	30	Pass
NVNT	a	5745	Ant2	0.34	0.25	0.00	0.25	30	Pass
NVNT	a	5785	Ant2	1.58	1.49	0.00	1.49	30	Pass
NVNT	a	5825	Ant2	0.52	0.43	0.00	0.43	30	Pass
NVNT	n20	5745	Ant1	-0.35	-0.44	0.00	-0.44	30	Pass
NVNT	n20	5785	Ant1	-0.41	-0.50	0.00	-0.50	30	Pass
NVNT	n20	5825	Ant1	-0.63	-0.72	0.00	-0.72	30	Pass
NVNT	n20	5745	Ant2	-0.75	-0.84	0.00	-0.84	30	Pass
NVNT	n20	5785	Ant2	0.3	0.21	0.00	0.21	30	Pass
NVNT	n20	5825	Ant2	-0.96	-1.05	0.00	-1.05	30	Pass
NVNT	n20	5745	Ant1	-6.45	-6.54	0.00	-6.54	30	Pass
NVNT	n20	5745	Ant2	-6.01	-6.10	0.00	-6.10	30	Pass
NVNT	n20	5745	MIMO	-3.21	-3.30	0.00	-3.30	30	Pass
NVNT	n20	5785	Ant1	-5.16	-5.25	0.00	-5.25	30	Pass
NVNT	n20	5785	Ant2	-5.99	-6.08	0.00	-6.08	30	Pass
NVNT	n20	5785	MIMO	-2.54	-2.63	0.00	-2.63	30	Pass
NVNT	n20	5825	Ant1	-2.49	-2.58	0.00	-2.58	30	Pass
NVNT	n20	5825	Ant2	-6.01	-6.10	0.00	-6.10	30	Pass
NVNT	n20	5825	MIMO	-0.89	-0.98	0.00	-0.98	30	Pass
NVNT	n40	5755	Ant1	-2.73	-2.82	0.00	-2.82	30	Pass



NVNT	n40	5795	Ant1	-2.86	-2.95	0.00	-2.95	30	Pass
NVNT	n40	5755	Ant2	-3.51	-3.60	0.00	-3.60	30	Pass
NVNT	n40	5795	Ant2	-3.11	-3.20	0.00	-3.20	30	Pass
NVNT	n40	5755	Ant1	-10.61	-10.70	0.00	-10.70	30	Pass
NVNT	n40	5755	Ant2	-8.51	-8.60	0.00	-8.60	30	Pass
NVNT	n40	5755	MIMO	-6.42	-6.51	0.00	-6.51	30	Pass
NVNT	n40	5795	Ant1	-5.99	-6.08	0.00	-6.08	30	Pass
NVNT	n40	5795	Ant2	-8.17	-8.26	0.00	-8.26	30	Pass
NVNT	n40	5795	MIMO	-3.93	-4.02	0.00	-4.02	30	Pass
NVNT	ac2 0	5745	Ant1	-0.59	-0.68	0.00	-0.68	30	Pass
NVNT	ac2 0	5785	Ant1	-0.48	-0.57	0.00	-0.57	30	Pass
NVNT	ac2 0	5825	Ant1	-0.28	-0.37	0.00	-0.37	30	Pass
NVNT	ac2 0	5745	Ant2	-1.08	-1.17	0.00	-1.17	30	Pass
NVNT	ac2 0	5785	Ant2	-0.69	-0.78	0.00	-0.78	30	Pass
NVNT	ac2 0	5825	Ant2	-0.94	-1.03	0.00	-1.03	30	Pass
NVNT	ac2 0	5745	Ant1	-6.63	-6.72	0.00	-6.72	30	Pass
NVNT	ac2 0	5745	Ant2	-6.52	-6.61	0.00	-6.61	30	Pass
NVNT	ac2 0	5745	MIMO	-3.56	-3.65	0.00	-3.65	30	Pass
NVNT	ac2 0	5785	Ant1	-7.19	-7.28	0.00	-7.28	30	Pass
NVNT	ac2 0	5785	Ant2	-7.83	-7.92	0.00	-7.92	30	Pass
NVNT	ac2 0	5785	MIMO	-4.49	-4.58	0.00	-4.58	30	Pass
NVNT	ac2 0	5825	Ant1	-2.36	-2.45	0.00	-2.45	30	Pass
NVNT	ac2 0	5825	Ant2	-5.52	-5.61	0.00	-5.61	30	Pass
NVNT	ac2 0	5825	MIMO	-0.65	-0.74	0.00	-0.74	30	Pass
NVNT	ac4 0	5755	Ant1	-3.01	-3.10	0.00	-3.10	30	Pass
NVNT	ac4 0	5795	Ant1	-2.92	-3.01	0.00	-3.01	30	Pass
NVNT	ac4 0	5755	Ant2	-3.1	-3.19	0.00	-3.19	30	Pass
NVNT	ac4 0	5795	Ant2	-3.12	-3.21	0.00	-3.21	30	Pass
NVNT	ac4 0	5755	Ant1	-10.8	-10.89	0.00	-10.89	30	Pass
NVNT	ac4 0	5755	Ant2	-9.03	-9.12	0.00	-9.12	30	Pass
NVNT	ac4 0	5755	MIMO	-6.82	-6.91	0.00	-6.91	30	Pass
NVNT	ac4	5795	Ant1	-6.46	-6.55	0.00	-6.55	30	Pass



	0								
NVNT	ac4 0	5795	Ant2	-8.33	-8.42	0.00	-8.42	30	Pass
NVNT	ac4 0	5795	MIMO	-4.28	-4.37	0.00	-4.37	30	Pass
NVNT	ac8 0	5775	Ant1	-6.93	-7.02	0.00	-7.02	30	Pass
NVNT	ac8 0	5775	Ant2	-7.65	-7.74	0.00	-7.74	30	Pass
NVNT	ac8 0	5775	Ant1	-10.24	-10.33	0.00	-10.33	30	Pass
NVNT	ac8 0	5775	Ant2	-12.72	-12.81	0.00	-12.81	30	Pass
NVNT	ac8 0	5775	MIMO	-8.3	-8.39	0.00	-8.39	30	Pass
NVNT	ax2 0	5745	Ant1	-1.02	-1.11	0.00	-1.11	30	Pass
NVNT	ax2 0	5785	Ant1	-0.82	-0.91	0.00	-0.91	30	Pass
NVNT	ax2 0	5825	Ant1	-3.28	-3.37	0.00	-3.37	30	Pass
NVNT	ax2 0	5745	Ant2	-0.99	-1.08	0.00	-1.08	30	Pass
NVNT	ax2 0	5785	Ant2	-0.67	-0.76	0.00	-0.76	30	Pass
NVNT	ax2 0	5825	Ant2	-1.05	-1.14	0.00	-1.14	30	Pass
NVNT	ax2 0	5745	Ant1	-6.91	-7.00	0.00	-7.00	30	Pass
NVNT	ax2 0	5745	Ant2	-6.64	-6.73	0.00	-6.73	30	Pass
NVNT	ax2 0	5745	MIMO	-3.76	-3.85	0.00	-3.85	30	Pass
NVNT	ax2 0	5785	Ant1	-5.89	-5.98	0.00	-5.98	30	Pass
NVNT	ax2 0	5785	Ant2	-5.74	-5.83	0.00	-5.83	30	Pass
NVNT	ax2 0	5785	MIMO	-2.8	-2.89	0.00	-2.89	30	Pass
NVNT	ax2 0	5825	Ant1	-2.75	-2.84	0.00	-2.84	30	Pass
NVNT	ax2 0	5825	Ant2	-6.1	-6.19	0.00	-6.19	30	Pass
NVNT	ax2 0	5825	MIMO	-1.1	-1.19	0.00	-1.19	30	Pass
NVNT	ax4 0	5755	Ant1	-2.93	-3.02	0.00	-3.02	30	Pass
NVNT	ax4 0	5795	Ant1	-2.21	-2.30	0.00	-2.30	30	Pass
NVNT	ax4 0	5755	Ant2	-3.21	-3.30	0.00	-3.30	30	Pass
NVNT	ax4 0	5795	Ant2	-2.91	-3.00	0.00	-3.00	30	Pass
NVNT	ax4 0	5755	Ant1	-10.41	-10.50	0.00	-10.50	30	Pass
NVNT	ax4	5755	Ant2	-8.68	-8.77	0.00	-8.77	30	Pass