



14.3 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.24	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	871.715	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2548	-47.51	-25	22.51	Pass	1561
2560	2630	1	RMS	2592.725	24	60	36	Pass	401
2630	3000	1	RMS	2989.825	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11995	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25511	-32.64	-25	7.64	Pass	14502




14.4 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.72	-25	42.72	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	944.363	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2531	-47.56	-25	22.56	Pass	1561
2560	2630	1	RMS	2592.9	22.61	60	37.39	Pass	401
2630	3000	1	RMS	2986.125	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	12000	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25503	-32.56	-25	7.56	Pass	14502




**14.5 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	958.873	-61.03	-25	36.03	Pass	9701
1000	2560	1	RMS	2551	-47.84	-25	22.84	Pass	1561
2560	2630	1	RMS	2615.3	24.22	60	35.78	Pass	401
2630	3000	1	RMS	2995.375	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11983	-47.79	-25	22.79	Pass	9002
12000	26500	1	RMS	25501	-32.59	-25	7.59	Pass	14502




14.6 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	887.125	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2495	-47.83	-25	22.83	Pass	1561
2560	2630	1	RMS	2615.3	23.02	60	36.98	Pass	401
2630	3000	1	RMS	2998.15	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11999	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25492	-32.51	-25	7.51	Pass	14502




**14.7 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.23	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	841.7	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2554	-44.29	-25	19.29	Pass	1561
2560	2630	1	RMS	2570.675	24.09	60	35.91	Pass	401
2630	3000	1	RMS	2999.075	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11999	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25503	-32.54	-25	7.54	Pass	14502




**14.8 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.65	-25	42.65	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	928.653	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2552	-45.44	-25	20.44	Pass	1561
2560	2630	1	RMS	2570.675	23.18	60	36.82	Pass	401
2630	3000	1	RMS	2987.05	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11995	-47.62	-25	22.62	Pass	9002
12000	26500	1	RMS	25488	-32.63	-25	7.63	Pass	14502




**14.9 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	940.06	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2535	-47.85	-25	22.85	Pass	1561
2560	2630	1	RMS	2590.45	23.91	60	36.09	Pass	401
2630	3000	1	RMS	2995.375	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11996	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25506	-32.64	-25	7.64	Pass	14502




14.10 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	0.16	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	959.373	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2544	-47.83	-25	22.83	Pass	1561
2560	2630	1	RMS	2590.45	22.38	60	37.62	Pass	401
2630	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11985	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25507	-32.47	-25	7.47	Pass	14502




**14.11 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	985.791	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2539	-47.78	-25	22.78	Pass	1561
2560	2630	1	RMS	2610.575	24.11	60	35.89	Pass	401
2630	3000	1	RMS	2630	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11991	-47.82	-25	22.82	Pass	9002
12000	26500	1	RMS	25498	-32.61	-25	7.61	Pass	14502




**14.12 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.63	-25	43.63	Pass	2986
30	1000	0.1	RMS	967.178	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2540	-47.82	-25	22.82	Pass	1561
2560	2630	1	RMS	2610.575	22.81	60	37.19	Pass	401
2630	3000	1	RMS	2990.75	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11996	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25502	-32.56	-25	7.56	Pass	14502




**14.13 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.74	-25	42.74	Pass	401
0.15	30	0.01	RMS	0.33	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	993.095	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2559	-42.37	-25	17.37	Pass	1561
2560	2630	1	RMS	2570.85	23.32	60	36.68	Pass	401
2630	3000	1	RMS	2993.525	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	12000	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25509	-32.58	-25	7.58	Pass	14502




14.14 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.8	-25	43.8	Pass	401
0.15	30	0.01	RMS	0.22	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	971.781	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2544	-40.75	-25	15.75	Pass	1561
2560	2630	1	RMS	2570.85	23.04	60	36.96	Pass	401
2630	3000	1	RMS	2992.6	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11998	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25502	-32.61	-25	7.61	Pass	14502




**14.15 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	979.687	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2560	-45.91	-25	20.91	Pass	1561
2560	2630	1	RMS	2588.175	23.43	60	36.57	Pass	401
2630	3000	1	RMS	2991.675	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11994	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25514	-32.58	-25	7.58	Pass	14502




**14.16 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.19	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	974.183	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2560	-47.2	-25	22.2	Pass	1561
2560	2630	1	RMS	2588.35	23.15	60	36.85	Pass	401
2630	3000	1	RMS	2990.75	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11997	-47.81	-25	22.81	Pass	9002
12000	26500	1	RMS	25499	-32.65	-25	7.65	Pass	14502




**14.17 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.34	-25	44.34	Pass	401
0.15	30	0.01	RMS	0.17	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	920.447	-62.12	-25	37.12	Pass	9701
1000	2560	1	RMS	2527	-48.83	-25	23.83	Pass	1561
2560	2630	1	RMS	2605.67 5	22.72	60	37.28	Pass	401
2630	3000	1	RMS	2632.77 5	-33.21	-25	8.21	Pass	401
3000	12000	1	RMS	11996	-48.71	-25	23.71	Pass	9002
12000	26500	1	RMS	25501	-43.79	-25	18.79	Pass	14502




**14.18 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	895.531	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2519	-47.84	-25	22.84	Pass	1561
2560	2630	1	RMS	2605.85	23.25	60	36.75	Pass	401
2630	3000	1	RMS	2631.85	-25.3	-25	0.3	Pass*	401
3000	12000	1	RMS	11998	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25489	-42.93	-25	17.93	Pass	14502




**14.19 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.16	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	610.5	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2559	-40.35	-25	15.35	Pass	1561
2560	2630	1	RMS	2571.025	23.58	60	36.42	Pass	401
2630	3000	1	RMS	2998.15	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11996	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25511	-32.65	-25	7.65	Pass	14502




**14.20 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.44	-25	42.44	Pass	401
0.15	30	0.01	RMS	0.22	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	979.787	-61.06	-25	36.06	Pass	9701
1000	2560	1	RMS	2560	-39.31	-25	14.31	Pass	1561
2560	2630	1	RMS	2571.2	22.91	60	37.09	Pass	401
2630	3000	1	RMS	2994.45	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11995	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25502	-32.51	-25	7.51	Pass	14502




**14.21 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.22	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	991.194	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2551	-41.98	-25	16.98	Pass	1561
2560	2630	1	RMS	2586.075	23.79	60	36.21	Pass	401
2630	3000	1	RMS	2989.825	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	12000	-47.63	-25	22.63	Pass	9002
12000	26500	1	RMS	25508	-32.51	-25	7.51	Pass	14502




**14.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.19	-25	43.19	Pass	401
0.15	30	0.01	RMS	0.17	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	905.337	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2550	-44.27	-25	19.27	Pass	1561
2560	2630	1	RMS	2586.25	22.46	60	37.54	Pass	401
2630	3000	1	RMS	2989.825	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11976	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25517	-32.6	-25	7.6	Pass	14502




**14.23 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.16	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	966.378	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2542	-47.82	-25	22.82	Pass	1561
2560	2630	1	RMS	2601.12 5	23.75	60	36.25	Pass	401
2630	3000	1	RMS	2636.47 5	-25.64	-25	0.64	Pass*	401
3000	12000	1	RMS	11979	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25495	-42.93	-25	17.93	Pass	14502



14.24 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.16	-67.47	-25	42.47	Pass	2986
30	1000	0.1	RMS	945.664	-60.98	-25	35.98	Pass	9701
1000	2560	1	RMS	2499	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2601.125	22.62	60	37.38	Pass	401
2630	3000	1	RMS	2636.475	-25.49	-25	0.49	Pass*	401
3000	12000	1	RMS	11987	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25508	-32.57	-25	7.57	Pass	14502



15. LTE_Band41 120M


**15.1 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.76	-25	43.76	Pass	401
0.15	30	0.01	RMS	0.16	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	892.429	-61.24	-25	36.24	Pass	9701
1000	2525	1	RMS	2525	-47.44	-25	22.44	Pass	1526
2525	2665	1	RMS	2535.5	23.05	60	36.95	Pass	401
2665	3000	1	RMS	2995.813	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11997	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25500	-32.45	-25	7.45	Pass	14502




15.2 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.17	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	985.991	-61.04	-25	36.04	Pass	9701
1000	2525	1	RMS	2525	-47.3	-25	22.3	Pass	1526
2525	2665	1	RMS	2535.5	22.61	60	37.39	Pass	401
2665	3000	1	RMS	2991.625	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11993	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25504	-32.58	-25	7.58	Pass	14502




15.3 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.34	-25	42.34	Pass	401
0.15	30	0.01	RMS	0.26	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	985.891	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2525	-47.58	-25	22.58	Pass	1526
2525	2665	1	RMS	2592.9	23.31	60	36.69	Pass	401
2665	3000	1	RMS	2994.975	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11994	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25495	-32.53	-25	7.53	Pass	14502




15.4 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	975.484	-60.83	-25	35.83	Pass	9701
1000	2525	1	RMS	2494	-47.86	-25	22.86	Pass	1526
2525	2665	1	RMS	2592.9	22.78	60	37.22	Pass	401
2665	3000	1	RMS	2994.138	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11997	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25501	-32.6	-25	7.6	Pass	14502




**15.5 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.8	-25	43.8	Pass	401
0.15	30	0.01	RMS	0.15	-67.7	-25	42.7	Pass	2986
30	1000	0.1	RMS	870.614	-61.15	-25	36.15	Pass	9701
1000	2525	1	RMS	2504	-47.86	-25	22.86	Pass	1526
2525	2665	1	RMS	2650.3	24.16	60	35.84	Pass	401
2665	3000	1	RMS	2995.813	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11992	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25501	-32.56	-25	7.56	Pass	14502




**15.6 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.21	-25	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	689.7	-60.86	-25	35.86	Pass	9701
1000	2525	1	RMS	2500	-47.85	-25	22.85	Pass	1526
2525	2665	1	RMS	2649.95	22.46	60	37.54	Pass	401
2665	3000	1	RMS	2992.463	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	12000	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25518	-32.62	-25	7.62	Pass	14502




**15.7 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.7	-25	43.7	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	891.928	-61.13	-25	36.13	Pass	9701
1000	2525	1	RMS	2518	-43.29	-25	18.29	Pass	1526
2525	2665	1	RMS	2535.5	24.13	60	35.87	Pass	401
2665	3000	1	RMS	2995.813	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11974	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25506	-32.62	-25	7.62	Pass	14502




**15.8 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	852.402	-61.13	-25	36.13	Pass	9701
1000	2525	1	RMS	2518	-44.14	-25	19.14	Pass	1526
2525	2665	1	RMS	2535.85	22	60	38	Pass	401
2665	3000	1	RMS	2997.488	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	12000	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25509	-32.64	-25	7.64	Pass	14502




**15.9 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.19	-67.9	-25	42.9	Pass	2986
30	1000	0.1	RMS	987.392	-60.9	-25	35.9	Pass	9701
1000	2525	1	RMS	2502	-47.86	-25	22.86	Pass	1526
2525	2665	1	RMS	2590.45	23.23	60	36.77	Pass	401
2665	3000	1	RMS	2989.95	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11990	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25513	-32.64	-25	7.64	Pass	14502




**15.10 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.18	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	917.245	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2503	-47.85	-25	22.85	Pass	1526
2525	2665	1	RMS	2590.45	22.43	60	37.57	Pass	401
2665	3000	1	RMS	2990.788	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11995	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25505	-32.49	-25	7.49	Pass	14502




**15.11 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.25	-25	42.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	857.105	-61.13	-25	36.13	Pass	9701
1000	2525	1	RMS	2494	-47.83	-25	22.83	Pass	1526
2525	2665	1	RMS	2645.4	24.19	60	35.81	Pass	401
2665	3000	1	RMS	2987.438	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11998	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25500	-32.59	-25	7.59	Pass	14502




**15.12 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.15	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	685	-61.04	-25	36.04	Pass	9701
1000	2525	1	RMS	2521	-47.84	-25	22.84	Pass	1526
2525	2665	1	RMS	2645.4	22.57	60	37.43	Pass	401
2665	3000	1	RMS	2992.463	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11986	-47.62	-25	22.62	Pass	9002
12000	26500	1	RMS	25502	-32.59	-25	7.59	Pass	14502




**15.13 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	981.888	-61.16	-25	36.16	Pass	9701
1000	2525	1	RMS	2524	-41.79	-25	16.79	Pass	1526
2525	2665	1	RMS	2535.85	23.42	60	36.58	Pass	401
2665	3000	1	RMS	2994.138	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11999	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25499	-32.56	-25	7.56	Pass	14502




**15.14 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	0.17	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	575.2	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2523	-42.74	-25	17.74	Pass	1526
2525	2665	1	RMS	2535.5	22.51	60	37.49	Pass	401
2665	3000	1	RMS	2991.625	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11998	-47.66	-25	22.66	Pass	9002
12000	26500	1	RMS	25499	-32.62	-25	7.62	Pass	14502




**15.15 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	966.478	-61.19	-25	36.19	Pass	9701
1000	2525	1	RMS	2516	-47.66	-25	22.66	Pass	1526
2525	2665	1	RMS	2588.35	23.46	60	36.54	Pass	401
2665	3000	1	RMS	2992.463	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11999	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25518	-32.61	-25	7.61	Pass	14502




**15.16 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	0.25	-68.8	-25	43.8	Pass	2986
30	1000	0.1	RMS	960.774	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2525	-47.6	-25	22.6	Pass	1526
2525	2665	1	RMS	2588	21.92	60	38.08	Pass	401
2665	3000	1	RMS	2996.65	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11997	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25502	-37.92	-25	12.92	Pass	14502




**15.17 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	0.28	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	976.985	-61.15	-25	36.15	Pass	9701
1000	2525	1	RMS	2519	-47.85	-25	22.85	Pass	1526
2525	2665	1	RMS	2641.2	21.24	60	38.76	Pass	401
2665	3000	1	RMS	2666.675	-25.14	-25	0.14	Pass*	401
3000	12000	1	RMS	11997	-57.81	-25	32.81	Pass	9002
12000	27000	1	RMS	25519	-48.22	-25	23.22	Pass	15002




**15.18 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.17	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	979.987	-60.88	-25	35.88	Pass	9701
1000	2525	1	RMS	2497	-47.77	-25	22.77	Pass	1526
2525	2665	1	RMS	2640.85	23.38	60	36.62	Pass	401
2665	3000	1	RMS	2666.675	-25.72	-25	0.72	Pass*	401
3000	12000	1	RMS	11995	-47.79	-25	22.79	Pass	9002
12000	26500	1	RMS	25508	-32.55	-25	7.55	Pass	14502




**15.19 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.2	-68.69	-25	43.69	Pass	2986
30	1000	0.1	RMS	875.217	-61.11	-25	36.11	Pass	9701
1000	2525	1	RMS	2525	-40.22	-25	15.22	Pass	1526
2525	2665	1	RMS	2536.2	23.1	60	36.9	Pass	401
2665	3000	1	RMS	2990.788	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11992	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25504	-32.57	-25	7.57	Pass	14502




**15.20 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	930.854	-61.12	-25	36.12	Pass	9701
1000	2525	1	RMS	2525	-39.89	-25	14.89	Pass	1526
2525	2665	1	RMS	2535.85	22.93	60	37.07	Pass	401
2665	3000	1	RMS	2993.3	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11995	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25504	-32.58	-25	7.58	Pass	14502




**15.21 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.15	-69.13	-25	44.13	Pass	2986
30	1000	0.1	RMS	964.977	-61.1	-25	36.1	Pass	9701
1000	2525	1	RMS	2489	-47.83	-25	22.83	Pass	1526
2525	2665	1	RMS	2585.9	23.55	60	36.45	Pass	401
2665	3000	1	RMS	2991.625	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11988	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25517	-32.63	-25	7.63	Pass	14502




**15.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.2	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	975.884	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2502	-47.88	-25	22.88	Pass	1526
2525	2665	1	RMS	2585.9	22.06	60	37.94	Pass	401
2665	3000	1	RMS	2989.95	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11990	-47.66	-25	22.66	Pass	9002
12000	26500	1	RMS	25500	-32.57	-25	7.57	Pass	14502




**15.23 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.91	-25	41.91	Pass	401
0.15	30	0.01	RMS	0.2	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	962.275	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2507	-47.84	-25	22.84	Pass	1526
2525	2665	1	RMS	2635.95	23.53	60	36.47	Pass	401
2665	3000	1	RMS	2671.7	-25.77	-25	0.77	Pass*	401
3000	12000	1	RMS	11982	-57.87	-25	32.87	Pass	9002
12000	27000	1	RMS	25499	-48.23	-25	23.23	Pass	15002



**15.24 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.76	-25	43.76	Pass	401
0.15	30	0.01	RMS	0.18	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	911.842	-61.1	-25	36.1	Pass	9701
1000	2525	1	RMS	2524	-47.8	-25	22.8	Pass	1526
2525	2665	1	RMS	2635.95	22.04	60	37.96	Pass	401
2665	3000	1	RMS	2671.7	-26.69	-25	1.69	Pass*	401
3000	12000	1	RMS	11999	-57.94	-25	32.94	Pass	9002
12000	27000	1	RMS	25493	-48.29	-25	23.29	Pass	15002



--BLANK BELOW--