



14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.98	-25	40.98	Pass	401
0.15	30	0.01	RMS	0.15	-66.3	-25	41.3	Pass	2986
30	1000	0.1	RMS	998.799	-59.84	-25	34.84	Pass	9701
1000	2565	1	RMS	2516	-46.33	-25	21.33	Pass	1566
2565	2625	1	RMS	2592.9	25.78	60	34.22	Pass	401
2625	3000	1	RMS	2869.688	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11918	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	25869	-46.78	-25	21.78	Pass	14502




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.92	-25	41.92	Pass	401
0.15	30	0.01	RMS	0.15	-66.05	-25	41.05	Pass	2986
30	1000	0.1	RMS	880.721	-59.86	-25	34.86	Pass	9701
1000	2565	1	RMS	2540	-46.38	-25	21.38	Pass	1566
2565	2625	1	RMS	2592.9	25.14	60	34.86	Pass	401
2625	3000	1	RMS	2867.813	-44.75	-25	19.75	Pass	401
3000	12000	1	RMS	7778	-56.53	-25	31.53	Pass	9002
12000	26500	1	RMS	25896	-46.82	-25	21.82	Pass	14502




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.31	-25	40.31	Pass	401
0.15	30	0.01	RMS	0.15	-65.92	-25	40.92	Pass	2986
30	1000	0.1	RMS	872.916	-59.73	-25	34.73	Pass	9701
1000	2565	1	RMS	2521	-46.34	-25	21.34	Pass	1566
2565	2625	1	RMS	2615.25	26.08	60	33.92	Pass	401
2625	3000	1	RMS	2625	-38.98	-25	13.98	Pass	401
3000	12000	1	RMS	5231	-54.24	-25	29.24	Pass	9002
12000	26500	1	RMS	25887	-46.78	-25	21.78	Pass	14502




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.4	-25	40.4	Pass	401
0.15	30	0.01	RMS	0.15	-65.83	-25	40.83	Pass	2986
30	1000	0.1	RMS	872.015	-59.79	-25	34.79	Pass	9701
1000	2565	1	RMS	2528	-46.32	-25	21.32	Pass	1566
2565	2625	1	RMS	2615.4	25.12	60	34.88	Pass	401
2625	3000	1	RMS	2625	-40.43	-25	15.43	Pass	401
3000	12000	1	RMS	11905	-56.78	-25	31.78	Pass	9002
12000	26500	1	RMS	25897	-46.75	-25	21.75	Pass	14502




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.1	-25	41.1	Pass	401
0.15	30	0.01	RMS	0.18	-65.75	-25	40.75	Pass	2986
30	1000	0.1	RMS	864.91	-59.75	-25	34.75	Pass	9701
1000	2560	1	RMS	2553	-33.7	-25	8.7	Pass	1561
2560	2630	1	RMS	2570.5	25.83	60	34.17	Pass	401
2630	3000	1	RMS	2871.425	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	7712	-56.49	-25	31.49	Pass	9002
12000	26500	1	RMS	25876	-46.69	-25	21.69	Pass	14502




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.41	-25	40.41	Pass	401
0.15	30	0.01	RMS	0.21	-66.65	-25	41.65	Pass	2986
30	1000	0.1	RMS	887.225	-59.65	-25	34.65	Pass	9701
1000	2560	1	RMS	2553	-35.44	-25	10.44	Pass	1561
2560	2630	1	RMS	2570.5	25.25	60	34.75	Pass	401
2630	3000	1	RMS	2866.8	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11903	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	25899	-46.74	-25	21.74	Pass	14502



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.35	-25	41.35	Pass	401
0.15	30	0.01	RMS	0.17	-66.53	-25	41.53	Pass	2986
30	1000	0.1	RMS	891.628	-59.72	-25	34.72	Pass	9701
1000	2560	1	RMS	2525	-46.32	-25	21.32	Pass	1561
2560	2630	1	RMS	2590.45	26.23	60	33.77	Pass	401
2630	3000	1	RMS	2876.05	-44.75	-25	19.75	Pass	401
3000	12000	1	RMS	11901	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	25869	-46.7	-25	21.7	Pass	14502



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.48	-25	40.48	Pass	401
0.15	30	0.01	RMS	0.16	-66.73	-25	41.73	Pass	2986
30	1000	0.1	RMS	871.215	-59.8	-25	34.8	Pass	9701
1000	2560	1	RMS	2545	-46.32	-25	21.32	Pass	1561
2560	2630	1	RMS	2590.45	24.73	60	35.27	Pass	401
2630	3000	1	RMS	2869.575	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11896	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	25901	-46.74	-25	21.74	Pass	14502



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.11	-25	41.11	Pass	401
0.15	30	0.01	RMS	0.16	-66.44	-25	41.44	Pass	2986
30	1000	0.1	RMS	872.616	-59.81	-25	34.81	Pass	9701
1000	2560	1	RMS	2528	-46.37	-25	21.37	Pass	1561
2560	2630	1	RMS	2610.575	25.63	60	34.37	Pass	401
2630	3000	1	RMS	2869.575	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	7832	-52.06	-25	27.06	Pass	9002
12000	26500	1	RMS	25901	-46.77	-25	21.77	Pass	14502



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.24	-25	41.24	Pass	401
0.15	30	0.01	RMS	0.15	-65.33	-25	40.33	Pass	2986
30	1000	0.1	RMS	869.313	-59.84	-25	34.84	Pass	9701
1000	2560	1	RMS	2536	-46.39	-25	21.39	Pass	1561
2560	2630	1	RMS	2610.4	25.31	60	34.69	Pass	401
2630	3000	1	RMS	2870.5	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	7832	-53.7	-25	28.7	Pass	9002
12000	26500	1	RMS	25900	-46.72	-25	21.72	Pass	14502



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.13	-25	41.13	Pass	401
0.15	30	0.01	RMS	0.16	-65.81	-25	40.81	Pass	2986
30	1000	0.1	RMS	876.518	-59.77	-25	34.77	Pass	9701
1000	2555	1	RMS	2544	-35.85	-25	10.85	Pass	1556
2555	2635	1	RMS	2570.6	25.75	60	34.25	Pass	401
2635	3000	1	RMS	2873.163	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	7712	-56.72	-25	31.72	Pass	9002
12000	26500	1	RMS	25878	-46.77	-25	21.77	Pass	14502



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.89	-25	41.89	Pass	401
0.15	30	0.01	RMS	0.15	-67.12	-25	42.12	Pass	2986
30	1000	0.1	RMS	896.832	-59.83	-25	34.83	Pass	9701
1000	2555	1	RMS	2544	-38.22	-25	13.22	Pass	1556
2555	2635	1	RMS	2570.8	25.11	60	34.89	Pass	401
2635	3000	1	RMS	2869.513	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	11909	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	25902	-46.8	-25	21.8	Pass	14502



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.87	-25	40.87	Pass	401
0.15	30	0.01	RMS	0.15	-66.64	-25	41.64	Pass	2986
30	1000	0.1	RMS	875.317	-59.83	-25	34.83	Pass	9701
1000	2555	1	RMS	2538	-46.34	-25	21.34	Pass	1556
2555	2635	1	RMS	2588.2	26.18	60	33.82	Pass	401
2635	3000	1	RMS	2874.075	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	11887	-56.75	-25	31.75	Pass	9002
12000	26500	1	RMS	25903	-46.74	-25	21.74	Pass	14502



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.97	-25	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-66.47	-25	41.47	Pass	2986
30	1000	0.1	RMS	865.611	-59.88	-25	34.88	Pass	9701
1000	2555	1	RMS	2510	-46.35	-25	21.35	Pass	1556
2555	2635	1	RMS	2588.2	24.93	60	35.07	Pass	401
2635	3000	1	RMS	2873.163	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	11901	-56.71	-25	31.71	Pass	9002
12000	26500	1	RMS	25903	-46.83	-25	21.83	Pass	14502



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.77	-25	40.77	Pass	401
0.15	30	0.01	RMS	0.15	-66.86	-25	41.86	Pass	2986
30	1000	0.1	RMS	901.134	-59.8	-25	34.8	Pass	9701
1000	2555	1	RMS	2527	-46.36	-25	21.36	Pass	1556
2555	2635	1	RMS	2605.8	26.08	60	33.92	Pass	401
2635	3000	1	RMS	2873.163	-44.73	-25	19.73	Pass	401
3000	12000	1	RMS	7817	-52.24	-25	27.24	Pass	9002
12000	26500	1	RMS	25857	-46.72	-25	21.72	Pass	14502



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.37	-25	41.37	Pass	401
0.15	30	0.01	RMS	0.15	-66.41	-25	41.41	Pass	2986
30	1000	0.1	RMS	876.418	-59.8	-25	34.8	Pass	9701
1000	2555	1	RMS	2541	-46.36	-25	21.36	Pass	1556
2555	2635	1	RMS	2605.8	25.29	60	34.71	Pass	401
2635	3000	1	RMS	2870.425	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	7818	-54.04	-25	29.04	Pass	9002
12000	26500	1	RMS	25881	-46.74	-25	21.74	Pass	14502



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.24	-25	41.24	Pass	401
0.15	30	0.01	RMS	0.16	-66.66	-25	41.66	Pass	2986
30	1000	0.1	RMS	873.216	-59.79	-25	34.79	Pass	9701
1000	2550	1	RMS	2535	-36.36	-25	11.36	Pass	1551
2550	2640	1	RMS	2570.925	25.76	60	34.24	Pass	401
2640	3000	1	RMS	2870.4	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	11905	-56.76	-25	31.76	Pass	9002
12000	26500	1	RMS	25890	-46.68	-25	21.68	Pass	14502



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.37	-25	41.37	Pass	401
0.15	30	0.01	RMS	0.18	-66.59	-25	41.59	Pass	2986
30	1000	0.1	RMS	864.31	-59.82	-25	34.82	Pass	9701
1000	2550	1	RMS	2536	-40.49	-25	15.49	Pass	1551
2550	2640	1	RMS	2571.15	24.48	60	35.52	Pass	401
2640	3000	1	RMS	2871.3	-44.73	-25	19.73	Pass	401
3000	12000	1	RMS	11895	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	25896	-46.7	-25	21.7	Pass	14502



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.55	-25	41.55	Pass	401
0.15	30	0.01	RMS	0.17	-66.02	-25	41.02	Pass	2986
30	1000	0.1	RMS	883.123	-59.8	-25	34.8	Pass	9701
1000	2550	1	RMS	2550	-39.31	-25	14.31	Pass	1551
2550	2640	1	RMS	2586	24.97	60	35.03	Pass	401
2640	3000	1	RMS	2872.2	-44.74	-25	19.74	Pass	401
3000	12000	1	RMS	11915	-56.76	-25	31.76	Pass	9002
12000	26500	1	RMS	25902	-46.81	-25	21.81	Pass	14502



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.7	-25	41.7	Pass	401
0.15	30	0.01	RMS	0.15	-66.5	-25	41.5	Pass	2986
30	1000	0.1	RMS	880.321	-59.81	-25	34.81	Pass	9701
1000	2550	1	RMS	2550	-39.72	-25	14.72	Pass	1551
2550	2640	1	RMS	2585.775	24.03	60	35.97	Pass	401
2640	3000	1	RMS	2868.6	-44.74	-25	19.74	Pass	401
3000	12000	1	RMS	7758	-56.69	-25	31.69	Pass	9002
12000	26500	1	RMS	25903	-46.72	-25	21.72	Pass	14502



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.12	-25	42.12	Pass	401
0.15	30	0.01	RMS	0.15	-66.77	-25	41.77	Pass	2986
30	1000	0.1	RMS	868.313	-59.74	-25	34.74	Pass	9701
1000	2550	1	RMS	2519	-46.36	-25	21.36	Pass	1551
2550	2640	1	RMS	2601.075	25.17	60	34.83	Pass	401
2640	3000	1	RMS	2869.5	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	5202	-52.92	-25	27.92	Pass	9002
12000	26500	1	RMS	25888	-46.75	-25	21.75	Pass	14502



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.42	-25	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-67.01	-25	42.01	Pass	2986
30	1000	0.1	RMS	886.925	-59.73	-25	34.73	Pass	9701
1000	2550	1	RMS	2537	-46.33	-25	21.33	Pass	1551
2550	2640	1	RMS	2601.075	24.75	60	35.25	Pass	401
2640	3000	1	RMS	2870.4	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	11896	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	25892	-46.75	-25	21.75	Pass	14502



15. LTE_Band41 120MHz


15.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.78	-25	41.78	Pass	401
0.15	30	0.01	RMS	0.15	-65.72	-25	40.72	Pass	2986
30	1000	0.1	RMS	876.818	-59.86	-25	34.86	Pass	9701
1000	2491	1	RMS	2490	-46.67	-25	21.67	Pass	1492
2491	2695	1	RMS	2535.37	24.09	60	35.91	Pass	401
2695	3000	1	RMS	2872.663	-44.91	-25	19.91	Pass	401
3000	12000	1	RMS	7606	-54.34	-25	29.34	Pass	9002
12000	26500	1	RMS	25900	-46.63	-25	21.63	Pass	14502




15.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.26	-25	41.26	Pass	401
0.15	30	0.01	RMS	0.15	-65.94	-25	40.94	Pass	2986
30	1000	0.1	RMS	889.927	-59.88	-25	34.88	Pass	9701
1000	2491	1	RMS	2487	-46.64	-25	21.64	Pass	1492
2491	2695	1	RMS	2535.37	23.29	60	36.71	Pass	401
2695	3000	1	RMS	2871.9	-44.91	-25	19.91	Pass	401
3000	12000	1	RMS	7606	-54.23	-25	29.23	Pass	9002
12000	26500	1	RMS	25902	-46.6	-25	21.6	Pass	14502




15.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.91	-25	41.91	Pass	401
0.15	30	0.01	RMS	0.15	-65.92	-25	40.92	Pass	2986
30	1000	0.1	RMS	875.417	-59.8	-25	34.8	Pass	9701
1000	2491	1	RMS	2490	-46.67	-25	21.67	Pass	1492
2491	2695	1	RMS	2592.49	24.53	60	35.47	Pass	401
2695	3000	1	RMS	2871.138	-44.89	-25	19.89	Pass	401
3000	12000	1	RMS	11905	-56.79	-25	31.79	Pass	9002
12000	26500	1	RMS	25896	-46.7	-25	21.7	Pass	14502




15.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	0.15	-65.63	-25	40.63	Pass	2986
30	1000	0.1	RMS	881.922	-59.87	-25	34.87	Pass	9701
1000	2491	1	RMS	2484	-46.64	-25	21.64	Pass	1492
2491	2695	1	RMS	2592.49	23.03	60	36.97	Pass	401
2695	3000	1	RMS	2871.9	-44.89	-25	19.89	Pass	401
3000	12000	1	RMS	7778	-55.96	-25	30.96	Pass	9002
12000	26500	1	RMS	25882	-46.75	-25	21.75	Pass	14502




15.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.87	-25	40.87	Pass	401
0.15	30	0.01	RMS	0.15	-66.21	-25	41.21	Pass	2986
30	1000	0.1	RMS	869.614	-59.93	-25	34.93	Pass	9701
1000	2491	1	RMS	2491	-46.65	-25	21.65	Pass	1492
2491	2695	1	RMS	2650.12	25.51	60	34.49	Pass	401
2695	3000	1	RMS	2869.613	-44.88	-25	19.88	Pass	401
3000	12000	1	RMS	5301	-51	-25	26	Pass	9002
12000	26500	1	RMS	25906	-46.76	-25	21.76	Pass	14502




15.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.53	-25	41.53	Pass	401
0.15	30	0.01	RMS	0.15	-65.99	-25	40.99	Pass	2986
30	1000	0.1	RMS	875.918	-59.86	-25	34.86	Pass	9701
1000	2491	1	RMS	2486	-46.56	-25	21.56	Pass	1492
2491	2695	1	RMS	2650.12	24.59	60	35.41	Pass	401
2695	3000	1	RMS	2871.9	-44.88	-25	19.88	Pass	401
3000	12000	1	RMS	7951	-49.43	-25	24.43	Pass	9002
12000	26500	1	RMS	25884	-46.67	-25	21.67	Pass	14502




15.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.93	-25	40.93	Pass	401
0.15	30	0.01	RMS	0.15	-66.51	-25	41.51	Pass	2986
30	1000	0.1	RMS	865.711	-59.92	-25	34.92	Pass	9701
1000	2486	1	RMS	2486	-46.69	-25	21.69	Pass	1487
2486	2700	1	RMS	2535.22	23.86	60	36.14	Pass	401
2700	3000	1	RMS	2871.75	-44.87	-25	19.87	Pass	401
3000	12000	1	RMS	11898	-56.82	-25	31.82	Pass	9002
12000	26500	1	RMS	25900	-46.67	-25	21.67	Pass	14502




15.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.96	-25	40.96	Pass	401
0.15	30	0.01	RMS	0.15	-66.68	-25	41.68	Pass	2986
30	1000	0.1	RMS	869.614	-59.9	-25	34.9	Pass	9701
1000	2486	1	RMS	2484	-46.66	-25	21.66	Pass	1487
2486	2700	1	RMS	2535.22	22.91	60	37.09	Pass	401
2700	3000	1	RMS	2870.25	-44.88	-25	19.88	Pass	401
3000	12000	1	RMS	7607	-56.35	-25	31.35	Pass	9002
12000	26500	1	RMS	25902	-46.7	-25	21.7	Pass	14502



15.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.19	-25	41.19	Pass	401
0.15	30	0.01	RMS	0.18	-65.83	-25	40.83	Pass	2986
30	1000	0.1	RMS	869.113	-59.81	-25	34.81	Pass	9701
1000	2486	1	RMS	2479	-46.75	-25	21.75	Pass	1487
2486	2700	1	RMS	2590.325	24.92	60	35.08	Pass	401
2700	3000	1	RMS	2865.75	-44.89	-25	19.89	Pass	401
3000	12000	1	RMS	11896	-56.77	-25	31.77	Pass	9002
12000	26500	1	RMS	25882	-46.72	-25	21.72	Pass	14502



15.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.8	-25	41.8	Pass	401
0.15	30	0.01	RMS	0.15	-66.47	-25	41.47	Pass	2986
30	1000	0.1	RMS	888.426	-59.96	-25	34.96	Pass	9701
1000	2486	1	RMS	2485	-46.71	-25	21.71	Pass	1487
2486	2700	1	RMS	2590.325	23.19	60	36.81	Pass	401
2700	3000	1	RMS	2872.5	-44.88	-25	19.88	Pass	401
3000	12000	1	RMS	11907	-56.8	-25	31.8	Pass	9002
12000	26500	1	RMS	25899	-46.62	-25	21.62	Pass	14502



15.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.21	-25	41.21	Pass	401
0.15	30	0.01	RMS	0.17	-66.63	-25	41.63	Pass	2986
30	1000	0.1	RMS	874.517	-59.95	-25	34.95	Pass	9701
1000	2486	1	RMS	2485	-46.63	-25	21.63	Pass	1487
2486	2700	1	RMS	2645.43	25.58	60	34.42	Pass	401
2700	3000	1	RMS	2868	-44.88	-25	19.88	Pass	401
3000	12000	1	RMS	10582	-55.48	-25	30.48	Pass	9002
12000	26500	1	RMS	25901	-46.72	-25	21.72	Pass	14502



15.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.31	-25	41.31	Pass	401
0.15	30	0.01	RMS	0.15	-66.13	-25	41.13	Pass	2986
30	1000	0.1	RMS	878.319	-59.91	-25	34.91	Pass	9701
1000	2486	1	RMS	2481	-46.66	-25	21.66	Pass	1487
2486	2700	1	RMS	2645.43	24.78	60	35.22	Pass	401
2700	3000	1	RMS	2873.25	-44.89	-25	19.89	Pass	401
3000	12000	1	RMS	7937	-54.66	-25	29.66	Pass	9002
12000	26500	1	RMS	25891	-46.7	-25	21.7	Pass	14502



15.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.22	-25	41.22	Pass	401
0.15	30	0.01	RMS	0.17	-66.76	-25	41.76	Pass	2986
30	1000	0.1	RMS	884.523	-59.84	-25	34.84	Pass	9701
1000	2481	1	RMS	2481	-46.67	-25	21.67	Pass	1482
2481	2705	1	RMS	2535.32	24.37	60	35.63	Pass	401
2705	3000	1	RMS	2871.675	-44.85	-25	19.85	Pass	401
3000	12000	1	RMS	11895	-56.77	-25	31.77	Pass	9002
12000	26500	1	RMS	25880	-46.7	-25	21.7	Pass	14502



15.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.18	-25	41.18	Pass	401
0.15	30	0.01	RMS	0.24	-67.14	-25	42.14	Pass	2986
30	1000	0.1	RMS	874.217	-59.9	-25	34.9	Pass	9701
1000	2481	1	RMS	2481	-46.77	-25	21.77	Pass	1482
2481	2705	1	RMS	2535.88	23.22	60	36.78	Pass	401
2705	3000	1	RMS	2866.513	-44.86	-25	19.86	Pass	401
3000	12000	1	RMS	11890	-56.73	-25	31.73	Pass	9002
12000	26500	1	RMS	25899	-46.7	-25	21.7	Pass	14502



15.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.08	-25	41.08	Pass	401
0.15	30	0.01	RMS	0.17	-66.5	-25	41.5	Pass	2986
30	1000	0.1	RMS	870.214	-59.8	-25	34.8	Pass	9701
1000	2481	1	RMS	2478	-46.76	-25	21.76	Pass	1482
2481	2705	1	RMS	2587.96	25.28	60	34.72	Pass	401
2705	3000	1	RMS	2870.938	-44.84	-25	19.84	Pass	401
3000	12000	1	RMS	7765	-55.09	-25	30.09	Pass	9002
12000	26500	1	RMS	25891	-46.71	-25	21.71	Pass	14502



15.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.27	-25	41.27	Pass	401
0.15	30	0.01	RMS	0.18	-66.92	-25	41.92	Pass	2986
30	1000	0.1	RMS	882.022	-59.81	-25	34.81	Pass	9701
1000	2481	1	RMS	2479	-46.71	-25	21.71	Pass	1482
2481	2705	1	RMS	2587.96	23.99	60	36.01	Pass	401
2705	3000	1	RMS	2869.463	-44.83	-25	19.83	Pass	401
3000	12000	1	RMS	7765	-56.71	-25	31.71	Pass	9002
12000	26500	1	RMS	25889	-46.7	-25	21.7	Pass	14502



15.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.49	-25	40.49	Pass	401
0.15	30	0.01	RMS	0.18	-66.29	-25	41.29	Pass	2986
30	1000	0.1	RMS	872.916	-59.9	-25	34.9	Pass	9701
1000	2481	1	RMS	2479	-46.69	-25	21.69	Pass	1482
2481	2705	1	RMS	2640.6	24.32	60	35.68	Pass	401
2705	3000	1	RMS	2868.725	-44.85	-25	19.85	Pass	401
3000	12000	1	RMS	7922	-53.57	-25	28.57	Pass	9002
12000	26500	1	RMS	25889	-46.68	-25	21.68	Pass	14502



15.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.62	-25	41.62	Pass	401
0.15	30	0.01	RMS	0.19	-67.02	-25	42.02	Pass	2986
30	1000	0.1	RMS	866.612	-59.88	-25	34.88	Pass	9701
1000	2481	1	RMS	2481	-46.8	-25	21.8	Pass	1482
2481	2705	1	RMS	2640.6	23.7	60	36.3	Pass	401
2705	3000	1	RMS	2867.988	-44.87	-25	19.87	Pass	401
3000	12000	1	RMS	5281	-54.33	-25	29.33	Pass	9002
12000	26500	1	RMS	25873	-46.71	-25	21.71	Pass	14502



15.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.39	-25	41.39	Pass	401
0.15	30	0.01	RMS	0.19	-67.03	-25	42.03	Pass	2986
30	1000	0.1	RMS	880.221	-59.89	-25	34.89	Pass	9701
1000	2476	1	RMS	2476	-46.82	-25	21.82	Pass	1477
2476	2710	1	RMS	2535.67	24.1	60	35.9	Pass	401
2710	3000	1	RMS	2872.4	-44.86	-25	19.86	Pass	401
3000	12000	1	RMS	7608	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	25895	-46.77	-25	21.77	Pass	14502



15.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.81	-25	40.81	Pass	401
0.15	30	0.01	RMS	0.15	-66.4	-25	41.4	Pass	2986
30	1000	0.1	RMS	871.215	-59.9	-25	34.9	Pass	9701
1000	2476	1	RMS	2476	-46.76	-25	21.76	Pass	1477
2476	2710	1	RMS	2535.67	23.77	60	36.23	Pass	401
2710	3000	1	RMS	2866.6	-44.87	-25	19.87	Pass	401
3000	12000	1	RMS	11893	-56.8	-25	31.8	Pass	9002
12000	26500	1	RMS	25884	-46.71	-25	21.71	Pass	14502



15.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.98	-25	40.98	Pass	401
0.15	30	0.01	RMS	0.23	-66.96	-25	41.96	Pass	2986
30	1000	0.1	RMS	867.112	-59.82	-25	34.82	Pass	9701
1000	2476	1	RMS	2474	-46.8	-25	21.8	Pass	1477
2476	2710	1	RMS	2585.98	24.61	60	35.39	Pass	401
2710	3000	1	RMS	2872.4	-44.87	-25	19.87	Pass	401
3000	12000	1	RMS	11899	-56.67	-25	31.67	Pass	9002
12000	26500	1	RMS	25902	-46.73	-25	21.73	Pass	14502



15.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.24	-25	40.24	Pass	401
0.15	30	0.01	RMS	0.2	-66.29	-25	41.29	Pass	2986
30	1000	0.1	RMS	868.913	-59.72	-25	34.72	Pass	9701
1000	2476	1	RMS	2474	-46.75	-25	21.75	Pass	1477
2476	2710	1	RMS	2585.98	22.99	60	37.01	Pass	401
2710	3000	1	RMS	2873.125	-44.85	-25	19.85	Pass	401
3000	12000	1	RMS	11887	-56.8	-25	31.8	Pass	9002
12000	26500	1	RMS	25891	-46.71	-25	21.71	Pass	14502



15.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.79	-25	41.79	Pass	401
0.15	30	0.01	RMS	0.15	-65.84	-25	40.84	Pass	2986
30	1000	0.1	RMS	866.612	-59.87	-25	34.87	Pass	9701
1000	2476	1	RMS	2467	-46.81	-25	21.81	Pass	1477
2476	2710	1	RMS	2635.705	24.13	60	35.87	Pass	401
2710	3000	1	RMS	2868.775	-44.86	-25	19.86	Pass	401
3000	12000	1	RMS	5272	-54.35	-25	29.35	Pass	9002
12000	26500	1	RMS	25893	-46.75	-25	21.75	Pass	14502



15.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.72	-25	40.72	Pass	401
0.15	30	0.01	RMS	0.17	-66.6	-25	41.6	Pass	2986
30	1000	0.1	RMS	873.616	-59.76	-25	34.76	Pass	9701
1000	2476	1	RMS	2476	-46.84	-25	21.84	Pass	1477
2476	2710	1	RMS	2635.705	23.99	60	36.01	Pass	401
2710	3000	1	RMS	2870.225	-44.86	-25	19.86	Pass	401
3000	12000	1	RMS	7908	-55.56	-25	30.56	Pass	9002
12000	26500	1	RMS	25894	-46.78	-25	21.78	Pass	14502



--BLANK BELOW--